

esttab/estout demo

Luiza Andrade

World Bank, Development Impact Evaluations
lcardoso@worldbank.org

May 27, 2020

List of Tables

1	Basic esttab table	2
2	Adding variable labels	3
3	Removing omitted levels	3
4	Removing variables from table	4
5	Customizing model titles and notes	4
6	Customizing header	5
7	Appending two panels	6
A1	Table with a wide note	7
A2	Adjusting note width with threeparttable	7
A3	Adjusting note width by trial-and-error	8
A4	Table with a narrow note	8
A5	Adjusting narrow note with threeparttable	9
A6	Adjusting narrow note by trial-and-error	9

Visit <https://github.com/bbdaniels/stata-tables> to see the latest version of this material.

Table 1: Basic `esttab` table

	(1)	(2)	(3)	(4)
	death	death	divorce	divorce
marriage	-0.0849 (-1.63)		0.260*** (4.36)	0.190** (3.20)
pop	0.00949*** (19.08)		0.00271*** (4.74)	0.00342*** (5.98)
popurban		0.00992*** (28.57)		
1.region				0 (.)
2.region				6362.7* (2.06)
3.region				9215.6** (3.01)
4.region				9627.3** (3.03)
_cons	650.9 (0.48)	6464.6*** (3.55)	-963.3 (-0.62)	-7786.2** (-3.00)
<i>N</i>	50	50	50	50

t statistics in parentheses* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

Table 2: Adding variable labels

	(1)	(2)	(3)	(4)
	Number of deaths	Number of deaths	Number of divorces	Number of divorces
Number of marriages	-0.0849 (0.0520)		0.260*** (0.0597)	0.190** (0.0593)
Population	0.00949*** (0.000497)		0.00271*** (0.000571)	0.00342*** (0.000572)
Urban population		0.00992*** (0.000347)		
NE				0 (.)
N Cntrl				6362.7* (3085.9)
South				9215.6** (3061.1)
West				9627.3** (3180.5)
Constant	650.9 (1347.4)	6464.6*** (1819.7)	-963.3 (1547.9)	-7786.2** (2591.7)
Observations	50	50	50	50

Standard errors in parentheses

* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

Table 3: Removing omitted levels

	(1)	(2)	(3)	(4)
	Number of deaths	Number of deaths	Number of divorces	Number of divorces
Number of marriages	-0.0849 [-0.189,0.0196]		0.260*** [0.140,0.380]	0.190** [0.0702,0.309]
Population	0.00949*** [0.00849,0.0105]		0.00271*** [0.00156,0.00386]	0.00342*** [0.00226,0.00457]
Urban population		0.00992*** [0.00922,0.0106]		
N Cntrl				6362.7* [143.6,12581.9]
South				9215.6** [3046.4,15384.8]
West				9627.3** [3217.5,16037.1]
Omitted category: NE region				
Constant	650.9 [-2059.8,3361.6]	6464.6*** [2805.9,10123.4]	-963.3 [-4077.2,2150.5]	-7786.2** [-13009.4,-2562.9]
Observations	50	50	50	50

95% confidence intervals in brackets

Add a note here.

Other custom note here.

* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

Table 4: Removing variables from table

	(1)	(2)	(3)	(4)
	Number of deaths	Number of deaths	Number of divorces	Number of divorces
Number of marriages	-0.0849 [-0.189,0.0196]		0.260*** [0.140,0.380]	0.190** [0.0702,0.309]
Population	0.00949*** [0.00849,0.0105]		0.00271*** [0.00156,0.00386]	0.00342*** [0.00226,0.00457]
Urban population		0.00992*** [0.00922,0.0106]		
Constant	650.9 [-2059.8,3361.6]	6464.6*** [2805.9,10123.4]	-963.3 [-4077.2,2150.5]	-7786.2** [-13009.4,-2562.9]
Observations	50	50	50	50
Region controls	No	No	No	Yes

95% confidence intervals in brackets

Add a note here.

Other custom note here.

* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

Table 5: Customizing model titles and notes

	(1)	(2)	(3)	(4)
	Title 1	Title 2	Title 3	Title 4
Number of marriages	-0.0849 (0.0520)		0.260*** (0.0597)	0.190** (0.0593)
Population	0.00949*** (0.000497)		0.00271*** (0.000571)	0.00342*** (0.000572)
Urban population		0.00992*** (0.000347)		
Constant	650.9 (1347.4)	6464.6*** (1819.7)	-963.3 (1547.9)	-7786.2** (2591.7)
Observations	50	50	50	50
Region controls	No	No	No	Yes

Standard errors in parentheses

Add a note here.

Other custom note here.

* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

Table 6: Customizing header

	<i>Dependent variable:</i>			
	Number of deaths		Number of divorces	
	(1)	(2)	(3)	(4)
Number of marriages	-0.0849 (0.0520)		0.260*** (0.0597)	0.190** (0.0593)
Population	0.00949*** (0.000497)		0.00271*** (0.000571)	0.00342*** (0.000572)
Urban population		0.00992*** (0.000347)		
Constant	650.9 (1347.4)	6464.6*** (1819.7)	-963.3 (1547.9)	-7786.2** (2591.7)
Observations	50	50	50	50
Region fixed effects	No	No	No	Yes

Standard errors in parentheses

* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

1 title

Table 7: Appending two panels

	Number of deaths	
	(1)	(2)
Panel A: South		
Number of marriages	0.622*** (9.27)	-0.203 (-1.12)
Population		0.0107*** (4.68)
Constant	6626.2 (1.46)	1783.3 (0.58)
Observations	16	16
Panel B: West		
Number of marriages	0.737*** (5.98)	0.00548 (0.35)
Population		0.00788*** (52.78)
Constant	-5555.9 (-0.64)	-1297.2* (-2.37)
Observations	13	13

Add notes manually here.

Appendix: fixing table notes

Table A1: Table with a wide note

	(1)	(2)	(3)
Car type (1 = foreign)	312.3 (754.4)	2774.0*** (772.1)	2615.7** (767.4)
Mileage (mpg)			-139.9 (82.30)
Constant	6072.4*** (411.4)	-11500.2** (3472.3)	-2673.4 (6220.8)
Observations	74	74	74
Model controls	No	Yes	Yes
Make fixed effects	No	No	No

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, f

Table A2: Adjusting note width with `threeparttable`

	(1)	(2)	(3)
Car type (1 = foreign)	312.3 (754.4)	2774.0*** (772.1)	0 (.)
Constant	6072.4*** (411.4)	-11500.2** (3472.3)	-1632.1 (2896.7)
Observations	74	74	74
Model controls	No	Yes	Yes
Make fixed effects	No	No	Yes

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Table A3: Adjusting note width by trial-and-error

	(1)	(2)	(3)
Car type (1 = foreign)	312.3 (754.4)	2774.0*** (772.1)	0 (.)
Constant	6072.4*** (411.4)	-11500.2** (3472.3)	-1632.1 (2896.7)
Observations	74	74	74
Model controls	No	Yes	Yes
Make fixed effects	No	No	Yes

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Table A4: Table with a narrow note

	(1)	(2)	(3)	(4)	(5)	(6)
Car type (1 = foreign)	312.3 (754.4)	2774.0*** (772.1)	0 (.)	312.3 (754.4)	2774.0*** (772.1)	0 (.)
Constant	6072.4*** (411.4)	-11500.2** (3472.3)	-1632.1 (2896.7)	6072.4*** (411.4)	-11500.2** (3472.3)	-1632.1 (2896.7)
Observations	74	74	74	74	74	74
Model controls	No	Yes	Yes	No	Yes	Yes
Make fixed effects	No	No	Yes	No	No	Yes

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Table A5: Adjusting narrow note with `threeparttable`

	(1)	(2)	(3)	(4)	(5)	(6)
Car type (1 = foreign)	312.3 (754.4)	2774.0*** (772.1)	0 (.)	312.3 (754.4)	2774.0*** (772.1)	0 (.)
Constant	6072.4*** (411.4)	-11500.2** (3472.3)	-1632.1 (2896.7)	6072.4*** (411.4)	-11500.2** (3472.3)	-1632.1 (2896.7)
Observations	74	74	74	74	74	74
Model controls	No	Yes	Yes	No	Yes	Yes
Make fixed effects	No	No	Yes	No	No	Yes

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Table A6: Adjusting narrow note by trial-and-error

	(1)	(2)	(3)	(4)	(5)	(6)
Car type (1 = foreign)	312.3 (754.4)	2774.0*** (772.1)	0 (.)	312.3 (754.4)	2774.0*** (772.1)	0 (.)
Constant	6072.4*** (411.4)	-11500.2** (3472.3)	-1632.1 (2896.7)	6072.4*** (411.4)	-11500.2** (3472.3)	-1632.1 (2896.7)
Observations	74	74	74	74	74	74
Model controls	No	Yes	Yes	No	Yes	Yes
Make fixed effects	No	No	Yes	No	No	Yes

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.