Skill Data Atlas

A complete review of human skill-response datasets and their redistribution conditions

37 source profiles across cognitive ability, educational and adult assessments, subject learning, language and short-answer performance.

Research and acquisition date
29 October 2026

Document revision
30 October 2026 (project branding and AI disclosure)

Prepared for
AndersH3 / Skill Data Atlas

AI disclosure
This report was prepared with OpenAI Codex and delegated AI agents, which performed substantive research, interpretation, writing, coding and technical checks. The mirrored observations came from cited external sources; this workflow did not generate participant answers. Independent human fact-checking, legal review and peer review are not documented. See Appendix A for the full scope, evidence and limitations of AI involvement.

github.com/AndersH3/skill-data-atlas

Contents

Contents 2

1. Executive findings 3

2. Research method and analysis guidance 5

3. Redistribution decisions and downloaded collection 8

4. Cognitive ability and performance 28

5. Large educational and adult assessments 32

6. Subject tests and learning-response data 37

7. Language assessment and constructed responses 44

8. Discovery resources and exclusions 46

9. Verification, limitations and reproducibility 47

10. Sources and references 48

Appendix A. AI disclosure 58

1. Executive findings

What this research establishes

There is a substantial supply of human skill-response data online, but no single source supplies every response format, construct and reuse permission. The 37 catalogue entries cover reasoning, vocabulary, general knowledge, spatial ability, memory, attention, mathematics, science, adult literacy and numeracy, digital competence, language production and short-answer explanation. Personality, beliefs, preferences and self-reported ability are excluded from the skill-response scope.

The most important practical choice is the observation needed by the proposed scoring rule. Binary correctness supports one class of models; selected distractors, partial work, timing, repeated attempts and human rubric judgments support others. These are not interchangeable. A public sample test or aggregate item statistic does not supply the joint response patterns required to compare individual scores.

This report combines the full source review with a separate redistribution audit and downloaded collection. Every source has a decision, including sources not mirrored because their terms are restrictive, permission remains unresolved or an official download could not be obtained. Source-specific licences, original codebooks where available, project field guides and checksum manifests accompany the mirrored collection. The project licence does not override third-party conditions.

Most useful starting points

Research question	Practical sources	Interpretation
Can a scoring pipeline reproduce a familiar small item matrix?	SAPA ability/iqitems, fraction subtraction, ECPE grammar	Useful compact structural benchmarks. SAPA's two objects are the same sample; binary-only exports cannot recover distractor choices. Exact packaged response objects are mirrored under their formal GPL grants; separate test-stimulus rights remain distinct.
Does a score capture spatial performance and latency?	Ganis-Kievit mental rotation	Direct behaviour, stimulus conditions and response-time documentation; a small, task-specific validation sample. Original deposit [1].
Does a task score remain stable on retesting?	Self-Regulation Ontology objective task subset	Raw trials and retest data permit task-specific stability checks. Exclude surveys and preference tasks. Author data and licence [2].
How should span performance receive partial credit?	Mathy-Friedman working-memory data	Original trial and participant-level files document different span-scoring rules. Preserve repeated-trial structure. Versioned deposit [3].
What do distractor choices add to educational scoring?	Eedi NeurIPS 2020; EdNet	Actual answers and keys support option-based analysis. Eedi retains only the latest student-question answer and uses separate ID spaces across task pairs; its images have additional restrictions. EdNet is longitudinal test preparation. Eedi source [4], EdNet source [5].
How does a score behave during learning?	Junyi 2020, EdNet, ASSISTments 2009	Define initial knowledge, current knowledge or learning gain before evaluation. Hints, feedback, stopping rules and future attempts must not leak into predictions. Junyi release [6].
Can a score generalize across populations or countries?	PISA, PIAAC, TIMSS, PIRLS, ICILS	Large samples are useful, but exposure design, weights and latent-score estimation require their technical manuals. These sources are linked rather than mirrored where sharing permission is absent.

Research question	Practical sources	Interpretation
How should written performance be evaluated?	MERLIN; Cambridge FCE and Write & Improve	Use ordinal/human-rating methods and account for task and rater effects. MERLIN is redistributable; Cambridge release terms prohibit corpus sharing. MERLIN source [7], Cambridge terms [8].
Can a short-answer score distinguish error types?	BEETLE and SciEntsBank	Nominal accuracy judgments and reference answers support grading studies. They do not form an equally spaced five-level scale. Organizer release [9].

Six findings that materially affect analysis

1. **Response codes carry scientific meaning.** Omitted, not-reached, not-administered and incorrect are different states. Preserve the original representation and document every transformation.
2. **Units must remain explicit.** A student, test submission, token, step, attempt, action, passage and question are different units. Dataset-size claims should state which one is counted.
3. **Timing is a measurement definition.** Last-visit time, total time, bundle/screen time, exercise duration and event timestamps require different analyses. PISA 2018's corrected supplement is a particularly clear example.
4. **A sample is not a norm.** Volunteer online samples, scanner-based cohorts, narrow historical tests and selected practice users do not automatically represent a deployment population.
5. **Observed performance is not error-free ability.** Plausible values, estimated diagnostic classes, expert Q-matrices and CEFR judgments are useful annotations or model outputs, not known personal ground truth.
6. **Reuse permission must be checked at the file and component level.** Data, code, stimuli, photographs, question images, rubrics and papers can carry different conditions. Non-commercial and ShareAlike licences permit some redistribution while retaining those obligations; an unresolved licence is not an open grant.

Recommended progression for scoring research

First validate the scoring pipeline on a small documented response source. Then use an independently acquired dataset with the required response information and a held-out evaluation design. Estimate all weights and transformations on training observations. Compare uncertainty, calibration, ranking stability and prediction of held-out performance, rather than only correlation with a score derived from the same answers.

For practice data, use time-respecting splits and keep a learner's related records together where appropriate. For transfer to new content, hold out whole items, passages or tasks. For population claims, preserve survey design and imputation rules. A novel score that gives rare responses extra weight requires particular care about guessing, small cells, local dependence and outliers.

These recommendations are a methodological synthesis of the reviewed sources. No scoring algorithm was fitted, no causal claim was tested, and no source has been certified for high-stakes individual decisions in this task. Detailed evidence and limitations follow in the source profiles and acquisition ledger.

2. Research method and analysis guidance

Research cutoff: **29 October 2026**. This is a curated research review, not an exhaustive registry or a certification of each test's validity.

What counts as a skill-based test here?

Included: tasks where a person demonstrates knowledge, reasoning, memory, attention, perception, reading, numeracy, language production or another competence, and an answer or performance is observed. A broad interpretation includes cognitive ability and educational attainment. The catalogue separates fixed assessments, adaptive/sampled assessments, repeated-trial tasks, human-rated performances and learning/practice logs.

Excluded from the core shortlist: personality inventories, interests, attitudes, self-reported ability, clinical symptom questionnaires, synthetic examinees, question banks without human responses and datasets consisting only of AI responses. A mixed study can qualify through its performance-based subset; its questionnaires do not become skill tests.

What “online available” means

Availability, openness and evidence strength are separate dimensions. Each profile records its actual route: anonymous download, software-package data, registration/agreement, application/approval, or restricted research access. An online catalogue or sample test does not establish access to individual responses. “Not verified” means the review did not establish the fact; it does not mean the feature is absent.

Evidence levels used in the catalogue:

Level	Evidence obtained	What it does not establish
`file_inspected`	Actual response-file bytes were parsed or their schema inspected; full-file versus sample checks are specified	Full cleaning, psychometric validity, representativeness or legal clearance
`archive_verified`	Actual archive bytes/listing or range headers were checked	Response values and complete schema
`documentation_verified`	Primary provider/researcher description, codebook or package documentation checked	Successful end-to-end download today
`metadata_only_or_unresolved`	Only indexed/deposited metadata were available, or response-file evidence remains unresolved	Successful file acquisition or complete schema verification

Evidence strength does not imply unrestricted access: even an inspected public file may carry restrictive terms. Full details and exceptions appear in the domain notes and verification evidence [10]. A successful HTTP response alone is not a parsed dataset. Login forms, anti-bot pages and archive errors are recorded as limitations. No restricted access agreements were accepted on the user's behalf.

How sources were selected and checked

AI assistants conducted research in parallel across cognitive tasks, large educational assessments, learning datasets, and language/constructed-response assessment. Primary sources were preferred: provider databases and terms, university/laboratory releases, original articles and author-maintained software documentation. Search snippets were used for discovery; claims supported only by indexed metadata are explicitly marked. Selected public archives and small response files were checked directly. Counts retain their units: people, submissions, answers, items, passages and events are not interchangeable.

The priority labels express **practical suitability for a stated research use**, based on response granularity, documentation, access burden and methodological complexity. They are this review's judgments, not empirical rankings of test quality or recommendations for high-stakes individual decisions.

Minimum fields to preserve on acquisition

For every version, save its source URL, retrieval date, checksum, original citation, applicable terms and codebook. Record participant and item IDs, response categories, answer key/version, missing codes, administration form, and timing units. Preserve original files outside the public repository until redistribution rights are clear. Maintain a separate derived table and a transformation log.

Suggested analysis representation:

Field	Meaning
`dataset_version`, `person_id`, `item_id`	Provenance and stable within-dataset identifiers
`attempt_id`, `session_id`, `position`	Repeated attempts and administration order, when available
`raw_response`, `score`, `max_score`	Selected option/free response and explicitly derived scoring
`response_time_ms`	Latency only when its definition and units are known
`missing_reason`	Not administered, omitted, not reached, invalid and missing remain distinguishable
`form_id`, `testlet_id`, `skill_id`	Booklet/adaptive routing, shared stimulus and content domain
`weight`, `replicate_weights`, `cluster_id`	Complex sample design, if supplied

Do not force all datasets into binary accuracy. Distractor selections, partial-credit marks and nominal error labels can support different models. A timestamp, total duration or average of previous attempts is not automatically the response time for the current item.

Comparing scoring methods responsibly

1. Start with a transparent baseline on the same responses and comparable item exposure/forms: number correct or proportion of available marks. Account for form difficulty before comparing different adaptive/booklet sets. Add appropriate Rasch/IRT, ordinal, multidimensional or diagnostic models only where their assumptions fit the data.
2. Fit transformations, item weights and model parameters on training data; evaluate on held-out examinees. If testing generalization to new items or institutions, hold out those units too. Keep repeated attempts and revisions together, or use a time-respecting learning evaluation.

3. Examine reliability/precision, calibration, rank stability and predictive/criterion validity where suitable outcomes exist. Better agreement with a score already derived from the same answers is not independent validity evidence.
4. Model booklet missingness, adaptive routing, clustering and repeated measures. Never automatically score non-administered items as wrong. Use the official survey design for population claims.
5. Treat plausible values as multiple population-analysis draws, not observed item responses or precise labels for individual ability. Do not average plausible values into a supposedly true personal score.
6. Treat rare patterns cautiously: inspect sample size, guessing, item dependence, rapid responses and data quality before assigning unusual answers high weight. Validate any novelty-based score on independent data.

These steps are proposed analysis guidance; no scoring experiment or psychometric comparison was run in this research task.

Licensing and publication boundary

This project stores AI-assisted research summaries, metadata and links, plus a separately licensed mirror of sources with explicit redistribution permission. Its existing repository license does **not** relicense external response data, item wording, photographs, speech recordings, keys or rubrics. A software package's license is not automatically proof of permission to administer or republish the original test. Some sources allow analysis but prohibit redistributing files; some also restrict derived outputs. The redistribution audit records each decision; consult the version-specific primary terms before publication.

Coverage limitations

The search emphasizes openly documented datasets with useful human responses and English-language source documentation. It covers multiple domains and languages, but is not a census of occupational, vocational, physical or professional certification tests. Many commercial tests have public practice questions but no reusable person-level data. Size, access and licenses can change; recheck the recorded source before a new download. A file inspection is only a structural check, and the samples have not been validated for any particular deployment population.

3. Redistribution decisions and downloaded collection

All **37 catalogue entries** were screened separately from scientific suitability. Current result: **15 mirrored entries**, **22 excluded**, **0 licensed but inaccessible**, and **0 pending**. Mirrored entries map to **14 distinct collection folders** because BEETLE and SciEntsBank share one original release.

The acquired response/stimulus payloads total **6,190,804,432 bytes** across **30 files**. Files larger than 15 MB are GitHub release assets; smaller payloads, licences, codebooks, source records and manifests are stored in Git. The release is part of the same repository. File size and SHA-256 provide an integrity record, not proof of psychometric validity.

Decision standard

Redistribution was accepted where an explicit source grant covers the files. This includes formal package-wide GPL grants for packaged response objects when no contrary data notice applies; a separate file header is not required. It does not authorize separate proprietary test banks or stimuli. Standard Creative Commons licences can permit sharing with attribution, non-commercial, ShareAlike or NoDerivatives conditions. Those conditions are preserved rather than replaced by the project licence. Unresolved grants are excluded; clear licences with unavailable files are separately recorded. No restricted-use applications or custom access agreements were submitted.

Eedi is a special case: unchanged response and metadata CSV members are losslessly repackaged; every question image is excluded. No cleaned, filtered or merged derivative response table is distributed. For mixed cognitive batteries, the selected objective tasks and original member hashes are documented; surveys, preference tasks and MRI images are not part of the skill-response mirror.

Decisions for every source

Source	Decision	Basis
SAPA cognitive ability: psychTools ability / iqitems (`sapa-ability-iqitems`)	mirrored	Affirmative package-wide GPL (>=2) grant, with no contrary data-specific restriction found; exact unmodified source objects and documentation preserved. Only `ability.rda` and `iqitems.rda`: two representations of the same 1,525 people×16 cognitive items, plus their codebooks. The current full ICAR archive and its separate access terms are outside this mirror. Primary evidence [11]
OpenPsychometrics Vocabulary IQ Test (`ospp-viqt`)	excluded	A distinct response-data redistribution grant was not established; public downloading does not establish permission. Primary evidence [12]
OpenPsychometrics Multifactor General Knowledge Test 2017-2018 (`ospp-mgkt`)	excluded	A distinct response-data redistribution grant was not established; public downloading does not establish permission. Primary evidence [13]
OpenPsychometrics experimental matrix IQ test (`ospp-iq1`)	excluded	A distinct response-data redistribution grant was not established; public downloading does not establish permission. Primary evidence [14]
OpenPsychometrics Full Scale IQ alpha v0.1 (`ospp-fsiq-alpha`)	excluded	A distinct response-data redistribution grant was not established; public downloading does not establish permission. Primary evidence [15]

Source	Decision	Basis
Exposure Based Face Memory Test (`ospp-ebfmt`)	excluded	Response-data redistribution license unresolved; copyrighted face photos described as research-use, not general redistribution. Primary evidence [16]
Ganis-Kievit mental rotation validation data (`ganis-kievit-mental-rotation`)	mirrored	Original behavioral ZIP file3702010, full JPG stimulus bank and original codebooks; redundant encodings/older archive omitted explicitly Primary evidence [17]
Self-Regulation Ontology objective performance-task subset (`sro-performance-tasks`)	mirrored	23 objective tasks, complete and retest phases; original per-task gzip members untouched Primary evidence [18]
OpenNeuro ds004636 objective task subset (`openneuro-ds004636-objective-tasks`)	mirrored	734 BIDS events.tsv files from seven objective tasks; no MRI, surveys or preference tasks Primary evidence [19]
Working Memory Develops at a Similar Rate Across Diverse Stimuli (`mathy-friedman-working-memory`)	mirrored	All two deposited version-1 data files, unchanged; author description and project field guide Primary evidence [20]
ICAR current full materials and psychometric data (`icar-current-restricted`)	excluded	Current full archive uses Scientific Use License/academic access conditions and no public redistribution permission was established. Primary evidence [21]
PISA 2025 cognitive responses and process data (`pisa-2025`)	excluded	PISA public-use terms explicitly prohibit third-party redistribution; an anonymously reachable archive is not an overriding grant. Primary evidence [22]
PISA 2022 (`pisa-2022`)	excluded	PISA public-use terms explicitly prohibit third-party redistribution; an anonymously reachable archive is not an overriding grant. Primary evidence [23]
PISA 2018 cognitive responses plus corrected total-time/visits supplement (`pisa-2018-timing`)	excluded	PISA public-use terms explicitly prohibit third-party redistribution; an anonymously reachable archive is not an overriding grant. Primary evidence [24]
Survey of Adult Skills 2023 / PIAAC cycle 2 (`piaac-2023`)	excluded	PIAAC public-use terms explicitly prohibit distribution or disclosure to third parties. Primary evidence [25]
PIAAC 2012 international log files, ZA6712 (`piaac-2012-logs`)	excluded	GESIS/OECD source-specific access conditions do not establish a transferable redistribution licence for the precise log archive. Primary evidence [26]

Source	Decision	Basis
TIMSS 2023 grades 4 and 8 (`timss-2023`)	excluded	Public download is available, but a blanket response-data redistribution grant was not established. IEA separately controls study instruments and restricted items; software restrictions are not used as a substitute for data-licence evidence. Primary evidence [27]
PIRLS 2021, second edition including log files (`pirls-2021`)	excluded	Public download is available, but a blanket response-data redistribution grant was not established. IEA separately controls study instruments and restricted items; software restrictions are not used as a substitute for data-licence evidence. Primary evidence [28]
ICILS 2023 (`icils-2023`)	excluded	Public download is available, but a blanket response-data redistribution grant was not established. IEA separately controls study instruments and restricted items; software restrictions are not used as a substitute for data-licence evidence. Primary evidence [29]
ICCS 2022 civic-knowledge test and process data (`iccs-2022-cognitive`)	excluded	Public download is available, but a blanket response-data redistribution grant was not established. IEA separately controls study instruments and restricted items; software restrictions are not used as a substitute for data-licence evidence. Primary evidence [30]
Tatsuoka fraction subtraction (CDM) (`fraction-subtraction`)	mirrored	Affirmative package-wide GPL (>=2) grant, with no contrary data-specific restriction found; exact unmodified source objects and documentation preserved. Only the 536 × 20 binary response matrix and 20 × 8 Q-matrix source objects; no original test-question facsimiles or item artwork. Primary evidence [31]
ECPE English grammar section (CDM) (`ecpe-grammar`)	mirrored	Affirmative package-wide GPL (>=2) grant, with no contrary data-specific restriction found; exact unmodified source objects and documentation preserved. Only `data.ecpe.rda`, containing 2,922 people×28 binary grammar-item scores, participant ID and 28 × 3 Q-matrix; no ECPE test questions, forms or handbook. Primary evidence [31]
ASSISTments 2009-2010 corrected collapsed Skill Builder (`assistments-2009`)	excluded	Official source says free to use with citation, but an explicit right to redistribute the release files was not established. Public download alone is not treated as permission to mirror. Primary evidence [32]
ASSISTments 2015 top-100 Skill Builders (`assistments-2015`)	excluded	No release-specific explicit redistribution licence was established from the checked primary source. Kept link-only. Primary evidence [33]
Junyi Academy Online Learning Activity Dataset (2020 release; 2018-2019 logs) (`junyi-2020`)	mirrored	Full original Kaggle bundle acquired unchanged; all three source CSVs included; full ZIP CRC audit passed. Provider licence/terms and source-header field guide preserved. Primary evidence [6]
EdNet KT1-KT4 (Santa English test preparation) (`ednet`)	mirrored	Full original KT1-KT4 and Contents archives copied without byte changes; every ZIP member CRC verified. Author README/codebook and CC BY-NC4 licence preserved. KT1 final SHA-256 matches the pinned mirror LFS; fixed byte windows match the official source. Canonical Riiid CC BY-NC4 retained. Primary evidence [5]

Source	Decision	Basis
Eedi / NeurIPS 2020 Education Challenge (`eedi-neurips-2020`)	mirrored	All18originalresponse/metadata/challenge CSVtables acquired with exact original bytes and source CRC32 verified. Lossless collection packaging only; all images and macOS resource forks omitted under provider conditions. Primary evidence [4]
Duolingo SLAM 2018 shared-task learner responses (`duolingo-slam-2018`)	mirrored	All three version4 course archives acquired unchanged from named mirror, with original Duolingo LICENSE.md/CITING.md/CHANGELOG.md. Exact source-deposited sizes match; original-deposit hashes not exposed. Complete gzip CRC audit passed. Primary evidence [34]
KDD Cup 2010 Algebra I / Bridge to Algebra (`kdd-cup-2010-algebra`)	excluded	Public competition download and rules did not establish an explicit reusable-data redistribution grant. No mirrored payload without clearer permission. Primary evidence [35]
Database Exercises for Knowledge Tracing (DBE-KT22) (`dbe-kt22`)	excluded	Custom dataset terms could not be fully inspected; paper CC BY4 does not establish dataset rights. Source payload access also returns anti-bot403. Kept link-only because redistribution permission remains unresolved. Primary evidence [36]
MERLIN multilingual examination writing (`merlin`)	mirrored	Explicit primary redistribution license verified; unmodified source payload, full license, attribution/source links, checksums and codebooks retained. Primary evidence [7]
Cambridge CLC FCE v1.1 (`clc_fce_1_1`)	excluded	Provider-specific noncommercial research/education license expressly prohibits redistributing corpus files, including via GitHub. No registration/agreement was submitted. Primary evidence [8]
Cambridge Speak & Improve Corpus 2025 (`speak_improve_2025`)	excluded	Provider-specific noncommercial research/education license expressly prohibits redistributing corpus files, including via GitHub. No registration/agreement was submitted. Primary evidence [37]
Cambridge Write & Improve Corpus 2024 (second version) (`write_improve_2024`)	excluded	Provider-specific noncommercial research/education license expressly prohibits redistributing corpus files, including via GitHub. No registration/agreement was submitted. Primary evidence [38]
Constrained English C-Test user study (`ctest_mip_2024`)	mirrored	Explicit primary redistribution license verified; unmodified source payload, full license, attribution/source links, checksums and codebooks retained. Primary evidence [39]
SemEval 2013 Task 7 BEETLE (`semeval2013_beetle`)	mirrored	Explicit primary redistribution license verified; unmodified source payload, full license, attribution/source links, checksums and codebooks retained. Primary evidence [9]
SemEval 2013 Task 7 SciEntsBank (`semeval2013_scientsbank`)	mirrored	Explicit primary redistribution license verified; unmodified source payload, full license, attribution/source links, checksums and codebooks retained. Primary evidence [9]

Mirrored collection documentation

Constrained English C-Test user study

Licence: CC-BY-4.0. **Selected scope:** Explicit primary redistribution license verified; unmodified source payload, full license, attribution/source links, checksums and codebooks retained.

Source record and documentation [40]

This directory mirrors **User Study Data.zip**, the original, unmodified human user-study archive accompanying *Constrained C-Test Generation via Mixed-Integer Programming*. Retrieved 29 October 2026.

- Authors: Ji-Ung Lee, Marc Pfetsch and Iryna Gurevych.
- University release: Source [39]
- Release API: Source [41]
- Direct original data: Source [42]
- Author documentation: Source [43]
- Paper: Source [44]

License and attribution

The university's actual API record states `dc.rights.license = CC-BY-4.0`; it is copied unmodified in `upstream-repository-record.json`. **CC BY 4.0** permits sharing and adaptation with the required credit, license link and change notice. Full standard legal text is provided in `LICENSE.cc-by-4.0.txt`, sourced from the SPDX license-list transcription of the Creative Commons legal code: Source [45]. Canonical license: Source [46].

Please cite Lee, J.-U., Pfetsch, M., and Gurevych, I. (2024), *Constrained C-Test Generation via Mixed-Integer Programming*, together with the university data release above. Retain source attribution and any component notices when redistributing. Source archives are unchanged.

The author repository's README is provided as `upstream-README.md` to document the data. Its software/documentation license is separately preserved in `upstream-code-LICENSE.Apache-2.0.txt`; Apache-2.0 must not be confused with the response-data CC BY 4.0 license. The root project license does not replace either.

Data scope

The human study has **40 participants**, **32 C-Test forms**, and **160 participant-form attempts** (four forms per participant), each with 20 gaps: 3,200 observed gap responses. The 640 distinct form-gap positions are not 3,200 independent items. The archive includes original test forms/solutions, individual responses/scores and total form time, plus ancillary questionnaires, ratings and participant assignment tables. Ancillary self-report fields are not skill outcomes.

Only the human **User Study Data.zip** is mirrored. Separate GPT-4 prompt/output archives, variability-only generated data, model weights and executable feature-extraction software are outside this response-data acquisition. Test forms generated by a GPT-4 strategy are present as administered stimuli within the human archive; their human responses are observed human data.

`CODEBOOK.project.md` is a project-written schema guide, based on actual CSV headers and author documentation. It is not a newly discovered original-author codebook. Original files are available unchanged within the ZIP. `structural-verification.json` and `manifest.json` record structure, provenance and checksums. No learner text, responses or identifying details are reproduced in the PDF report.

Payload	Bytes	SHA-256 prefix
User Study Data.zip [47]	47,462	`9027d1cfa96e00be`

Duolingo SLAM 2018 shared-task learner responses

Licence: CC-BY-NC-4.0. **Selected scope:** All three version4 course archives acquired unchanged from named mirror, with original Duolingo LICENSE.md/CITING.md/CHANGELOG.md. Exact source-deposited sizes match; original-deposit hashes not exposed. Complete gzip CRC audit passed.

Source record and documentation [48]

Provider: Duolingo, Inc.; deposited by Burr Settles. Acquisition date: 2026-10-29.

Primary sources and acquisition route

- Dataset DOI: Source [34]
- Author task description and original schema: Source [49]
- Author-deposited DataCite record: Source [50]
- Harvard Dataverse version4 schema.org metadata, preserved by DataONE: Source [51]
- File DOIs: Source [52] (English), Source [53] (Spanish), Source [54] (French)
- Acquisition mirror: Source [55]

The Harvard website and payload/custom-license API returned HTTP403 from this environment. The three original-named tarballs were acquired from the public mirror above. Their exact byte sizes match the author-deposited v4 metadata; embedded CHANGELOG.md identifies v4 and embedded LICENSE.md provides the original rights notice. SHA-256 hashes identify the acquired mirror bytes. The preserved metadata object itself passes its DataONE content-addressed SHA-256 check. It did not expose original archive MD5/SHA checksums, so equality of the three data archives to the original deposit is not independently checksum-proven.

Rights

Original notice preserved in LICENSE.md: Copyright(c)2016 Duolingo, Inc. The original archive explicitly applies **CC BY-NC 4.0**, with the complete legal code. The author-deposited metadata independently states the same licence. Canonical licence: Source [56] . Noncommercial and attribution conditions remain attached. This project's software licence does not replace the dataset licence.

Files and changes

The three tarballs are copied byte-for-byte from the identified mirror. No learner records, labels or archive contents were transformed. Original licence, citation and changelog files are also extracted unchanged for convenience. Each archive covers one course: en_es, es_en, fr_en. The archive-specific upstream documents remain beside the source manifest. CODEBOOK.md is a project-written field guide with links to the official schema; it is labelled separately from original author documentation.

Version4 adds source translation prompts and corrects dependency parsing; do not silently mix it with the original 2018 files. Original learner answer strings are not supplied; the corpus provides correct-answer tokens and error labels. This is predominantly practice rather than a common fixed proficiency examination.

Citation

Settles, B., Brust, C., Gustafson, E., Hagiwara, M., and Madnani, N. (2018). Second Language Acquisition Modeling. Proceedings of the NAACL-HLT Workshop on Innovative Use of NLP for Building Educational Applications. ACL. Dataset: Settles, Burr, 2018, Data for the 2018 Duolingo Shared Task on Second Language Acquisition Modeling (SLAM), Harvard Dataverse, V4, doi:10.7910/DVN/8SWHNO. Preserve the exact original CITING.md files supplied with each archive.

Payload	Bytes	SHA-256 prefix
data_en_es.tar.gz [57]	46,889,834	dac4e97a03e0d35d
data_es_en.tar.gz [58]	35,067,817	c53079ed8053f523
data_fr_en.tar.gz [59]	16,134,930	f34bb1518d2fbc69

ECPE English grammar section (CDM)

Licence: GPL-2.0-or-later. **Selected scope:** Affirmative package-wide GPL (>=2) grant, with no contrary data-specific restriction found; exact unmodified source objects and documentation preserved. Only `data.ecpe.rda`, containing 2,922 people×28 binary grammar-item scores, participant ID and 28 × 3 Q-matrix; no ECPE test questions, forms or handbook.

Source record and documentation [60]

Source package: **CDM 8.4-9**, as distributed by `alexanderrobitzsch/CDM` at commit `9a731f28426367d9c56576035930c7246a902894`. Retrieved 2026-10-29.

Declared license: **GPL (>=2)**, represented here as SPDX **GPL-2.0-or-later**. `upstream-DESCRIPTION` is the unmodified formal package license declaration. `LICENSE.GPL-2.0-or-later.txt` supplies the full GPLv2 license text with the later-version option retained. These external files keep their upstream GPL license; the parent repository's AGPL license does not replace it.

Redistribution basis

The R developers' package specification treats DESCRIPTION License as the package's license. No separate copyright/license carveout for these response objects was found in the inspected source tree, data documentation or package metadata. CRAN policy requires clarity of rights for all package components and maintainer authorization; it expressly recognizes `.rda` files as source or readily convertible to source. Accordingly this mirror relies on the affirmative package-wide GPL grant, rather than requiring redundant per-file license headers. This is a source-object mirror, not a claim that raw data values or every original test stimulus necessarily carry copyright.

Primary package declaration: Source [31] Package source: Source [61] R package license specification: Source [62] CRAN all-component rights/source policy: Source [63] Canonical GPLv2: Source [64] License text transcription source: Source [65]

Attribution and data provenance

Package authors: Alexander Robitzsch, Thomas Kiefer, Ann Cathrice George and Ali Uenlue. Original response data source identified in the author Rd guide: Templin and Hoffman (2013) tutorial, formerly Source [66]. Cite Templin & Hoffman (2013), Obtaining diagnostic classification model estimates using Mplus, Educational Measurement: Issues and Practice 32, 37-50; Templin & Bradshaw (2014), Hierarchical diagnostic classification models, Psychometrika 79, 317-339, as well as CDM. The commercial examination content is separate.

Exact mirrored scope and test-content boundary

Only `data.ecpe.rda`, containing 2,922 people × 28 binary grammar-item scores, participant ID and 28 × 3 Q-matrix; no ECPE test questions, forms or handbook.

The original `.rda` files are unchanged source-distribution data objects, editable after loading in R; no executable package code or compiled binary is included. The original author `.Rd` documentation is included unchanged as the codebook. No new observations or scores were generated. No unrelated personality datasets, secure question bank, test artwork, commercial test handbook or publisher article

PDF is mirrored. Permission to redistribute these packaged response objects is not a grant to administer or republish a separate current test bank.

Source availability and GPL notices

GPLv2 section 1 permits verbatim source copies with the applicable notices, warranty disclaimer and license copy retained. The original data objects, relevant Rd source documentation and DESCRIPTION provided here are the material being redistributed; R can load them directly using `load()`. The `.rda` files are the preferred form supplied in the upstream **source** distribution, not compiled executable versions needing a separate opaque binary/source offer. The upstream full package source remains linked above for context; unrelated package datasets are not required to inspect or modify these numeric response objects.

Redistributors should retain the upstream license/attribution, source links and no-warranty notices. Any covered modifications must be identified with dates and distributed under the applicable GPL terms; retain the original >=2 option. See the full license for its conditions rather than treating this summary as the license. The project-generated `read-data.R` is a convenience example for reading the preserved source objects, not a replacement for them.

Payload	Bytes	SHA-256 prefix
data.ecpe.rda [67]	13,659	`2eeeffcab7985b10`

EdNet KT1-KT4 (Santa English test preparation)

Licence: CC-BY-NC-4.0. **Selected scope:** Full original KT1-KT4 and Contents archives copied without byte changes; every ZIP member CRC verified. Author README/codebook and CC BY-NC4 licence preserved. KT1 final SHA-256 matches the pinned mirror LFS; fixed byte windows match the official source. Canonical Riiid CC BY-NC4 retained.

Source record and documentation [68]

Provider: Riiid / Santa. Source checked and files retrieved on 2026-10-29.

- Author repository, licence declaration and original field descriptions: Source [5]
- Author repository README: Source [69]
- Original archive links: KT1 [70], KT2 [71], KT3 [72], KT4 [73], Contents [74]
- Paper: Source [75]

Rights

The authors explicitly release the dataset under **CC BY-NC 4.0** for research. The full legal text is in LICENSE.txt, obtained from the SPDX licence corpus: Source [76] . Canonical licence: Source [56] . Attribution and noncommercial conditions remain attached to these files. The project's software licence does not replace them.

Contents and changes

The full KT1, KT2, KT3, KT4 and Contents ZIP files are acquired without modifying their bytes. KT1 acquisition combines validated official-source prefix/ranges with an immutable matching mirror for remaining ranges: Source [77] . Fixed byte windows and size match the official file; the final archive must match the mirror LFS SHA-256 recorded in mirror-verification.json. The mirror card's MIT label does not replace Riiid's canonical CC BY-NC4 dataset licence. The release inventory records exact sizes and SHA-256 hashes. Each learner's events are stored in a separate CSV inside the source ZIP. KT1 covers question-solving responses; KT2 adds answer selection/submission events; KT3 adds explanations/lectures; KT4 adds broader activity. These are overlapping representations, not four independent samples. No unreleased question text, pictures, audio or TOEIC score file is implied.

UPSTREAM_README.md is the author's original repository README/codebook, preserved unchanged. CODEBOOK.md is a concise project field guide. Large originals are distributed as release assets to keep the Git repository usable.

Citation

Choi, Y. et al. (2020). EdNet: A Large-Scale Hierarchical Dataset in Education. In Artificial Intelligence in Education. Also available as arXiv:1912.03072. Credit Riiid and the named authors of the linked paper.

Limitations

Timestamps were shifted for privacy. Questions share bundles and can share elapsed times. Practice, feedback, recommendations and answer revisions affect responses. Higher-level actions must not be counted as all being scored answers. See the author README for exact action/source semantics.

Payload	Bytes	SHA-256 prefix
ednet-Contents.zip [78]	173,976	`aa910a0436d9dbac`
ednet-KT1.zip [79]	1,201,163,816	`0d13933f90201c51`
ednet-KT2.zip [80]	555,757,666	`bb5dec5708b6af91`
ednet-KT3.zip [81]	762,774,456	`cc7823d9a5a0570c`
ednet-KT4.zip [82]	1,169,540,359	`ae7b699f64980a2e`

Eedi / NeurIPS 2020 Education Challenge

Licence: CC-BY-NC-ND-4.0. **Selected scope:** All18originalresponse/metadata/challenge CSVtables acquired with exact original bytes and source CRC32 verified. Lossless collection packaging only; all images and macOS resource forks omitted under provider conditions.

Source record and documentation [83]

Provider: Eedi and the NeurIPS 2020 Education Challenge organizers. Retrieval date: 2026-10-29.

- Primary project and licence declaration: Source [4]
- Original ZIP: Source [84]
- Author guide and citation: Source [85]
- Detailed version of guide: Source [86]

Rights

The provider explicitly applies **CC BY-NC-ND 4.0**: attribution and noncommercial use, with no distribution of modified material. LICENSE.txt contains the full standard licence, obtained from Source [87] . Canonical licence: Source [88] .

The provider adds a separate condition for question images: they are only for model training, and must not be printed or shared. **Every image is excluded from this mirror.** The original full ZIP must not be republished as a release asset because it contains those images.

Packaging and changes

The 18 original response, metadata and challenge CSV tables are extracted; auxiliary macOS resource forks are excluded. Their bytes are unchanged; lossless recompression and collecting files into a new ZIP are technical packaging changes. No observations, columns, IDs or values are changed. extraction-manifest.json records original archive member paths, sizes, CRC32 and SHA-256 hashes. The source archive inventory records all original filenames; image files are not downloaded into this collection. Auxiliary macOS resource forks are not treated as data tables.

This is a collection of unchanged files under their original licence, not a relicense under this repository's software licence. Do not distribute transformed versions of these data under the no-derivatives condition. CODEBOOK.md is a project-written factual guide, with links to the original author descriptions.

Citation

Wang, Z., Lamb, A., Saveliev, E., Cameron, P., Zaykov, Y., Hernandez-Lobato, J. M., Turner, R. E., Baraniuk, R. G., Barton, C., Jones, S. P., Woodhead, S., and Zhang, C. (2020). Diagnostic Questions: The NeurIPS 2020 Education Challenge. arXiv:2007.12061.

Scope caveats

The release retains only the latest answer for each student-question pair. Task1/2 and task3/4 IDs are independently anonymized: identical-looking IDs cannot be joined across task pairs. Timestamps are not response durations. Preserve the official train/test partitions and withheld-label conventions.

Payload	Bytes	SHA-256 prefix
eedi-2020-response-and-metadata-csvs.zip [89]	615,045,122	`2a956a053c21ce57`

Tatsuoka fraction subtraction (CDM)

Licence: GPL-2.0-or-later. **Selected scope:** Affirmative package-wide GPL (>=2) grant, with no contrary data-specific restriction found; exact unmodified source objects and documentation preserved. Only the 536 × 20 binary response matrix and 20 × 8 Q-matrix source objects; no original test-question facsimiles or item artwork.

Source record and documentation [90]

Source package: **CDM 8.4-9**, as distributed by `alexanderrobitzsch/CDM` at commit `9a731f28426367d9c56576035930c7246a902894`. Retrieved 2026-10-29.

Declared license: **GPL (>=2)**, represented here as SPDX **GPL-2.0-or-later**. `upstream-DESCRIPTION` is the unmodified formal package license declaration. `LICENSE.GPL-2.0-or-later.txt` supplies the full GPLv2 license text with the later-version option retained. These external files keep their upstream GPL license; the parent repository's AGPL license does not replace it.

Redistribution basis

The R developers' package specification treats DESCRIPTION License as the package's license. No separate copyright/license carveout for these response objects was found in the inspected source tree, data documentation or package metadata. CRAN policy requires clarity of rights for all package components and maintainer authorization; it expressly recognizes `.rda` files as source or readily convertible to source. Accordingly this mirror relies on the affirmative package-wide GPL grant, rather than requiring redundant per-file license headers. This is a source-object mirror, not a claim that raw data values or every original test stimulus necessarily carry copyright.

Primary package declaration: Source [31] Package source: Source [61] R package license specification: Source [62] CRAN all-component rights/source policy: Source [63] Canonical GPLv2: Source [64] License text transcription source: Source [65]

Attribution and data provenance

Package authors: Alexander Robitzsch, Thomas Kiefer, Ann Cathrice George and Ali Uenlue. Original data: Tatsuoka, K. (1984), Analysis of errors in fraction addition and subtraction problems; Tatsuoka, C. (2002), Data analytic methods for latent partially ordered classification models, JRSS Series C 51, 337-350. The original Rd guide cites the Royal Statistical Society datasets website as the response-data source. Preserve these original-data citations alongside the CDM package citation.

Exact mirrored scope and test-content boundary

Only the 536 × 20 binary response matrix and 20 × 8 Q-matrix source objects; no original test-question facsimiles or item artwork.

The original `.rda` files are unchanged source-distribution data objects, editable after loading in R; no executable package code or compiled binary is included. The original author `.Rd` documentation is included unchanged as the codebook. No new observations or scores were generated. No unrelated personality datasets, secure question bank, test artwork, commercial test handbook or publisher article PDF is mirrored. Permission to redistribute these packaged response objects is not a grant to administer or republish a separate current test bank.

Source availability and GPL notices

GPLv2 section 1 permits verbatim source copies with the applicable notices, warranty disclaimer and license copy retained. The original data objects, relevant Rd source documentation and DESCRIPTION provided here are the material being redistributed; R can load them directly using `load()`. The `.rda` files are the preferred form supplied in the upstream **source** distribution, not compiled executable versions needing a separate opaque binary/source offer. The upstream full package source remains linked above for context; unrelated package datasets are not required to inspect or modify these numeric response objects.

Redistributors should retain the upstream license/attribution, source links and no-warranty notices. Any covered modifications must be identified with dates and distributed under the applicable GPL terms; retain the original >=2 option. See the full license for its conditions rather than treating this summary as the license. The project-generated `read-data.R` is a convenience example for reading the preserved source objects, not a replacement for them.

Payload	Bytes	SHA-256 prefix
fraction.subtraction.data.rda [91]	1,953	`b6be3376c173d5be`
fraction.subtraction.qmatrix.rda [92]	408	`5b2faf01cd753d78`

Ganis-Kievit mental rotation validation data

Licence: CC-BY-4.0. **Selected scope:** Original behavioral ZIP file3702010, full JPG stimulus bank and original codebooks; redundant encodings/older archive omitted explicitly

Source record and documentation [93]

Retrieved: 2026-10-29

License: **CC-BY-4.0**. The external dataset license remains separate from the parent repository AGPL license.

Exact file selection

Behavioral ZIP3702010, full JPG stimulus bank3191717, README_stimuli1571341, Datadescription_behaviour1878074 and deposit metadata. Source version13. Alternate PCT/image-name encodings and older behavioral ZIP are redundant representations and remain linked in metadata; they are not copied. All downloaded original files are unchanged.

Primary source and license evidence

- Source [17]
- Source [94]
- Source [95]
- Source [96]
- Source [97]
- Source [98]
- Source [45]

Integrity

See manifest.json for original source URLs, byte sizes and SHA-256 checksums. For repackaged subsets, every original member has its own source path and hash. Provider checksums or Git blob hashes were compared where available. No publisher article PDF was copied.

Payload	Bytes	SHA-256 prefix
All-stimuli-JPG-file3191717.zip [99]	30,364,670	bd64561ec9c9cc57
Behavioural_data-file3702010.zip [100]	1,747,699	3b56dde3defc36d5

Junyi Academy Online Learning Activity Dataset (2020 release; 2018-2019 logs)

Licence: CC-BY-NC-SA-4.0. **Selected scope:** Full original Kaggle bundle acquired unchanged; all three source CSVs included; full ZIP CRC audit passed. Provider licence/terms and source-header field guide preserved.

Source record and documentation [101]

Provider: Junyi Academy Foundation. Kaggle owner: junyiacademy. Retrieval date: 2026-10-29. Dataset version reported by the provider API: 9 (last updated 2020-05-13).

- Source and provider terms: Source [6]
- Provider metadata: Source [102]
- Original full ZIP: Source [103]

- Original file index: Source [104]
- Referenced provider policy: Source [105]

Rights and attribution

The provider explicitly applies **CC BY-NC-SA 4.0**. The full standard licence is LICENSE.txt, obtained from Source [106] . Canonical licence: Source [107] . Additional provider notices are preserved in UPSTREAM_TERMS.md, including exclusions for trademarks/logos, non-distortion, disclaimers and requests to share research feedback. No logo or unreleased problem content is included.

Citation requested by provider: P. J. Chen, M. E. Hsieh, T. Y. Tsai (2020). Junyi Academy Online Learning Activity Dataset: A large-scale public online learning activity dataset from elementary to senior high school students. Dataset available from the source above.

Files and changes

The original ZIP is copied without changing its bytes. It contains Info_Content.csv, Info_UserData.csv and Log_Problem.csv. The source describes 16,217,311 problem attempts by 72,630 selected learners from August 2018 through July 2019. Source file sizes and acquired hashes are in the manifest. Large payload is a release asset rather than a Git blob. CODEBOOK.md is a project-written field guide; no standalone original author codebook file was supplied in the full ZIP.

This is distinct from the legacy 2015 Junyi dataset. Do not transplant its schema or prerequisite graph to this release. The anonymized learner metadata are licensed by the provider; do not attempt to identify individuals.

Payload	Bytes	SHA-256 prefix
junyi-2020-original.zip [108]	1,615,467,938	d3272a56b3657d19

Working Memory Develops at a Similar Rate Across Diverse Stimuli

Licence: CC-BY-4.0. **Selected scope:** All two deposited version-1 data files, unchanged; author description and project field guide

Source record and documentation [109]

Retrieved: 2026-10-29

License: **CC-BY-4.0**. The external dataset license remains separate from the parent repository AGPL license.

Exact file selection

All two files in the official version1 file list, unchanged: dat_all.csv and dat_partialcreditunitAGG_Unstacked.csv. Raw file parsed as3,564 rows ×16 columns; collapsed file99 rows ×23 columns. The name field contains99 unique numeric participant codes, rather than personal names. Delimiter is semicolon; original line endings preserved. No separately deposited author codebook exists, so a clearly labeled project field guide and author description accompany the original files.

Primary source and license evidence

- Source [20]
- Source [110]
- Source [111]
- Source [112]

- Source [113]
- Source [45]

Integrity

See manifest.json for original source URLs, byte sizes and SHA-256 checksums. For repackaged subsets, every original member has its own source path and hash. Provider checksums or Git blob hashes were compared where available. No publisher article PDF was copied.

Payload	Bytes	SHA-256 prefix
dat_all.csv [114]	238,445	`0d0b9195af8ee4e8`
dat_partialcreditunitAGG_Unstacked.csv [115]	31,012	`e2cd767d5d4a956d`

MERLIN multilingual examination writing

Licence: CC-BY-SA-4.0. **Selected scope:** Explicit primary redistribution license verified; unmodified source payload, full license, attribution/source links, checksums and codebooks retained.

Source record and documentation [116]

This directory mirrors the unmodified official v1.2 corpus bundles from the Eurac Research CLARIN Centre. Retrieved 29 October 2026. Data/resources are **CC BY-SA 4.0**, as stated in both the repository metadata and source archive license. The project root license does not replace this license.

- Landing page: Source [117]
- Stable handle: Source [118]
- Primary API record: Source [119]
- Project: Source [7]
- Versioned author GitLab: Source [120]
- License legal text: `LICENSE.cc-by-sa-4.0.txt`; original archive license: `upstream-metadata-LICENSE`.
- Provider record: `upstream-repository-record.json`, original unmodified API response; provider MD5 values and newly computed SHA-256 values appear in `manifest.json`.

Attribution

Credit the MERLIN corpus authors listed in the original `upstream-metadata-README.md`, the MERLIN project partners, and Eurac Research (Institute for Applied Linguistics). The deposit lists Katrin Wisniewski, Andrea Abel, Kateřina Vodičková, Sybille Plassmann, Detmar Meurers, Claudia Woldt, Karin Schöne, Verena Blaschitz, Verena Lyding, Lionel Nicolas, Chiara Vettori, Pavel Pečený, Jirka Hana, Veronika Čurdová, Barbora Štindlová, Gudrun Klein, Louise Lauppe, Adriane Boyd, Serhiy Bykh, and Julia Krivanek.

Reference: Boyd, A., Hana, J., Nicolas, L., Meurers, D., Wisniewski, K., Abel, A., Schöne, K., Štindlová, B., and Vettori, C. (2014). *The MERLIN corpus: learner language and the CEFR*. Proceedings of LREC2014, pp. 1281-1288. Source [121]

The EU Lifelong Learning Programme supported the corpus, project 518989-LLP-1-2011-1-DE-KA2-KA2MP. Preserve the original disclaimer, acknowledgements and attribution in source files.

Contents and codebooks

The mirrored bundles preserve the complete observed learner performances, ratings and manual annotations in several representations. These are copies of the same learner performances, **not independent samples**:

- `merlin-text-v1.2.zip`: human-readable learner texts, metadata and target hypotheses.
- `merlin-metadata-v1.2.zip`: learner/task metadata, CEFR ratings, derived indicators and German complexity measures.
- `merlin-tasks-v1.2.zip`: examination task information.
- `merlin-docs-v1.2.zip`: original annotation, transcription and rating documentation.
- `merlin-exmaralda-v1.2.zip` and `merlin-solr-v1.2.zip`: additional smaller annotation/search representations already retrieved.
- The optional PAULA and relANNIS all-in-one encodings were deliberately not mirrored: the retained plain texts, metadata/ratings, tasks and EXMARaLDA representation already preserve observed skill performance and manual annotation. Those optional encodings add alternative packaging and automatic dependency/NLP annotations; they are not additional human responses. Slow transfers were cancelled, and no partial archives are retained. Both original formats remain available from the source repository.
- `README.html`, `CHANGELOG.html`: provider bundle descriptions and release changes.

For convenient reading, `codebooks/` also contains byte-identical PDFs extracted from the documentation ZIP. `CODEBOOK.project.md` is this project's brief navigation/field guide; it is not an author-supplied replacement codebook.

Verified version-specific size

The v1.2 metadata CSV has **2,287 rows, 362 columns and 2,287 distinct author IDs**: Czech 441, German 1,033, Italian 813. The v1.2 README and deposit agree on 2,287. The project website's older 2,286 description should not override the actual versioned snapshot. No participant names, answer text or corpus excerpts are reproduced in the research report.

Original bundles remain unmodified. Extraction of documentation PDFs and metadata documentation does not alter their bytes. No scoring or dataset cleaning was performed.

Payload	Bytes	SHA-256 prefix
merlin-docs-v1.2.zip [122]	5,300,101	`81d97dc4a090fe30`
merlin-exmaralda-v1.2.zip [123]	18,030,739	`9113f045f28c0742`
merlin-metadata-v1.2.zip [124]	602,475	`1e990c82803a3557`
merlin-solr-v1.2.zip [125]	6,563,942	`56dd28d9d913a4a8`
merlin-tasks-v1.2.zip [126]	8,766,318	`82073cfd03b0f94e`
merlin-text-v1.2.zip [127]	12,697,116	`949f1ef6c22e6602`

OpenNeuro ds004636 objective task subset

Licence: CC0-1.0. **Selected scope:** 734 BIDS events.tsv files from seven objective tasks; no MRI, surveys or preference tasks

Source record and documentation [128]

Retrieved: 2026-10-29

License: **CC0-1.0**. The external dataset license remains separate from the parent repository AGPL license.

Exact objective task selection

ANT, DPX, WATT3, motorSelectiveStop, stopSignal, stroop and twoByTwo. All734 original event files for these tasks are retained in their original BIDS paths. MRI, physiology, surveyMedley and preference/risk/discount tasks are omitted. BIDS event files are unchanged; only ZIP packaging and task selection changed.

Primary source and license evidence

- Source [129]
- Source [130]
- Source [131]
- Source [132]
- Source [133]
- Source [134]
- Source [135]
- Source [136]
- Source [137]
- Source [138]
- Source [139]
- Source [140]
- Source [141]
- Source [142]

Integrity

See manifest.json for original source URLs, byte sizes and SHA-256 checksums. For repackaged subsets, every original member has its own source path and hash. Provider checksums or Git blob hashes were compared where available. No publisher article PDF was copied.

Observed source-file coverage

734 event files from110 distinct source subject IDs. Per-task file counts: WATT3 107, stopSignal106, twoByTwo107, DPX103, motorSelectiveStop104, stroop103 and ANT104. These include incomplete/partial administrations and are not usable sample-size counts. The descriptor reports103 study completers; apply supplied exclusions and missingness checks.

Payload	Bytes	SHA-256 prefix
objective-task-events.zip [143]	2,331,899	`b3970a91f6c02a80`

SAPA cognitive ability: psychTools ability / iqitems

Licence: GPL-2.0-or-later. **Selected scope:** Affirmative package-wide GPL (>=2) grant, with no contrary data-specific restriction found; exact unmodified source objects and documentation preserved. Only `ability.rda` and `iqitems.rda`: two representations of the same 1,525 people×16 cognitive items, plus their codebooks. The current full ICAR archive and its separate access terms are outside this mirror.

Source record and documentation [144]

Source package: **psychTools 2.6.4**, as distributed by `cran/psychTools` at commit `7dc591f8ac11c0ef1764cf853f3065aa60653d09`. Retrieved 2026-10-29.

Declared license: **GPL (>=2)**, represented here as SPDX **GPL-2.0-or-later**. `upstream-DESCRIPTION` is the unmodified formal package license declaration. `LICENSE.GPL-2.0-or-later.txt` supplies the full GPLv2 license text with the later-version option retained. These external files keep their upstream GPL license; the parent repository's AGPL license does not replace it.

Redistribution basis

The R developers' package specification treats DESCRIPTION License as the package's license. No separate copyright/license carveout for these response objects was found in the inspected source tree, data documentation or package metadata. CRAN policy requires clarity of rights for all package components and maintainer authorization; it expressly recognizes `.rda` files as source or readily convertible to source. Accordingly this mirror relies on the affirmative package-wide GPL grant, rather than requiring redundant per-file license headers. This is a source-object mirror, not a claim that raw data values or every original test stimulus necessarily carry copyright.

Primary package declaration: Source [11] Package source: Source [145] R package license specification: Source [62] CRAN all-component rights/source policy: Source [63] Canonical GPLv2: Source [64] License text transcription source: Source [65]

Attribution and data provenance

Package author/maintainer: William Revelle. Data documentation explicitly attributes collection to Revelle with David Condon, 8-31 August 2012, within the SAPA project. Cite Condon & Revelle (2014), The International Cognitive Ability Resource: Development and initial validation of a public-domain measure, Intelligence 43, 52-64, together with the versioned psychTools package and its original documentation. Original dataset information: Source [146].

Exact mirrored scope and test-content boundary

Only `ability.rda` and `iqitems.rda`: two representations of the same 1,525 people × 16 cognitive items, plus their codebooks. The current full ICAR archive and its separate access terms are outside this mirror.

The original `.rda` files are unchanged source-distribution data objects, editable after loading in R; no executable package code or compiled binary is included. The original author `.Rd` documentation is included unchanged as the codebook. No new observations or scores were generated. No unrelated personality datasets, secure question bank, test artwork, commercial test handbook or publisher article PDF is mirrored. Permission to redistribute these packaged response objects is not a grant to administer or republish a separate current test bank.

Source availability and GPL notices

GPLv2 section 1 permits verbatim source copies with the applicable notices, warranty disclaimer and license copy retained. The original data objects, relevant Rd source documentation and DESCRIPTION provided here are the material being redistributed; R can load them directly using `load()`. The `.rda` files are the preferred form supplied in the upstream **source** distribution, not compiled executable versions needing a separate opaque binary/source offer. The upstream full package source remains linked above for context; unrelated package datasets are not required to inspect or modify these numeric response objects.

Redistributors should retain the upstream license/attribution, source links and no-warranty notices. Any covered modifications must be identified with dates and distributed under the applicable GPL terms; retain the original >=2 option. See the full license for its conditions rather than treating this summary as the license. The project-generated `read-data.R` is a convenience example for reading the preserved source objects, not a replacement for them.

Payload	Bytes	SHA-256 prefix
ability.rda [147]	13,019	`64e1c8c8a70662b5`
iqitems.rda [148]	9,972	`97e70070d17ff140`

SemEval 2013 Task 7 BEETLE / SemEval 2013 Task 7 SciEntsBank

Licence: CC-BY-SA-3.0. **Selected scope:** Explicit primary redistribution license verified; unmodified source payload, full license, attribution/source links, checksums and codebooks retained.

Source record and documentation [149]

This directory mirrors the **unmodified original five-way release**, covering both catalogue entries `semeval2013_beetle` and `semeval2013_scientsbank`. Retrieved 29 October 2026.

- Provider/organizer: Myroslava Dzikovska and collaborators; original corpora collected by Myroslava Dzikovska (University of Edinburgh) and Rodney Nielsen (University of North Texas).
- Source repository: Source [9]
- Direct archive: Source [150]
- License evidence and full legal text: `LICENSE.cc-by-sa-3.0.txt`, copied verbatim from the organizer repository. The license is **Creative Commons Attribution-ShareAlike 3.0 Unported**. The project root license does not replace it.
- Original author README: `upstream-README.md`.
- Codebook: `CODEBOOK.project.md` is a project-written structural field guide, not an original-author codebook; it links the original task specification. XML data and original supplied metadata remain inside the archive.
- Checksums and provenance: `manifest.json`.

Required attribution

Dzikovska, M. O., Nielsen, R., Brew, C., Leacock, C., Giampiccolo, D., Bentivogli, L., Clark, P., Dagan, I., and Dang, H. T. (2013). *SemEval-2013 Task 7: The Joint Student Response Analysis and 8th Recognizing Textual Entailment Challenge*. Proceedings of the 7th International Workshop on Semantic Evaluation, pp. 263-274. Source [151]

Dzikovska, M., Nielsen, R., and Leacock, C. (2015/2016). *The joint student response analysis and recognizing textual entailment challenge: making sense of student responses in educational applications*. Language Resources and Evaluation. Source [152]

Integrity and use notes

The ZIP includes overlapping **Core** and **Extra** representations plus separate reliability material. Do not concatenate all XML files as independent observations. Preserve the official unseen-answer and unseen-question evaluation partitions; unseen-domain evaluation is SciEntsBank-only. Selected answer rows are not distinct examinees. No response-time variable was established. No transformed dataset is included.

Payload	Bytes	SHA-256 prefix
semeval-5way.zip [153]	12,983,203	`57c14e5c260d8cfd`

Self-Regulation Ontology objective performance-task subset

Licence: CC-BY-4.0. **Selected scope:** 23 objective tasks, complete and retest phases; original per-task gzip members untouched

Source record and documentation [154]

Retrieved: 2026-10-29

License: **CC-BY-4.0**. The external dataset license remains separate from the parent repository AGPL license.

Exact objective task selection

- adaptive_n_back
- attention_network_task
- choice_reaction_time
- digit_span
- directed_forgetting
- dot_pattern_expectancy
- go_nogo
- hierarchical_rule
- keep_track
- local_global_letter
- motor_selective_stop_signal
- psychological_refractory_period_two_choices
- recent_probes
- shape_matching
- shift_task
- simon
- simple_reaction_time
- spatial_span

- stim_selective_stop_signal
- stop_signal
- stroop
- threebytwo
- tower_of_london

Both complete and retest phase files are retained. Selection and ZIP packaging are the only changes; every original gzip member is unmodified. Excluded are surveys, preferences, risky choice, discounting and ancillary demographic tables. Raven/CRT files are omitted to keep stimulus-content rights narrow.

Primary source and license evidence

- Source [155]
- Source [156]
- Source [157]
- Source [158]
- Source [159]
- Source [160]
- Source [45]

Integrity

See manifest.json for original source URLs, byte sizes and SHA-256 checksums. For repackaged subsets, every original member has its own source path and hash. Provider checksums or Git blob hashes were compared where available. No publisher article PDF was copied.

Payload	Bytes	SHA-256 prefix
Complete_02-16-2019-objective-tasks.zip [161]	56,562,944	`63bea957f44bb7c7`
Retest_02-16-2019-objective-tasks.zip [162]	16,481,482	`bf8c60ad0c28024b`

4. Cognitive ability and performance

Verified 29 October 2026. Scope: observed human responses to tasks with objectively assessable performance. Personality, preference, symptom, and other self-report columns in mixed datasets are outside scope. This is a source catalogue; raw participant data and test items should remain with their providers unless reuse rights have been established.

Best starting points

- **SAPA** `ability`/`iqitems`: compact, documented binary and selected-option matrices; especially convenient for checking alternative scoring and item models.
- **OpenPsychometrics VIQT and MGKT**: larger samples with raw selected answers and explicit scoring; useful for penalties, omissions, partial credit, and answer-option analyses. Public download is established; a blanket data redistribution licence was not established from the inspected pages/codebooks.
- **Ganis-Kievit mental rotation**: particularly clear CC BY 4.0 coverage of both data and stimuli, with actual behavioural validation data.
- **Self-Regulation Ontology task subset**: trial-level accuracy/latency and a retest cohort; useful for testing score stability. Exclude its surveys and preference-based decisions from a strict skill-test analysis.
- **OpenNeuro ds004636 performance tasks**: CC0 event data with documented quality exclusions; select attention, interference, inhibition, and planning tasks, and exclude survey and preference tasks.

These priorities are research judgments about usefulness for scoring work, not claims that the instruments are interchangeable or suitable for individual decisions.

1. SAPA cognitive ability: psychTools::ability and iqitems

Data: 1,525 people, 16 items spanning verbal/basic reasoning, letter series, matrix reasoning, and spatial rotation. `iqitems` preserves chosen options; `ability` supplies correct/incorrect coding. These are two representations of the **same observations**, not independent replications. `iqitems` documentation includes a 16-element answer key and demonstrates converting zero responses to missing before scoring. Timing is not documented in these objects. Useful for nominal response models, classical scoring, IRT, missingness, and multidimensionality. The maintainer flags nonmonotonic traces for two matrix items. **Verification:** exact upstream source objects acquired and loaded in native R; both response representations are 1,525 ×16. **Access:** public R package, no registration. **Rights:** the original packaged response objects and author documentation are covered by the formal package-wide GPL (>=2) grant; no contrary data notice was found. Exact source objects are mirrored with the full licence and pinned metadata. Separate proprietary stimuli and the current ICAR bank are not covered by that conclusion. Current ability documentation [163], iqitems documentation and key [164], package licence [165].

2. OpenPsychometrics Vocabulary IQ Test (VIQT)

Data/file verified: 12,173 records, 131 columns; 45 objective synonym questions, selected-answer codes, 45 `E` fields, and published total scores. The codebook defines `-1` as “don't know” and `0` as unanswered; ten positive bitmask codes identify the selected word pair. The historical formula is `score_right - 0.35 * score_wrong`. Item wording and keys are in the ZIP. `E1`-`E45` are present, but their units were not defined in the inspected codebook; do not silently assume milliseconds. Good for omission-versus-error rules, guessing penalties, distractor models, and subgroup robustness. **Limitations:** voluntary online sample, includes only supplemental-survey completers, English vocabulary depends on language exposure. Exclude supplemental personality columns. **Rights:** data and item redistribution licence not specified in inspected source/codebook. Official test and caveats [12], download and codebook [166].

3. OpenPsychometrics Multifactor General Knowledge Test (MGKT, 2017-2018 data)

Data/file verified: 19,218 records; 32 multi-select questions, each with ten options and five keyed correct options. `QxA` stores selected answers, `QxS` the historical question score, `QxE` milliseconds, and `QxI` presentation position. Keys and wording are supplied. This is a **32-question test with dependent option judgments**, not 320 independent questions. The ZIP defines `QxS = selected correct - selected incorrect`. The current MGKT2 webpage instead describes a 1.25-point wrong-answer penalty; preserve version-specific rules. Good for partial credit, penalties, speed, order effects, and local dependence. **Limitations:** cultural/US knowledge dependence and minimally cleaned volunteer data; ages below 13 excluded at source. **Rights:** no clear data/item redistribution licence established. Historical data and codebook [13], current form, with different scoring [167].

4. OpenPsychometrics experimental matrix IQ test (IQ1)

Data/file verified: 400 records × 28 columns: `Q1`-`Q25`, `score`, `gender`, `age`. ZIP includes matrix and answer images. `10` marks the keyed image; `1`-`7` identify distractor images, independent of randomly assigned screen position. Zero values occur but are not explained in the inspected original codebook; retain them distinctly pending resolution. No latency fields. Good small selected-option matrix for scoring and distractor diagnostics. **Limitations:** developer explicitly describes mediocre data-collection quality; small, self-selected sample; not a commercial Raven test and not population norms. **Rights:** no explicit licence established for data/images in the inspected ZIP or index. Official ZIP and original codebook [14], printable instrument [168].

5. OpenPsychometrics Full Scale IQ alpha v0.1

Data/file verified: 3,194 records × 61 columns. Historical alpha contains **19 composite questions**: seven vocabulary, six rotation, six short-term memory. Each records a score (`s`), selected answers (`a`), and elapsed milliseconds (`e`); CSV uses commas and quoted answer lists. Correct selections gain one point and incorrect selections lose one. Demo HTML/JavaScript and stimulus JSON are included. This is different from the current six-section online test. Useful for multi-select partial credit and speed-accuracy methods across three task types. **Limitations:** alpha instrument and self-selected unsupervised participants; source filters donors who reported research-suitable data and apparent repeat attempts. **Rights:** no clear data/item redistribution licence established from inspected archive. Versioned alpha data, codebook and demo [15], current test [169].

6. Exposure Based Face Memory Test (EBFMT)

Data/file verified: parsed **1,768 records × 275 columns**; the index advertises 1,769, so record this discrepancy rather than silently choosing one. `Q1-Q75`: new/seen responses, coded 1/2; `LAPSE1-LAPSE75`: milliseconds. The inspected codebook does not supply the correct old/new sequence, so establish the key before accuracy rescoring. Useful as a latency/recognition pipeline example, with mixed personality columns excluded. **Major limitation:** developer reports statistical/conceptual problems and recommends the Cambridge Face Memory Test over this instrument. **Rights:** developer specifies copyrighted photographs free for research use, with other instrument parts CC BY 4.0; a distinct response-data licence was not established. Avoid copying the photos into a general open repository. Data/codebook [16], development and licence [170].

7. Ganis-Kievit mental rotation validation dataset

Data: real behavioural validation sample of 54 participants, with 384 available 3D stimuli. This is a response dataset **plus** stimuli, not merely an item bank. Trial-level behaviour supports angular-disparity, accuracy and latency analyses; demographics are included. **Access:** public Figshare downloads; record has two files both named `Behavioural_data.zip`, so pin file ID/checksum rather than filename alone. API metadata, archive structure and embedded original file description verified. Per-participant XLSX files retain trial/stimulus, desired and actual responses, latency, angle and correctness. Timeouts are N/A and scored incorrect; filtered latency summaries are separate from raw trials. Workbook values were not parsed. **Rights:** Figshare record explicitly CC BY 4.0 for the deposited data/stimuli; cite Ganis & Kievit (2015). Strong source for studying spatial performance and condition-dependent difficulty, although the sample is small and task-specific. Dataset DOI and licence [1], behaviour description [97], behaviour archive file 3702010 [98], paper [171].

8. Self-Regulation Ontology (performance-task subset only)

Data: 522 participants completed a battery of 37 behavioural tasks and 22 surveys; 150 completed retesting. Authors explicitly provide raw trial-by-trial and processed data. **Included scope:** objectively scored cognitive tasks such as choice reaction time and stop signal; use task-specific accuracy, response times, and scoring code. Exclude self-report surveys, discounting preferences, and risk-taking choices from a strict skills catalogue. **Access:** public GitHub data, with dated releases. **Rights:** repository states data CC BY 4.0; individual experimental-code/stimulus licences not fully audited. **Verification:** article/repository documentation, no full raw archive parsed. **Use:** compare score stability and speed-accuracy scoring with participant-level train/test splits. **Limitations:** browser/MTurk measurement, varied task reliability, missingness and differing cleaning/imputation stages. Use raw trials for rescoring; do not confuse the imputed derived-variable matrix with independent item responses. Paper and data availability [18], data release [172], repository licence statement [2], retest paper [173].

9. OpenNeuro ds004636: objective task subset

Data: 103 study completers; behavioural event files accompany an fMRI dataset. Select ANT, cued task switching, DPX, Stroop, stop-signal variants and tower planning. Exclude survey medley and preference-based card/discounting tasks. Raw/cleaned behavioural files are separately hosted on OSF. **Access:** public OpenNeuro BIDS `events.tsv` plus task JSON, and OSF project. **Rights:** dataset's own `dataset_description.json` states **CC0**, independently of the paper's CC BY licence. Stimulus/code rights require separate review. **Verification:** descriptor and dataset metadata; event payloads not parsed. **Use:** task-specific latency/accuracy models and cleaning robustness. **Limitations:** in-scanner procedures differ from ordinary testing; 103 is not the usable N for every task. Authors recommend 12 full exclusions and 23 partial exclusions; 68 have no recommended behavioural exclusion. Descriptor [19], versioned data [174], CC0 metadata [175], raw behaviour OSF [176].

10. Working Memory Develops at a Similar Rate Across Diverse Stimuli

Data/file verified: both original version-1 CSVs were acquired and parsed: `dat_all` has 3,564 rows and 16 columns; the participant-collapsed file has 99 rows and 23 columns. The `name` field contains 99 numeric participant codes. Semicolon delimiters and original line endings are retained. Author metadata describes all-or-nothing and partial-credit unit scoring. **Access:** Mendeley Data v1, DOI 10.17632/kfc3jyggs7.1, through its public API. **Rights:** dataset CC BY 4.0; separate stimulus rights not audited. No separate author codebook was deposited, so author metadata and a labelled project field guide accompany the originals. **Use:** compare span-scoring representations with care about aggregation and repeated observations. Exact item-count and timing semantics remain unresolved; “raw” does not establish response-time availability. Official dataset and licence [3].

11. Current ICAR full materials: academically restricted candidate

The current archive (published 2 June 2026) contains tests, psychometric data and automatic generators. Its **1.05 GB main ZIP is Sharing Level 1 / Scientific Use License v1**; only the public README is CC BY 4.0. The official FAQ restricts use to academic research/teaching, requires project registration, and prohibits broad public distribution of materials. It reports psychometric data from an online sample but no population norms. Archive response dimensions and exact fields were not independently inspected. Treat this as **conditional access**, not a freely redistributable dataset; historical “public-domain” paper titles do not establish the current archive's terms. The separately distributed SAPA package example above remains a distinct source. Current archive [21], official ICAR FAQ [177], Scientific Use License record [178].

File verification manifest

Downloads were inspected in memory on 29 October 2026, with Python standard-library `zipfile` and `csv`; no participant rows are reproduced here. Values below describe downloaded snapshots, not guaranteed permanent upstream content. No formal validity analysis, participant deduplication, or licence clearance was performed.

Archive	Parsed rows	Columns	SHA-256
IQ1.zip	400	28	`99e3a918c0f3452ea25c38788bfa713b34a49f4370529dc0591cc4fc12ec2743`
VIQT_data.zip	12,173	131	`dfeda357d8e5eba931d7cfe7b2a3e3cca3364ee782f7f9f480e392f3b2e6ed2c`
MGKT_data.zip	19,218	137 header fields	`bcf5b135ed1116c08da7470875f7f30d5d37118785a66c271c89198e12ceef24`
EBFMT.zip	1,768	275	`adfaa0cd2eadfcb053d53c75109c01175df90fe688c62a28d20f33b66c8d60e1`
FSIQ_0.1_data.zip	3,194	61	`6ac2deb7aa6913dc7f5c8141a48d6cc3035403eb07d5db411827505c46696135`
Ganis behavioural file 3702010	Workbook values not parsed	Original schema inspected	`3b56dde3defc36d54c85b671f83ade2f7ded685b326be973583ad115bb994e03`

IQ1 uses comma-separated data; VIQT and EBFMT use tabs despite `.csv` names. MGKT and FSIQ use commas with quoted selected-answer lists. Preserve response codes and separate original scoring from newly derived scoring.

5. Large educational and adult assessments

Research cutoff and verification date: **2026-10-29**. Scope: observed achievement/competence responses, excluding personality, beliefs, attitudes and self-reported skill use even when those variables share the same archive. Files were researched and linked; participant-level datasets were not republished. Except for the explicitly described archive-header/codebook checks, the full data were not imported or row-counted.

Most useful choices

Dataset	Objective construct and data	Why choose it	Main constraint
PISA 2025	Reading, mathematics, science; individual raw/coded and scored cognitive responses, separate cognitive process archive	Newest verified PISA release; modern process and adaptive-test research	Specific PUF terms; final technical report pending 2027
PISA 2022	Mathematics, reading, science, separate creative-thinking and financial-literacy files	Mature documentation and a very large sample	Sparse/adaptive forms; COVID-era sampling cautions
PISA 2018 + corrected total-time files	Cognitive responses plus total time and visits	Strong option for speed-accuracy and revisit analyses	Original RT variable reflects last visit, requiring corrected supplement
PIAAC 2023 / cycle 2	Adult literacy, numeracy and adaptive problem solving	Closest large-scale source to workplace-relevant adult competencies	Registration/terms; country suppressions; raw logs outside this PUF
PIAAC 2012 log files	Timestamped assessment interactions linked to cognitive PUF responses	Fine-grained adult task-solving processes	GESIS access terms and confidential full item documentation
TIMSS 2023	Grade 4 and 8 mathematics/science item achievement responses	Curriculum-linked, multilevel, partial-credit research	Booklet design and school clustering; detailed events restricted
PIRLS 2021	Reading comprehension item responses, digital process data	Reading and online reading behaviour	Passage dependence, mode changes and pandemic timing
ICILS 2023	Computer/information literacy and optional computational thinking	Direct digital-skills and authoring task performance	Rubric criteria share tasks; partial item-content release
ICCS 2022 cognitive test only	Civic knowledge and reasoning; item options/scores, item timing	Knowledge/reasoning, distractor and timing analyses	Exclude the extensive attitude/belief scales

The recommendations in this table are methodological judgments, not claims that the datasets validate any particular scoring algorithm.

Dataset details and primary evidence

1. PISA 2025 - verified release, not a future placeholder

The official programme page [179] dates the initial results to 8 September 2026. The 2025 database page [22] offers cognitive responses and codebooks, while warning that only draft technical chapters are available and the final technical report is expected in 2027. The official file index [180] separately lists cognitive and cognitive-process archives; foreign-language data are marked April 2027 and must not be counted as available at this cutoff.

Additional byte-level verification on 2026-10-29: the cognitive archive returned HTTP 206, ZIP signature and a 224,749,839-byte total, containing `CY09_MS_COG_20260806.sav`; the process archive returned the same checks, 424,600,524 bytes, containing `CY09_MS_COG_PROCESS_20260806.sav`. Only header/trailer byte ranges were read. The linked `PISA2025_Codebook.xlsx` was inspected: it includes `COG`, `COG_PROCESS` and `LDW` sheets, raw/scored response labels and action/time-to-first-action fields. This confirms archive existence and documented variables, not data quality or complete population coverage.

NCES methodology [181] explains that test forms differ and ten plausible values support population inference. Simple percent-correct comparisons across different forms are invalid without design adjustment. Start with a defined country/domain/form subset and preserve routing and missingness. The survey-specific terms below apply.

2. PISA 2022 - mature general educational-skills benchmark

The database landing page [23] explicitly identifies a cognitive-item file alongside questionnaire files; optional domains have separate files. It also explains that the release includes systems with issues such as low response rates. The official results [182] describe nearly 700,000 tested students across 81 participating economies; this is survey participation, not a verified row count for any selected analysis.

Use scored responses for rescoring comparisons; retain raw options where codebook-supported for distractor models. Do not label questionnaire timing as cognitive response time. Mathematics/reading/science, creative thinking and financial literacy are distinct domains and optional participation differs. Released example questions are not the complete secure item bank. Prefer the technical report and codebook over assumptions about two-digit or missing response codes.

3. PISA 2018 - strongest documented timing correction case

The official file index [180] offers cognitive responses and a separate cognitive-items total-time/visits archive. Technical report Annex K [183] explains that original 2015/2018 RT values measure the last visit rather than total time. The supplementary total-time (`TT`) variables account for revisits. Its illustrated 2018 process analysis contains 551,930 students, a process-analysis subset rather than an unconditional sample size for every domain.

This makes a useful stress test for whether a speed-sensitive scoring scheme changes materially under different time definitions. Merge by documented student identifiers and verify the country component of IDs. Do not treat summary process variables as a full timestamped clickstream. Preserve item/page relationships when multiple items share a screen. Prefer TT for total-time analyses and state explicitly whether overhead/loading time is included.

4. PIAAC 2023 / cycle 2 - direct adult competencies

The OECD database [25] provides country PUFs in SAS/SPSS/CSV and an international codebook. It lists national suppressions and pending files; check country availability at download time. GESIS [184] confirms that international PUFs contain cognitive assessment responses, not only background questionnaires. The technical report chapter 12 [185] distinguishes the main flat PUF from cognitive log files, which are outside the public-use release described there.

Include directly assessed literacy, numeracy and adaptive problem solving; exclude occupational skill-use frequency questions. Adults are aged 16-65; adaptive routes mean individuals see different items. Maintain country IDs, sample/replicate weights and the difference between observed item scores and plausible values. Do not merge cycle-1 technology-rich problem solving with cycle-2 adaptive problem solving as though they were the same test.

5. PIAAC 2012 log files - process research supplement

GESIS's official record [26] identifies **81,744** adults aged 16-65, 17 countries and timestamped interactions from literacy, numeracy and technology-rich problem solving. Sensitive text entries are masked with X characters, retaining entry length. The catalogue entry is ZA6712 [186], DOI `10.4232/1.12955`. Access conditions for the precise archive version must be checked there; no blanket CC licence was established.

The OECD first-cycle page [187] says logs can be linked to cognitive/background PUF data using SEQID and that complete item documentation requires a signed confidentiality application. Combine SEQID with country to avoid collisions. Event data alone are not automatically a scored person-by-item matrix. Public documentation for released items permits initial exploration; content-aware strategy interpretation across secure items has an additional access step.

6. TIMSS 2023 - mathematics and science

The official release announcement [188] confirms international achievement responses and R/SPSS/SAS downloads. The database user guide [189] describes scored achievement responses and public screen-level time/visits. Boston College [190] reports over 650,000 participating grade-4/grade-8 students. Use separate grade archives [27], not one pooled undifferentiated population.

Public timing is not the full event log: IEA restricted-use documentation [191] places timestamped responses, answer changes and navigation events behind a formal request. The large public files support partial-credit comparisons, cross-country calibration and cluster-sensitive analysis. Count actual administered items per student rather than treating the entire item pool as one common test. Test format, booklet, mode and curriculum exposure matter for comparisons. Codebook-specific missing categories must survive preprocessing.

7. PIRLS 2021 - reading comprehension and digital reading

The IEA repository [28] links the second edition including log-file data. The process-data release announcement [192] confirms digital process, achievement and contextual data in R/SPSS/SAS. The official international report description [193] reports about 400,000 participating students.

Use objective comprehension responses, not reading enjoyment/self-concept scales. Reading questions share passages, creating local dependence; split validation by passage if assessing transfer to unseen content. Paper and digital assessments, group-adaptive assignment and different collection schedules require separate treatment. Detailed identifying and administration variables are governed by the restricted-use route [194], distinct from the public achievement responses. Reproducing copyrighted passages/items requires separate rights checking.

8. ICILS 2023 - digital skills and computational thinking

The user guide [195] distinguishes actual multiple-choice choices from assigned scores for constructed responses, computer-skills tasks and analytic criteria on authoring tasks. It documents five plausible values for each assessed competence and public/restricted variants. The official release [196] reports over 130,000 students across 35 education systems; CT is optional and its sample is smaller than CIL's. Downloads and version DOI [29] identify `10.58150/ICILS_2023_data_2`.

This is a strong alternative to self-reported digital competence. Multiple rubric criteria from a single authoring task are not independent questions. Account for task/module assignment, country participation

and missingness. Item-level response time was not established as part of the standard public package during this review; do not advertise full clickstream access. The technical report was revised in July 2026 [197]; use the revised version.

9. ICCS 2022 - retain only the civic-knowledge test

The official repository [30] provides the second edition including process data. IEA's process release [198] confirms item and booklet total times in seconds. The user guide [199] describes raw multiple-choice options with correct options marked in codebooks, constructed-response scores, and supplied R/SAS/SPSS recoding programs. It explicitly separates not-administered, omitted, not-reached and invalid responses; defaults differ between calibration and proficiency scoring. Most item text/scoring guides remain secure.

Use knowledge/reasoning test files, excluding political beliefs, civic attitudes and participation questionnaires. This is narrower and more educationally situated than general reasoning. Raw options are valuable for distractor-sensitive scoring, but do not assume every incorrect option carries equal information. The study centre's release [200] reports approximately 82,000 grade-8 students in 24 education systems.

Access and reuse: keep metadata separate from raw records

The current PISA PUF download terms [201] require institution/contact/project information and prohibit third-party distribution of PISA data, participant/school re-identification and disclosure of identifiable responses. The PIAAC PUF terms [202] impose parallel restrictions. **Do not commit PUFs to this GitHub repository.** Store catalogue metadata, links and original research notes; have each analyst obtain the files under the applicable terms. Directly reachable archive URLs are not a blanket redistribution licence.

OECD's general data terms [203] permit broad use with attribution except where additional conditions apply. The PUF-specific terms are why these datasets should not be labelled simply CC BY/open-redistributable. Data rights and copyrighted test-content rights remain separate.

The IEA repository agreement [204] addresses study materials and separately imposes explicit non-commercial conditions on IDB Analyzer software. Do not automatically apply the software restriction to response data. A standard open-data redistribution grant for every response archive was not established. IEA's materials page [205] requires formal permission for study instruments. Catalogue response files as publicly downloadable under provider terms; keep data, software and item-content permissions separate.

NAEP: valuable, but not a public raw-response shortlist entry

NCES [206] states that respondent-level raw data/weights from 1990 onward require a restricted-use licence. Public web tools and variable lists are not a public person-by-item dataset. The 2017 mathematics process-data release [207] likewise requires a restricted-use application. Earlier historical data have different ICPSR routes and conditions; those were not validated here. Do not claim modern NAEP microdata are freely downloadable merely because released items and aggregate results are visible online.

Recommended analysis protocol (research recommendations)

1. Pilot with one country, domain, grade and documented test form; do not silently combine grades or optional domains.
2. Retain person, item, country, school, form/module/routing, scoring version and missing-reason variables. Keep observed response, assigned item score, time and plausible values in distinct fields.
3. Never replace not-administered items with incorrect responses. Decide and document omitted/not-reached treatment separately. Evaluate sensitivity to those choices.

4. Treat plausible values as population-inference draws, not individual ground-truth ability labels. Follow provider rules for sampling and imputation variance; preserve clustering and replication weights for population claims.
5. Fit item parameters only on training participants. For transfer claims hold out whole items/passages/tasks, and for cross-national claims hold out countries or languages. Keep shared passage/task criteria together where dependence would leak information.
6. Compare scoring systems within comparable exposure designs, with uncertainty, subgroup error, reliability and prediction of held-out observed performance. Correlation with the provider's model-derived score alone is not independent validation.

6. Subject tests and learning-response data

Research date: **29 October 2026**. Scope: observed human skill/knowledge performance. These ten entries include fixed tests and learning platforms, which need different evaluation designs. Redistributable response files are separately mirrored in the dataset collection and release, with original licences, provenance and codebooks; sources without a clear sharing grant remain linked only. See the redistribution audit for current acquisition status.

Main findings

- **Start fixed-test scoring comparisons with fraction subtraction and ECPE**: small dense response matrices make the unit clear and let multiple scoring methods share the same observations. Neither contains ground-truth latent ability.
- **Use Eedi for distractor-aware scoring**: observed option choices and correct-answer keys make it unusually relevant. The official source specifies CC BY-NC-ND 4.0 and additional restrictions on question images; record metadata and links without republishing images or modified data.
- **Use ASSISTments 2009, Junyi and EdNet for learning-aware scoring**: account for repeated practice, feedback, selection and time before evaluating generalisation.
- **ASSISTments 2015 is often misdescribed**: the 100 identifiers are skill-builder sequences, not individual questions. This matters for any method claiming item calibration.
- **Separate access from reuse**: public downloads can have noncommercial licences or unresolved terms; package software licences do not automatically settle original test-content rights.

Verification evidence

Raw-file verification means a complete small file was retrieved and structurally checked, not that every response was independently validated. Raw-sample verification means headers/first records or selected ZIP members were inspected. Page-verified entries were not downloaded successfully. No identifying profile data was analysed.

Source	Direct observation in this run
Fraction subtraction	Full CSV: 536 rows, 20 columns, values only 0/1.
ECPE	Full JSON: 2,922 records; id plus 28 responses; Q-matrix has 28 rows.
ASSISTments 2009 corrected	Byte-range sample: item/template identifiers, correct, answer_text, ms_first_response, hints.
ASSISTments 2015	Full 18,334,729-byte CSV: 708,631 rows; 19,917 users; 100 sequences; exactly four columns.
Junyi 2020	Official Kaggle metadata and licence; full Info_Content: 1,330 rows; partial Log_Problem decompressed to inspect actual header.
EdNet	Full 173,976-byte Contents ZIP: 13,169 questions with correct_answer and bundle/tags. Large learner logs page-verified.
Eedi	HTTP-range ZIP inspection: task-3/4 training header contains selected answer and correct answer; question metadata has subject IDs; 948 question image filenames.
KDD Cup	First compressed master-file records decoded from official archive; correctness/timing/knowledge-component fields verified.

Source	Direct observation in this run
Duolingo	Official task schema and deposited DOI metadata inspected; Harvard download denied here.
DBE-KT22	Authors' paper/schema and deposited DOI metadata inspected; ADA download denied by anti-bot service.

1. Tatsuoka fraction subtraction (CDM)

Best use: high: compact fixed-test scoring benchmark. **Verification:** raw-file-verified: full CSV has 536 rows × 20 item columns and only 0/1; official package documentation checked.

Dense binary correctness matrix; separate item-by-skill Q-matrix. Population/scale: 536 students (raw-file verified). Content: 20 test items; 8 skill attributes. Timing: No

Scoring: 1=correct, 0=incorrect; responses already scored; no original selected-answer trace.

Access: Anonymous CSV export or CDM R package.

Data terms: original packaged response and Q-matrix source objects are distributed under the CDM package-wide GPL (>=2) grant, with no contrary data notice found. Exact source objects and author documentation are mirrored; separate test-content rights remain distinct. **Item terms:** Published historical items; separate permission for reproducing item text not verified.

Limits: Historical, narrow curriculum sample; not population norms. Q-matrix is a modelling specification, not directly observed mastery. No option-level distractor responses or timing.

Primary sources: source 1 [208], source 2 [209], source 3 [210].

Data route: download/landing [211].

2. ECPE English grammar section (CDM)

Best use: high: fixed-test multidimensional scoring comparison. **Verification:** raw-file-verified: full JSON contains data (2,922 records, id plus E1-E28) and q.matrix (28 records).

Dense scored binary response matrix and 28×3 Q-matrix. Population/scale: 2,922 examinees (raw-file verified). Content: 28 grammar items; not the complete ECPE exam. Timing: No

Scoring: Binary correctness; remove the id column before scoring.

Access: Anonymous JSON export or data.ecpe in CDM.

Data terms: the exact packaged ECPE response/Q-matrix source object is distributed under CDM's formal package-wide GPL (>=2), with no contrary data notice found. Source object, licence and author codebook are mirrored; no ECPE question forms or proprietary handbook are supplied. **Item terms:** Full ECPE test content is not supplied by this response export; no item republication grant verified.

Limits: Only one section of an English proficiency exam. No raw option choices, response times, or criterion proficiency scores in this object. Estimated diagnostic classes do not constitute ground-truth skill labels.

Primary sources: source 1 [212], source 2 [210].

Data route: download/landing [213].

3. ASSISTments 2009-2010 corrected collapsed Skill Builder

Best use: high: learning-aware scoring and timing; medium for fixed ability. **Verification:** raw-sample-verified: corrected CSV header and first records inspected, not complete row counts.

Longitudinal scored problems, skill tags, hints/attempt counts, response text and timing fields. Population/scale: Not recounted for the corrected collapsed release; published counts for other preprocessing variants should not be substituted. Content: Problem and template identifiers present; exact corrected-release unique count not recounted. Timing: ms_first_response and overlap_time present in raw header.

Scoring: correct plus attempt/hint indicators; tutoring or hints can make a response incorrect under Skill Builder rules.

Access: Official Google Sites links corrected collapsed CSV on Google Drive; anonymous byte-range sample succeeded.

Data terms: Official parent page states free to use and asks for precise source citation; no standard licence found. **Item terms:** No separate grant for reproducing exercise content verified.

Limits: Use the corrected collapsed version: original files duplicate records for multi-skill questions. Mastery stopping, feedback and repeated practice make a naive fixed-ability analysis inappropriate. response text is not itself an item bank or verified answer key.

Primary sources: source 1 [32], source 2 [214], source 3 [215].

Data route: download/landing [216].

4. ASSISTments 2015 top-100 Skill Builders

Best use: low for item scoring; medium for skill-level knowledge tracing. **Verification:** raw-file-verified: full CSV row count, unique user/sequence counts, and columns checked.

Four columns only: user_id, log_id, sequence_id, correct. Population/scale: 19,917 users; 708,631 rows (raw-file verified). Content: 100 sequence_id values (skill builders), not 100 distinct test questions. Timing: No timing column.

Scoring: Binary correct label.

Access: Official Google Sites → Google Drive CSV; full 18,334,729-byte CSV retrieved anonymously for structural verification.

Data terms: No release-specific standard licence found; do not infer an explicit redistribution grant from download availability. **Item terms:** Item text is absent.

Limits: No question identifier: not suitable for calibrating actual individual items. No timestamps, response options, keys, question text, or response times in this file. Treating sequence_id as item_id changes the scientific unit.

Primary sources: source 1 [33].

Data route: download/landing [217].

5. Junyi Academy Online Learning Activity Dataset (2020 release; 2018-2019 logs)

Best use: high for longitudinal skill modelling. **Verification:** metadata- and raw-sample-verified: official Kaggle API licence/card; full Info_Content (1,330 rows), Log_Problem header and first decompressed records inspected.

Log_Problem.csv with uuid, ucid, upid, correctness, time, attempts, hints and level transitions; content/user tables. Population/scale: Official card: 16,217,311 attempts by 72,630 selected students; not independently recounted. Content: 1,330 exercise/content metadata rows raw-file verified; unique problem upid count not recounted. Timing: total_sec_taken; timestamp_TW also present.

Scoring: is_correct plus attempt/hint indicators; chosen raw answers and an answer key are absent from inspected schema.

Access: The complete original 2020 Kaggle archive is mirrored, with all source CSVs and a full ZIP CRC audit. Official API/source-policy provenance and hashes are retained.

Data terms: CC BY-NC-SA 4.0 in uploader data card and Kaggle API metadata, with additional source policy text. **Item terms:** Content metadata supplied; separate rights to full online problems should not be inferred.

Limits: Distinct from the legacy 2015 Junyi dataset with about 25.9 million logs; schemas and counts must not be combined. An exercise is a group of problems, not a single item. Adaptive practice and repeated attempts require longitudinal evaluation.

Primary sources: source 1 [6], source 2 [102], source 3 [218], source 4 [219].

Data route: download/landing [103].

6. EdNet KT1-KT4 (Santa English test preparation)

Best use: high for option-based longitudinal scoring and speed/accuracy studies. **Verification:** all original KT1-KT4 and Contents archives acquired, source hashes recorded and every ZIP member CRC verified. Actual CSV headers and sample records inspected.

KT1 question-solving logs; KT2 answer-selection actions; KT3 explanations/lectures; KT4 wider actions. Population/scale: KT1: 784,309 per-student files; approximately 131 million actions refers to the broad dataset, not KT1 answer rows. Content: 13,169 keyed question metadata rows (raw-file verified). Timing: KT1 elapsed_time in milliseconds; bundle timing can be shared across associated questions; shifted timestamps.

Scoring: Join user_answer (a-d) to Contents correct_answer; bundles identify shared stimuli.

Access: All five original archives are mirrored. KT1 remaining ranges used a pinned, region-verified mirror and matched its full published SHA-256; canonical author CC BY-NC4 terms apply. Other archives came from author-linked public endpoints.

Data terms: CC BY-NC 4.0, stated by authors for research purposes. **Item terms:** Released Contents includes keys/tags/IDs, not question text, passages or audio; no right to reproduce unreleased materials inferred.

Limits: High-level actions are not all test responses. Learning, recommendation policy, review and response revisions affect scores. No released external TOEIC score criterion: README still labels scores as to be released.

Primary sources: source 1 [5], source 2 [74], source 3 [75].

Data route: download/landing [70].

7. Eedi / NeurIPS 2020 Education Challenge

Best use: high for noncommercial distractor-aware scoring within source terms; do not redistribute modified data or question images. **Verification:** raw-sample-verified: ZIP directory, tasks 1/2 and 3/4 training headers and answer metadata; question metadata and official counts also checked. Official licence and additional image restrictions directly verified (page lines 52-56).

QuestionId/UserId/AnswerId with IsCorrect, CorrectAnswer, AnswerValue; subject and answer metadata. Population/scale: Official training counts: tasks 1/2 118,971 students and 15,867,850 answers; tasks 3/4 4,918 students and 1,382,727 answers. Content: 27,613 questions (tasks 1/2); 948 (tasks 3/4), with images supplied for the smaller set. Timing: Inspected answer metadata has DateAnswered and Confidence but no duration field; DateAnswered is a timestamp, not response time.

Scoring: CorrectAnswer and selected AnswerValue support rescoring and distractor models; IsCorrect is provided.

Access: All original response/metadata/challenge CSVs are mirrored from public Azure byte ranges; every image and macOS resource fork is excluded. The canonical original archive is about 626 MB.

Data terms: CC BY-NC-ND 4.0 is explicitly stated on the official Eedi challenge page: noncommercial use, attribution with a licence link, and no distribution of modified material. **Item terms:** The official source restricts question images to model training and prohibits all other uses, printing and sharing with anyone.

Limits: Sparse, selected educational sample, not a common complete test. Task splits differ in people/items/metadata; preserve their identities. Training counts differ from totals that include challenge answers. Only the latest student-question answer is retained. Tasks 1/2 and tasks 3/4 have separately anonymised question/user/answer IDs; do not cross-join matching numeric IDs across the task pairs. See the official guide [86].

Primary sources: source 1 [4], source 2 [220], source 3 [85], source 4 [84].

Data route: download/landing [84].

8. Duolingo SLAM 2018 shared-task learner responses

Best use: medium: language learning/error prediction rather than a fixed proficiency test. **Verification:** acquired version-4 archives inspected; original licence and citation files retained; full gzip CRC audits and SHA-256 checks passed. The Harvard endpoint was unavailable, so the named unchanged mirror and the verification limits are recorded.

Token correctness/error labels, correct-answer tokens, user/session and exercise metadata across three language tracks. Population/scale: initial release described >2 million tokens and >6,000 learners. The acquired version-4 files contain 7,141,267 token rows across nine split files and 2,387,567 exercise metadata records; these are not unique learners. Content: No fixed common item count; tracks en_es, es_en and fr_en. Timing: Whole-exercise seconds; some null/negative logging values need cleaning.

Scoring: 0=OK and 1=mistake; this is reversed from ordinary correct=1 coding.

Access: Original version-4 course archives obtained from a named public mirror. Archive sizes match author-deposited metadata; the original deposit exposed no hash for independent upstream equality checking. Mirror hashes, original licences and provenance are preserved.

Data terms: CC BY-NC 4.0 is confirmed by original Duolingo LICENSE.md within all three archives and author-deposited metadata. No additional prohibition on sharing was found in those original files. **Item terms:** Do not infer a licence for the entire Duolingo curriculum beyond the released corpus.

Limits: Original challenge version provides labels rather than actual learner strings. Most sessions are lessons/practice; only about 1% are test sessions. Tokens in one exercise are dependent and share a duration; inspect current version and label files before analysis.

Primary sources: source 1 [49], source 2 [50], source 3 [221].

Data route: download/landing [222].

9. KDD Cup 2010 Algebra I / Bridge to Algebra

Best use: medium: process/learning-aware scoring. **Verification:** raw-sample-verified: official ZIP first member algebra_2005_2006_master.txt and tab-delimited header/records inspected.

Step-level correctness, attempts/hints, timing, knowledge components and opportunity counts. Population/scale: Development sets: Algebra 2005-06 575 students/813,661 steps; Algebra 2006-07 1,840/2,289,726; Bridge 2006-07 1,146/3,656,871 (official table). Content: Steps nested in problems; not a fixed common test. Unique item counts not asserted. Timing: Step duration, first transaction, correct transaction and related timestamp columns.

Scoring: Correct First Attempt (1/0); development master files provide labels for all steps.

Access: Official SIGKDD archive index serves ZIPs anonymously, despite historical competition rules mentioning registration.

Data terms: No explicit standard reusable-data licence found; competition availability is not an unrestricted redistribution grant. **Item terms:** No independent grant for Cognitive Tutor item content verified.

Limits: One opportunity summarises several attempts, not a single independent response. Mastery, curriculum ordering, hints and repeated steps complicate fixed-trait models. Several challenge test columns are withheld; use labelled master files when evaluating observed correctness.

Primary sources: source 1 [35], source 2 [223], source 3 [224].

Data route: download/landing [225].

10. Database Exercises for Knowledge Tracing (DBE-KT22)

Best use: high candidate once access and custom terms are resolved. **Verification:** paper- and DOI-metadata-verified; source data unavailable to this runtime.

Correctness, timing, hints, answer revisions, question text/choices, expert difficulty and question/concept relationships. Population/scale: Paper reports 1,361 students and 167,222 interactions; not independently recounted. Content: 212 questions, 98 knowledge components (paper). Timing: time_taken in seconds; number of answer changes also documented.

Scoring: Generated practice_sequences.json answers are binary (0=wrong, 1=correct). Question-choice text is documented, but retention of each learner’s selected option in the released raw records remains unverified because source files were inaccessible; do not claim option-level rescoring. Optional confidence/difficulty ratings are ancillary.

Access: Authors describe unrestricted ADA access, but current landing/API returned an anti-bot Access Denied page in this runtime.

Data terms: DataCite registers custom dataset terms, including required citation/acknowledgement; full custom licence could not be inspected. Do not apply the paper CC BY 4.0 licence to the dataset. **Item terms:** Question/choice text documented as included; exact item redistribution conditions unresolved with dataset terms.

Limits: Practice, hints and optional feedback rather than a fixed independent examination. Actual download and complete data-use terms remain an access-verification task. Expert difficulty is a rating, not a known true latent ability.

Primary sources: source 1 [36], source 2 [226], source 3 [227].

Data route: download/landing [227].

Exclusions and traps

- **CDM::data.dtmr** is explicitly **simulated**. Its name refers to a real study of teachers' rational-number understanding, but the packaged 5,000×27 matrix is not a sample of observed teachers. Maintainer documentation [228].
- **Simulated-5** in knowledge-tracing literature is synthetic; keep it separate from empirical performance data.
- A platform interaction count can include opening explanations, changing answers, media playback and purchases. EdNet's total action count must not be relabelled as the number of scored questions.
- Legacy Junyi and the 2020 Kaggle release use different populations, identifiers and tables. In particular, the inspected 2020 content table has hierarchical level IDs; a legacy prerequisite graph should not silently be attached to it.

- A binary scored matrix supports rescoring only at the correctness level. A new scoring rule that needs distractors, partial work, confidence or response time requires those actual fields.

Evaluation design for the project

For a fixed-test score, first use one response per person-item and compare with sum score, Rasch/2PL and suitable multidimensional models. For practice logs, define whether a score estimates initial knowledge, current knowledge or learning gain; hold out later events and whole learners as appropriate. Fit item statistics and all normalisation parameters using training data only. Do not use final-course outcomes, future attempts, hints or time measured after the prediction target as input features.

For all sources, retain the original data version, file checksum, response coding and missing-value conventions. Keep omission, wrong answer, not-administered and not-reached separate when the source distinguishes them. A Q-matrix is expert annotation; an estimated ability or diagnostic classification is model output. Neither is a directly observed gold-standard trait.

7. Language assessment and constructed responses

Research date: **2026-10-29**. These sources contain demonstrated performance or human grading of that performance. Access and reuse conditions differ substantially. No restricted corpus was downloaded or republished for this review.

MERLIN: German, Italian and Czech writing

Best fit: openly licensed, human-rated written performance. The mirrored version 1.2 contains **2,287 examination texts**, with CEFR ratings, tasks, learner metadata, error annotations and target hypotheses. TXT, XML-oriented annotation formats and metadata are offered. These are scored writing samples, not a dense multiple-choice response matrix. No per-item response-time data were verified. Use task and language controls when comparing scores; CEFR categories are ordinal.

The platform and versioned deposit explicitly state **CC BY-SA 4.0** for data and resources. Normal public CLARIN API routes supplied the original text, metadata, tasks, manual annotations and codebooks. The actual metadata has 2,287 rows and 362 columns; the earlier website count of 2,286 and older 2,290 descriptions refer to other descriptions/versions. Optional PAULA/relANNIS NLP encodings were not mirrored. **Original files, provider MD5 and archive integrity verified.** Provider and downloads [7], Eurac corpus description [229], CLARIN release [117].

Cambridge CLC FCE v1.1: English examination writing

Best fit: essay scoring and rater/score comparisons, subject to permission. The release describes **1,244 exam scripts** from 2000-2001. It retains candidate writing and error annotations; v1.1 corrects scores, supplies historical rubric documentation, adds JSONL, and reports answer-level multiple marks for **97 evaluation scripts**. It maps task marks to 0-20 and script totals to 0-40. Do not mix scales or silently pool v1.0 and v1.1. No response-time field was verified.

This is a registered **non-commercial research/education** resource. The page prohibits corpus redistribution, including GitHub, and requires prior approval to release derived artifacts such as models or statistics. Neither response text nor exam prompts inherit this repository's license. **Official description and terms verified; registration not submitted.** FCE v1.1 release, dated 4 May 2026 [8], original research paper [230].

Cambridge Speak & Improve Corpus 2025

Best fit: oral proficiency scoring. The provider describes approximately **315 hours**, over **45,000 utterances**, and over **7,000 test submissions**. Four open-speaking test parts have indicative holistic CEFR judgments by non-operational examiners; roughly 55 hours have manual transcripts and language-error annotation. Audio duration is not cognitive response latency. Published splits support evaluation, but submissions and utterances must not be counted as unique speakers.

Registration and a **non-commercial research/education** agreement apply. The provider prohibits redistribution and asks approval for derived-artifact releases. Follow the release's stated processing conditions, including its restrictions on LLM training retention. **Page and terms verified; corpus not downloaded.** Official release, terms and application [37], release report [231].

Cambridge Write & Improve Corpus 2024

Best fit: revision-aware writing assessment. The current second-version description reports **5,050 learner-prompt sets from 766 users**, with about **23,000 essay versions**. Final versions have indicative CEFR labels; first/final versions carry grammatical-error annotation. Earlier and intermediate versions permit analysis of feedback and revision. This is writing practice with feedback, rather than an independent-attempt examination. No response-time field was verified. Split by learner and learner-prompt set to avoid revision leakage.

The access agreement is **non-commercial research/education**, with no corpus redistribution and approval required for derived-artifact releases. **Page and terms verified; registration not submitted.** Official release and terms [38], report and version description [232].

English C-Test user study: constrained generation

Best fit: a small human gap-completion study with known solutions. The authors describe **40 participants**, **32 English C-Tests**, and **20 gaps per test**. Their data documentation identifies `ctest_user_mapping.csv` as individual responses and distinguishes these from aggregated error rates, generated GPT-4 outputs and questionnaire responses. Only the actual human gap responses belong in a skill-scoring analysis. Text gaps share passages, creating testlet dependence; the sample is small. Whole-form duration is retained for all 160 user-form attempts; no per-gap latency was established.

The repository's **code is Apache-2.0**; the university data record states **CC BY 4.0**, subject to any component-specific notices. These are separate licenses. A normal public university API route supplied the original human-study archive. It contains 40 users, 32 forms, 160 attempts and 3,200 observed gap scores; auxiliary questionnaire records are distinct from skill responses. **Source files, provider MD5 and schema verified.** Author repository and data schema [43], university data record [233].

SemEval 2013 Task 7: BEETLE and SciEntsBank

Best fit: short-answer grading. The original task contains human science answers paired with reference answers and five accuracy labels: correct, partially correct/incomplete, contradictory, irrelevant, and non-domain. BEETLE comes from an electricity tutoring system; SciEntsBank covers school science. Keep them as separate datasets. These labels are **nominal diagnostic judgments**, not five equally spaced levels. A binary correct/other transformation is possible but discards information. Both corpora have unseen-answer and unseen-question splits; unseen-domain evaluation applies only to SciEntsBank. No response-time field was verified.

The original organizer supplies three-way and five-way ZIP files, with an explicit **CC BY-SA 3.0** license. The five-way archive was parsed for this review: it contains overlapping Core/Extra views, plus reliability material. Select one documented view and normalize label variants; do not simply concatenate every XML file. Prefer the organizer release over mirrors that duplicate answers once per reference answer. Answer IDs require study-specific interpretation before reconstructing examinees; answer rows are not people. Organizer release and archives [9], license [234], original task paper [151].

Useful but outside the individual-response shortlist

Cambridge Multiple-Choice Questions Reading Dataset provides reading passages, questions, keys, and task/item/option statistics. Its technical report describes JSONL at the task level, rather than an examinee-by-item matrix. The report lists 120 tasks and option statistics for 78 tasks. **Do not treat aggregate facility/discrimination as individual response records or use them to reconstruct a unique joint response distribution.** Access is registered non-commercial research with no redistribution. Suitable for item/distractor design studies; insufficient by itself for rescorings of individual examinees. Official description and terms [235], technical report with schema [236].

8. Discovery resources and exclusions

Checked **2026-10-29**. These resources extend the search; they are not additional independent response datasets in the catalogue count.

Item Response Warehouse

The Item Response Warehouse [237] harmonizes responses across many source studies. Its collections [238] offer useful starting points: `math`, `reading_vocab`, `trials`, `q_matrix`, and international assessments. Its core standard [239] uses a common long response representation; nominal responses and item text have separate standards.

Screen each table against the original study, version, license and transformation code. The warehouse also contains personality, symptoms, preferences and simulated/synthetic responses, all outside this project's core scope. Collection membership is partly rule-derived and not exhaustive. A harmonized binary score may omit selected distractors, trial structure or original missing categories. Avoid counting an original source and its harmonized copy as independent evidence. The warehouse is especially useful for discovering more candidates after the carefully documented starter set in this repository.

Important exclusions and conditional candidates

Source/type	Treatment	Reason and primary evidence
Personality, attitudes, symptoms, interests and self-reported skill	Excluded	These do not observe demonstrated competence; mixed-source questionnaires remain excluded even if the study also has cognitive tests.
Modern NAEP respondent-level microdata	Outside public-download shortlist	NCES requires restricted-use access [206]; public results and questions do not establish access to raw person-by-item responses.
Cambridge MCQ Reading Dataset	Aggregate/item resource, not core individual-response dataset	Technical-report schema [236] contains item/option statistics and keys; no examinee-by-item matrix is established.
EFCAMDAT	Supplementary learning corpus	Official access page [240] requires approval/academic affiliation; placement or course level is not an independent rating of each essay.
Current full ICAR archive	Conditional candidate in catalogue	Current release [21] has separate scientific-use conditions. Do not generalize historical public-domain wording to the current full archive or confuse the README license with the ZIP license.
ASSISTments 2015 sequence data	Retained as practice-log candidate with limits	Release documentation [33] and inspected CSV identify sequences/skill builders; this release does not provide a conventional item-response matrix with actual question IDs.
Simulated data packaged beside real test examples	Excluded from empirical evidence	Consult each data object's documentation. A simulated examinee response can test software recovery but cannot validate a scoring method against human performance. See the learning notes for the DTMR example.
Public practice questions or answer keys alone	Excluded from response-data shortlist	They enable administration or content analysis, but do not supply observed human response patterns, error rates, reliability or participant rankings.

“Conditional” is not a judgment that a source is unusable. It records the extra access, licensing or structural work required before it can answer the intended research question.

9. Verification, limitations and reproducibility

What was checked

The research catalogue distinguishes response-file inspection, archive verification, primary documentation and unresolved metadata-only evidence. The acquisition phase adds byte counts, SHA-256 hashes, provider hashes where supplied, archive integrity checks, source snapshots and explicit subset rules. The downloaded payload manifest is the authoritative list of mirrored files; the 37-source audit records exclusions as well as acquisitions.

Selected source archives were parsed to verify response schemas and counts. A full parse does not establish that every response is valid or every participant is unique. Provider participation totals, file rows and distinct respondent identifiers remain separate. Some mirrors contain all deposited files; mixed batteries are limited to named objective tasks, and some alternative formats or additional annotations may be omitted. Every such selection is documented in the collection source record.

Corrections from acquisition

MERLIN's mirrored version 1.2 has 2,287 metadata records; the earlier website description gives 2,286. The versioned deposit and actual metadata govern this mirror. The English C-Test study contains 40 users, 32 forms and 160 user-form attempts, or 3,200 observed gap scores; whole-form duration is present, while per-gap latency was not established. The working-memory deposit has two original CSV files and distinguishes raw task records from participant-collapsed scores. The OpenNeuro archive contains source subject identifiers beyond the reported study-completer cohort; recommended exclusions must be applied explicitly rather than silently deleting source rows.

Rebuild and locate the evidence

The complete source review is in the research directory. Catalogue metadata is supplied as JSON and CSV. Source-specific licences, citations, codebooks and file manifests accompany each mirrored collection. The root download manifest identifies files stored in Git and large release assets. Files from inaccessible or non-redistributable sources are linked, not included.

The PDF is generated by `reports/build_report.py` from AI-assisted project Markdown. It uses ReportLab and Mistune, supplies clickable numbered citations, a contents page and PDF bookmarks, and checks the written PDF with pypdf. The committed Markdown remains readable independently of PDF-generation software. Visual rendering was inspected by AI assistants before delivery; the report does not embed participant responses or protected test images.

Limits of the findings

This is a deep, curated review with a dated acquisition snapshot, not a census of all tests. It emphasizes documented sources with useful human response data. Licences and links can change; rights are version-specific and component-specific. Original codebooks can contain ambiguities, and some files have limited documentation. A project field guide explains observed structure without claiming to be an author-approved replacement.

The review does not establish population norms, cross-cultural equivalence, causal effects, algorithmic superiority or suitability for an individual decision. No scoring experiment was run. Reuse should preserve the difference between observed answers, assigned marks, expert annotations and estimated latent traits. Independent held-out validation remains necessary for a new scoring method.

10. Sources and references

Numbered references correspond to clickable citations throughout the report. Source terms and dataset versions were checked on 29 October 2026 unless a profile states a narrower evidence scope. Links are supplied for verification; repository copies do not imply that external content inherits the project licence.

[1] Original deposit
https://doi.org/10.6084/m9.figshare.1045385

[2] Author data and licence
https://github.com/IanEisenberg/Self_Regulation_Ontology

[3] Versioned deposit
https://data.mendeley.com/datasets/kfc3jyggs7/1

[4] Eedi source
https://www.eedischool.com/projects/neurips-education-challenge

[5] EdNet source
https://github.com/riiid/ednet

[6] Junyi release
https://www.kaggle.com/datasets/junyiacademy/learning-activity-public-dataset-by-junyi-academy

[7] MERLIN source
https://www.merlin-platform.eu/

[8] Cambridge terms
https://researchdatasets.cambridge.org/datasets/clc-fce-dataset

[9] Organizer release
https://github.com/myrosia/semeval-2013-task7

[10] verification evidence
https://github.com/AndersH3/skill-data-atlas/blob/main/data/verification-evidence.json

[11] SAPA cognitive ability: psychTools ability / iqitems - source documentation
https://github.com/cran/psychTools/blob/7dc591f8ac11c0ef1764cf853f3065aa60653d09/DESCRIPTION

[12] OpenPsychometrics Vocabulary IQ Test - source documentation
https://openpsychometrics.org/tests/VIQT/

[13] OpenPsychometrics Multifactor General Knowledge Test 2017-2018 - source documentation
https://openpsychometrics.org/_rawdata/MGKT_data.zip

[14] OpenPsychometrics experimental matrix IQ test - source documentation
https://openpsychometrics.org/_rawdata/IQ1.zip

[15] OpenPsychometrics Full Scale IQ alpha v0.1 - source documentation
https://openpsychometrics.org/_rawdata/FSIQ_0.1_data.zip

[16] Exposure Based Face Memory Test - source documentation
https://openpsychometrics.org/_rawdata/EBFMT.zip

[17] Ganis-Kievit mental rotation validation data - source documentation
https://doi.org/10.6084/m9.figshare.1045385.v13

[18] Self-Regulation Ontology objective performance-task subset - source documentation
https://pmc.ncbi.nlm.nih.gov/articles/PMC6534563/

[19] OpenNeuro ds004636 objective task subset - source documentation
https://pmc.ncbi.nlm.nih.gov/articles/PMC11271451/

[20] Working Memory Develops at a Similar Rate Across Diverse Stimuli - source documentation
https://doi.org/10.17632/kfc3jyggs7.1

[21] ICAR current full materials and psychometric data - source documentation
https://doi.org/10.23668/psycharchives.22167

[22] PISA 2025 cognitive responses and process data - source documentation
https://www.oecd.org/en/data/datasets/pisa-2025-database.html

[23] PISA 2022 - source documentation
https://www.oecd.org/en/data/datasets/pisa-2022-database.html

[24] PISA 2018 cognitive responses plus corrected total-time/visits supplement - source documentation
https://www.oecd.org/en/data/datasets/pisa-2018-database.html

[25] Survey of Adult Skills 2023 / PIAAC cycle 2 - source documentation
https://www.oecd.org/en/data/datasets/PIAAC-2nd-Cycle-Database.html

[26] PIAAC 2012 international log files, ZA6712 - source documentation
https://www.gesis.org/en/data-on-adult-education/daten/piaac-daten-zyklus-1/piaac-international/international-piaac-log-files

[27] TIMSS 2023 grades 4 and 8 - source documentation
https://www.iea.nl/data-tools/repository/timss

[28] PIRLS 2021, second edition including log files - source documentation
https://www.iea.nl/data-tools/repository/pirls

[29] ICILS 2023 - source documentation
https://www.iea.nl/data-tools/repository/icils

[30] ICCS 2022 civic-knowledge test and process data - source documentation
https://www.iea.nl/data-tools/repository/iccs

[31] Tatsuoka fraction subtraction (CDM) - source documentation
https://github.com/alexanderrobitzsch/CDM/blob/9a731f28426367d9c56576035930c7246a902894/DESCRIPTION

[32] ASSISTments 2009–2010 corrected collapsed Skill Builder - source documentation
https://sites.google.com/site/assistmentsdata/home/2009-2010-assistment-data/skill-builder-data-2009-2010

[33] ASSISTments 2015 top-100 Skill Builders - source documentation
https://sites.google.com/site/assistmentsdata/datasets/2015-assistments-skill-builder-data

[34] Duolingo SLAM 2018 shared-task learner responses - source documentation
https://doi.org/10.7910/DVN/8SWHNO

[35] KDD Cup 2010 Algebra I / Bridge to Algebra - source documentation
https://kdd.org/kdd-cup/view/kdd-cup-2010-student-performance-evaluation/Data

[36] Database Exercises for Knowledge Tracing (DBE-KT22) - source documentation
https://arxiv.org/html/2208.12651v3

[37] Cambridge Speak & Improve Corpus 2025 - source documentation
https://researchdatasets.cambridge.org/datasets/speak-and-improve-corpus-2025

[38] Cambridge Write & Improve Corpus 2024 (second version) - source documentation
https://researchdatasets.cambridge.org/datasets/write-and-improve-corpus-2024

[39] Constrained English C-Test user study - source documentation
https://tudatalib.ulb.tu-darmstadt.de/handle/tudatalib/4205

[40] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/ctest_mip_2024

[41] Constrained English C-Test user study - source documentation
https://tudatalib.ulb.tu-darmstadt.de/server/api/core/items/1e2ff254-6bba-454f-bd9f-e4aa1ecb7658

[42] tudatalib.ulb.tu-darmstadt.de - content
https://tudatalib.ulb.tu-darmstadt.de/server/api/core/bitstreams/088d335e-b696-48f3-8f08-bc4dc2cc8dad/content

[43] Constrained English C-Test user study - source documentation
https://github.com/UKPLab/arxiv2024-constrained-ctest-generation

[44] arxiv.org - 2404.08821
https://arxiv.org/abs/2404.08821

[45] raw.githubusercontent.com - CC-BY-4.0.txt
https://raw.githubusercontent.com/spdx/license-list-data/main/text/CC-BY-4.0.txt

[46] creativecommons.org - 4.0
https://creativecommons.org/licenses/by/4.0/

[47] User Study Data.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/ctest_mip_2024/User%20Study%20Data.zip

[48] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/duolingo-slam-2018

[49] Duolingo SLAM 2018 shared-task learner responses - source documentation
https://sharedtask.duolingo.com/2018.html

[50] Duolingo SLAM 2018 shared-task learner responses - source documentation
https://api.datacite.org/dois/10.7910/DVN/8SWHNO

[51] cn.dataone.org - sha256:c99e7d3e18a8ee138442180c31cedf54546f51fe4b02555e0894e11cdfebc7e8
https://cn.dataone.org/cn/v2/object/sha256%3Ac99e7d3e18a8ee138442180c31cedf54546f51fe4b02555e0894e11cdfebc7e8

[52] doi.org - C1LOKO
https://doi.org/10.7910/DVN/8SWHNO/C1LOKO

[53] doi.org - Z29WIF
https://doi.org/10.7910/DVN/8SWHNO/Z29WIF

[54] doi.org - 5YWVBV
https://doi.org/10.7910/DVN/8SWHNO/5YWVBV

[55] Duolingo SLAM 2018 shared-task learner responses - source documentation
https://github.com/xinhez/11785-project/tree/master/data

[56] creativecommons.org - 4.0
https://creativecommons.org/licenses/by-nc/4.0/

[57] data_en_es.tar.gz
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/data_en_es.tar.gz

[58] data_es_en.tar.gz
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/data_es_en.tar.gz

[59] data_fr_en.tar.gz
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/data_fr_en.tar.gz

[60] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/ecpe-grammar

[61] Tatsuoka fraction subtraction (CDM) - source documentation
https://github.com/alexanderrobitzsch/CDM/tree/9a731f28426367d9c56576035930c7246a902894

[62] R Core Team - Writing R Extensions: Licensing
https://cran.r-project.org/doc/manuals/r-release/R-exts.html#Licensing

[63] CRAN Repository Policy - source formats and licensing
https://cran.r-project.org/web/packages/policies.html

[64] www.gnu.org - gpl-2.0.html
https://www.gnu.org/licenses/old-licenses/gpl-2.0.html

[65] raw.githubusercontent.com - GPL-2.0-or-later.txt
https://raw.githubusercontent.com/spdx/license-list-data/main/text/GPL-2.0-or-later.txt

[66] psych.unl.edu - dcm12ncme
http://psych.unl.edu/jtemplin/teaching/dcm/dcm12ncme/

[67] data.ecpe.rda
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/ecpe-grammar/original/data.ecpe.rda

[68] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/ednet

[69] raw.githubusercontent.com - README.md
https://raw.githubusercontent.com/riiid/ednet/master/README.md

[70] KT1
https://bit.ly/ednet_kt1

[71] KT2
https://bit.ly/ednet-kt2

[72] KT3
https://bit.ly/ednet-kt3

[73] KT4
https://bit.ly/ednet-kt4

[74] Contents
https://bit.ly/ednet-content

[75] EdNet KT1–KT4 (Santa English test preparation) - source documentation
https://arxiv.org/abs/1912.03072

[76] raw.githubusercontent.com - CC-BY-NC-4.0.txt
https://raw.githubusercontent.com/spdx/license-list-data/main/text/CC-BY-NC-4.0.txt

[77] EdNet KT1–KT4 (Santa English test preparation) - source documentation
https://huggingface.co/datasets/Lucy9999/EdNet-KT1/resolve/790cff06b7c112c4ec072217257de5dd4ec1e77a/EdNet-KT1.zip

[78] ednet-Contents.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/ednet/raw/ednet-Contents.zip

[79] ednet-KT1.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/ednet-KT1.zip

[80] ednet-KT2.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/ednet-KT2.zip

[81] ednet-KT3.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/ednet-KT3.zip

[82] ednet-KT4.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/ednet-KT4.zip

[83] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/eedi-neurips-2020

[84] Eedi / NeurIPS 2020 Education Challenge - source documentation
https://dqanonymousdata.blob.core.windows.net/neurips-public/data.zip

[85] Eedi / NeurIPS 2020 Education Challenge - source documentation
https://arxiv.org/abs/2007.12061

[86] Eedi / NeurIPS 2020 Education Challenge - source documentation
https://arxiv.org/html/2007.12061v3

[87] raw.githubusercontent.com - CC-BY-NC-ND-4.0.txt
https://raw.githubusercontent.com/spdx/license-list-data/main/text/CC-BY-NC-ND-4.0.txt

[88] creativecommons.org - 4.0
https://creativecommons.org/licenses/by-nc-nd/4.0/

[89] eedi-2020-response-and-metadata-csvs.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/eedi-2020-response-and-metadata-csvs.zip

[90] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/fraction-subtraction

[91] fraction.subtraction.data.rda
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/fraction-subtraction/original/fraction.subtraction.data.rda

[92] fraction.subtraction.qmatrix.rda
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/fraction-subtraction/original/fraction.subtraction.qmatrix.rda

[93] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/ganis-kievit-mental-rotation

[94] Ganis-Kievit mental rotation validation data - source documentation
https://api.figshare.com/v2/articles/1045385

[95] ndownloader.figshare.com - 3191717
https://ndownloader.figshare.com/files/3191717

[96] ndownloader.figshare.com - 1571341
https://ndownloader.figshare.com/files/1571341

[97] Ganis-Kievit mental rotation validation data - source documentation
https://ndownloader.figshare.com/files/1878074

[98] Ganis-Kievit mental rotation validation data - source documentation
https://ndownloader.figshare.com/files/3702010

[99] All-stimuli-JPG-file3191717.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/All-stimuli-JPG-file3191717.zip

[100] Behavioural_data-file3702010.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/ganis-kievit-mental-rotation/original/Behavioural_data-file3702010.zip

[101] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/junyi-2020

[102] Junyi Academy Online Learning Activity Dataset (2020 release; 2018–2019 logs) - source documentation
https://www.kaggle.com/api/v1/datasets/view/junyiacademy/learning-activity-public-dataset-by-junyi-academy

[103] www.kaggle.com - learning-activity-public-dataset-by-junyi-academy
https://www.kaggle.com/api/v1/datasets/download/junyiacademy/learning-activity-public-dataset-by-junyi-academy

[104] www.kaggle.com - learning-activity-public-dataset-by-junyi-academy
https://www.kaggle.com/api/v1/datasets/list/junyiacademy/learning-activity-public-dataset-by-junyi-academy

[105] www.junyiacademy.org - policy
https://www.junyiacademy.org/about/policy

[106] raw.githubusercontent.com - CC-BY-NC-SA-4.0.txt
https://raw.githubusercontent.com/spdx/license-list-data/main/text/CC-BY-NC-SA-4.0.txt

[107] creativecommons.org - 4.0
https://creativecommons.org/licenses/by-nc-sa/4.0/

[108] junyi-2020-original.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/junyi-2020-original.zip

[109] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/mathy-friedman-working-memory

[110] Working Memory Develops at a Similar Rate Across Diverse Stimuli - source documentation
https://data.mendeley.com/public-api/datasets/kfc3jyggs7?version=1

[111] data.mendeley.com - files
https://data.mendeley.com/public-api/datasets/kfc3jyggs7/files?folder_id=root&version=1

[112] data.mendeley.com - file downloaded
https://data.mendeley.com/public-files/datasets/kfc3jyggs7/files/d0c5b8d5-169c-473f-b2dd-5c61a88b89c4/file_downloaded

[113] data.mendeley.com - file downloaded
https://data.mendeley.com/public-files/datasets/kfc3jyggs7/files/af641063-4d8e-4329-975e-17daa875cec5/file_downloaded

[114] dat_all.csv
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/mathy-friedman-working-memory/original/dat_all.csv

[115] dat_partialcreditunitAGG_Unstacked.csv
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/mathy-friedman-working-memory/original/dat_partialcreditunitAGG_Unstacked.csv

[116] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/merlin

[117] clarin.eurac.edu - 59
https://clarin.eurac.edu/repository/xmlui/handle/20.500.12124/59

[118] MERLIN multilingual examination writing - source documentation
https://hdl.handle.net/20.500.12124/59

[119] MERLIN multilingual examination writing - source documentation
https://clarin.eurac.edu/repository/rest/items/44?expand=all

[120] gitlab.inf.unibz.it - v1.2
https://gitlab.inf.unibz.it/commul/merlin-platform/data-bundle/-/tags/v1.2

[121] aclanthology.org - L14-1488
https://aclanthology.org/L14-1488/

[122] merlin-docs-v1.2.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/merlin/merlin-docs-v1.2.zip

[123] merlin-exmaralda-v1.2.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/merlin-exmaralda-v1.2.zip

[124] merlin-metadata-v1.2.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/merlin/merlin-metadata-v1.2.zip

[125] merlin-solr-v1.2.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/merlin/merlin-solr-v1.2.zip

[126] merlin-tasks-v1.2.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/merlin/merlin-tasks-v1.2.zip

[127] merlin-text-v1.2.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/merlin/merlin-text-v1.2.zip

[128] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/openneuro-ds004636-objective-tasks

[129] OpenNeuro ds004636 objective task subset - source documentation
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/dataset_description.json

[130] codeload.github.com - 769186fe1b185fae16437f380bfebd56edf7acd7
https://codeload.github.com/OpenNeuroDatasets/ds004636/tar.gz/769186fe1b185fae16437f380bfebd56edf7acd7

[131] raw.githubusercontent.com - CHANGES
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/CHANGES

[132] raw.githubusercontent.com - README.md
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/README.md

[133] raw.githubusercontent.com - participants.json
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/participants.json

[134] raw.githubusercontent.com - participants.tsv
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/participants.tsv

[135] raw.githubusercontent.com - task-ANT events.json
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/task-ANT_events.json

[136] raw.githubusercontent.com - task-DPX events.json
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/task-DPX_events.json

[137] raw.githubusercontent.com - task-WATT3 events.json
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/task-WATT3_events.json

[138] raw.githubusercontent.com - task-motorSelectiveStop events.json
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/task-motorSelectiveStop_events.json

[139] raw.githubusercontent.com - task-stopSignal events.json
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/task-stopSignal_events.json

[140] raw.githubusercontent.com - task-stroop events.json
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/task-stroop_events.json

[141] raw.githubusercontent.com - task-twoByTwo events.json
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/769186fe1b185fae16437f380bfebd56edf7acd7/task-twoByTwo_events.json

[142] raw.githubusercontent.com - CC0-1.0.txt
https://raw.githubusercontent.com/spdx/license-list-data/main/text/CC0-1.0.txt

[143] objective-task-events.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/openneuro-ds004636-objective-tasks/original/objective-task-events.zip

[144] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/sapa-ability-iqitems

[145] SAPA cognitive ability: psychTools ability / iqitems - source documentation
https://github.com/cran/psychTools/tree/7dc591f8ac11c0ef1764cf853f3065aa60653d09

[146] www.sapa-project.org -
https://www.sapa-project.org/

[147] ability.rda
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/sapa-ability-iqitems/original/ability.rda

[148] iqitems.rda
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/sapa-ability-iqitems/original/iqitems.rda

[149] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/semeval2013-task7

[150] raw.githubusercontent.com - semeval-5way.zip
https://raw.githubusercontent.com/myrosia/semeval-2013-task7/main/semeval-5way.zip

[151] SemEval 2013 Task 7 BEETLE - source documentation
https://aclanthology.org/S13-2045/

[152] doi.org - s10579-015-9313-8
https://doi.org/10.1007/s10579-015-9313-8

[153] semeval-5way.zip
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/semeval2013-task7/semeval-5way.zip

[154] Source record and documentation
https://github.com/AndersH3/skill-data-atlas/tree/main/datasets/sro-performance-tasks

[155] Self-Regulation Ontology objective performance-task subset - source documentation
https://github.com/IanEisenberg/Self_Regulation_Ontology/blob/4e6e837fb5aaca87ed5914fd9be251156f43eec9/README.md#license

[156] github.com - Complete 02-16-2019
https://github.com/IanEisenberg/Self_Regulation_Ontology/tree/4e6e837fb5aaca87ed5914fd9be251156f43eec9/Data/Complete_02-16-2019

[157] github.com - Retest 02-16-2019
https://github.com/IanEisenberg/Self_Regulation_Ontology/tree/4e6e837fb5aaca87ed5914fd9be251156f43eec9/Data/Retest_02-16-2019

[158] raw.githubusercontent.com - README.md
https://raw.githubusercontent.com/IanEisenberg/Self_Regulation_Ontology/4e6e837fb5aaca87ed5914fd9be251156f43eec9/Data/README.md

[159] raw.githubusercontent.com - README.txt
https://raw.githubusercontent.com/IanEisenberg/Self_Regulation_Ontology/4e6e837fb5aaca87ed5914fd9be251156f43eec9/Data/Complete_02-16-2019/README.txt

[160] raw.githubusercontent.com - README.txt
https://raw.githubusercontent.com/IanEisenberg/Self_Regulation_Ontology/4e6e837fb5aaca87ed5914fd9be251156f43eec9/Data/Retest_02-16-2019/README.txt

[161] Complete_02-16-2019-objective-tasks.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/Complete_02-16-2019-objective-tasks.zip

[162] Retest_02-16-2019-objective-tasks.zip
https://github.com/AndersH3/skill-data-atlas/releases/download/datasets-2026-10-29/Retest_02-16-2019-objective-tasks.zip

[163] Current ability documentation
https://raw.githubusercontent.com/cran/psychTools/master/man/ability.Rd

[164] iqitems documentation and key
https://raw.githubusercontent.com/cran/psychTools/master/man/iqitems.Rd

[165] package licence
https://raw.githubusercontent.com/cran/psychTools/master/DESCRIPTION

[166] download and codebook
https://openpsychometrics.org/_rawdata/VIQT_data.zip

[167] current form, with different scoring
https://openpsychometrics.org/tests/MGKT2/

[168] printable instrument
https://openpsychometrics.org/printable/intelligence-quotient-test.pdf

[169] current test
https://openpsychometrics.org/tests/FSIQ/

[170] development and licence
https://openpsychometrics.org/tests/EBFMT/development/

[171] paper
https://doi.org/10.5334/jopd.ai

[172] data release
https://github.com/IanEisenberg/Self_Regulation_Ontology/tree/master/Data/Complete_02-16-2019

[173] retest paper
https://pmc.ncbi.nlm.nih.gov/articles/PMC6431228/

[174] versioned data
https://openneuro.org/datasets/ds004636/versions/1.0.4

[175] CC0 metadata
https://raw.githubusercontent.com/OpenNeuroDatasets/ds004636/master/dataset_description.json

[176] raw behaviour OSF
https://osf.io/sjvnw/

[177] official ICAR FAQ
https://icar-project.com/

[178] Scientific Use License record
https://www.psycharchives.org/en/item/7466aa16-69bd-49ea-baef-7f828f5b223f

[179] official programme page
https://www.oecd.org/en/about/programmes/pisa.html

[180] official file index
https://webfs.oecd.org/pisa2022/index.html

[181] NCES methodology
https://nces.ed.gov/surveys/pisa/pisa2025/technical-notes/

[182] official results
https://www.oecd.org/en/publications/2023/12/pisa-2022-results-volume-i_76772a36/full-report.html

[183] Technical report Annex K
https://www.oecd.org/content/dam/oecd/en/data/datasets/pisa/pisa-2018-datasets/ssas-sps-data-files/PISA2018%20Aneex%20K%20TechReport.pdf

[184] GESIS
https://www.gesis.org/en/data-on-adult-education/daten/piaac-daten-zyklus-1/piaac-international/international-public-use-files

[185] technical report chapter 12
https://www.oecd.org/content/dam/oecd/en/about/programmes/edu/piaac/technical-reports/cycle-2/piaac-technical-report-2023/chapter-12-piaac-technical-report-draft-1.pdf

[186] catalogue entry is ZA6712
https://search.gesis.org/research_data/ZA6712

[187] OECD first-cycle page
https://www.oecd.org/en/data/datasets/piaac-1st-cycle-database.html

[188] official release announcement
https://www.iea.nl/node/4611

[189] database user guide
https://www.iea.nl/sites/default/files/2025-02/T23_UG-International-Database.pdf

[190] Boston College
https://timss.bc.edu/latest-news/t23-international-results-release.html

[191] IEA restricted-use documentation
https://www.iea.nl/node/4604

[192] process-data release announcement
https://www.iea.nl/news-events/news/pirls-2021-process-data-available

[193] official international report description
https://www.iea.nl/publications/study-reports/international-reports-iea-studies/pirls-2021-international-results

[194] restricted-use route
https://www.iea.nl/node/4053

[195] user guide
https://www.iea.nl/sites/default/files/2025-02/ICILS_2023_User_Guide.pdf

[196] official release
https://www.iea.nl/news-events/news/icils-2023-international-report-results-and-resources-now-available-online

[197] technical report was revised in July 2026
https://www.iea.nl/publications/icils-2023-technical-report

[198] IEA's process release
https://www.iea.nl/node/4452

[199] user guide
https://www.iea.nl/sites/default/files/2024-05/ICCS%20User%20Guide_0.pdf

[200] The study centre's release
https://ausawards.acer.edu.au/ae/news/article/citizenship-education-in-times-of-global-challenge

[201] PISA PUF download terms
https://survey.oecd.org/index.php?lang=en&r=survey/index&sid=197663

[202] PIAAC PUF terms
https://survey.oecd.org/index.php?lang=en&r=survey/index&sid=424913

[203] OECD's general data terms
https://www.oecd.org/en/about/terms-conditions.html

[204] IEA repository agreement
https://www.iea.nl/sites/default/files/2019-05/Disclaimer%20and%20License%20Agreement.pdf

[205] IEA's materials page
https://www.iea.nl/data

[206] NCES
https://nces.ed.gov/nationsreportcard/researchcenter/datatools.aspx

[207] The 2017 mathematics process-data release
https://www.nationsreportcard.gov/process_data/

[208] Tatsuoka fraction subtraction (CDM) - source documentation
https://raw.githubusercontent.com/alexanderrobitzsch/cdm/master/man/fraction.subtraction.data.Rd

[209] Tatsuoka fraction subtraction (CDM) - source documentation
https://alexanderrobitzsch.r-universe.dev/CDM/data/fraction.subtraction.qmatrix/csv

[210] Tatsuoka fraction subtraction (CDM) - source documentation
https://alexanderrobitzsch.r-universe.dev/CDM

[211] alexanderrobitzsch.r-universe.dev - csv
https://alexanderrobitzsch.r-universe.dev/CDM/data/fraction.subtraction.data/csv

[212] ECPE English grammar section (CDM) - source documentation
https://raw.githubusercontent.com/alexanderrobitzsch/cdm/master/man/data.ecpe.Rd

[213] alexanderrobitzsch.r-universe.dev - json
https://alexanderrobitzsch.r-universe.dev/CDM/data/data.ecpe/json

[214] ASSISTments 2009–2010 corrected collapsed Skill Builder - source documentation
https://sites.google.com/site/assistmentsdata/home/2009-2010-assistment-data

[215] ASSISTments 2009–2010 corrected collapsed Skill Builder - source documentation
https://sites.google.com/site/assistmentsdata/an-explanation-on-how-to-interpret-our-data-sets

[216] drive.google.com - view
https://drive.google.com/file/d/1NNXHFRxcArrU0ZJSb9BIL56vmUt5FhlE/view?usp=sharing

[217] drive.google.com - view
https://drive.google.com/file/d/0B_hO8cnpcIMgUGZzRnh3bHJrSjQ/view?usp=sharing

[218] Junyi Academy Online Learning Activity Dataset (2020 release; 2018–2019 logs) - source documentation
https://www.kaggle.com/api/v1/datasets/download/junyiacademy/learning-activity-public-dataset-by-junyi-academy/Info_Content.csv

[219] Junyi Academy Online Learning Activity Dataset (2020 release; 2018–2019 logs) - source documentation
https://www.kaggle.com/api/v1/datasets/download/junyiacademy/learning-activity-public-dataset-by-junyi-academy/Log_Problem.csv

[220] Eedi / NeurIPS 2020 Education Challenge - source documentation
https://www.eedischool.com/research

[221] Duolingo SLAM 2018 shared-task learner responses - source documentation
https://research.duolingo.com/

[222] dataverse.harvard.edu - dataset.xhtml
https://dataverse.harvard.edu/dataset.xhtml?persistentId=doi:10.7910/DVN/8SWHNO

[223] KDD Cup 2010 Algebra I / Bridge to Algebra - source documentation
https://kdd.org/cupfiles/

[224] KDD Cup 2010 Algebra I / Bridge to Algebra - source documentation
https://kdd.org/kdd-cup/view/kdd-cup-2010-student-performance-evaluation/Rules

[225] kdd.org - algebra 2005 2006.zip
https://kdd.org/cupfiles/algebra_2005_2006.zip

[226] Database Exercises for Knowledge Tracing (DBE-KT22) - source documentation
https://api.datacite.org/dois/10.26193/6DZWOH

[227] Database Exercises for Knowledge Tracing (DBE-KT22) - source documentation
https://dataverse.ada.edu.au/dataset.xhtml?persistentId=doi:10.26193/6DZWOH

[228] Maintainer documentation
https://raw.githubusercontent.com/alexanderrobitzsch/cdm/master/man/data.dtmr.Rd

[229] Eurac corpus description
https://www.porta.eurac.edu/lci/merlin/

[230] original research paper
https://aclanthology.org/P11-1019/

[231] release report
https://doi.org/10.17863/CAM.114333

[232] report and version description
https://www.repository.cam.ac.uk/items/ba155087-0754-4c6b-ade8-68858e1df2f0

[233] university data record
https://tudatalib.ulb.tu-darmstadt.de/items/1e2ff254-6bba-454f-bd9f-e4aa1ecb7658

[234] license
https://github.com/myrosia/semeval-2013-task7/blob/main/LICENSE

[235] Official description and terms
https://researchdatasets.cambridge.org/datasets/cambridge-multiple-choice-questions-reading-dataset

[236] technical report with schema
https://www.repository.cam.ac.uk/bitstreams/90fc31ea-bd4c-4b33-8474-1e127635a6d3/download

[237] Item Response Warehouse
https://itemresponsewarehouse.org/

[238] collections
https://itemresponsewarehouse.org/collections.html

[239] core standard
https://itemresponsewarehouse.org/standard.html

[240] Official access page
https://ef-lab.mmll.cam.ac.uk/EFCAMDAT.html

[241] github.com - skill-data-atlas
https://github.com/AndersH3/skill-data-atlas

[242] catalogue
https://github.com/AndersH3/skill-data-atlas/blob/main/data/catalogue.json

[243] redistribution audit
https://github.com/AndersH3/skill-data-atlas/blob/main/data/redistribution-audit.json

[244] payload manifest
https://github.com/AndersH3/skill-data-atlas/blob/main/data/download-manifest.json

[245] release verification
https://github.com/AndersH3/skill-data-atlas/blob/main/data/release-verification.json

[246] dataset source records
https://github.com/AndersH3/skill-data-atlas/blob/main/datasets/README.md

[247] report quality record
https://github.com/AndersH3/skill-data-atlas/blob/main/output/pdf/report-quality-check.json

[248] report builder
https://github.com/AndersH3/skill-data-atlas/blob/main/reports/build_report.py

Appendix A. AI disclosure

Disclosure revision: **30 October 2026**. The research and acquisition snapshot remains **29 October 2026**. The project is **Skill Data Atlas**, hosted at Source [241].

Nature and extent of AI involvement

This report and the repository's curation material were prepared with **OpenAI Codex**, using a primary AI assistant and delegated AI agents. AI involvement was substantive: it included research, interpretation, selection, writing and coding, rather than only spelling or formatting assistance. Newly written project prose should be understood as AI-assisted material unless a particular file identifies a different source or author.

The project record identifies the assistant platform and the use of delegated agents. It does not retain a complete, independently verifiable record of the exact model builds, settings and contexts used for every agent and turn. No particular checkpoint or deterministic generation configuration is therefore asserted for the entire workflow.

Work area	AI contribution	What the record supports
Discovery and scope	Searched for human skill, knowledge and cognitive-performance response sources; screened out personality and self-report tests from the skill shortlist	A curated search and inclusion judgment, not an exhaustive census
Catalogue and synthesis	Drafted the 37 source profiles, descriptions, comparisons, recommendations, citations and machine-readable catalogue	AI-authored summaries that can contain interpretation or transcription errors
Access and licensing	Read provider terms, distinguished data from item-content rights, assessed redistribution, and revised decisions when evidence changed	A documented AI research interpretation, not independent legal clearance
Acquisition and packaging	Downloaded source files, selected named objective-task subsets and packaged eligible files	The selected scope is documented; some mirrors are subsets or omit duplicate encodings
Documentation	Wrote provenance notes and project field guides; retained author documentation where available	Project guides are labelled separately from original author codebooks
Code and technical checks	Produced and ran Python/R and command-line tooling for parsing, dimensions, counts, hashes, archive CRCs and release verification	Specific structural and byte-integrity checks, with limits described below
Report production	Drafted the narrative, generated the PDF with ReportLab, and used rendered page images for AI-assisted visual review	Layout review by AI assistants; it is not a human publication sign-off
Repository operations	Proposed branding and prepared GitHub metadata, links, commits, release uploads and verification records	Actions performed through tools under the project owner's task authorization

Human direction and review status

The project owner specified the research objective, excluded personality-oriented tests, requested redistribution-permitted downloads and a complete report, authorized GitHub publication, selected the project name and metadata, and requested this disclosure. Those directions and authorizations are distinct from a source-by-source factual or legal review.

Independent human fact-checking, legal review and scientific peer review are not documented in the available project record. Checks by additional AI agents remain AI checks; agreement between agents is not independent human validation. At least one delegated review attempt during the rename was interrupted by a usage limit. An interrupted attempt is not treated as a completed review. Completed checks for the delivered edition are recorded in the quality and verification files.

The maintainer remains responsible for decisions about publication and subsequent use. A later human review should be identified as a separate review with its scope, date and evidence, rather than inferred from the repository's existence or from this disclosure.

Relationship to the original data

The mirrored observations were acquired from the cited external providers. This workflow **did not generate or add synthetic participant answers** to the mirrored datasets. That statement concerns this project's actions; it does not independently authenticate every upstream participant or response.

AI generated project summaries, catalogue records, interpretation, field guides and tooling. It did not become the original collector or author of the underlying studies. Original data, author documentation and project-authored guides are distinguished in the source records and manifests.

Source studies may themselves contain automatically generated stimuli, annotations or model-derived scores. For example, the English C-Test study compared generation strategies including GPT-4. Such upstream use is distinct from generating respondent answers for this repository. Upstream AI involvement was not exhaustively audited across every source; the original study documentation remains authoritative for that question.

Some acquisitions preserve a selected portion of a source rather than its entire deposit. SRO and OpenNeuro contain documented objective-task subsets. Eedi preserves 18 original CSV tables without the restricted question images or macOS resource forks. MERLIN omits optional alternative encodings and automatic NLP annotations. Lossless repackaging and these scope choices are recorded; they should not be described as universal full-deposit mirrors.

Tools, inspection and verification limits

The assistants consulted public provider pages, papers, repositories, codebooks, schemas, file inventories and selected file contents. Local tools downloaded and processed the source files. AI-readable tool outputs included structural information, counts and selected samples. The repository does not contain a complete record of every value or byte exposed through tool outputs, so it cannot establish that participant-level material was never processed by an AI system.

Published provenance records are not complete access or service-retention logs. AI service providers' retention settings and training-use status were not audited as part of this project; the repository makes no guarantee about them. No claim is made that this project independently anonymized the released data or established the adequacy of the original consent and privacy arrangements.

SHA-256 comparisons and archive CRC checks test byte integrity and archive consistency. Schema and dimension checks describe inspected file structure. Recounted rows, tokens, attempts and identifiers retain their stated units. These checks do **not** establish scientific validity, representativeness, genuine human participation, ethical approval, lawful ownership of every upstream component, or suitability for an individual assessment decision. A checksum match also does not establish that an AI's interpretation of a variable is correct.

AI-assisted visual review checks page layout and legibility. It does not verify every scientific assertion, reference, licence interpretation or code path. No new scoring model was fitted, no superiority of a scoring method was demonstrated, and no causal or population-norm claim was validated in this task.

Material corrections and residual uncertainty

The workflow included substantive revisions, illustrating the need to revisit AI conclusions against primary evidence:

Issue	Final treatment
Eedi licence initially treated as unconfirmed	The provider's CC BY-NC-ND 4.0 statement and additional image restrictions were found and recorded; only unchanged CSV tables were mirrored
Packaged response objects initially excluded because a separate data header was absent	Formal package-wide GPL grants and the absence of contrary notices were reassessed; the SAPA and two CDM source objects were included without inferring rights to separate proprietary stimuli
MERLIN website and deposited release counts differed	The mirrored version 1.2 metadata was checked as 2,287 records, with the earlier website count of 2,286 explicitly distinguished

The report can still contain missed sources, inaccurate summaries, broken links, version mismatches, mistaken assumptions or code defects. Source documentation itself can be incomplete. The catalogue's evidence levels and stated unknowns should be retained rather than converted into a general claim that all information is verified. Licence interpretations should be rechecked against the precise source and intended use; this disclosure does not change upstream terms.

Evidence and reproducibility

The catalogue [242], redistribution audit [243], payload manifest [244], release verification [245], dataset source records [246], and report quality record [247] identify the available evidence. These records support specific checks, not a complete history of the research process.

The report builder [248] and published Markdown permit regeneration of the report from its inputs, subject to the documented software and font dependencies. The complete prompts, per-agent settings, intermediate outputs, search paths and all access logs were not retained as a reproducible research package. **Rebuilding the PDF is distinct from reproducing the AI-assisted discovery and decision process.**

This disclosure describes the work recorded for this edition. It should be updated if additional AI work, human review, data transformations or licensing decisions materially change the project.