
NIC26



Tatu Seppälä

Security Architect

Microsoft Microsoft MVP Security

Context&

Taming the Wild West of Generative AI with Purview and Defender

Auto

Introduce yourself

Hello! I'm **M365 Copilot**, an AI assistant built by Microsoft.

I can help you with a wide range of tasks, including:

- **Microsoft 365**: Word, Excel, PowerPoint, Outlook, Teams, SharePoint, OneDrive, and Copilot-related scenarios.
- **IT & Cloud**: Microsoft Azure, Microsoft Entra, Defender, Intune, Microsoft 365 administration, security, and troubleshooting.
- **Data & Analysis**: CSV processing, spreadsheet analysis, reporting, chart creation, and data transformation.
- **Writing & Communication**: Emails, reports, policies, presentations, documentation, and summaries.
- **Rese & tion**: Finding and verifying information on the web, nd summarizing complex topics.
- **File Cr g Word cuments, Excel workbooks, Powe s, PDFs, images, and other deliverables.



Messag

AI-generated content may be incorrect

I'm Claude Code, Anthropic's coding assistant. I
as Sonnet 5.5 inside the Claude desktop app.

What I can do here

- **Code:** read, write and edit files, search a co
commands, and help debug, refactor, review
- **Browser:** open pages in the built-in browse
check a running app.
- **Documents and files:** create Word, Excel, P
docs, and published artifacts.
- **Connected tools:** work with your Outlook m
SharePoint, and Microsoft Learn docs.
- **Automation:** set up scheduled or recurring
larger jobs to sub-agents.

This session

- Working directory: `C:\Users\TatuSeppälä`
git repository yet, so I can run `git init` if
- Platform: Windows 11 with PowerShell.

I'll ask before doing anything ha un
sending messages, deleting da

What would you like to work on?



Type / for commands

Auto

Hi there! 👋 😊

I'm ChatGPT, an AI assistant created by OpenAI

🌟 A Little About Me


I'm here to help you learn, create, solve proble
as a friendly assistant you can talk to whenever

💡 What Can I Help You With?

- 📚 **Learning & Education:** Explain difficu
with assignments.
- ✍️ **Writing & Creativity:** Write stories, p
professional emails.
- **Problem-Solving:** Help with logical re
enges.
- **Technology & Coding:** Explain techni
oot problems.
- **rch & Information:** Explore top
rmation.
- **Creative Ideas:** Brainstorm projects,

Ask ChatGPT

The Claudy Day attack (2026)



NIC26

Agenda

- 🏗️ Preparations
- 🔍 Discovery
- 📊 Grading services on risk
- 🖥️ Risk-based controls
- 📱 What about mobile devices?
- 🆕 Discover and secure local AI apps & agents
- ⚡ Action points
- 🛣️ What’s next..

NIC26



Preparations

NIC26

Defender for Endpoint
Onboard devices

Microsoft Defender

Search

Settings > Endpoints

Endpoints

- Applications
- Cloud infrastructure
- Microsoft Sentinel
- Identities
- Endpoints
- Partners and APIs
- Configuration management
- Email & collaboration
- Cloud apps
- Cloud infrastructure
- Cases
- SOC optimization
- Reports
- Learning
- Trials
- More resources
- System
- Audit
- Data management
- Permissions
- Health
- Settings
- Customize navigation

- Roles
- Device groups

Rules

- Alert suppression
- Deception rules
- Indicators
- Custom Data Collection
- Isolation exclusion rules
- Process Memory Indicators
- Web content filtering
- Auto… …oads
- … exclusions
- …agement
- …management
- … scope

Network assessments

- Assessment jobs

Windows (preview)

View the onboarding guide.

Before you start, ensure devices can connect to *.endpoint.security.microsoft.com.

Step 2: Choose a deployment option

Onboard automatically

Intune

Leverage the service-to-service connection to create endpoint detection and response policies (Windows 10, 11).

More information

Defender for Cloud

Leverage the Defender for Endpoint integration inside your Defender for Servers plan to automatically onboard servers.

More information

Download and apply onboarding packages or files.

Activator (preview)

Prepare devices, apply prerequisites, and install the latest components using a single package. Learn more about using the activator

Download package

Mobile device management

Use an MDM solution (including Intune) to onboard Windows 10 and later devices using the onboarding file method. Learn more about using an MDM solution

Download file

Configuration Manager

Use policies to onboard devices in Configuration Manager using the onboarding file method. Learn more about using Configuration Manager

Download file



Defender for Endpoint
Onboard devices

Microsoft Defender

Search

- Home
- Exposure management
- Investigation & response
- Threat intelligence
- Assets
  - Devices
  - Identities
  - Applications
  - Cloud infrastructure
- Microsoft Sentinel
- Identities
- Endpoints
- Partners and APIs
- Configuration management
- Email & collaboration

Device Inventory

Classify critical assets
Assign criticality levels to your assets

Upgrade your vulnerability management capabilities
Try app control, baseline assessments, and more.

All devices | Computers & Mobile | Network devices | IoT/OT devices | Uncategorized devices

Total	Critical assets	High risk	High exposure	Not onboarded	Newly discovered
1	0	0	0	0	0

Onboard | Offboard | Export

Search | 30 Days | Custo

Filters: Transient device: No | Exclusion state: Not Excluded

Name	IP	Criticality level	Device category	Device type	Domain	Device AAD id
carbonlab1	[redacted]		Computers and Mo...	Workstation	AAD joined	[redacted]

Defender for Endpoint
Integrate with MDA

Endpoints

General
- Advanced features
- Licenses
- Email notifications
- Auto remediation

Permissions
- Roles
- Device groups

Rules
- Alert suppression
- Deception rules
- Indicators
- Custom Data Collection
- Isolation exclusion rules



On **Skype for business integration**

Enables 1-click communication with users.

On **Microsoft Defender for Cloud Apps**

Forwards Microsoft Defender for Endpoint signals to Defender for Cloud Apps, giving administrators deeper visibility into both sanctioned cloud apps and shadow IT. It also gives them the ability to block unauthorized applications when the custom network indicators setting is turned on. Forwarded data is stored and processed in the same location as your Cloud App Security data. This feature is available with an E5 license for Enterprise Mobility + Security on devices running Windows 10 version 1709 (OS Build 16299.1085 with KB4493441), Windows 10 version 1803 (OS Build 17134.704 with KB4493464), Windows 10 version 1809 (OS Build 17763.379 with KB4489899) or later Windows 10 versions.



On **Custom network indicators**

Configures devices to allow or block connections to IP addresses, domains, or URLs in your custom indicator lists. To use this feature, devices must be running Windows 10 version 1709 or later. They should also have network protection in block mode and version 4.18.1906.3 or later of the antimalware platform (see KB 4052623). Note that network protection leverages reputation services that process requests in locations that might be outside of the location you have selected for your Microsoft Defender for Endpoint data.

Information, see Device discovery settings to configure discovery settings.

On **Download quarantined files**

Save preferences

Defender for Cloud Apps
Integrate with MDE

Search

Settings > Cloud apps

- Copilot Studio AI Agents

Cloud Discovery

- Score metrics
- Snapshot reports
- Continuous reports
- Automatic log upload
- App Tags
- Exclude entities
- **Microsoft Defender for Endpoint**
- User enrichment
- Anonymization
- Delete data

Connected apps

- App Connectors
- Conditional Access App Control apps

Information Protection

- Admin quarantine



Microsoft Defender for Endpoint

Microsoft Defender for Endpoint Integration

☑ Enforce app access
Enabling this will Block access to apps that were marked as Unsanctioned and will deliver a Warning on access and allow bypass to apps marked as Monitored.

Alerts ⓘ

Informational

User notifications

Notification URL

Enter URL

Enter the redirect URL for warned users

Bypass duration ⓘ

hours

Notification URL for blocked apps

Enter URL

Enter the Custom/Informational URL for blocked users

Save

We secure your data as described in our privacy statement and online service terms .



Let log data accumulate for

7-30 days

Meanwhile...

Microsoft Purview
Onboard devices from MDE

Microsoft Purview

Search

Home
Solutions
Information Protection
Data Loss Prevention
Insider Risk Managem...
Data Lifecycle Managem...
Data Map
Unified Catalog
DSPM for AI
Settings
...

Settings

- Account
- Personalization
- Roles and scopes
- Data connectors
- Device onboarding
  - Devices
  - Onboarding
  - Offboarding
- Optical character recognition (OCR)
- eDiscovery
- Information Protection

Devices


Activity from these onboarded devices can be reviewed in features such as activity explorer or monitored by compliance solutions such as insider risk management and data loss prevention (DLP). Learn more

Export | Turn off Windows device monitoring | Turn off macOS device monitoring | Search

Filter | Reset | Filters

Days look back: 30 | Configuration status: Any | Policy sync status: Any | OS: Any | OS version: Any | +2 more

Device name	Configuration status	Policy sync status	Last seen	OS
carbonlab1	Updated	Updated	Sep 24, 2025 8:31 AM	Windows11



All devices | Computers & Mobile | Network devices | IoT/OT devices | Uncategorized devices

Total	Critical assets	High risk	High exposure	Not onboarded	Newly discovered
1	0	0	0	0	0


Onboard | Offboard | Export | Search

Filters: Transient device: No | Exclusion state: Not Excluded


Name	IP	Criticality level	Device category	Device type	Domain
carbonlab1	[redacted]		Computers and Mo...	Workstation	AAD joined

Microsoft Purview
Deploy browser extension









Microsoft Purview
Deploy browser extension



Platform Solutions Resour nterprise Pricing Sign in Sign up

microsoft / purview Public

Notifications Fork 5 Star 13

Code Issues 4 Pull requests 1 Actions Projects Models Security Insights

Files

main

Go to file

- endpointDLP
  - Support
  - browser_extension
    - prod-1.1.0.212.xpi
    - updates.json

purview / endpointDLP / browser_extension /

tewchen Add files via upload 6ebd524 · last year History

Name	Last commit message	Last commit date
..		
prod-1.1.0.212.xpi	upload Purview EDLP Firefox extension	last year
updates.json	Add files via upload	last year

Microsoft Purview
Create Endpoint DLP policy & rule(s) in simulation mode

- Template or custom policy
- Name
- Admin units
- **Locations**
- Policy settings
- Policy mode
- Finish


Choose wher

We'll apply the policy to dat

Protecting sensitive info in on-premises repositories (SharePoint sites and file shares) is now in preview. Note that there are prerequisite steps needed to support this new capability. Learn more about the prerequisites

	Location	Scope	Actions
☐	Exchange email	Turn on location to scope	
☐	SharePoint sites	Turn on location to scope	
☐	OneDrive accounts	Turn on location to scope	
☐	Teams chat and channel messages	Turn on location to scope	
☑	Devices	All users, groups, devices, device groups	Edit
☐	Instances	Turn on location to scope	
☐	On-premises repositories	Turn on location to scope	

Back Next Cance



Microsoft Purview

Create Endpoint DLP policy & rule(s) in simulation mode

Microsoft Purview
Create Endpoint DLP
policy & rule(s) in simulation mode

- Template or custom policy
- Name
- Admin units
- Locations
- **Policy settings**
- Advanced DLP rules
- Policy mode
- Finish

Create rule

Use rules to define the type of sensitive information

Name *

5001-ENDP-Confidential-JustifyActions

Description

Conditions

Define the conditions that must be met for this policy to be applied. Include specific content, senders, and recipients that you want the rule to detect. For more complex rules, create groups to exclude or include items. Learn how the condition builder works

Quick summary

Content contains

Group name *

Default

Group operator

Any of these

Sensitivity labels

Confidential/Unrestricted

Confidential/Internal only

Confidential/Custom permissions

Add

Create group

Add condition

Add group

Save

Cancel

Microsoft Purview
Create Endpoint DLP policy & rule(s)

- Template or custom policy
- Name
- Admin units
- Locations
- **Policy settings**
  - Advanced DLP rules
- Policy mode
- Finish

Create rule

Actions

Use actions to protect content when the conditions are met.

Audit or restrict activities on devices

When specific activities are detected on devices with protected files containing sensitive information, you can choose whether to only audit the activity, block it entirely, or block it and allow users to override the restriction.
Learn more restricting device activity

Service domain and browser activities

Detects when protected files are blocked or allowed to be uploaded to cloud service domains based on the 'Allow/Block cloud service domains' list in endpoint DLP settings.


- [x] Upload to a restricted cloud service domain or access from an unallowed browsers — Audit only
  - + Choose different restrictions for sensitive service domains
- [ ] Paste to supported browsers — Audit only
  - + Choose different restrictions for sensitive service domains

File activities for all apps

Decide whether to apply restrictions for file related activity. Unless you choose different restrictions for restricted apps or app groups below, any restrictions you choose here will be enforced for all apps.

- (•) Don't restrict file activity

Save | Cancel


Microsoft Purview
Search
Copilot
Supported AI sites
*.10web.io
*.a0.dev
*.addy.ai
*.addy.so
*.adventureai.gg
*.agentgpt.reworkd.ai
*.agpt.co
*.ai2006.io
*.ai21.com
*.ai-blogkun.com
*.aibuddy.chat
*.aider.chat
*.aidungeon.io
*.aigcdeep.com
*.ai-ghostwriter.com
*.aiisajoke.com
*.ailessonplan.com
*.aimdoc.ai
Access the full list in MS Learn
Create rule
Audit or restrict activities on devices
When specific activities are detected on devices with p
activity, block it entirely, or block it and allow users to
Learn more restricting device activity
ice domain and browser activities
cts when protected files are blocked or allowed to
endpoint DLP settings.
unallowed browsers
Choose different restrictions for sensitive servic
Paste to supported browsers
Choose different restrictions for sensitive servic
Save
Cancel
Sensitive service domain restrictions
Enforce different restrictions for sensitive service domains as defined by the sensitive service domain groups in endpoint DLP settings. When these restrictions are enforced, sensitive service domain group details will be available to review in activity explorer for each related event.
Add group
Reorder
Clear selection
Group
Priority
Action
Authorized domains
1
Allow
Generative AI Websites
2
Block with ov...
Save
Close
Microsoft Purview
Configure granular controls w/ service domain groups

Template or custom policy
Name
Admin units
Locations
Policy settings
Policy mode
Finish


Policy mode

You can test this policy before turning it on to verify if it needs improvement or if it meets all your objectives. If you turn the policy on right away, you can edit it later and safely test those changes in simulation mode.

- (●) **Run the policy in simulation mode**
  We'll show you items that match the policy's conditions to help you evaluate its impact. Your data won't be affected; the policy stays off while in simulation mode. Learn more about simulation mode
  - [ ] Show policy tips while in simulation mode.
  - [ ] Turn the policy on if it's not edited within fifteen days of simulation
- ( ) **Turn the policy on immediately**
  After creation, the policy will be turned on and begin enforcing changes once applied to the location.
- ( ) **Leave the policy turned off**
  Decide to test or activate the policy later.

Microsoft Purview

Turn policy on in **simulation mode** initially to estimate impact


Home
Solutions
Information Protection
Data Loss Prevention
Insider Risk Managem...
Data Lifecycle Managem...
Data Map
Unified Catalog
DSPM for
DSPM for AI
Overview
Recommendations
Reports
Apps and agents
Preview
Policies
Activity explorer
Data risk assessments
0
Aug 31
Sep 07
Sep 14
Sep 21
Microsoft 365 Copilot
View details
Extend insights
Total visits (other AI apps)
47 activities in the last 30 days
12
9
6
3
0
Aug 31
Sep 07
Sep 14
Sep 21
ChatGPT
2 more
Sensitive information types shared with Microsoft Copilot, agents, and other
Extend your insights for data discovery
Gaining visibility into browsing and sensitive prompts in other AI apps can give you insights into activity patterns that can help you improve your data security posture for AI.
Here's what we'll set up for you:
Policy not yet created
Detect sensitive info shared in AI prompts in Edge
DSPM for AI policy: DSPM for AI - Detect sensitive info shared in AI prompts in Edge
Detects prompts sent to generative AI apps in Microsoft Edge and discovers sensitive information shared in prompt contents. This policy covers all users and groups in your organization in audit mode only.
Policy not yet created
Detect when users visit AI sites
Insider risk management policy: DSPM for AI - Detect when users visit AI sites
Detects when users use a browser to visit AI sites.
Policy not yet created
Detect sensitive info pasted or uploaded to AI sites
Data loss prevention policy: DSPM for AI: Detect sensitive info added to AI sites
Discovers sensitive content pasted or uploaded in Microsoft Edge, Chrome, and Firefox to AI sites. This policy covers all users and groups in your org in
Create policies
Microsoft Purview
Create additional audit-only policies in DSPM for AI




Discovery

NIC26

Defender for Cloud Apps

Investigate service usage



Cloud Discovery

Defender for Cloud Apps
Investigate service usage

Updated on Sep 23, 2025, 9:41 PM

Dashboard | Discovered apps | Discovered resources | IP addresses | Users | Devices

Queries: Select a query | Save as | Advanced filters

Apps: Search for apps... | App tag: None | Risk score: 0 — 10 | Compliance risk factor: Select factors

Security risk factor: Select factors

Browse by category:

Search for category

- E-commerce 124
- Advertising 99
- Productivity 92
- News and entertainment 85
- Marketing 81
- Security 64
- IT services 55
- Hosting services 55
- Content management 52

Bulk selection | New policy from search | Export | Table settings

App	Ri...	Tags	Tra...	Up...	Tra...	U...	IP ...	Devices	La...	Actions
Microsoft Online Servi IT services	10		211.9 GB	77.5 GB	683.8K	163	3296	167	Sep 23,...	
Akamai Cloud computing platfor...	10		190.9 GB	2.6 GB	99.3K	157	2600	166	Sep 23,...	
Microsoft 365 Copilot Collaboration	10		66.5 GB	11.7 GB	150.5K	156	2791	166	Sep 23,...	
Microsoft MSN News and entertainment	10		6.4 GB	295 MB	26.5K	153	2248	163	Sep 23,...	
Microsoft Office Online Collaboration	10		37.1 GB	21.0 GB	118.4K	153	2365	163	Sep 23,...	
Microsoft Exchange Or	10		219.9 GB	51.7 GB	239.3K	150	2621	165	Sep 23,...	

Cloud Discovery

Defender for Cloud Apps
Investigate service usage

Updated on Sep 23, 2025, 9:41 PM

Dashboard | Discovered apps | Discovered resources | IP addresses | Users | Devices

Queries: Select a query | Save as | Advanced filters

Apps: Search for apps... | App tag | None | Risk score: 0 10 | Compliance risk factor: Select factors

Security risk factor: Select factors

Browse by category:

Gene

Generative AI 21

Bulk selection | New policy from search | Export | 1 - 20 of 21 discovered apps | Table settings

App	Ri...	Tags	Tra...	Up...	Tra...	U..	IP ...	Devices	Las...	Actions
Microsoft 365 Copilot C Generative AI	10		438 MB	13 MB	668	108	260	115	Sep 23, ...	
ChatGPT Generative AI	8		839 MB	219 MB	1.1K	33	154	36	Sep 23, ...	
Microsoft Copilot Generative AI	10		105 MB	11 MB	331	23	97	27	Sep 23, ...	
GitHub Copilot Generative AI	10		108 MB	75 MB	332	17	23	17	Sep 23, ...	
Microsoft Copilot Studi Generative AI	10		33 MB	759 KB	27	11	12	11	Sep 18, ...	
Microsoft Designer Generative AI	10		60 MB	—	22	10	11	10	Sep 21, ...	

Defender for Cloud Apps

Investigate service usage

Apps: Search for apps... | App tag: None | Risk score: 0

Security risk factor: **Select factors**

Bulk selection | New policy from search | Export

App	Risk ...	Tags	Traffic	Upload	Transa...	Users	IP addresses	Devic...	Last se...	Actions
Microsoft 365 Copilot Chat Generative AI	10		438 MB	13 MB	668	108	260	115	Sep 23, 2025	
ChatGPT Generative AI	8		839 MB	219 MB	1.1K	33	154	36	Sep 23, 2025	
Microsoft Copilot Generative AI	10		105 MB	11 MB	331	23	97	27	Sep 23, 2025	
GitHub Copilot Generative AI	10		108 MB	75 MB	332	17	23	17	Sep 23, 2025	
Microsoft Copilot Studio Generative AI	10		33 MB	759 KB	27	11	12	11	Sep 18, 2025	
Microsoft Designer Generative AI	10		60 MB	—	22	10	11	10	Sep 21, 2025	
ReadSpeaker Generative AI	7		767 KB	—	9	9	9	9	Sep 23, 2025	
Grammarly Generative AI	9		894 MB	41 MB	4.4K	4	19	4	Sep 23, 2025	
Microsoft Security Copilot Generative AI	10		5 MB	297 KB	17	4	4	4	Sep 19, 2025	
OpenAI Generative AI	8		6 MB	—	6	4	4	4	Sep 18, 2025	

Defender for Cloud Apps
Evaluate service risks

Microsoft 365 Copilot Chat Generative AI	10	438 MB	13 MB	668
ChatGPT Generative AI	8	839 MB	219 MB	1.1K

ChatGPT is a free and easy-to-use AI assistant that can help you with writing, learning, brainstorming, and more.

Disclaimer

8

GENERAL 7

Category: Generative AI	Headquarters: United States	Data center: United States
Hosting company: Cloudflare	Founded: 2015	Holding: Private
Domain: 16 *.chat.openai.com, *.chatgpt.com, *	Terms of service: openai.com/policies/terms-of-use/...	Domain registration: Nov 30, 2022
Consumer popularity: 10	Privacy policy: openai.com/policies/privacy-policy/	Logon URL: 2 openai.com/api/login, auth0.openai.cc
Vendor: OpenAI	Data types: 2 Documents, Media files	✓ Disaster Recovery Plan

SECURITY 10

Latest breach: Mar 20, 2023	Data-at-rest encryption method: AES	✓ Multi-factor authentication
✓ IP address restriction	✓ User audit trail	✓ Admin audit trail
✓ Data audit trail	✓ User can upload data	⊖ Data classification
✗ Remember password	✓ User-roles support	⊖ File sharing
✓ Valid certificate name	✓ Trusted certificate	Encryption protocol: TLS 1.3
✓ Heartbleed patched	HTTP security headers: Partial	✓ Supports SAML
✓ Protected against DROWN	✓ Penetration Testing	✓ Requires user authentication
Password policy: Partial		

COMPLIANCE 7

⊖ ISO 27001	⊖ ISO 27018	⊖ ISO 27017

Defender for Cloud Apps
Evaluate service risks

- ✓ IP address restriction
- ✓ Data audit trail
- ✗ Remember password
- ✓ Valid certificate name
- ✓ Heartbleed patched
- ✓ Protected against DROWN
- Password policy: **Partial**
- ✓ User audit trail
- ✓ User can upload data
- ✓ User-roles support
- ✓ Trusted certificate
- HTTP security headers: **Partial**
- ✓ Penetration Testing
- ✓ Supports SAML
- ✓ Requires user authentication

COMPLIANCE 7

- ⊖ ISO 27001
- ⊖ ISO 27002
- ⊖ GAAP
- ⊖ ITAR
- ✓ SOC 3
- ⊖ SSAE 18
- ⊖ GLBA
- ✗ Privacy Shield
- ⊖ COBIT
- ⊖ HITRUST CSF
- ⊖ ISO 27018
- ⊖ FINRA
- ⊖ HIPAA
- ⊖ SOC 1
- ⊖ SOX
- ⊖ Safe Harbor
- FedRAMP level: Not supported
- ⊖ FFIEC
- ⊖ COPPA
- ⊖ Jericho Forum Commandments
- ⊖ ISO 27017
- ⊖ FISMA
- ⊖ ISAE 3402
- ✓ SOC 2
- ⊖ SP 800-53
- ⊖ PCI DSS version
- CSA STAR level: Self-assessment
- ✓ GAPP
- ⊖ FERPA

LEGAL 10

- ✓ Data ownership
- GDPR readiness statement: openai.com/policie...
- ✓ GDPR - Data protection
- ✓ DMCA
- ✓ GDPR - Right to erasure
- ✓ GDPR - User ownership
- Data retention policy: Deleted within more than 3 ...
- ✓ GDPR - Report data breaches

Advanced hunting

New query*

Run query | Set in query | Save | Share

Query

```
1  // KQL query written by Sulava (Tatu Seppälä
2  let IdentityInfoLatest = IdentityInfo
3      | where isnotempty(JobTitle)
4      | summarize LatestRecord = arg_max(Timest
5      | project AccountUpn, JobTitle, Departmen
6  CloudAppEvents
7  | where Timestamp >= ago(30d)
8  | where ActionType == "FileUploadedToCloud"
9  | project Timestamp, AccountId, RawEventData.
10 | extend ParentDomain = extract(@"[^.]+\.[^.]
11 | extend UserId = tostring(RawEventData_UserI
12 | join kind=inner (IdentityInfoLatest) on $le
13 | summarize count() by tostring(ParentDomain)
14 | sort by count_ desc
```

TargetDomain	JobTitle	# of files uploaded
drive.google.com	Service Designer	148
icloud.com	Data Analyst	119
salesforce.com	Sales Manager	115
! chatgpt.com	Graphic Designer	114
linkedin.com	Marketing Specialist	102
drive.google.com	Business Controller	94
shopify.com	E-commerce Manager	91
myworkday.com	HR Specialist	87

Getting started | Results | Query history

Export | Show empty columns | 299 items | Search | 00:02.548 | Low | Chart type | Full screen

Filters: Add

Defender XDR

Gather trends and insights from the Unified Audit Log with Advanced Hunting

NIC26

📊 Grading services by risk



NIC26

Cloud Discovery

Defender-managed endpoints | Last 30 days | Actions

Updated on Sep 23, 2025, 9:41 PM

Dashboard | **Discovered apps** | Discovered resources | IP addresses | Users | Devices

Queries: Select a query | Save as

Advanced filters

Apps: Search for apps... | App tag : | Risk score: 0 — 6 | Compliance risk factor: **Select factors**

Security risk factor: **Select factors**



Bulk selection | New policy from search | Export

1 - 3 of 3 discovered apps | Table settings

App	Risk ...	Tags	Traffic	Upload	Transa...	Users	IP addresses	Devic...	Last se...	Actions
PhotoRoom Generative AI	6		311 KB	—	1	1	1	1	Sep 4, 2025	
Delphi Generative AI	4		2 MB	—	1	1	1	1	Sep 17, 2025	
Gamma App Generative AI	6		31 KB	31 KB	1	1	1	1	Sep 22, 2025	

Cloud Discovery

Defender-managed endpoints | Last 30 days | Actions

Updated on Sep 23, 2025, 9:41 PM

Dashboard | **Discovered apps** | Discovered resources | IP addresses | Users | Devices

Queries: Select a query | Save as

Advanced filters

Apps: Search for apps... | App tag : | None | Risk score: 0 — 6 | Compliance risk factor: **Select factors**

Security risk factor: **Select factors**

- Protected against DROWN
- Remember password
- Requires user authentication
- Supports SAML
- Trusted certificate
- User audit trail
- User can upload data
- User-roles support
- Valid certificate name

search | Export | 1 - 3 of 3 discovered apps | Table settings

Risk ...	Tags	Traffic	Upload	Transa...	Users	IP addresses	Devic...	Last se...	Actions
6		311 KB	—	1	1	1	1	Sep 4, 2025	
4		2 MB	—	1	1	1	1	Sep 17, 2025	
6		31 KB	31 KB	1	1	1	1	Sep 22, 2025	

Cloud Discovery

Defender-managed endpoints | Last 30 days | Actions

Updated on Sep 23, 2025, 9:41 PM

Dashboard | **Discovered apps** | Discovered resources | IP addresses | Users | Devices

Queries: Select a query | Save as | Advanced filters

Apps: Search for apps... | App tag | None | Risk score: 0 — 6 | Compliance risk factor: **Select factors**

Security risk factor: **User can upload data**

Bulk selection | New policy from search | Export | 1 - 3 of 3 discovered apps | Table settings

App	Risk ...	Tags	Traffic	Upload	Transa...	Users	IP addresses	Devic...	Last se...	Actions
PhotoRoom Generative AI	6				1	1	1	1	Sep 4, 2025	
Delphi Generative AI	4				1	1	1	1	Sep 17, 2025	
Gamma App Generative AI	6				1	1	1	1	Sep 22, 2025	



Cloud Discovery

Defender-managed endpoints | Last 30 days | Actions

Updated on Sep 23, 2025, 9:41 PM

Dashboard | **Discovered apps** | Discovered resources | IP addresses | Users | Devices

Queries: Select a query | Save as

Advanced filters


Apps: Search for apps... | App tag: None | Risk score: 0 — 10 | Compliance risk factor: **Select factors**


Security risk factor: **User can upload data**


Bulk selection | New policy from search | Export | 1 - 19 of 19 discovered apps | Table settings

App	Risk ...	Tags	Traffic	Upload	Transactions	Users	IP addresses	Devic...	Last se...	Actions
Microsoft 365 Copilot Chat Generative AI	10			13 MB	668	108	260	115	Sep 23, 2025	
ChatGPT Generative AI	8			219 MB	1.1K	33	154	36	Sep 23, 2025	
Microsoft Copilot Generative AI	10			11 MB	331	23	97	27	Sep 23, 2025	
GitHub Copilot Generative AI	10		108 MB	75 MB	332	17	23	17	Sep 23, 2025	
Microsoft Copilot Studio Generative AI	10		33 MB	759 KB	27	11	12	11	Sep 18, 2025	
Microsoft Designer Generative AI	10		60 MB	—	22	10	11	10	Sep 21, 2025	




Microsoft Defender
Search
Cloud app catalog
Basic filter
Clear all
Filters:
Category: Generative AI
App tag: Any
Risk score: 0-6
Security risk factor: User can upload data
Compliance risk factor: Any
New policy from s
Tag...
No value
Sanctioned
Unsanctioned
Monitored
Manage tags
Apply
809 items
Search apps...
Customize columns
App
Status
Category
Risk score
Quillbot
Unsanctioned app
Generative AI
6
Reply.io
Vedia
bardeen
Soundraw
Baidu
Great Wave AI
Rephrase.ai
Narakeet
OpenEvidence
~2h propagation time for tags


Search
Cloud app catalog
Basic filter
Filters:
Category: Any
App tag: Any
Risk score: Any
Security risk factor: Any
Sanction
Unsanction
Tag app
Deploy app
App score
App details
App
Status
Microsoft 365 Copilot
Protected app
Microsoft Copilot Studio
Protected app
Microsoft Security Copilot
Microsoft Copilot
Protected app
Microsoft 365 Copilot Chat
Protected app
GitHub Copilot Enterprise API
GitHub Copilot
Sanctioned app
Skills Copilot
Education Copilot
GitHub Copilot
Sanction
Unsanction
Tag app
Info
Sanctioned app
10
GitHub Copilot is an AI coding assistant that helps you write code faster and with less effort, allowing you to focus more energy on problem solving and collaboration.
General
Security
Compliance
Legal
Score
8
Category
Generative AI
Headquarters
United States
Data center
Multiple locations
Hosting company
Microsoft Azure
Founded
1975
Holding
Public
Domain
*.github.com/copilot
Terms of service
github.com/site/terms


Search
Cloud app catalog
Basic filter
Filters:
Category: Any
App tag: Any
Risk score: Any
Security risk factor: Any
Tag app
Deploy app
App score
App details
App
Status
Microsoft 365 Copilot
Protected app
Microsoft Copilot Studio
Protected app
Microsoft Security Copilot
Microsoft Copilot
Protected app
Microsoft 365 Copilot Chat
Protected app
GitHub Copilot Enterprise API
GitHub Copilot
Sanctioned app
Skills Copilot
Education Copilot
Microsoft 365 Copilot
Tag app
Request score update...
Info
1 conditional access app controlled instance
10
Microsoft 365 Copilot is an AI powered tool that provides real time intelligence to complete tasks more efficiently. The Microsoft 365 Copilot app, formerly Office, lets you create, share, and collaborate all in one place with your favorite apps including Copilot. Users get content relevant to their work tasks, like drafting, summarizing, all in the context of their work within their Microsoft 365 app.
General
Security
Compliance
Legal
Score
10
Category
Collaboration
Headquarters
United States
Data center
Multiple locations
Hosting company
Microsoft Azure
Founded
1975
Holding
Public
Domain



Security only works
if the **secure** way
also happens to be the **easy** way

-The 2nd immutable law of security





David S. Platt
Software Legend
UX advocate

That's the key 🔑

Your users will do whatever is easiest,
no matter what.


If you can make the secure thing be easier,
they will do it.

And instead of trying to get them to do
more work to be safer..

Hey, how can we make them safer with
even less work?

NIC26

🖥️ Risk-based controls



NIC26

Website blocked by your organiz

Blocked content https://www.deepseek.com/en

About deepseek.com

This site is blocked
This site is blocked by your organization. Contact your administrator for more information.

Permissions for this site

Cookies and site data

Tracking prevention for this site (Balanced)

Trackers (0 blocked)


This website is blocked by your organization.

Hosted by www.deepseek.com


Contact your administrator for more information. Visit the support page.


Go back


Microsoft Security



High risk → Unsanction in MDA







Defender for Cloud Apps

Generate block script for on-prem network appliances

DuckDuckGo - Protection. Privac

https://duckduckgo.com

DuckDuckGo

Search without being tracked

Duck.ai

Switch to DuckDuckGo.
It's private and free!

Make DuckDuckGo your default search engine.

Set As Default Search

BEST PRIVACY

Get our free browser for even more privacy.


Download Browser

Trusted by tens of millions worldwide!



Medium risk → Set as monitored

Learn more


Microsoft Defender
Search
Settings
Cloud apps
Cloud apps
Cloud discovery
Cloud app catalog
OAuth apps
App governance
Activity log
Governance log
Policies
Cloud infrastructure
Cases
SOC optimization
Reports
Learning hub
Trials
More resources
System
Audit
My email notifications
AI Agents
Copilot Studio AI Agents
Cloud Discovery
Score metrics
Snapshot reports
Continuous reports
Automatic log upload
App Tags
Exclude entities
Microsoft Defender for Endpoint
User enrichment
Anonymization
Delete data
Connected apps
App Connectors
Conditional Access App Control apps
Microsoft Defender for Endpoint
Microsoft Defender for Endpoint Integration
Enforce app access
Enabling this will Block access to apps that were marked as Unsanctioned and will deliver a Warning on access and allow bypass to apps marked as Monitored.
Alerts
Informational
User notifications
Notification URL
https://seppala365dev.sharepoint.com/sites...
Enter the redirect URL for warned users
Bypass duration
1
hours
Notification URL for blocked apps
https://seppala365dev.sharepoint.com/sites...
Enter the Custom/Informational URL for blocked users
Save
We secure your data as described in our privacy statement and online service terms .

ChatGPT

Temporary

TS



What can I help with?


Ask anything

All consumer GenAI services

→ Restrict upload of business data with Purview Endpoint DLP



What about mobile devices?


Microsoft Intune admin center
Home
Dashboard
All services
Explorer
Devices
Apps
Endpoint security
Reports
Users
Groups
Tenant administration
Troubleshooting + support
Home > Apps | Protection > Intune App Protection
Edit policy
MAM-Android
1 Apps
2 Review + save
If you apply assignment filters to this policy, the 'Device Management Type' property will apply in addition to the values specified for 'Target to apps on all device types' and 'Device types' on the 'Apps' page.
To edit device management type targeting, reset 'Target to apps on all device types' = 'Yes'. Then create a MAM assignment filter with the desired values for 'Device Management Type'. Learn more about assigning App Protection Policies
Choose how you want to apply this policy to apps on different devices. Then add at least one app.
Target to apps on all device types
Yes
No
Device types
0 selected
Target policy to
All Apps
We'll continue to add managed apps to your policy as they become available in Intune. View a list of apps that will be targeted
Review + save
Cancel
Microsoft Intune
Limit transfer of data from work apps to consumer apps with APP

Basics | Apps | 3 Data protection | 4 Access requirements | 5 Conditional launch | 6 Assignm

This group includes the Data Loss Prevention (DLP) controls, like cut, copy, paste, and save-as restrictions. These settings

Select one of the following options to specify the apps that this app can send data to:

Policy managed apps: Only allow sending org data to other policy managed apps


All Apps: Allow sending org data to any app

None: Do not allow sending org data to any app

Block

Send org data to other apps ⓘ

Policy managed apps



Cut, copy, and paste data between your app and other approved apps installed on the device. Choose to block these actions completely between apps, allow these actions for use with any app, or restrict use to apps that your organization manages.

Policy-managed apps with paste in gives you the option to accept incoming content pasted from another app. However, it blocks users from sharing content outwardly, unless sharing with a managed app.


Block


Restrict cut, copy, and paste between other apps


Policy managed apps with paste in

Cut and copy character limit for any app *

0





T-Mobile
4:04 PM
Northwind Traders Proposal
Outlook
OneDrive
Teams
To Do
Copy
Open in OneNote
Open in Word
Copy To Office
Copy to Word
Edit Actions...


Microsoft Intune
Microsoft Intune admin center
Apps and app data
Deployed apps
Store apps
LOB apps
Private apps
Web apps
Win32 apps
Built-in apps
App stores
Google Play
iOS app store
Microsoft Store
App configuration policies
App language
Your organization
Block use of personal accounts
App protection policies
Minimum app version
Block copy/paste
Require a PIN
Block backups to personal cloud
Block screenshots
User device
Managed apps
Store apps
LOB apps
Private apps
Web apps
Win32 apps
Built-in apps
Personal apps
Store apps
System apps

🆕 Controlling AI apps & local agents


NIC26

IMAGE → INSTRUCTION → COMMAND



NIC26

[We Put Hidden Instructions in an Image and Claude Code Ran Them. Here's Why That Should Concern You. - BreakPoint Labs]



NIC26

Defender for Endpoint P2 + devices onboarded = Discovery on by default!


> Claude Code (66%) and GitHub Copilot (59%) are the clear leaders.

Copy link Copy page

Used Want to use

Customize data

AI coding agents



AI coding agents — AI data 2026 | Stack Overflow Developer Survey

Name	Vendor	Discovers agent	Discovers MCP
Claude Code	Anthropic	✓	✓
VSCode GitHub Copilot Extension	GitHub	✓	✓
Codex CLI	OpenAI	✓	✓
Cursor	Anysphere	✓	✓
Antigravity IDE	Google	✓	✓ Not MacOS

+ **55** other Windows & macOS agents as of 10/26

See: [Microsoft Defender for Endpoint AI agent support matrix]

NIC26

Name	Vendor	Discovers agent	Discovers MCP
Claude Code	Anthropic	✓	✗
Codex CLI	OpenAI	✓	✗
GitHub Copilot CLI	GitHub	✓	✗

Windows Subsystem for Linux support

PREVIEW



PERMISSIONS AND SANDBOXING

Choose a permission mode


Copy page

Control whether Claude asks before acting. Switch permission modes with Shift+Tab in the CLI, the mode indicator in VS Code, or the mode selector in Desktop.

A permission mode sets which actions Claude can take in a session without asking you first. In Manual mode, Claude Code stops and asks you before most actions that edit files, run shell commands, or reach the network. In **auto mode**, a second model, the classifier, reviews actions instead of you; **how the classifier evaluates actions** lists which actions it reviews and which skip it.

With Claude Code v2.1.283 or later, auto mode is the built-in starting permission mode for interactive terminal and VS Code sessions. On earlier versions, it's the built-in starting permission mode only on Pro, Max, and Team plans. **Which mode a session starts in** covers the surfaces and settings that change the starting permission mode. You can also change a running session's permission mode at any time.

Mode	What runs without asking	Best for
`default`	Reads only	Reviewing every action yourself, sensitive work
`acceptEdits`	Reads, file edits, and common filesystem commands `mkdir` `touch` `mv` `cp` `...`	Iterating on code you're reviewing
`plan`	Reads, plus classifier-approved commands when auto mode is available	Exploring a codebase before changing it
`auto`	Everything, with background safety checks	Long tasks, reducing prompt fatigue
`dontAsk`	File reads inside your working directories and pre-approved tools; anything that would prompt is denied	Locked-down CI and scripts
`bypassPermissions`	Everything	Isolated containers and VMs only


Exploring directory conter
Windows PowerShell
Session
Gists
MCP Servers reloaded: 1 server connected
Summarize the Code in this directory
Let me look at what's in the current directory (Desktop).
List directory .
15 files found
List directory Code
1 file found
Read readme.md
Code\readme.md
Tool result blocked: ⚠ This request was blocked by Microsoft Defender due to detected security concerns in your prompt.
Thee Code directory contains only a readme.md file, but I'm unable to read it - accit - access was blocked by a security policy.
Beyond the Code folder, the Desktop doesn't contain other source code directories with traditional code files. The ot
~\Desktop
Exploring directory contents esc cancel
Windows Security
Windows Security
Threats found
Microsoft Defender Antivirus found threats. Get details.
Dismiss


AiAgentProtection
Protect agents that expose vendor-supported agent event interfaces.


AiAgentNetworkInspection
Extend protection to agents that don't expose vendor-supported agent event interfaces.

PowerShell

Copy

```
Set-MpPreference -AiAgentProtection <mode>
```

PowerShell

Copy

```
Set-MpPreference -AiAgentNetworkInspection <mode>
```


Default

Runtime protection is **disabled.** Defender doesn't inspect agent-native events for prompt injection or block agent actions.



Audit

Defender **detects and reports** prompt injection but allows the agent action to continue.





Block

Defender **detects** prompt injection and **blocks** supported agent actions before they run.



NIC26


Microsoft Intune admin center
adm-tatu@Seppala365...
SEPPALA365 (SEPPALA365DEV.O...
Home
Dashboard
All services
Explorer
Devices
Apps
Endpoint security
Agents
Reports
Users
Groups
Tenant administration
Troubleshooting + support
Home › Endpoint security
Endpoint security | Antivirus
Search
Overview
Overview
All devices
Security baselines
Security tasks
Manage
Antivirus
Disk encryption
Firewall
Endpoint Privilege Management
Endpoint detection and response
App Control for Business
Attack surface reduction
Add or remove favorites by pressing Ctrl+Shift+F
Summary
Unhealthy enc
Refresh
Last refreshed on: 11/10/2026,
Unhealthy endpoints
Pending update
0
Pending full s
0
Pending offline scan
0
Critical fai
0
Active malware across cate
No devices with active mal
AV policies
Create Policy
Refre
Search by profile name
Policy name
Poli
Create a profile
Platform
Windows
Profile
Microsoft Defender AI agent runtime protection
Microsoft Defender AI agent runtime protection
Configure runtime protection for supported local AI agents. Microsoft Defender inspects agent activity through agent-native event interfaces and supported network paths to detect prompt injection and high-risk actions. Configure each protection method to audit detections or block actions before they run.
This policy applies to: Windows 10, Windows 11, and Windows Server
The settings in this policy can be targeted to: MDM, MicrosoftSense supported devices
Create
Runtime protection deployment w/ Intune


Microsoft Intune admin center
adm-tatu@Seppala365...
SEPPALA365 (SEPPALA365DEV.O...
Home
Dashboard
All services
Explorer
Devices
Apps
Endpoint security
Agents
Reports
Users
Groups
Tenant administration
Troubleshooting + support
Home › Endpoint security | Antivirus
Create profile
Microsoft Defender AI agent runtime protection
Basics
2 Configuration settings
3 Scope tags
4 Assignments
5 Review + create
Configuration settings
Defender
Ai Agent Protection
AI Agent protection is disabled (default).
AI Agent protection is enabled in block mode - prompts that match a detection are blocked.
AI Agent protection is enabled in audit mode - prompts that match a detection are logged but not bl...
Previous
Next
Start in audit mode, review alerts for benign positives & add exclusions to scope

Network Inspection only deployable via PowerShell script while in Preview



Deploy network inspection with a PowerShell platform script

To deploy network inspection to device groups:

1. Create a PowerShell script that contains the following command:

PowerShell Copy

```
Set-MpPreference -AiAgentNetworkInspection Audit
```

Replace `Audit` with `Block` when you're ready to enforce protection. To turn off network inspection, use `Disabled`.

2. In the script settings, set **Run this script using the logged on credentials** to **No**. This setting runs the script in the system context so that it has permission to change Microsoft Defender Antivirus preferences.

3. Use Microsoft Intune to deploy the script to target device groups. For detailed steps, see Use PowerShell scripts on Windows devices in Intune.

4. To apply a different mode later, update the script or its policy so that Intune runs the

Take-home KQL: Local agent inventory

```
let LocalAgents = materialize(
    AgentsInfo
    | where Platform == "LocalAgents"
    | summarize arg_max(Timestamp, *) by AgentId
    | where LifecycleStatus !in~ ("Deleted", "Uninstalled")
    | extend M = RawAgentInfo.localAgentMetadata
    | extend Vendor = tostring(M.vendor),
             Account = iff(isnotempty(tostring(M.upn)), tostring(M.upn), strcat(tostring(M.accountDomain), "\\", tostring(M.accountName))),
             OrgId = tostring(M.orgId),
             Device = tostring(M.deviceName),
             AADDeviceId = tostring(M.aadDeviceId),
             OS = tostring(M.osPlatform),
             Process = tostring(M.relatedProcess),
             TrustedProcess = tolower(tostring(M.trustedProcess)),
             AutoApprove = tolower(tostring(M.autoApprove)),
             RemoteMcpCount = coalesce(array_length(McpServers), 0),
             LocalMcpCount = coalesce(array_length(M.localMcps), 0),
             LocalMcps = M.localMcps
    | project Timestamp, AgentId, Name, Vendor, Version, Account, OrgId, Device, AADDeviceId, OS, Process, TrustedProcess, AutoApprove,
RemoteMcpCount, LocalMcpCount, McpServers, LocalMcps
);
LocalAgents
| order by Timestamp desc
```

NIC26

Take-home KQL: Agent leaderboard

```
LocalAgents
| summarize
    AgentProfiles = count(),
    Devices = dcountif(Device, isnotempty(Device)),
    Users = dcountif(Account, isnotempty(Account)),
    ProfilesWithMCP = countif(
        RemoteMcpCount + LocalMcpCount > 0
    ),
    Versions = make_set(Version, 20)
    by Name, Vendor
| order by Devices desc
```

Name	Vendor	AgentProfiles	Devices	Users	ProfilesWithMCP	Versions
Claude Code	Anthropic	1	1	1	0	["2.1.295.0"]
Claude Desktop	Anthropic	1	1	1	0	["2.31226.1"]

NIC26


Take-home KQL: Auto-approve posture

```
LocalAgents
| extend
    ApprovalMode = case(
       AutoApprove == "true", "Automatic",
       AutoApprove == "false", "Manual",
       "Unknown"
    ),
    HostTrust = case(
       TrustedProcess == "true", "Trusted",
       TrustedProcess == "false", "Untrusted",
       "Unknown"
    )
| summarize AgentProfiles = count(), Devices = dcount(Device), AgentTypes = dcount(Name) by ApprovalMode, HostTrust
| order by AgentProfiles desc
```

ApprovalMode	HostTrust	AgentProfiles	Devices	AgentTypes
Manual	Trusted	2	1	2

Take-home KQL: Devices w/ local agent footprint

```
LocalAgents
| where isnotempty(Device)
| summarize UniqueAgents = dcount(Name),
            AgentProfiles = count(),
            Accounts = dcount(Account),
            AutoApproving = countif(AutoApprove == "true"),
            UntrustedProcesses = countif(TrustedProcess == "false"),
            RemoteMCPs = sum(RemoteMcpCount),
            LocalMCPs = sum(LocalMcpCount),
            AgentNames = make_set(Name, 30)
    by Device, OS, AADDeviceId
| extend TotalMCPs = RemoteMCPs + LocalMCPs
| order by UniqueAgents desc, TotalMCPs desc
```



Device	OS	AADDeviceId	UniqueAgents
carbonlab1	Windows11	1c6f8abf-3837-41f9-ae1...	2

Device	carbonlab1
OS	Windows11
AADDeviceId	1c6f8abf-3837-41f9-ae16-81328eb2272d
UniqueAgents	2
AgentProfiles	2
Accounts	1
AutoApproving	0
UntrustedProcesses	0
RemoteMCPs	0
LocalMCPs	0
AgentNames	["Claude Code","Claude Desktop"]
TotalMCPs	0

NIC26

🔎 12 discovery queries to get you going!

[seppala365-cloud/KQL-LocalAgentDiscoveryWorkbook at main · tsppl/seppala365-cloud]

NIC26

seppala365-cloud / KQL-LocalAgentDiscoveryWorkbook


tsppl Add KQL-LocalAgentDiscoveryWorkbook file

Code Blame 247 lines (247 loc) · 11.1 KB

```
1   // ============================================================
2   // LOCAL AI AGENT DISCOVERY & SECURITY POSTURE HUNTING QUERIES
3   // FOR DEFENDER XDR ADVANCED HUNTING & SENTINEL
4   // DRAFTED BY TATU SEPPÄLÄ / OCT 2026
5   // ============================================================
6   //
7   // INSTRUCTIONS
8   // 1. Keep the initial LocalAgents definition uncommented.
9   // 2. Uncomment (CTRL+K, U) one reporting query at a time.
10  // 3. Comment (CTRL+K, C) out the previously active report.
11  //
12  // ============================================================
13  // SHARED DATASET - LATEST AGENT INVENTORY
14  // ============================================================
15  let LocalAgents = materialize(
16      AgentsInfo
17      | where Platform == "LocalAgents"
18      | summarize arg_max(Timestamp, *) by AgentId
19      | where LifecycleStatus !in~ ("Deleted", "Uninstalled")
20      | extend M = RawAgentInfo.localAgentMetadata
21      | extend Vendor = tostring(M.vendor),
22               AccountName = tostring(M.accountName),
23               AccountDomain = tostring(M.accountDomain),
24               UPN = tostring(M.upn),
25               OrgId = tostring(M.orgId),
26               Device = tostring(M.deviceName),
27               AADDeviceId = tostring(M.aadDeviceId),
28               OS = tostring(M.osPlatform),
29               OSVersion = tostring(M.osVersion),
```

Using **AgentsInfo** data to build Endpoint DLP restricted app groups


NIC26



NIC26

Workbook query #12 – Agents by process

Build restricted app group for Endpoint DLP



File activities for apps in restricted app groups

Restrictions enforced for apps in restricted app groups will override any restrictions you configured in 'File activities for all apps' above. If an app is included in more than one app group, restrictions from the first app group you add will be enforced.

+ Add restricted app group


Generative AI apps

- ○ Don't restrict file activity
- ◉ Apply a restriction to all activity

  When any activity is detected on devices for supported files containing sensitive info that matches this policy's conditions, choose whether to audit the activity, block it entirely, or block it but allow users to override the restriction.

  Block with ov...

- ○ Apply restrictions to specific activity


New session
What's new
Search
New
Artifacts
Customize
More
Claude Code
Introduce yourself
Agents and executables query
Session initialization
Claude CLI local installation
Tatu · Pro
Open
Purview › Demo files › Sensitivity labels ›
Search Sensitivity labels
Organize
New folder
Videos
Screenshots
Aelora
Sensitivity labels
Cloud - API Crec
Temp
NIC26
MISC
Demo file - Confidential Custom permissions.docx
Demo file - Confidential Internal only.docx
Demo file - Confidential Unrestricted.docx
Demo file - General.docx
Demo file - Public.docx
Demo file - Secret Custom permissions.docx
File name:
Demo file - Secret Unrestricted.docx
Data Loss Prevention
Important notice from your organization
Accessing Demo file - Secret Unrestricted.docx from this app is not recommended. If you still want to access the file, select 'Allow' and try again.
Business justification
Enter up to 250 characters.
Dismiss
Allow
Build the solution spec based on this business document:
Claude Code
Auto



Action points


⚡ Action points

1. **Onboard** Win10/11 & macOS devices to MDE → Purview
2. **Integrate** Defender for Endpoint and Defender for Cloud Apps
3. **Create** Endpoint DLP rules in simulation mode first, then enable
4. **Discover** AI usage trends and grade AI services by risk
5. **Block** and/or introduce friction to high risk services
6. **Discover, protect and control** local LLM apps and agents
7. **Provide training** and guidance to adopt authorized AI
8. **Monitor** ongoing trends and fine-tune

What's next..

- **Real-time protection** extending to OpenClaw and local other assistants (Defender for Endpoint)
  - Microsoft's Windows-native OpenClaw deployment that can be properly managed by admins!
- **Network Data Loss Prevention!**
  - Catch LLM service Excel/PowerPoint add-ons etc.
- **Edge for Business** becoming an important control plane
- Risky GenAI use as an indicator in **Insider Risk Management**





Windows 11 Enterprise Insider Preview