Word Ladders

Thore Husfeldt April 9, 2015

Description

Find paths between given words among the five-letter words of English.

How words connect

We define a directed graph of words as follows. There is one node for every 5-letter word. There is an arc from v to w if each of the last four letters of v appears in w. For example, there is an arc from y odel to y lodes, but not from y lodes to y odel because the latter contains no y. On the other hand, there is an arc from y and y back. All four letters have to appear with repetitions, so there is an arc from y where to y other last y but not to y of y appears only once). As an example, here's a pretty long path in the graph:




Figure 1: words-10.

```
climb \rightarrow blimp \rightarrow limps \rightarrow pismo \rightarrow moist \rightarrow stoic \rightarrow ioctl \rightarrow colts \rightarrow lotsa \rightarrow stoae \rightarrow oaten \rightarrow neath \rightarrow hated \rightarrow dated \rightarrow dater \rightarrow rater \rightarrow tread \rightarrow dared \rightarrow dread \rightarrow drear \rightarrow rarer \rightarrow reran \rightarrow arena \rightarrow earns \rightarrow snarf \rightarrow franc \rightarrow narco \rightarrow orcas \rightarrow scare \rightarrow raced \rightarrow decaf \rightarrow fecal \rightarrow eclat \rightarrow talcs \rightarrow clasp \rightarrow psalm \rightarrow slams \rightarrow small \rightarrow llama \rightarrow lamas \rightarrow amass \rightarrow smash \rightarrow shame \rightarrow hames
```

Requirements

You build a directed graph representing the adjacency structure of the words in the list called words-5757.txt, and run BFS on it. The input to your algorithm is two words, like climb and hames. Your algorithm returns the words on a shortest path from the first word to the second.

The data directory contains a number of test inputs with known distances, your algorithm must work correctly on those.¹

If you can, make the running time of your algorithm O(n+m), where n and m refer to the number of nodes and arcs in the underlying directed graph. In particular, you're not supposed to use quadratic time in n to build the graph, even though it's tempting.²

Deliverables

- 1. The source code for your implementation
- 2. A report in PDF. Use the report skeleton in the doc directory.

- ¹ There can be many shortest paths, so it makes no sense to specify the words on the path.
- 2 Of course, for dense graphs, O(n+m) would be quadratic time anyway. But the input graph is not dense.