Bio393: Genetic Analysis

Dr. Erik Andersen

Katie Evans (TA)

Tues. and Thurs. 9:30-10:50 AM

Office hours and problem solving: Fridays 1-3 PM Cook 3118

bio393.andersenlab.org

bio393.andersenlab.org

Point Distribution

Problem sets	22%	56 points (8 pts each)
Participation	3%	8 points
Midterm	50%	128 points (64 pts each)
Final	25%	64 points

bio393.andersenlab.org

Problem sets…

- should be completed and turned in at 3 PM on Fridays
- are scored as completed (not correct answers)
- comprise old exam and quiz questions
- should be completed independently
- will be reviewed from 1 - 3 PM on Fridays

bio393.andersenlab.org

Date	Topic
Jan. 9	1. Mendelian inheritance, basic probability
Jan. 11	2. Chromosome theory, recombination, and mapping
Jan. 16	3. Screens, selections, mutants, and dosage
Jan. 18	4. Complementation
Jan. 23	5. Enhancement and suppression
Jan. 25	6. Genetic interactions: epistasis
Jan. 30	**MIDTERM #1, Lectures 1-5**
Feb. 1	NO CLASS
Feb. 6	7. Principles and methods of genetic analysis I

Date	Topic
Feb. 8	8. Principles and methods of genetic analysis II
Feb. 13	9. Developmental genetics
Feb. 15	10. Behavioral genetics
Feb. 20	11. Variation and allele frequency spectrum
Feb. 22	**MIDTERM #2, Lectures 6-10**
Feb. 27	12. Pedigrees and phase
Mar. 1	13. Linkage mapping and LOD scores
Mar. 6	14. Linkage disequilibrium and pop. structure
Mar. 8	15. Complex traits, GWAS, Human genetics
Mar. 13	NO CLASS Reading week
Mar. 15	NO CLASS Reading week

FINAL, Lectures 11-15
Friday, March 23, 12-2 PM

Please fill out the pre-course survey:

https://goo.gl/forms/4UFoHPQUVqZKr7RR2

Also, on our website: bio393.andersenlab.org

and

Canvas

Biological Function

Genetics

Study organisms with components removed (mutants)

Biochemistry



Study components removed from the organism

Genes — **Proteins**

Molecular Biology

No single discipline provides the data to define the system



Discussion:

How do we find the factors involved in fatty acid synthesis?

Figure 22.2
***Biochemistry*, Seventh Edition**

Genetics is…

- a logical framework.
- not just a series of techniques.
- rapidly moving.
- transformed by cheap and quick genome sequencing.
- a necessary skill set in medicine.

Your Ancestry Composition

Here's the breakdown of your ancestry deriving from all ancestors on both sides of your family.



ITALIAN

Your Father's Line

Along your father's line, you have ancestry in Europe/the Near East in the past few hundred years, that traces back to eastern Africa around 50,000 years ago.

Famous Relative!

Warren Buffett is distantly related to you on your father's side.

Your Extended DNA Family

Guess what? If you have a large piece of identical DNA in common with someone, then you're related. You have 846 DNA relatives in 23andMe. Explore their info to learn more about your own ancestry.

Close Family	2nd & 3rd Cousins	4th Cousins	Distant Cousins
2	7	353	484

Your Mother's Line

Along your mother's line, you have ancestry in Europe/the Near East in the past few hundred years, that traces back to eastern Africa around 50,000 years ago.

Top Relative Surnames

Surname	Count	Enrichment
Tompkins	6	58

From Your Ancestry Expert

It's remarkable what you can discover from a little saliva. On this page are the highlights of what we've learned about your ancestry, based just on your DNA. Enjoy!

Dr. Joanna Mountain, PhD

Joanna Mountain is 23andMe's Senior Director of Research. A former Stanford professor, she has traveled the world studying genetics and human history.

AS SEEN ON

Ancestry Help

Neanderthal Ancestry

You have an estimated 2.8% Neanderthal DNA, which puts you in the 68th percentile among European 23andMe members.



Precision Medicine Initiative (PMI)



With sequencing, do we still need genetics?

The father of genetics: Gregor Mendel

Mendel the genius: Choice of model organism

Hawkweed

Honey bees

Mice

Mendel the genius: Choice of model organism

1. Control of genetic crosses



Mendel the genius: Choice of model organism

1. Control of genetic crosses



Mendel the genius: Choice of model organism

1. Control of genetic crosses

2. Reproducible true-breeding strains



Mendel the genius: Choice of model organism

1. Control of genetic crosses

2. Reproducible true-breeding strains

3. Focus on specific traits or characters



Source of true-breeding strains

Thomas Knight

Mendel the genius: Choice of model organism

1. Control of genetic crosses

2. Reproducible true-breeding strains

3. Focus on specific traits or characters

4. Quantification and record keeping

“Opportunity is missed by most people because it is dressed in overalls and looks like work.”

Thomas A. Edison

Lecture 1



Trait (character)
Phenotype
Dominant
Recessive

Law of dominance

What is a gene?

Genotype

Gene (factor)


P0
X
F1


F1
X
F1
Hybrid cross
5474
:
1850



Hybrid cross

3:1 Phenotypic ratio

Hybrid cross



3:1 Phenotypic ratio

Gametes only carry one allele of gene.

Every individual carries a pair of alleles.



Hybrid cross

Self crosses



100% Round

100% Wrinkled

3:1 Round:Wrinkled

Allele
Heterozygous
Homozygous



Test cross



1:1 Phenotypic ratio

Test cross



1:1 Phenotypic ratio

Hybrid cross



3:1 Phenotypic ratio

Gametes only carry one allele of gene.

Every individual carries a pair of alleles.

Law of segregation

Law of dominance

Alleles that confer the recessive phenotype
will be masked by alleles that confer the dominant phenotype

OR

What you see in the F1 is the dominant phenotype

Law of segregation

Every individual contains a pair of alleles.

Gametes (egg or sperm) carry only one allele of each gene.

The union of egg and sperm is random.

Character	Dominant Trait	×	Recessive Trait	F_2 Generation Dominant:Recessive	Ratio
Flower color	Purple 	×	White 	705:224	3.15:1
Flower position	Axial 	×	Terminal 	651:207	3.14:1
Seed color	Yellow 	×	Green 	6022:2001	3.01:1
Seed shape	Round 	×	Wrinkled 	5474:1850	2.96:1
Pod shape	Inflated 	×	Constricted 	882:299	2.95:1
Pod color	Green 	×	Yellow 	428:152	2.82:1
Stem length	Tall 	×	Dwarf 	787:277	2.84:1

What about the inheritance of two traits at the same time?



Law of independent assortment

When two or more characteristics are inherited,
the alleles assort independently of each other
during gamete production,

making an equal probability of alleles occurring together.

Character	Dominant Trait	×	Recessive Trait	F_2 Generation Dominant:Recessive	Ratio
Flower color	Purple 	×	White 	705:224	3.15:1
Flower position	Axial 	×	Terminal 	651:207	3.14:1
Seed color	Yellow 	×	Green 	6022:2001	3.01:1
Seed shape	Round 	×	Wrinkled 	5474:1850	2.96:1
Pod shape	Inflated 	×	Constricted 	882:299	2.95:1
Pod color	Green 	×	Yellow 	428:152	2.82:1
Stem length	Tall 	×	Dwarf 	787:277	2.84:1

Punnett squares are tedious…basic probability

Take a diploid parent with genotype AA.

Probability of gamete A is p(A) = 1
Probability of gamete a is p(a) = 0

Take a diploid parent with genotype Aa.

Probability of gamete A is p(A) = 0.5
Probability of gamete a is p(a) = 0.5

We're talking about gamete probabilities

Punnett squares are tedious…basic probability

Product rule: the prob. of two independent events occurring together is the product of the probabilities of each independent event occurring alone.

In cross Aa x Aa, probability of aa is p(a) x p(a) = 0.5 x 0.5 = 0.25

Sum rule: the prob. of an event is the sum of the probabilities of each individual possible event.

In cross Aa x Aa, probability of offspring A- is

p(AA) + p(Aa) + p(aA) = (0.5x0.5) + (0.5x0.5) + (0.5x0.5) = 0.75

p(AA) + p(Aa) + p(aA) = 1 - p(aa) = 1 - 0.25 = 0.75

We're talking about gamete probabilities

Punnett squares are tedious…basic probability

AaBbCcDd x AaBbCcDd

Probability of offspring that is genotype of AAB-Ccdd?



Punnett squares are tedious…basic probability

AaBbCcDd x AaBbCcDd

Probability of offspring that is AAB-Ccdd?

p(AA) x (p(BB)+p(Bb)+p(bB)) x (p(Cc)+p(cC)) x p(dd)

1/4 x 3/4 x 1/2 x 1/4

3/128

What if you don’t see that phenotypic fraction?

Gregor Mendel's work was "lost" for 34 years!

Carl Correns

Erich von Tschermak

William Spillman

Hugo de Vries

Why did Mendel's work stand the test of time?

1. Peas are great model system with controlled crosses and defined traits

2. He worked hard, counted, made and tested his models

3. He was lucky!

Gregor Mendel was lucky!



1. Peas are diploid (two copies of every chromosome).

Polyploidy

Examples of Polyploid Plants	
Name	**Number**
Common wheat	**6N** = 42
Tobacco	**4N** = 48
Potato	**4N** = 48
Banana	**3N** = 27
Boysenberry	**7N** = 49
Strawberry	**8N** = 56

Many **ferns** are polyploid with chromosome number up to 400N

Gregor Mendel was lucky!



1. Peas are diploid (two copies of every chromosome).

2. Traits could have been multigenic (controlled by many genes).

Gregor Mendel was lucky!



1. Peas are diploid (two copies of every chromosome).

2. Traits could have been multigenic (controlled by many genes).

3. Genes could have been linked (violate Law of Ind. Assortment).

Gregor Mendel was lucky!



1. Peas are diploid (two copies of every chromosome).

2. Traits could have been multigenic (controlled by many genes).

3. Genes could have been linked (violate Law of Ind. Assortment).

4. Traits could have been co-dominant or incomplete dominant.

Three different types of dominance



Three different types of dominance



Complete

Incomplete

Co-dominant

Three different types of dominance



Complete	Incomplete	Co-dominant
RR	Red	Red	Red

Three different types of dominance



Complete	Incomplete	Co-dominant
RR	Red	Red	Red
RR	Blue	Blue	Blue

Three different types of dominance



Complete	Incomplete	Co-dominant
RR	Red	Red	Red
RR	Blue	Blue	Blue
RR			

Three different types of dominance



Complete	Incomplete	Co-dominant
RR	Red	Red	Red
RR	Blue	Blue	Blue
RR			

Three different types of dominance



	<u>Complete</u>	<u>Incomplete</u>	<u>Co-dominant</u>
RR	Red	Red	Red
RR	Blue	Blue	Blue
RR			

Incomplete dominance:
Different alleles confer a mixed phenotype

Hemoglobin sickle-cell allele

Hb^A/Hb^A

Normal
RBCs

Hb^S/Hb^S

Mostly sickle
RBCs

Hemoglobin sickle-cell allele



Co-dominant

Hemoglobin sickle-cell allele

Hb^A/Hb^A	Hb^A/Hb^S	Hb^S/Hb^S
		
Normal RBCs	Both normal and sickle RBCs	Mostly sickle RBCs
Malaria-sensitive	Malaria-resistant	Malaria-resistant

Co-dominant

Dominant

Hemoglobin sickle-cell allele

Hb^A/Hb^A	Hb^A/Hb^S	Hb^S/Hb^S
		
Normal RBCs	Both normal and sickle RBCs	Mostly sickle RBCs
Malaria-sensitive	Malaria-resistant	Malaria-resistant
No sickling disease	No sickling disease	Severe sickling disease

Co-dominant

Dominant

Recessive

Is Hb^S a dominant or recessive allele?

Cystic fibrosis is a debilitating disorder



Cystic Fibrosis Lung

Healthy Lung



- Rare disease affects 1/10,000 live births
- Breathing difficulties caused by thick mucus
- Pancreas, liver, kidneys, and intestine are also deficient

Cystic fibrosis is inherited in families



Cystic Fibrosis Lung Healthy Lung

Unaffected male

Unaffected female

CF male

CF female



Family #1



Family #2

What is the trait?

Dominance?

Genetics is a powerful discovery and analytical tool