

Whole Exome Sequencing Analysis - Carrier Screening

Patient name : Mr. XXX Mrs. YYY

Gender/ Age : Male/ 43 years Female/ 34 years

PIN : XX XX

Sample no : XX XX

Specimen : Peripheral blood Peripheral blood

Sample collection date : XX XX

Sample receipt date : XX XX

Report date XX XX

Hospital/Clinic : XX

Clinical history

Mr. XXX and Mrs. YYY are third-degree consanguineous couple and presented with primary infertility. They have a history of six failed IUI cycles. Mrs. YYY has a history of PCO and Mr. XXX semen analysis indicative of normozoospermia. Both partners karyotype revealed normal chromosome complement. He was born to 3rd degree consanguineous parents. Mr. XXX and Mrs. YYY has been evaluated for pathogenic variations.

Results

Mr. XXX is found to be carrier of likely pathogenic variants in the *EARS2* gene (p.Val218SerfsTer2) and *DYM* gene (p.Tyr496Ter).

Mrs. YYY is found to be carrier of likely pathogenic variants in the *SLC12A1* gene (p.Ala508Thr) and *PKHD1L1* gene (c.6176-1G>C).



List of significant carrier variants identified:

Disease	Mr. XXX	Mrs. YYY
Combined oxidative phosphorylation		
deficiency 12	CARRIER	
(OMIM#614924)	Gene: EARS2	
	Exon 4, c.652_655delGTCA	
	p.Val218SerfsTer2	NON - CARRIER
	Heterozygous	
Mode of inheritance: AR		
Cumulative carrier frequency:1/1070	Classification: Likely Pathogenic	
Genetic Prevalence: 1/4578748		
	CARRIER	
Dyggve-Melchior-Clausen disease		
(OMIM#223800)	Gene: DYM	
	Exon 14, c.1488T>A	NON - CARRIER
Smith-McCort dysplasia	p.Tyr496Ter	
(OMIM#607326)	Heterozygous	
Mode of inheritance: AR	Classification: Likely Pathogenic	
Bartter syndrome, type 1	Classification Energy varieties	
(OMIM#601678)		CARRIER
(0		Gene: SLC12A1
		Exon 12, c.1522G>A
	NON - CARRIER	p.Ala508Thr
Mode of inheritance: AR		Heterozygous
Cumulative carrier frequency:1/666		116161.0278000
Genetic Prevalence: 1/1771049		Classification: Likely Pathogenic
Deafness, autosomal recessive 124		CARRIER
(OMIM#620794)		Gene: PKHD1L1
		Intron 40, c.6176-1G>C
	NON - CARRIER	3' Splice site
		Heterozygous
Mode of inheritance: AR		Classification: Likely Pathogenic

^{*}Genetic test results are reported based on the recommendation of American College of Medical Genetics [1]. No other variant that warrants to be reported for the given clinical indication was identified.

Variant Interpretation

Interpretation for the significant carrier variants identified in Mr.XXX

EARS2: c.652_655delGTCA

Variant summary: A heterozygous four base pair deletion in exon 4 of the *EARS2* gene (chr16:g.23535191delTGAC, NM_001083614.2, Depth: 117x) that results in a frameshift and premature truncation of the protein 2 amino acids downstream to codon 218 (p.Val218SerfsTer2) was detected. This

Anderson Clinical Genetics is a division of Anderson Diagnostics and Labs-



variant is a frameshift variant which occurs in an exon of *EARS2* upstream where nonsense mediated decay is predicted to occur. This variant is predicted to cause loss of normal protein function through protein truncation.

Population frequency: This variant has not been reported in gnomAD database and 1000 genomes database.

In-silico predictions: The *in-silico* predictions of the variant are damaging by MutationTaster2. The reference codon is conserved across mammals in PhyloP and GERP++ tools.

OMIM phenotype: Combined oxidative phosphorylation deficiency 12 (OMIM#614924) is caused by homozygous or compound heterozygous mutation in the *EARS2* gene (OMIM*612799). This disease follows autosomal recessive pattern of inheritance [2].

Variant classification: Based on the evidence, this variant is classified as a likely pathogenic variant.

DYM: c.1488T>A

Variant summary: A heterozygous stop gained variation in exon 14 of the *DYM* gene (chr18:g.49209688A>T, NM_001353214.3, Depth: 150x) that results in the premature truncation of the protein at codon 496 (p.Tyr496Ter) was detected. This variant is a stop gained variant which occurs in an exon of *DYM* upstream where nonsense mediated decay is predicted to occur. This variant is predicted to cause loss of normal protein function through protein truncation.

Population frequency: This variant has minor allele frequency of 0.0007% in gnomAD database and has not been reported in 1000 genomes databases.

In-silico prediction: The reference codon is conserved across mammals in PhyloP and GERP++ tools.

OMIM phenotype: Dyggve-Melchior-Clausen disease (OMIM#223800) and Smith-McCort dysplasia (OMIM#607326) are caused by homozygous or compound heterozygous mutation in the *DYM* gene (OMIM*607461). These diseases follow autosomal recessive pattern of inheritance [2].

Variant classification: Based on the evidence, this variant is classified as a likely pathogenic variant.

Interpretation for the significant carrier variants identified in Mrs.YYY

SLC12A1: c.1522G>A

Variant summary: A heterozygous missense variation in exon 12 of the *SLC12A1* gene (chr15:g.48246978G>A, NM_000338.3, Depth: 251x) that results in the amino acid substitution of Alanine for Threonine at codon 508 (p.Ala508Thr) was detected.

Population frequency: This variant has minor allele frequency of 0.0026% in gnomAD database and has not been reported in 1000 genomes databases.

Clinical and Literature evidence: This variant has been previously classified as likely pathogenic in ClinVar database [3]. This variant has been previously reported in patients affected with growth retardation,

Anderson Clinical Genetics is a division of Anderson Diagnostics and Labs-



nephrogenic diabetic insipidus and polyuria in compound heterozygous state [4].

In-silico predictions: The *in-silico* predictions of the variant are damaging by SIFT, PolyPhen-2 (HumDiv), LRT and MutationTaster2. The reference codon is conserved across mammals in PhyloP and GERP++ tools.

OMIM phenotype: Bartter syndrome, type 1 (OMIM#601678) is caused by homozygous or compound heterozygous mutation in the *SLC12A1* gene (OMIM*600839). This disease follows autosomal recessive pattern of inheritance [2].

Variant classification: Based on the evidence, this variant is classified as a likely pathogenic variant.

PKHD1L1: c.6176-1G>C

Variant summary: A heterozygous 3' splice site variation in intron 40 of the *PKHD1L1* gene (chr8:g.109450974G>C, NM_177531.6, Depth: 175x) that affects the in variant GT donor splice site of exon 40 (c.6176-1G>C) was detected.

Population frequency: This variant has not been reported in gnomAD database and 1000 genomes database.

In-silico predictions: The *in-silico* predictions of the variant are disrupting by GeneSplicer and MaxEntScan. The reference codon is conserved across mammals in PhyloP and GERP++ tools.

OMIM phenotype: Deafness, autosomal recessive 124 (OMIM#620794) is caused by homozygous or compound heterozygous mutation in the *PKHD1L1* gene (OMIM*607843). This disease follows autosomal recessive pattern of inheritance [2].

Variant classification: Based on the evidence, this variant is classified as a likely pathogenic variant.

Additional Variant(s)

List of additional variant of uncertain significant variants identified:

Disease	Mr.XXX	Mrs.YYY
Fetal akinesia deformation sequence 3 (OMIM#618389) Myasthenic syndrome, congenital, 10 (OMIM#254300)	CARRIER Gene: DOK7 Exon 7, c.1417G>A p.Glu473Lys Heterozygous	CARRIER Gene: DOK7 Exon 7, c.1417G>A p.Glu473Lys Heterozygous
Mode of inheritance: AR Cumulative carrier frequency:1/347 Genetic Prevalence: 1/479512	Classification: Uncertain Significance ClinVar ID: 534121	Classification: Uncertain Significance ClinVar ID: 534121



	CARRIER	CARRIER
Cataract 18, autosomal recessive		
(OMIM#610019)	Gene: FYCO1	Gene: FYCO1
	Exon 16, c.4171G>T	Exon 16, c.4171G>T
	p.Val1391Phe	p.Val1391Phe
	Heterozygous	Heterozygous
Mode of inheritance: AR		
Cumulative carrier frequency:1/911	Classification: Uncertain Significance	Classification: Uncertain Significance
Genetic Prevalence: 1/ 3316543	ClinVar ID: <u>2243397</u>	ClinVar ID: <u>2243397</u>
Spastic paraplegia 15, autosomal		
recessive	CARRIER	CARRIER
(OMIM#270700)		
	Gene: ZFYVE26	Gene: ZFYVE26
	Exon 31, c.5768G>A	Exon 31, c.5768G>A
	p.Arg1923Gln	p.Arg1923Gln
	Heterozygous	Heterozygous
Mode of inheritance: AR	Classification: Uncertain Significance	Classification: Uncertain Significance
Cumulative carrier frequency:1/772	ClinVar ID: <u>579343</u>	ClinVar ID: <u>579343</u>
Genetic Prevalence: 1/2382211		
Hydrocephalus, congenital, 2, with or		
without brain or eye anomalies	CARRIER	CARRIER
(OMIM#615219)		
	Gene: MPDZ	Gene: MPDZ
	Exon 7, c.797G>T	Exon 7, c.797G>T
	p.Gly266Val	p.Gly266Val
	Heterozygous	Heterozygous
Mode of inheritance: AR		
Cumulative carrier frequency:1/319	Classification: Uncertain Significance	Classification: Uncertain Significance
Genetic Prevalence: 1/ 406657		

Recommendations

- Sequencing the variant(s) in the parents and the other affected and unaffected members of the family is recommended to confirm the significance.
- Alternative test is strongly recommended to rule out the deletion/duplication.
- Genetic counseling is recommended.

Methodology

DNA extracted from the blood was used to perform whole exome using a whole exome capture kit. The targeted libraries were sequenced to a targeted depth of 80 to 100X using GenoLab M sequencing platform. This kit has deep exonic coverage of all the coding regions including the difficult to cover regions. The sequences obtained are aligned to human reference genome (GRCh38.p13) using Sentieon aligner and analyzed using Sentieon for removing duplicates, recalibration and re-alignment of indels. Sentieon DNAscope

Anderson Clinical Genetics is a division of Anderson Diagnostics and Labs



has been used to call the variants. Detected variants were annotated and filtered using the VarSeq software with the workflow implementing the ACMG guidelines for variant classification. The variants were annotated using 1000 genomes(V2), gnomAD (v3.1.2,2.1.1), ClinVar, OMIM, dbSNP, NCBI RefSeq Genes. *In-silico* predictions of the variant was carried out using VS-SIFT, VS-PolyPhen2, PhyloP, GERP++, GeneSplicer, MaxEntScan, NNSplice, PWM Splice Predictor. Only non-synonymous and splice site variants found in the coding regions were used for clinical interpretation. Silent variations that do not result in any change in amino acid in the coding region are not reported.

Sequence data attributes

	Mr.XXX	Mrs.YYY
Total reads generated	15.62Gb	16.93Gb
Data ≥ Q30	85.94%	86.9%

Genetic test results are reported based on the recommendations of American College of Medical Genetics [1], as described below:

Classification	Interpretation
Pathogenic	A disease-causing variation in a gene which can explain the patients' symptoms has been detected. This usually means that a suspected disorder for which testing had been requested has been confirmed
Likely Pathogenic	A variant which is very likely to contribute to the development of disease however, the scientific evidence is currently insufficient to prove this conclusively. Additional evidence is expected to confirm this assertion of pathogenicity.
Variant of Uncertain Significance	A variant has been detected, but it is difficult to classify it as either pathogenic (disease causing) or benign (non- disease causing) based on current available scientific evidence. Further testing of the patient or family members as recommended by your clinician may be needed. It is probable that their significance can be assessed only with time, subject to availability of scientific evidence.

Disclaimer

- The classification of variants of unknown significance can change over time. Anderson Diagnostics and Labs cannot be held responsible for it.
- Intronic variants, UTR, Promoter region variants and CNV are not assessed using this assay.

Anderson Clinical Genetics is a division of Anderson Diagnostics and Labs-



- Certain genes may not be covered completely, and few mutations could be missed. Variants not detected by this assay may impact the phenotype.
- The variations have not been validated by Sanger sequencing.
- The above findings and result interpretation was done based on the clinical indication provided at the time of reporting.
- It is also possible that a pathogenic variant is present in a gene that was not selected for analysis and/or interpretation in cases where insufficient phenotypic information is available.
- Genes with pseudogenes, paralog genes and genes with low complexity may have decreased sensitivity
 and specificity of variant detection and interpretation due to inability of the data and analysis tools to
 unambiguously determine the origin of the sequence data in such regions.
- The variants of uncertain significance and variations with high minor allele frequencies which are likely to be benign will be given upon request.
- Incidental or secondary findings that meet the ACMG guidelines can be given upon request [5].

References

- Richards, S, et al. Standards and Guidelines for the Interpretation of Sequence Variants: A Joint Consensus Recommendation of the American College of Medical Genetics and Genomics and the Association for Molecular Pathology. Genetics in medicine: official journal of the American College of Medical Genetics. 17.5 (2015): 405-424.
- 2. Amberger J, Bocchini CA, Scott AF, Hamosh A. McKusick's Online Mendelian Inheritance in Man (OMIM). Nucleic Acids Res. 2009 Jan;37(Database issue):D793-6. doi: 10.1093/nar/gkn665. Epub 2008 Oct 8. PMID: 18842627; PMCID: PMC2686440.
- 3. https://www.ncbi.nlm.nih.gov/clinvar/variation/VCV000242488.8
- 4. Wongsaengsak S, et al. A novel *SLC12A1* gene mutation associated with hyperparathyroidism, hypercalcemia, nephrogenic diabetes insipidus, and nephrocalcinosis in four patients. Bone. 2017 Apr;97:121-125. doi: 10.1016/j.bone.2017.01.011. Epub 2017 Jan 14. PMID: 28095294.
- 5. Kalia S.S. et al., Recommendations for reporting of secondary findings in clinical exome and genome sequencing, 2016 update (ACMG SF v2.0): a policy statement of the American College of Medical Genetics and Genomics. Genet Med., 19(2):249-255, 2017.

This report has been reviewed and approved by:

Sivasankar.S, Ph.D Molecular Biologist

J. Divalankar

Muthukumaran. S, Ph.D Clinical Bioinformatician

C. Mithekumsaye

Sachin. D.Honguntikar, Ph.D, Molecular Geneticist Dr. G. Suriyakumar Director



APPENDIX: Current gene list used for carrier screening of pathogenic and likely pathogenic variants:

AARS2,ABAT,ABCA1,ABCA3,ABCD4,ABCG5,ABCG8,ACD,ACKR1,ACO2,ACOX2,ACP2,ACP5,ACTA1,ADAMTS10,ADAMTSL4,ADAR,ADAT3,ADCY6,ADD3,ADG RG6,ADGRV1,ADRB2,ADRB3,ADSL,AEBP1,AGBL5,AGPAT2,AGRP,AGXT2,AHCY,AHSG,AICDA,AIFM1,AIPL1,AK1,AKR1C4,AKR1D1,ALAD,ALAS2,ALDH18A1, ALDH6A1,ALDOA,ALG12,ALG2,ALG3,ALG9,ALOX12B,ALOXE3,ALX3,ALX4,AMBN,AMMECR1,AMN,AMPD2,AMPD3,ANGPTL3,ANO10,ANO5,ANTXR1,AP4 B1,AP4E1,AP5Z1,APOC2,APOE,APRT,AQP7,ARFGEF2,ARHGDIA,ARHGEF6,ARL2BP,ARL6,ARL6IP1,ASPM,ATCAY,ATG5,ATP2A1,ATP2B3,ATP6AP2,ATP6V1 A,ATP8A2,ATPAF2,AURKC,AVPR2,B2M,B3GAT3,B4GALNT1,B4GAT1,B9D1,B9D2,BANF1,BBIP1,BBS5,BBS7,BCAP31,BCL10,BGN,BIN1,BLNK,BLOC1S3,BLV RA,BMP1,BMP2,BMPR1B,BPGM,BRAT1,BRF1,BSCL2,BVES,C12orf57,MTRFR,C19orf12,C1QA,C1QB,C1QC,C3,C8A,C8B,C8orf37,CA12,CA5A,CA8,CABP2,C ABP4,CACNA1D,CACNA1F,CACNA2D4,CAD,CAPN1,CARD11,CARD9,CARTPT,CASP14,CASR,CATSPER1,CAV3,CBX2,CCBE1,CCDC103,ODAD1,CCDC115,CCD C22,CCDC28B,CCDC65,CCDC8,CCDC8C,CCNO,CCT5,CD19,CD247,CD27,CD36,CD3D,CD3E,CD3G,CD40,CD46,CD79A,CD79B,CD8A,CDAN1,CDC6,CDH11,C DH3,CDHR1,CDK10,CDK5,CDK5RAP2,CDK6,CDSN,CEBPE,CENPF,CENPJ,CEP104,CEP152,CEP164,CEP19,CEP41,CEP57,CERS3,CFH,CFL2,CHAT,CHIT1,CHKB, CHMP1A, CHRDL1, CHRM3, CHST14, CHST3, CHST6, CHST8, CIB2, CIDEC, CIT, CKAP2L, CLCN1, CLCN4, CLCNKA, CLCNKB, CLDN14, CLDN16, CLIC2, CLMP, CLP1, CLPB ,CLPP,CNGB1,CNNM2,CNPY3,CNTN1,CNTN2,CNTNAP1,CNTNAP2,COASY,COG4,COG6,COL6A1,COL6A2,COL6A3,COL9A2,COLEC11,COLQ,COQ4,COQ6,CO Q7,COQ9,COX10,COX14,COX20,COX4I2,COX6A1,COX6B1,COX8A,CPA6,CPLX1,CPN1,CRADD,CRAT,CRIPT,CRYAB,CRYBB1,CRYBB3,CSF2RB,CSF3R,CSTA,CT C1, CTH, CTNNB1, CTPS1, CTSA, CTSF, CUBN, CUL7, CWF19L1, CYP55A, CYP24A1, CYP26C1, CYP2C19, CYP2D6, CYP2R1, CYP2U1, CYP4F22, CYP4V2, CYP7B1, DAG1, CYP2C19, CYP2C19DARS2, DBH, DCC, DCHS1, DCPS, DCTN1, DCXR, DDHD1, DDHD2, DDOST, DDR2, DDRGK1, DDX51, DDX59, DES, DGKE, DHH, DHODH, DHTKD1, DIS3L2, DLAT, DLEC1 DLG3, DLX5, DNA2, DNAAF1, DNAAF3, DNAH1, DNAH11, DNAJB13, DNAJB2, DNAJC3, DNAJC6, DNAL4, DNASE1L3, DNM2, DOCK2, DPH1, DPM2, DPYS, DRAM2, DRC1,DSC3,DSE,DSG1,DSG4,DST,DSTYK,DTNBP1,DUOXA2,EBP,ECEL1,ECHS1,ECM1,EDARADD,EDC3,EDN1,EGFR,EIF2B1,EIF2B2,EIF2B3,EIF2B4,EIF2S3,EI F4A3,ELAC2,ELMO2,ELMOD3,ELOVL4,ELP2,EMC1,EMG1,EMP2,ENAM,ENO3,ENTPD1,EPCAM,EPG5,EPO,EPS8,EPS8L2,EPX,ERCC1,ERLIN1,ERLIN2,ESR1,E SRRB,EXOSC2,EXOSC8,EXPH5,EXT1,EXT2,EXTL3,F12,F13A1,F13B,F7,FA2H,FADD,FAM2OA,FAN1,FANCI,FANCI,FAR1,FARS2,FASLG,FASTKD2,FAT4,FBP1,F BXL4,FBXO7,FCGR2A,FCGR3A,FCN3,FECH,FERMT1,FERMT3,FEZF1,FGF16,FGF20,FGFR3,FHL1,FIBP,FIG4,FKBP10,FKBP14,FLAD1,FLI1,FLNB,FLVCR1,FLVCR 2,FMO3,FOLR1,FOXI1,FOXRED1,FREM1,FRMPD4,FSHB,FSHR,FTL,FTSJ1,FUT1,FUT8,FXN,FYCO1,FZD6,G6PC1,GAB1,GAD1,GAN,GATA5,GBA2,GCLC,GCNT 2, GDAP1, GDF6, GDF9, GEMIN4, GF11B, GFPT1, GGCX, GHRL, GHSR, GLIS3, GLRA1, GLRB, GLUL, GLYCTK, GM2A, GMPPA, GMPPB, GNAT1, GNB3, GNB5, GNMT, GN PAT,GNRH1,GNRHR,GPC3,GPC6,GPD1,GPI,GPIHBP1,GPR179,GPR68,GPSM2,GPT2,GPX1,GRHL2,GRIA3,GRID2,GRIN1,GRIP1,GRM1,GRN,GRXCR1,GRXCR 2,GSTZ1,GTPBP2,GTPBP3,GUCY2C,GUF1,GULOP,GYG1,GYS1,GYS2,H6PD,HAL,HARS2,HCFC1,HEPACAM,HERC1,HGF,HINT1,HK1,HMGCS2,HNF1A,HNMT, HOXA2,HOXB1,HPCA,HPGD,HPS5,HPS6,HPSE2,HR,HSD3B7,HSPA9,HTRA2,HYAL1,IARS2,ICOS,IER3IP1,IFNAR2,IFNGR1,IFT140,IFT27,IFT43,IFT52,IGF1R,I GHM,IGKC,IGLL1,IGSF1,IGSF3,IHH,IKBKB,IL10RA,IL10RB,IL11RA,IL12B,IL17RC,IL1RN,IL21R,IL2RA,IL36RN,IL7R,ILDR1,IMPG2,ING1,INPP5K,INS,INTU,IRF1, IRF7,IRF8,IRX5,ISCA2,ISCU,ISG15,ITGA2B,ITGA3,ITGA7,ITGB2,ITGB6,ITK,ITPA,ITPR3,IYD,JAGN1,JAM3,JPH1,JUP,KANK2,KATNB1,KCNJ10,KCNJ13,KCNMA 1,KCNV2,KERA,KHDC3L,KHK,KATNIP,KIAA0753,KIF1A,KIF1C,KISS1,KISS1R,KIZ,KLC2,KLHDC8B,KLHL15,KLHL3,KLHL41,KLHL7,KLK4,KNG1,KPTN,KRAS,KRT1, KRT10,KRT14,KRT25,KRT5,KRT74,KRT83,KRT85,KY,KYNU,L2HGDH,LAMA1,LAMB1,LAMTOR2,LCK,LCT,LEMD2,LEP,LGI4,LHB,LHFPL5,LIG4,LIM2,LINS1,LIP C,LIPE,LIPN,LIPT1,LMAN1,LMAN2L,LMF1,LMOD3,LONP1,LPAR6,LPIN1,LRAT,LRBA,LRIG2,LRIT3,LRPAP1,DNAAF11,LRSAM1,LRTOMT,LSS,LTBP2,LZTFL1,M AB21L2,MAD2L2,MAG,MAMLD1,MAN1B1,MAOA,MAP3K8,MAPKBP1,MAPT,MARS2,MASP1,MBOAT7,MBTPS2,MC1R,MC2R,MC4R,MCEE,MCM5,MCM 9, MECR, MED25, MEGF10, MEGF8, MEOX1, MET, METTL23, MFF, MFN2, MFRP, MFSD2A, MGME1, MGP, MID1, MID2, MITF, MLPH, MMP1, MMP2, MMP20, MO COS,MPDU1,MPDZ,MPLKIP,MPO,MRAP,MRPL3,MRPL44,MRPS2,MRPS34,MRPS7,MS4A1,MSH2,MSH3,MSH5,MSH6,MSMO1,MSN,MTFMT,MTHFD1,M TMR2,MTPAP,MTR,MYH2,MYH7,MYL3,MYO18B,MYO1E,NANS,NARS2,NAT2,NCAPD2,NCAPH,NCF2,NCF4,NDE1,NDDF1,NDUFA1,NDUFA10,NDUFA11,N DUFA12,NDUFA13,NDUFA2,NDUFA9,NDUFAF1,NDUFAF2,NDUFAF3,NDUFAF4,NDUFAF6,NDUFB11,NDUFB3,NDUFB9,NDUFS1,NDUFS2,NDUFS8,NDUF V1, NDUFV2, NECAP1, NEFL, NEK8, NEK9, NGF, NGLY1, NHP2, NIPAL4, NLRP1, NMNAT1, NOP10, NPPA, NPR2, NR0B2, NR1H4, NSDHL, NSUN2, NT5C3A, NT5E, NTHANDER, NR0B2, NR1H4, NSDHL, NSUN2, NT5C3A, NT5E, NTHANDAND, NPR2, NR0B2, NR1H4, NSDHL, NSUN2, NT5C3A, NT5E, NTHANDAND, NR1H4, NSUN2, NT5C3A, NT5E, NTHANDAND, NT5C3A, NT5E, NTHANDAND, NT5C3A, NT5E, NTHANDAND, NT5C3A, NT5E, NTHANDAND, NT5C3A, NT5E, NTSE, NTSE,L1,NUP93,NYX,OCA2,OGDH,OGT,OPHN1,OPLAH,ORC1,ORC6,OTOF,OTOG,P2RY12,PADI3,PADI6,PAM16,PAPSS2,PARK7,PAX3,PAX4,PAX7,PCDH12,PCK1, PCK2, PCLO, PCNA, PCNT, PCSK1, PCYT1A, PDE6B, PDE6C, PDE6D, PDE6G, PDE6H, PDX1, PEX11B, PEX13, PEX14, PEX16, PEX19, PEX26, PEX3, PEX5, PGAM2, PGAP1,PGAP2,PGAP3,PGK1,PGR,PHF6,PHKA1,PHKA2,PHKB,PHKG2,PHOX2A,PHYH,PIGC,PIGG,PIGL,PIGM,PIGO,PIGT,PIGV,PIGW,PIGY,DNAAF6,PIK3R1,PIK3R5, PLA2G5,PLA2G7,PLAA,PLCB1,PLCD1,PLCZ1,PLEKHG2,PLK4,PLOD3,PMPCA,PNKP,PNLIP,PNP,PNPLA1,PNPLA2,PNPLA6,PNPLA8,POC1B,POGLUT1,POLR1D POLR3A,POLR3B,POMC,POMGNT2,POMK,POP1,POU3F4,PPARG,PPARGC1B,PPIB,PPP1R15B,PPP2R1B,PRDM5,PRDX1,PRF1,PRG4,PRICKLE1,PRKACG,PR KRA, PRMT7, PRPH, PRPH2, PRRX1, PRSS12, PRSS12, PRSS56, PSMB4, PSMB9, PSMC3IP, PSPH, PTCH2, PTCHD1, PTGER2, PTPN14, PTPRF, PTRH2, PUS3, PYC R1,PYCR2,PYGL,QDPR,RAB18,RAB28,RAB33B,RAB39B,RARB,RASGRP2,RBBP8,RBCK1,RBM10,RBM8A,RBMX,RBP3,RBP4,RCBTB1,RD3,RDH11,RDH5,RDX, REEP6, RFT1, RFX5, RFX6, RFXAP, RHO, RIN2, RIPK4, RIPPLY2, RLIM, RNASEH1, RNASEH2A, RNASET2, RNF168, RNU4ATAC, ROBO3, ROM1, ROR2, RORC, RPIA, RPL 10,RSPH1,RSPH3,RSPO1,RSPO4,RSPRY1,RTN4IP1,RTTN,RUSC2,S1PR2,SAG,SALL2,SAR1B,SARS2,SBF2,SC5D,SCARB2,SCN4A,SCN5A,SCN9A,SCO1,SCYL1,S DHAF1,SDR9C7,SEC23B,SEC24D,SEMA4A,SERAC1,SERPINA6,SERPINB7,SERPINB8,SERPINC1,SERPINE1,SERPINF2,SERPING1,SERPINH1,SETX,SFRP4,SFXN 4,SHPK,SIGMAR1,SIM1,SIX6,SKIV2L,SLC10A2,SLC12A5,SLC13A5,SLC16A1,SLC18A3,SLC1A1,SLC1A4,SLC22A12,SLC22A18,SLC24A4,SLC24A4,SLC24A5,SLC25A12,SLC2A C25A19,SLC25A26,SLC25A32,SLC25A4,SLC25A46,SLC26A1,SLC26A5,SLC29A3,SLC2A1,SLC2A10,SLC2A2,SLC2A9,SLC30A10,SLC33A1,SLC34A1,SLC34A3,SL C36A2,SLC38A8,SLC39A13,SLC46A1,SLC4A4,SLC52A2,SLC52A3,SLC5A1,SLC5A2,SLC5A5,SLC5A7,SLC6A17,SLC6A19,SLC6A20,SLC6A3,SLC6A5,SLC6A9,SLC 7A14,SLC9A1,SLITRK6,SLURP1,SLX4,SMG9,SMIM1,SMOC1,SMOC2,SNAI2,SNIP1,SNORD118,SNX10,SNX14,SOD1,SOHLH1,SOST,SPARC,SPATA16,SPATA5, SPG11,SPG21,SPINK1,SPINK5,SPINT2,SPR,SPRTN,SPTA1,SQSTM1,SRD5A3,SSR4,STAC3,STAMBP,STAT2,STIL,STIM1,STRADA,STT3A,STT3B,STUB1,STX11,S UFU, SULT2B1, SUN5, SYCE1, SYNE4, SZT2, TAC3, TACO1, TACR3, TACSTD2, TAF13, TAF4B, TAF6, TANGO2, TAP1, TARS2, TBC1D24, TBC1D7, TBCD, TBX15, TBX19, TACSTD2, TAF13, TAF4B, TAF6, TANGO2, TAP1, TARS2, TBC1D24, TBC1D7, TBCD, TBX15, TBX19, TACSTD2, TAF13, TAF4B, TAF6, TANGO2, TAP1, TARS2, TBC1D24, TBC1D7, TBCD, TBX15, TBX19, TACSTD2, TAF13, TAF4B, TAF6, TANGO2, TAP1, TARS2, TBC1D24, TBC1D7, TBCD, TBX15, TBX19, TACSTD2, TAF13, TAF4B, TAF6, TANGO2, TAP1, TARS2, TBC1D24, TBC1D7, TBCD, TBX15, TBX19, TACSTD2, TAF13, TAF4B, TAF6, TANGO2, TAP1, TARS2, TBC1D24, TBC1D7, TBBX21,TBX6,TCAP,TCHH,TCN2,TCTN3,TDO2,TDP2,TDRD7,TEC,TECR,TECTA,TELO2,TEX14,TEX15,TF,TFAM,TFG,TFRC,TG,TGDS,TGFB1,TGM3,TGM5, THOC6, THRB, TIA1, TICAM1, TIMM50, TJP2, TLE6, TLR3, TMC6, TMC8, TMEM107, TMEM126A, TMEM126B, TMEM138, TMEM237, TMPRSS3, TMPRSS6, TNFRSFA, TMEM126A, TMEM126B, TMEM138, TMEM237, TMPRSS3, TMPRSS6, TNFRSFA, TMEM126A, TMEM126B, TMEM126B, TMEM138, TMEM237, TMPRSS3, TMPRSS6, TNFRSFA, TMEM126B, TMEM110B, TNFRSF13B, TNFSF11, TNIK, TNNI3, TOE1, TPI1, TPK1, TPMT, TRAC, TRAF3IP1, TRAF3IP2, TRAIP, TRAPPC11, TRAPPC9, TREH, TREM2, TRH, TRIP13, TRIP4, TRAF3IP2, TRAIP, TRAPPC9, TREM2, TRH, TRIP13, TRIP4, TRAF3IP2, TRAIP, TRAPPC9, TREM2, TRAF3IP3, TMT10A, TRMT10C, TRMT5, TSPAN7, TSPEAR, TSR2, ODAD4, TTI2, TTLL5, TUB, TUBA8, TUBB8, TUBGCP4, TUBGCP6, TUFM, TULP1, TWIST2, TXN2, TXNL4A, TXNRD 2, TYK2, TYROBP, UBE3B, UCHL1, UCP1, UCP3, UMPS, UNC80, UQCC2, UQCC3, UROC1, UROD, USB1, USP27X, USP8, UVSSA, VAC14, VARS1, VARS2, VHL, VIPAS39, VPS11, VPS37A, VWA3B, WARS2, WBP2, WDR19, WDR35, WDR45B, WDR62, WDR81, WFS1, WNK1, WNT10B, WRAP53, WWOX, XDH, XPNPEP3, XRCC1, XRCC2, X Anderson Clinical Genetics is a division of Anderson Diagnostics and Labs



3,ATP2B2,CEP120,CEP83,COL4A6,DENND5A,DMXL2,DNM1L,GAS8,ITPR1,KDM5C,LRP1,MED23,MYO3A,NBAS,NDUFS7,NKX32,PHF8,PIBF1,PLEC,SLC25A 38,SYNJ1,TOR1AIP1,UBE2T,ADAMTS18,AK2,ARL13B,BRWD3,DOCK8,DYNC2H1,EIF2AK4,GLDN,GTF2E2,IFT172,IFT80,IL1RAPL1,JAK2,KIF4A,LRP4,MATN3, MMP21,MYPN,ORC4,PLCB4,POC1A,PTPRQ,SLC4A1,SLCO1B3,SPTBN2,TUSC3,UNG,USP9X,DYNC2I2,ANO6,ASAH1,COG2,CP,KIAA1109,LAS1L,MAK,MARV ELD2,MASP2,MUSK,NALCN,NEK1,NUP107,PAK3,PLOD2,PRKCD,TBXAS1,TMEM231,TRIP11,AASS,ERCC6L2,GSC,HSPD1,IL17RD,LAMC3,MLH1,SLC02A1,SP EG,TMTC3,TRPM6,TTC21B,ATP6AP1,CENPE,CEP78,HES7,ITPR2,MCM8,NADK2,NBEAL2,P3H2,PIK3CA,AFF2,ALDH1A3,AP3D1,BRAF,COL11A1,COL18A1,N RXN1,PNPT1,PRKDC,PTEN,RECQL4,SDHA,SEC23A,SI,SLC25A1,TBC1D23,ADAM22,AGRN,CASP8,FGF5,IBA57,ITGA8,POF1B,SH3PXD2B,SH3TC2,SP7,ABCD3 ALDH4A1,CD81,INPP5E,VPS13C,WNT1,FGD1,GOSR2,IQCE,MDH2,MIPEP,PROM1,PTPRO,SBF1,ATP13A2,COL27A1,DCDC2,DNAJC21,FANCD2,GHR,PXDN, SLC24A1,CNNM4,GP6,NAA10,RBM28,STAG3,TNFRSF4,ATF6,COL25A1,DOCK6,HACE1,KIF14,LAT,MCM4,OTOGL,SLC11A2,ST14,BRCA1,CC2D2A,CFI,GIPC3 ,KLKB1,OPA1,SCP2,SPAG1,TAPBP,TBCK,UBA5,CLCF1,HFM1,MAGED2,PTPN22,SIPA1L3,SLCO1B1,TALDO1,THOC2,UBE2A,AP3B1,COA6,HTT,RP1,TRIT1,CE P135,DSC2,IL17RA,PIEZO1,RB1,CFAP53,CFD,NEK2,SLC19A3,AP3B2,DHFR,DNAJC12,GPX4,CILK1,LTBP4,SASS6,CRB2,POLA1,RMND1,TP53RK,ARHGEF18,L DHA, UPF3B, ANOS1, ASPH, HOXC13, NIN, FMN2, GATM, GLRX5, MANBA, RUBCN, SPG7, CARS2, CR2, NSMCE2, TMEM199, WDR73, ERBB2, RASSF1, MERTK, ARNT 2, PGM1, TAP2, GK, TERT, TMEM165, TMEM70, TSEN15, XIAP, F10, GATAD1, LCAT, PPA2, TMIE, TMPRSS15, FBXO31, INPPL1, TAF1, UQCRC2, ORAI1, EML1, HMX1, PIEZO2,XYLT2,RAX,CLCN2,DOCK7,KIF7,NDUFS3,NUP155,PI4KA,TTC7A,CYP2A6,RNF216,CHRNB1,NT5C2,PYROXD1,RAD51C,TRNT1,TENM3,CTDP1,NUS1, TBC1D20, PAX1, SLC39A14, APOB, REEP2, NME8, MYO5B, DDX3X, SERPINB6, MCPH1, TCTN1, CCDC174, LMBR1, CAST, BFSP1, LTBP3, SMARCD2, P3H1, SARDH, TRANSPORT AND SARDH, TRANSPORT ANDAPPC2, BRCA2, GPHN, PINK1, RYR1, MSRB3, PIP5K1C, TMCO1, POLE, DYNC2I1, CDCA7, FGF3, PTF1A, SYNE1, SDCCAG8, CLEC7A, FOXE1, PCBD1, C2, CEP63, LARP7, HELLS, POLR1C, APC2, NNT, AFG3L2, ABCC2, POMP, CLCN5, PGM3, ROGDI, ODAD3, PMS2, TTC19, TRDN, ACER3, AIMP2, MYBPC1, VMA21, NFU1, CLIC5, TAF2, FTC D,MPC1,LTC4S,DEAF1,ARHGEF9,SLC39A8,HLADQB1,TKT,PROS1,PKD1L1,CYC1,MME,TRIOBP,CPAMD8,FANCE,BPNT2,SOBP,BCAM,NEFH,PRDM8,GPR88, HLADQA1, NCAPD3, DYNLT2B, DMGDH, CUL4B, ESPN, TECRL, FOXO1, TRIM2, BUB1B, IFT122, SYN1, AK7, SCARF2, CCDC88A, MTO1, B4GALT7, LMNB2, CRBN, COARD, CO5, DGAT1, CYB5R3, TSEN2, CHEK2, SYT14, ANKLE2, BMPER, DYM, AP1S2, MYO6, DPY19L2, PTPRC, MALT1, TAPT1, DIAPH1, KIAA0586, WNT4, IL12RB1, AP4M1, AD AM17,CISD2,ADCY1,EPB41,STS,GRM6,CSPP1,DCAF17,CDC45,EARS2,CHSY1,FRMD4A,IGFBP7,CD59,LMBRD1,SUGCT,GSR,WDR72,AGK,BOLA3,DUOX2,CD T1,ACY1,VAX1,XYLT1,TEX11,SCN1B,COL13A1,ST3GAL3,CDC14A,ADAMTS17,LARS2,B3GLCT,ALG8,PARN,GRIK2,ANKS6,MAGI2,ATAD3A,C2CD3,RRM2B,G CK,GPNMB,ITCH,LYRM7,VPS33A,ZC3H14,AIMP1,RNASEH2B,MMP13,NUBPL,ODAD2,IFNGR2,TPM3,TP53,TNFRSF13C,STAT1,TTC8,KREMEN1,CDIN1,ARV 1,PIGA,SLC9A3,EOGT,PDE10A,IFT81,CD55,LIMS2,FTO,PHC1,ABHD5,B3GALNT2,CORO1A,GDF1,PDZD7,ATOH7,WDPCP,USP18,IMPA1,IFT74,RFXANK,SMS ,ZNF141,PRDM12,FRRS1L,SOX18,MICU1,SDC3,COX15,KCNE1,DYNC2LI1,CERS1,NAT8L,HERC2,TNXB,AKR1C2,OTULIN,BLOC1S6,ATP6V1E1,RPGR,DNAAF5 FOXE3,AP4S1,ACAN,LIAS,BHLHA9,ASCC1,CFHR3,HTRA1,ABHD12,OCLN,SDHD,TPRN,ADK,OTOA,HSD11B2,B3GALT6,TMLHE,HYDIN,CFHR1,OPN1LW,AAA, S,ABCA12,ABCA4,ABCB11,ABCB4,ABCC6,ABCC8,ABCD1,ACAD9,ACADM,ACADS,ACADSB,ACADVL,ACAT1,ACE,ACOX1,ADA,ADAMTS13,ADAMTS2,ADAM TSL2,ADGRG1,AGA,AGL,AGPS,AGT,AGTR1,AGXT,AHI1,AIRE,ALDH3A2,ALDH5A1,ALDH7A1,ALDDB,ALG1,ALG6,ALMS1,ALPL,ALS2,AMACR,AMH,AMHR2, AMPD1,AMT,ANTXR2,AP1S1,APTX,AQP2,AR,ARG1,ARSA,ARSB,ARX,ASL,ASNS,ASPA,ASS1,ATIC,ATM,ATP6V0A2,ATP6V1B1,ATP7A,ATP7B,ATP8B1,ATR,A TRX, AUH, B4GALT1, BBS1, BBS10, BBS12, BBS2, B3, CEP290, CFP, CFTR, CHRNA1, CHRND, CHRNE, CHRNG, CIITA, CLDN1, CLDN19, CLN3, CLN5, CLN6, CLN8, CLRN1, CNGA3, CNGB3, COL11A2, COL17A1, COL1A2, CO L4A3,COL4A4,COL7A1,COQ2,CPS1,CPT1A,CPT2,CRB1,CRLF1,CRTAP,CSTB,CTNS,CTSC,CTSD,CTSK,CYBA,CYBB,CYP11B1,CYP11B2,CYP17A1,CYP1B1,CYP21 A2,CYP27A1,CYP27B1,D2HGDH,DBT,DCLRE1C,DDB2,DDC,DGUOK,DHCR24,DHCR7,DHDDS,DKC1,DLD,DLL3,DMD,DMP1,DNAI1,DNAIC19,DNAL1,DNMT3 B, DOK7, DOLK, DPAGT1, DPM1, DPYD, DSP, DYSF, EDA, EDAR, EDN3, EDNRB, EFEMP2, EGR2, EIF2AK3, EIF2B5, EMD, ENPP1, EPM2A, ERBB3, ERCC2, ERCC3, ERCC4, ERCC5,ERCC6,ERCC8,ESCO2,ETFA,ETFB,ETFDH,ETHE1,EVC,EVC2,EXOSC3,EYS,F2,F5,F8,F9,FAH,FAM126A,FAM20C,FANCA,FANCB,FANCC,FBLN5,FGA,FGB FGD4,FGG,FH,FKRP,FKTN,FLNA,FOXN1,FOXP3,FRAS1,FREM2,FUCA1,G6PC3,GAA,GALC,GALE,GALK1,GALNS,GALNT3,GALT,GAMT,GATA1,GBA,GBE1,GC, DH,GCH1,GCSH,GDF5,GFM1,GH1,GJA1,GJB2,GJB3,GJB6,GJC2,GLB1,GLDC,GLE1,GLI3,GNE,GNPTAB,GNPTG,GNS,GORAB,GP1BA,GP1 GUCY2D,GUSB,HADH,HADHA,HADHB,HAMP,HAX1,HBB,HESX1,HEXA,HEXB,HFE,HGD,HGSNAT,HIBCH,HLCS,HMGCL,HPD,HPRT1,HPS1,HPS3,HPS4,HSD1 7B3,HSD17B4,HSD3B2,HSPG2,HYLS1,IDS,IDUA,IGBP1,IGF1,IGHMBP2,IL2RG,INSR,INVS,IQCB1,ITGA6,ITGB3,ITGB4,IVD,JAK3,KCNJ1,KCNJ11,KCNQ1,KCTD 7,KRT18,KRT8,L1CAM,LAMA2,LAMA3,LAMB2,LAMB3,LAMC2,LBR,LDLRAP1,LHCGR,LHX3,LIFR,LIPA,LIPH,LMNA,LOXHD1,LPL,LRP2,LRP5,LRPPRC,LYST,M AN2B1,MAT1A,MCCC1,MCCC2,MCOLN1,MECP2,MED12,MED17,MEFV,MFSD8,MGAT2,MKKS,MKS1,MLC1,MLYCD,MMAA,MMAB,MMACHC,MMADHC, MOCS1,MOCS2,MOGS,MPI,MPL,MPV17,MPZ,MRPS16,MRPS22,MTHFR,MTM1,MTRR,MTTP,MUTYH,MVK,MYO15A,MYO7A,NAGA,NAGLU,NAG S,NBN,NDP,NDRG1,NDUFAF5,NDUFS4,NDUFS6,NEB,NEU1,NEUROG3,NHLRC1,NLRP7,NPC1,NPC2,NPHP1,NPHP3,NPHP4,NPHS1,NPHS2,NROB1,NR2E3, NTRK1, NUP62, OAT, OCRL, OFD1, OPA3, OSTM1, OTC, PAH, PANK2, PC, PCCA, PCCB, PCDH15, PDHX, PDP1, PDSS1, PDSS2, PEPD, PET100, PEX10, PEX10, PEX12, PEX 2, PEX6, PEX7, PFKM, PHGDH, PIGN, PKHD1, PKLR, PLA2G6, PLCE1, PLEKHG5, PLG, PLOD1, PLP1, PMM2, PMP22, PNP0, POLG, POLH, POMGNT1, POMT2, PMP22, PNP0, POLG, POLH, POMGNT1, POMT2, PMP22, PNP0, POLG, POLH, POMGNT1, POMT2, PMP22, PNP0, PNP POR,POU1F1,PPT1,PQBP1,PREPL,PROC,PROP1,PRPS1,PRX,PSAP,PSAT1,PTH1R,PTS,PUS1,PYGM,RAB23,RAB27A,RAB3GAP1,RAB3GAP2,RAG1,RAG2,RAP SN,RARS2,RDH12,RELN,REN,RLBP1,RMRP,RNASEH2C,RPE65,RPGRIP1L,RS1,RTEL1,SACS,SAMD9,SAMHD1,SBDS,SCNN1A,SCNN1B,SCNN1B,SCON,SEPSEC S,SERPINA1,SFTPB,SGCA,SGCB,SGCD,SGCG,SGSH,SH2D1A,SIL1,SLC12A1,SLC12A3,SLC12A6,SLC17A5,SLC19A2,SLC22A5,SLC25A13,SLC25A15,SLC25A20,S LC25A22,SLC26A2,SLC26A3,SLC26A4,SLC34A2,SLC35A1,SLC35A3,SLC35C1,SLC35D1,SLC37A4,SLC39A4,SLC3A1,SLC45A2,SLC4A11,SLC6A8,SLC7A7,SLC7A 9, SMARCAL1, SMPD1, SNAP29, SP110, SRD5A2, ST3GAL5, STAR, STRA6, SUCLA2, SUCLG1, SUMF1, SUOX, SURF1, TAT, TAZ, TBCE, TCIRG1, TECPR2, TFR2, TGM1, TAGA SUCLA2, SUCCA2, SUCCA2H,TIMM8A,TK2,TMC1,TMEM216,TMEM67,TNFRSF11B,TNNT1,TPO,TPP1,TREX1,TRIM32,TRIM37,TRMU,TSEN54,TSFM,TSHB,TSHR,TSPYL1,TTC37,TTN,T TPA, TYMP, TYR, TYRP1, UBA1, UBR1, UGT1A1, UPB1, UQCRB, UQCRQ, UROS, USH1C, USH1G, USH2A, VDR, VLDLR, VPS13B, VPS13B, VPS33B, VPS45, VPS53, VRK1, USH1C, U,VWF,WAS,WNT10A,WNT3,WNT7A,WRN,XPA,XPC,ZFYVE26,ZIC3,ZMPSTE24,ZNF469,STRC,HBA2,ACSF3,BCHE,BRIP1,CERKL,COL4A5,CYP19A1,DNAH5,D NAI2, FAM161A, FANCG, G6PC, GHRHR, GJB1, HMOX1, HOGA1, LCA5, LDLR, MESP2, MRE11, PDHB, VSX2, WISP3, CBS, CHM, F11, G6PD, GLA, HBA1, HFE2, IKBKAP, MUT,PDHA1,SMN1,ACADL,SLC16A2,PAX6,FGFR2,CD96,ARSE,CABC1,IKBKG,PLEC1,CDKL5,STXBP1,MAPK10,PRKAG2,C10ORF2,SC5DL,CYP11A1,DCX,HSD 17B10,SLC9A6,LARGE,PRKAR1A,WT1,LEPRE1,COL2A1,BMPR2,SFTPA1,SFTPC,SEPN1,GTF2H5,GPR98,SOX10

Page 9 of 9