



Web2App Team Playbook

In partnership with
#1 web2app growth accelerator:



Q1

Q2

Q3

Q4




Table of content

• Growth team: what roles & people do you need?	03
• How to set Goals & KPIs for the team?	09
• What rituals are needed for high-paced teams?	12
• How to find high-impact hypotheses?	16
• How to build a scalable experimentation pipeline?	20
• How to set KPIs for experiment volume?	21

Build your growth team

The team you need depends on where you are. Launching from scratch and scaling require different setups.

Stage 0 → 1

Goal: Launch your first web2app funnel with minimal resources, as fast and lean as possible.

Make sure your team covers the core functional roles:

- **UA Manager** → traffic, segmentation, targeting
- **Product Marketing Manager** → onboarding & monetization flows
- **Data Analyst** → data tracking, funnel insights
- **Designer** → UI/UX & ad creatives
- **Delivery** (developer / funnel builder & QA) → funnel setup and testing



In early stages, one person can cover multiple roles. With web2app builders like FunnelFox, a designer or UA manager can handle the build, even without a dedicated PMM. You can launch with just 2 people splitting roles part-time.

Stage 1 → Scale

Goal: Build a repeatable growth system with clear roles, KPIs, and a steady experiments pipeline.

1. Define five core responsibility areas:

- User Acquisition
- Onboarding
- Monetization & Payments
- Support & refunds
- Operations / Project Management

Assign a Growth Lead to oversee execution across these areas.

2. Create cross-functional pods aligned to goals

These pods will operate as small, outcome-driven units. Each pod should include all the core roles needed to run and scale a funnel:

Pod #1

UA
PM
Designer
Analytics
Delivery

Pod #2

UA
PM
Designer
Analytics
Delivery

Pod #3


UA
PM
Designer
Analytics
Delivery

✅ Group your pods based on clear, strategic criteria — this is a critical step for focus and scale. Whether it's by funnel ownership, vertical, audience segment, or target market, aligning pods this way drives better execution and ownership.

3. Ensure functional alignment across teams

Start with the team structure. Think of it as a matrix:

- Vertically — team members are part of goal-driven pods
- Horizontally — they belong to functional groups with shared practices



Everyone reports into their pod, but also stays aligned with others in their role through functional leads.

As your team scales and you run more pods, this cross-pod alignment becomes essential to maintain quality, speed, and consistent learning.

Assign functional leads to:

- Define shared workflows, toolsets, and best practices
- Ensure consistency across pods (e.g. how experiments are tracked, how creatives are tested)
- Grow team members' craft within their discipline

Each functional lead (e.g. UA lead, analytics lead, product lead) supports their role across all pods and reports to the overall growth lead.

The team you need depends on how you build funnels — from scratch in-house or using a builder like [FunnelFox](#).

Attribute	In-house	FunnelFox
Team required	• Creative Producer • Motion Designer • UA Manager • Product Marketing Manager • Designer • Backend Developer • Frontend Developer • QA • Project Manager	• Creative Producer • Motion Designer • UA Manager • Designer • Product Marketing Manager
Setup complexity	High — build from scratch, manage tools and workflows	Low — everything's ready out of the box
Time to launch	2-4 weeks	1-2 days
Iteration speed	Slow — multiple dependencies and handoffs	Fast — quick changes, instant previews
Experiment cost	High — traffic spend needed to validate performance	Low — optimized templates reduce waste
Risk level	High — bigger upfront investment (team, custom stack, dev work)	Low — ready-to-use setup, 2 part-time people enough

Quote

Web2App gives you an incredibly fast growth boost — you can literally 3x your user acquisition in just two months. But to handle that kind of rapid scale, team structure becomes critical. If you don't set up the right organization early, you'll quickly hit growth bottlenecks. Proper alignment ensures the whole rapid-scale process goes smoothly.



Andrey Shakhtin


Founder, CEO, FunnelFox



FunnelFox

Supercharge your app's growth with web2app by FunnelFox

- Build web2app funnels in hours without coding
- Improve ROAS with industry-proven templates, backed by millions in ad spend
- Increase conversion rates and LTV with seamless payment solution
- Optimise your UA based on accurate marketing tracking
- Experiment fast, launch improvements faster



FunnelFox Funnels








Your ADS

Experiments

Web2app
onboarding

Checkouts & sync
data to your app

Your App




funnelfox.com

Set clear goals

1. Start from the growth model

The growth model is your central tool for aligning teams around revenue goals and the core artifact for driving and managing growth. It breaks down expected growth into measurable drivers — like spend, ROAS, CR, LTV, and churn — and gives everyone a shared understanding of what success looks like.




Use the growth model to create a revenue growth forecast for the year. Based on it, you will:

- Set company-wide and team-specific goals
- Break high-level targets into actionable focus areas
- Set KPIs for each team

Revisit and refine the forecast each quarter based on performance and new insights.

2. Set goals across timeframes

Use your growth model to plan across four key timeframes, each with its own focus and level of detail.



Annual plan

Define high-level growth goals across the company and within teams.
Set strategic directions: **where you're going & which levers you'll focus on.**

Output:

- Company goals
- Team goals
- Annual focus areas

Quarterly & monthly plans

Break down annual goals into quarterly and monthly OKRs.
Define roadmap initiatives tied to the focus areas you set for the year.

Output:

- Quarterly/monthly OKRs
- Growth roadmap
- Prioritized initiatives
- Experiment backlog

Growth sprints (1-2 weeks)

Translate roadmap items into specific, testable experiments:
clear hypotheses, implementations, launches, and results.

Output:

- Hypotheses
- Test plans
- Weekly results
- Learning loops



Grow Faster with Actionable **Web2App Frameworks** & Expert **Masterminds**

Key app categories

Solutions and benchmarks for key categories

80+

projects participated

70%

of projects doubled their growth results within 3 months

Learn how web funnels work:

- How to set up user acquisition
- Ad creative testing framework
- Mastering web onboarding
- Payment flow, taxes, refunds, chargebacks
- Building sustainable growth machine and growth team

webfunnels.club

Establish rhythm and rituals

Rhythm is what keeps growth teams on track. Each planning horizon — year, quarter, month, sprint — has its own pace, rituals, and outputs. The key is to keep that rhythm steady.

1. Set up quarterly rhythm

Start with a quarterly rhythm to test key growth directions and make deliberate decisions based on traction.

- Choose 1-2 directions (e.g. influencer marketing & onboarding)
- Allocate a cross-functional team with clear ownership, time, and KPIs
- Run experiments within the selected direction
- At quarter's end, check traction:
 - If there's growth → scale or continue
 - If not → cut the direction, shift resources

1. QUARTER

Set direction

- Review previous outcomes, plan OKRs & KPIs
- Groom backlog
- Build a roadmap with directions
- Run team retrospective (plan/fact)

2. Divide quarterly goals into monthly and weekly sprints

2. MONTH

Translate strategy into action

- Translate quarterly goals into monthly KPIs and OKRs
- Groom the experiment backlog for the month
- Build a roadmap with specific experiments or detailed initiatives
- At month's end, review plan vs. actual and run a retro focused on key initiatives

3. SPRINT (1-2 WEEKS)


Execute and learn

- Turn monthly plans into a sprint of specific experiments
- Move each experiment through clear stages:



- Conduct daily standups
- End each sprint with a review: what shipped, what didn't, what you learned

3. Run your sprints as cycles



4. Sync across teams regularly


Even when teams work independently, alignment points are essential.

Use your existing rhythms — quarterly, monthly, and sprint cadences — as moments to sync across pods:

- **Quarterly** → Share strategic directions and review traction across teams
- **Monthly** → Exchange insights, align on priorities, and avoid duplicated efforts
- **Sprint** → (Optional) Run cross-team debriefs or demos to showcase results and learnings

Quote

It's super important to establish team rituals and clearly distribute responsibilities — otherwise, things fall through the cracks fast, especially during hypergrowth. Staying on top of trends is just as key. Industry research can be a goldmine for inspiration, but let's be honest — it's time-consuming and detail-heavy. That's why every team needs a research nerd. Find yours.



Kirill Makarov

Founder, WebFunnels.Club

Generate hypotheses

1. Unleash the power of multi-source researches

You've set the rhythm — now feed it with the strong hypotheses. There are four core sources teams rely on to generate them:

1. Competitors' funnels

Borrow proven mechanics and adapt them to your flows.

2. Analytics

Investigate behavior patterns. Assign to a PM or analyst.

3. External advising

Outside input often sparks strong hypotheses.

4. User research

- **Testing platforms like [usertesting.com](https://www.usertesting.com):** It's an easy way to get structured input fast. But keep in mind: these are paid respondents. They aren't your real users, so their feedback may lack the context or motivation of actual funnel visitors. Treat it as directional, not definitive.
- **1:1 interviews:** Ask users to go through your onboarding and share thoughts out loud.
- **Embed questions into your funnel:** This turns the funnel itself into a research tool.


Success rate of a hypothesis strongly correlates with its source.

The most effective hypotheses come from competitor funnels and analytics — both show a 41% win rate and +4% average uplift.

Source: goodui.org

CHART 1: EXPERIMENT WIN RATE AND DELTA COMPARED TO IDEA SOURCE
CONVERSION.COM

SAMPLE N = 888



2. Involve your whole team in hypotheses generation

Everyone brings a unique lens to the table. At first, ideas may be raw, and that's okay. With feedback and practice, your team will learn to think in hypotheses, build better experiments, and eventually generate strong ideas on their own.

Here's how to get your whole team in hypotheses work:

- **Run debriefs after every test**
Review what worked, what didn't, and why — with real metrics and insight, not just outcomes.
- **Help designers and PMs go deep into user motivation**
In a growth team, everyone should think beyond execution, so don't hand over fixed specs. Give your team a hypothesis and the context behind it, let them explore solutions, and coach them through feedback cycles. Over time, they'll learn to think in experiments and start contributing ideas on their own.

Encourage everyone to dive into user motivation and decision psychology. That's what drives better ideas, smarter design choices, and clearer value communication — whether it's pricing on a paywall or messaging in a banner.

3. Prioritize hypotheses by impact

Use a scoring model to decide what to test first.

It doesn't matter what model you use, what matters is scoring hypotheses against each other to prioritize what to test first.

Here's how ICE (Impact — Confidence — Ease), one of the simplest scoring models, works:

- **Impact.** How big is the potential impact of this idea on the KPI?
- **Confidence.** How certain are we it's going to work?
- **Ease.** How difficult is it to implement?

Score each from 1 to 10, then sum up the total: higher scores = higher priority.

Start with what's most likely to deliver high impact, with high confidence, and low effort.

Don't cling to weak hypotheses.
If it doesn't show signal early, move on.



Use an experiment calculator to forecast impact before you build.

Prepare and launch experiments

1. Document every test

Use [this hypothesis template](#) to guide your thinking, research, and consistency.

Page title: [Tag] short description

Examples:

- [Web] Meal Plans as 2nd Tier Subscription
- [US] Stress related questions and feedback

Hypotheses

Example:

If we offer a 2nd subscription for meal plans and remove 1-time upsells revenue from the meal plan workbook, we'll generate greater incremental revenue from recurring revenue over-time, resulting in higher ARPPU and LTV.

Evidence

Highlight the evidence used to validate this hypothesis: primarily qualitative and quantitative measures. Or simply examples from top leaders in the industry

Expected Impact

Highlight metric that we will use to measure success. Outline the expected impact in the form of KPIs (CR% improvement) and new incremental revenue.

Ex. If we offer a 2nd tier subscription, accounting for the loss of 1-time revenue from our meal plan workbook, we estimate an incremental **\$1.2M in revenue**. See assumptions below. Link to the [impact model](#)

Ex. Assumptions

+20% increase in CR

Our current conversion rate for upsells is 13%, however, fake door tests indicated that 40% of users would enter the 2nd tier sub funnel. We are delivering a better product, monthly, and based on WTP for such an experiment, assume a slightly higher CR for this new product subscription.


2. Design the experiment

Go bold with high-contrast concepts. Define what you're testing, how success is measured, and map the full flow.

3. QA everything

Run tests in native in-app browsers (TikTok, Instagram, etc.). Set up clean analytics before launch.

4. Launch



Set KPIs for experiment volume

The number of experiments you run directly impacts growth.

And your tools define how many you can run.
Here's how output compares when building funnels in-house vs. using a builder:

Timeframe	In-house	FunnelFox
Per week	1	3-4
Per month	4-5	12-16
Per quarter	10-15	30-45

The key here is to get your team delivering consistently, and then grow the win rate.



Web2App A/B testing made easy

Run statistically valid experiments
on-the-go

- **Built-in stats:** confidence level, confidence intervals, p-value, & observed power
- **Auto-evaluation of test reliability:** no manual math
- **Everything in one place:** launch, track, and validate tests right inside your funnel

[Book demo](#)

