
https://andersonaloy.github.io/Catalogo-de-Jogos/

99

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 50–89 90–100



METRICS Expand view


First Contentful Paint
0.3 s

Largest Contentful Paint
1.0 s

Total Blocking Time
0 ms

Cumulative Layout Shift
0

Speed Index
0.4 s



Show audits relevant to: All FCP LCP CLS

INSIGHTS

Use efficient cache lifetimes — Est savings of 63 KiB

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. FCP LCP Unscored

Request	Cache TTL	Transfer Size
GitHub Utility 1st Party		**69 KiB**
...assets/index-Cx8qkUHK.js (andersonaloy.github.io)	10m	68 KiB
...assets/index-CSvmPtK3.css (andersonaloy.github.io)	10m	1 KiB


LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

fetchpriority=high applied

Request is discoverable in initial document

LCP resources should not use loading=lazy



img.game-image

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **487 ms**

Initial Navigation

/Catalogo-de-Jogos/ (andersonaloy.github.io) - **35 ms,** 0.74 KiB

...assets/index-Cx8qkUHK.js (andersonaloy.github.io) - **59 ms,** 68.35 KiB

/api/games?key=a59040a...&page_size=12 (api.rawg.io) **- 487 ms,** 16.24 KiB

...assets/index-CSvmPtK3.css (andersonaloy.github.io) **- 55 ms,** 0.75 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected


Preconnect candidates




Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Improve image delivery — Est savings of 156 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size FCP LCP Unscored

	URL	Resource Size	Est Savings
rawg.io		**273.9 KiB**	**156.4 KiB**
 img.game-image	...20a/20aa03a....jpg (media.rawg.io)	38.4 KiB	26.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		26.6 KiB
 img.game-image	...49c/49c3dfa....jpg (media.rawg.io)	34.7 KiB	23.0 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		23.0 KiB

	URL	Resource Size	Est Savings
 img.game-image	...d58/d588947....jpg (media.rawg.io)	34.3 KiB	22.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		22.6 KiB
 img.game-image	...021/021c4e2....jpg (media.rawg.io)	29.8 KiB	18.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		18.1 KiB
 img.game-image	...fc1/fc1307a....jpg (media.rawg.io)	26.4 KiB	14.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		14.7 KiB
 img.game-image	...511/5118aff....jpg (media.rawg.io)	25.1 KiB	13.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		13.3 KiB
 img.game-image	...2ba/2bac0e8....jpg (media.rawg.io)	25.0 KiB	13.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this		13.3 KiB

	URL	Resource Size	Est Savings
	image's download size.		
 img.game-image	...b8c/b8c243e....jpg (media.rawg.io)	23.2 KiB	11.5 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		11.5 KiB
 img.game-image	...736/73619bd....jpg (media.rawg.io)	20.7 KiB	9.0 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		9.0 KiB
 img.game-image	...618/618c203....jpg (media.rawg.io)	16.1 KiB	4.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		4.3 KiB

Render-blocking requests

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
GitHub Utility 1st Party	**0.7 KiB**	**0 ms**
...assets/index-CSvmPtK3.css (andersonaloy.github.io)	0.7 KiB	

Layout shift culprits


Layout shifts occur when elements move absent any user interaction. Investigate the causes of layout shifts, such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.000
 button.tab-button	0.000

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	20 ms
Resource load delay	470 ms
Resource load duration	20 ms
Element render delay	30 ms

 img.game-image

3rd parties

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
rawg.io	**320 KiB**	**0 ms**
...20a/20aa03a....jpg (media.rawg.io)	39 KiB	0 ms
...49c/49c3dfa....jpg (media.rawg.io)	35 KiB	0 ms
...d58/d588947....jpg (media.rawg.io)	35 KiB	0 ms
...021/021c4e2....jpg (media.rawg.io)	30 KiB	0 ms
...fc1/fc1307a....jpg (media.rawg.io)	27 KiB	0 ms

3rd party	Transfer size	Main thread time
...511/5118aff....jpg (media.rawg.io)	26 KiB	0 ms
...2ba/2bac0e8....jpg (media.rawg.io)	26 KiB	0 ms
...b8c/b8c243e....jpg (media.rawg.io)	24 KiB	0 ms
...736/73619bd....jpg (media.rawg.io)	21 KiB	0 ms
...618/618c203....jpg (media.rawg.io)	17 KiB	0 ms
/api/games?key=a59040a...&page_size=12 (api.rawg.io)	16 KiB	0 ms
...7fa/7fa0b58....jpg (media.rawg.io)	15 KiB	0 ms
...7cf/7cfc922....jpg (media.rawg.io)	11 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

▲ Reduce unused JavaScript — Est savings of 36 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP Unscored

URL	Transfer Size	Est Savings
GitHub Utility 1st Party	**68.2 KiB**	**36.1 KiB**
...assets/index-Cx8qkUHK.js (andersonaloy.github.io)	68.2 KiB	36.1 KiB

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (20) Hide

Document request latency

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

- Avoids redirects
- Server responds quickly (observed 19 ms)
- Applies text compression

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size. Unscored

Statistic	Element	Value
Total elements		90
DOM depth	 h3	8
Most children	 div.game-grid	12

Duplicated JavaScript

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display

Consider setting `font-display` to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with font metric overrides. Unscored

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

INP breakdown

Start investigating how to improve INP by looking at the longest subpart. Unscored

Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP Unscored

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. Learn more about using modern HTTP. FCP LCP Unscored

Optimize viewport for mobile

Tap interactions may be delayed by up to 300 ms if the viewport is not optimized for mobile. Unscored

meta

Minify CSS

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. FCP LCP Unscored

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. FCP LCP Unscored

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP Unscored

Avoids enormous network payloads — Total size was 390 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Unscored

☑ Show 3rd-party resources (9)

URL	Transfer Size
rawg.io	**262.1 KiB**
…20a/20aa03a….jpg (media.rawg.io)	38.9 KiB
…49c/49c3dfa….jpg (media.rawg.io)	35.2 KiB
…d58/d588947….jpg (media.rawg.io)	34.8 KiB
…021/021c4e2….jpg (media.rawg.io)	30.3 KiB

URL	Transfer Size
...fc1/fc1307a....jpg (media.rawg.io)	26.9 KiB
...511/5118aff....jpg (media.rawg.io)	25.5 KiB
...2ba/2bac0e8....jpg (media.rawg.io)	25.5 KiB
...b8c/b8c243e....jpg (media.rawg.io)	23.8 KiB
...736/73619bd....jpg (media.rawg.io)	21.2 KiB
GitHub Utility 1st Party	**68.4 KiB**
...assets/index-Cx8qkUHK.js (andersonaloy.github.io)	68.4 KiB

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks. Unscored

JavaScript execution time — 0.0 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
GitHub Utility 1st Party	**89 ms**	**7 ms**	**0 ms**
/Catalogo-de-Jogos/ (andersonaloy.github.io)	89 ms	7 ms	0 ms
Unattributable	**67 ms**	**3 ms**	**0 ms**
`Unattributable`	67 ms	3 ms	0 ms

Minimizes main-thread work — 0.2 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT Unscored

Category	Time Spent
Other	76 ms
Style & Layout	67 ms
Script Evaluation	27 ms
Rendering	4 ms
Parse HTML & CSS	1 ms
Script Parsing & Compilation	0 ms

Avoid long main-thread tasks

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT Unscored

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS Unscored

Image elements have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS Unscored

Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache Unscored

Captured at Oct 13, 2026, 7:53 PM GMT-3
Initial page load
Emulated Desktop with Lighthouse 13.4.1
Custom throttling
Single page session
Using Chromium 154.0.0.0 with devtools

Generated by **Lighthouse** 13.4.1 | File an issue