

HA 1

JS Navbar.js

App.css .../styles X

App.css .../src

☐ ...

my-app > src > styles > # App.css > ...

```
1  /* General styling */
2  body {
3    font-family: Arial, sans-serif;
4    margin: 0;
5    background: #f8f9fa;
6    color: #333;
7  }
8
9  /* Navbar */
10 nav {
11   background: #0077b6;
12   padding: 12px;
13   text-align: center;
14 }
15
16 nav a {
17   color: white;
18   margin: 0 12px;
19   text-decoration: none;
20   font-weight: bold;
21 }
22
23 nav a:hover {
```

PROBLEMS

OUTPUT

TERMINAL

...

zsh + v

☐

☐

...

☐

X

npm error A complete log of this run can be found in: /Users/bhargavchowda
ry/.npm/_logs/2025-10-13T07_33_43_749Z-debug-0.log

bhargavchowdary@bhargavs-MacBook-Air SWATCHATA % node -v
v22.19.0

bhargavchowdary@bhargavs-MacBook-Air SWATCHATA % npm start

npm error code ENOENT

npm error syscall open

npm error path /Users/bhargavchowdary/SWATCHATA/package.json

npm error errno -2

npm error enoent Could not read package.json: Error: ENOENT: no such file
or directory, open '/Users/bhargavchowdary/SWATCHATA/package.json'

npm error enoent This is related to npm not being able to find a file.

npm error enoent

npm error A complete log of this run can be found in: /Users/bhargavchowda
ry/.npm/_logs/2025-10-13T07_33_59_104Z-debug-0.log

bhargavchowdary@bhargavs-MacBook-Air SWATCHATA %

Navbar.js
AuthComplaint.css
AuthComplaint.js
AuthWebVitals.js
AuthTests.js
AuthPage.css
AuthPage.js
AuthEvents.css
AuthEvents.js
AuthDashboard.css
AuthDashboard.js
AuthLogin.js
AuthSignup.css
AuthSignup.js
AuthComplaints.css
AuthComplaints.js
AuthEvents.css

15 password: "",
16 };
17
18 // Handle Input Changes
19 const handleChange = (e) => {
20 const { name, value } = e.target;
21
22 setFormData((prevData) => ({
23 ...prevData,
24 [name]: value
25 }));
26 }
27
28 },
29 code: undefined
30 }
31 }
32 }
33 }
34 }
35 }
36 }
37 }
38 }
39 }
40 }
41 }
42 }
43 }
44 }
45 }
46 }
47 }
48 }
49 }
50 }
51 }
52 }
53 }
54 }
55 }
56 }
57 }
58 }
59 }
60 }
61 }
62 }
63 }
64 }
65 }
66 }
67 }
68 }
69 }
70 }
71 }
72 }
73 }
74 }
75 }
76 }
77 }
78 }
79 }
80 }
81 }
82 }
83 }
84 }
85 }
86 }
87 }
88 }
89 }
90 }
91 }
92 }
93 }
94 }
95 }
96 }
97 }
98 }
99 }
100 }

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
compatible: true,  
heartbeatFrequencyMS: 10000,  
localThresholdMS: 15,  
setName: null,  
maxElectionId: null,  
maxSetVersion: null,  
commonWireVersion: 0,  
logicalSessionTimeoutMinutes: null  
},  
code: undefined
```

Ln 4, Col 50 Spaces: 2 UTF-8 CRLF () JavaS

```
src > JS PostComplaint.js X JS reportWebVitals.js JS setupTests.js # S
1 import React, { useState } from 'react';
2 import { useNavigate } from 'react-router-dom';
3 import './PostComplaint.css'; // Import styling
4
5 const PostComplaint = () => {
6   const navigate = useNavigate();
7   const [complaintText, setComplaintText] = useState('');
8   const [username, setUsername] = useState('');
9   const [date, setDate] = useState('');
10  const [location, setLocation] = useState('');
11  const [sublocation, setSubLocation] = useState('');
12  const [roomNo, setRoomNo] = useState('');
13  const [error, setError] = useState('');
14  const [image, setImage] = useState(null);
15
16  const handleLocationChange = (e) => {
17    setLocation(e.target.value);
18    setSubLocation(''); // Reset sub-location on location change
19  };
20
21  const handleSubLocationChange = (e) => {
22    setSubLocation(e.target.value);
  }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\prabh\OneDrive\Desktop\BHARGAV\Swachatha-VIT> cd backend
PS C:\Users\prabh\OneDrive\Desktop\BHARGAV\Swachatha-VIT\backend> node server.js
```

I



```
22 const handleSubLocationChange = (e) => {  
    setSubLocation(e.target.value);  
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\prabh\OneDrive\Desktop\BHARGAV\Swachatha-VIT\backend> node server.js

```
compatible: true,  
heartbeatFrequencyms: 10000,  
localThresholdms: 15,  
setName: null,  
maxElectionId: null,  
maxSetVersion: null,  
commonWireVersion: 0,  
logicalSessionTimeoutMinutes: null  
},  
code: undefined
```



```
14     email: "",
15     password: "",
16   });
17
18   // Handle Input Changes
19   const handleChange = (e) => {
20     const { name, value } = e.target;
21
22     setFormData((prevData) => ({
23       ...prevData,
24       [name]: value
25     }));
26   };
27
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

● PS C:\Users\prabh\OneDrive\Desktop\BHARGAV> cd Swachatha-VIT

● PS C:\Users\prabh\OneDrive\Desktop\BHARGAV\Swachatha-VIT> cd backend

○ PS C:\Users\prabh\OneDrive\Desktop\BHARGAV\Swachatha-VIT\backend> node server.js

(node:27388) [MONGODB DRIVER] Warning: useNewUrlParser is a deprecated option: useNewUrlParser has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version

(Use `node --trace-warnings ...` to show where the warning was created)

(node:27388) [MONGODB DRIVER] Warning: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version

Server running on http://localhost:5000