



```
print("Test Accuracy =", accuracy * 100, "%")
```

2/2  1s 146ms/step - accuracy: 0.8684 - loss: 0.4209
Test Accuracy = 86.84210777282715 %

```
from tensorflow.keras.preprocessing import image  
import numpy as np
```

```
def predict_image(img_path):  
    img = image.load_img(img_path, target_size=(IMG_WIDTH, IMG_HEIGHT))  
    img = image.img_to_array(img)  
    img = np.expand_dims(img, axis=0) / 255.0  
  
    pred = model.predict(img)[0][0]  
  
    if pred > 0.5:  
        print("🧠 Tumor Detected")  
    else:  
        print("✅ No Tumor")
```

```
predict_image("/content/Brain-Tumor-Detection/yes/Y1.jpg")
```

1/1  1s 519ms/step
✅ No Tumor

```
> predict_image("/content/Brain-Tumor-Detection/no/10 no.jpg")
```

> JS BackButton.js > ...

```
import React from 'react';
import { useNavigate } from 'react-router-dom';
import './BackButton.css'; // Optional: Add your own styles

const BackButton = () => {
  const navigate = useNavigate();

  return (
    <button className="back-button" onClick={() => navigate(-1)}>
      Back
    </button>
  );
};

export default BackButton;
```

> JS App.test.js > ...

```
import { render, screen } from '@testing-library/react';
import App from './App';

test('renders learn react link', () => {
  render(<App />);
  const linkElement = screen.getByText(/learn react/i);
  expect(linkElement).toBeInTheDocument();
});
```

> JS Home.js > ...

```
import React from 'react';
```

```
const Home = () => {
```

```
  return (
```

```
    <div className="home">
```

```
      {/* Image added using <img> tag */}
```

```
    </div>
```

```
  );
```

```
};
```

```
export default Home;
```

JS index.js > ...

```
import React from 'react';
import ReactDOM from 'react-dom/client';
import './index.css';
import App from './App';
import reportWebVitals from './reportWebVitals';

const root = ReactDOM.createRoot(document.getElementById('root'));
root.render(
  <React.StrictMode>
    <App />
  </React.StrictMode>
);

// If you want to start measuring performance in your app, pass a function
// to log results (for example: reportWebVitals(console.log))
// or send to an analytics endpoint. Learn more: https://bit.ly/CRA-vitals
reportWebVitals();
```

```
# SwachathaEvents.css > .events-container
```

```
.events-container {  
  max-width: 600px;  
  margin: 40px auto;  
  padding: 20px;  
  background: ■ #ffffff;  
  border-radius: 10px;  
  box-shadow: 0 4px 20px □ rgba(0, 0, 0, 0.1);  
}
```

```
h1 {  
  text-align: center;  
  margin-bottom: 20px;  
  color: ■ #600000;  
}
```

```
.event-form {  
  display: flex;  
  flex-direction: column;  
}
```

```
.form-group {  
  margin-bottom: 15px;  
}
```

```
.form-group {  
  margin-bottom: 15px;  
}
```

```
label {  
  font-weight: bold;  
  margin-bottom: 5px;  
  display: block;  
  color:  #600000;  
  font-size: 1.1rem;  
}
```

```
input, select, textarea {  
  width: 100%;  
  max-width: 100%;
```

```
.dashboard-container {  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  padding: 20px;  
  font-family: Arial, sans-serif;  
  background-color: #f0f0f0;  
  height: 100vh;  
}
```

```
/* Header Section */  
.dashboard-header {  
  width: 100%;  
  text-align: center;  
  margin-bottom: 30px;  
}
```



```
/* Overall Container */  
.dashboard-container {  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  padding: 20px;  
  font-family: Arial, sans-serif;  
  background-color: #f4f4f9;  
  height: 100vh;  
}
```

```
/* Header Section */  
.dashboard-header {  
  width: 100%;  
  text-align: center;  
  margin-bottom: 30px;  
}
```

```
.profile-section {  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  flex-direction: column;  
}
```

```
}
```

```
.profile-pic {  
  border-radius: 50%;  
  width: 100px;  
  height: 100px;  
  margin-bottom: 10px;  
}
```

```
.greeting {  
  font-size: 24px;  
  color: #333;  
}
```

```
/* Main Grid Section */
```

```
.dashboard-main {  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  flex-grow: 1;  
  width: 100%;  
}
```

```
.dashboard-grid {
```

```
.dashboard-grid {  
  display: grid;  
  grid-template-columns: repeat(2, 1fr);  
  gap: 20px;  
  width: 80%;  
}
```

```
/* Cards */
```

```
.dashboard-card {  
  background-color: #ffffff;  
  border-radius: 8px;  
  padding: 20px;  
  text-align: center;  
  box-shadow: 0px 2px 5px #000000;  
  cursor: pointer;  
  transition: transform 0.2s;  
}
```

```
.dashboard-card:hover {  
  transform: translateY(-5px);  
}
```

```
.card-icon {
```


> JS App.test.js > ...

```
import { render, screen } from '@testing-library/react';
import App from './App';

test('renders learn react link', () => {
  render(<App />);
  const linkElement = screen.getByText(/learn react/i);
  expect(linkElement).toBeInTheDocument();
});
```

Click to add a breakpoint