

Electrical schematics

Control System: RH6000

Drawing No. : GR30023 (U) Z-YL

version: A

Scope: GRPN GRBN GRON

Prepared by: Yifei Gu

2015. 8. 25

Check: Xiaoying Ru

2015. 8. 25

Ratify: Youquan Niu



2015. 8. 31

Sicher Elevator Co., Ltd

Contents

NO.	Items	Remark	NO.	Items	Remark
1	Drawing Catalog		9	Lighting circuits	
2	inverter circuit	Synchronize (With ARD-J Emergency leveling device)	10	Emergency power supply circuit	4-wire intercom five parties
2A	inverter circuit	Synchronize (With ARD and Energy feedback device)	11	Hoistway information Representation	
3	Power control circuit	applied to the brake DC110V, And no brake power	12	Parallel circuit (CAN communication)	
3A	Power control circuit	applied to the brake DC110V, And have brake power	12A	Parallel circuit (485 communication)	
4	Security, locks, brake circuit		13	Group control	≤4 Control group control.
4A	Security, locks, brake	applied to the brake DC110V, And have brake power	14	Emergency electric brake release circuits	
4B	Security, locks, brake	have brake power and Emergency leveling, brake DC110V	15	car roof communication circuit board	
5	PC Input circuit		16	Control loop car top board	
6	PC Output communication loop	Synchronize (Lifting height ≤ 75m)	17	Outbound communication loop	
6A	PC Output communication loop	Synchronize (Lifting height > 75m)	17A	Outbound communications integrated circuits	
7	Maintenance Loop		18	Main control box control loop	
8	NSFC01-01 Door control circuit		19	Deputy control box control loop	
8A	NSFC01-02 Door control circuit		20	Disabled control box control loop	No side control box
8B	AAD03010 Door control circuit		20A	Disabled control box control loop	Deputy control box
8C	NOMJ-01 Door control circuit				
8D	SLDF-01 Door control circuit				
8E	ACVF003C Door control circuit				
8F	RH900 Door control circuit				
8G	FERMATORD Door control circuit				
8H	Jarless-Con Door control circuit				

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	Contents	Page	1
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co., Ltd				




RZD		
System Model	RZD model	RZD No.
4005	2000W 90Ω	1
4007	2500W 65Ω	1
4011	3500W 44Ω	1
4015	5000W 36Ω	1
4018	5500W 25Ω	1
4022	3500W 44Ω	2
4030	4500W 32Ω	2

Note: *1、 If the user is very stable ground, The one end of the PE encoder shield, The other end dangling;
If your ground is unstable or no time, Meet 0V.

* 3, then increased when using ARD-J (Simple) Emergency leveling device.

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	An inverter circuit (Synchronization)	Page	2
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				



RZD		
System Model	RZD model	RZD Quantity
4005	2000W 90Ω	1
4007	2500W 65Ω	1
4011	3500W 44Ω	1
4015	5000W 36Ω	1
4018	5500W 25Ω	1
4022	3500W 44Ω	2
4030	4500W 32Ω	2

Notes: * 1, the user ground if it is stable, the encoder shield one end PE, the other side vacant;


If your ground is unstable or not, when connected to 0V.

* 3, then increased when using ARD-J (Simple) Emergency leveling device.

This page applies to wiht AS.RGenergy feedback device.


Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	An inverter circuit (Synchronization)	Page	2A
Approve	Youquan Niu		Date	2015.8.18

Sicher Elevator Co., Ltd




Note: This page is suitable for brake voltage DC110V, no power when the brake hold.

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	Power control circuit	Page	3
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				



Note: This page applies brake voltage DC110V, and there when brake power.

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	Power control circuit	Page	3A
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				



Notes: * 1, non-shorting XX to hydraulic shock absorber 03.

* 2 If the permanent magnet synchronous motor, the short ST3 to 04

* 3, if it is no elevator machine room, increase the safety of maintenance pin switch SAJ, no room emergency stop switch SPL;

Non-free room, increasing the switch gear hand wheel SPL.

SPL: no room to room without emergency stop switch;

No room for the non-gear hand wheel switch.


* 4, if it is through the first floor, increasing the pit emergency stop switch STK3

* 5, then increase when using ARD-J (Simple) Emergency leveling device.

* 6, then increase the brake voltage DC110V.

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	Security, locks, brake circuit	Page	4
Approve	Youquan Niu		Date	2015.8.18

Sicher Elevator Co., Ltd



Notes: * 1, non-shorting XX to hydraulic shock absorber 03.

* 2 If the permanent magnet synchronous motor, the short ST3 to 04

* 3, if it is no elevator machine room, increase the safety of maintenance pin switch SAJ, no room emergency stop switch SPL;

Non-free room, increasing the switch gear hand wheel SPL.


SPL: no room to room without emergency stop switch;

No room for the non-gear hand wheel switch.

* 4, if it is through the first floor, increase pit stop switch STK3

This page applies brake power, brake voltage DC110V.

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	Security, locks, brake circuit	Page	4A
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co.,Ltd				



Note: * 1, non-shorting XX to hydraulic shock absorber 03.

* 2 If the permanent magnet synchronous motor, the short ST3 to 04

* 3, if it is no elevator machine room, increase the safety of maintenance pin switch SAJ, no room emergency stop switch SPL;

Non-free room, increasing the switch gear hand wheel SPL.



SPL: no room to room without emergency stop switch;

No room for the non-gear hand wheel switch.

* 4, if it is through the first floor, increase pit stop switch STK3

This page applies brake power and leveling devices have emergency power, brake voltage DC110V.


Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	Security, locks, brake circuit	Page	4B
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co.,Ltd				



* 1, then increase when using ARD-J (Simple) Emergency leveling device.

* 2, then increased when using enclosed star contactor.

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	PC Input circuit	Page	5
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				



Synchronize (Lifting height≤75m)

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	PC Output communication loop	Page	6
Approve	Youquan Niu	(Synchronize)	Date	2015.8.18
Sicher Elevator Co.,Ltd				

1

2


3

4

PC

MCTC-MCB-C2


CN7



PC

MCTC-MCB-C2

CN3



Synchronize (Lifting height>75m)



Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	PC Output communication loop (Synchronize)	Page	6A
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				

1


2

3



4



Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	Maintenance Loop	Page	7
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co., Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	NSFC01-01	Page	8
Approve	Youquan Niu	Door control circuit	Date	2015.8.18
Sicher Elevator Co., Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	NSFC01-02 Door control circuit	Page	8A
Approve	Youquan Niu		Date	2015.8.18


Sicher Elevator Co., Ltd




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	AAD03010 Door control circuit	Page	8B
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co.,Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	NOMJ-01	Page	8C
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	SLDF-01 Door control circuit	Page	8D
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				





Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YI
Audit	Xiaoying Ru	ACVF003C	Page	8E
Approve	Youquan Niu	Door control circuit	Date	2015.8.18
Sicher Elevator Co., Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	RH900	Page	8F
Approve	Youquan Niu	Door control circuit	Date	2015.8.18
Sicher Elevator Co.,Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	FERMATOR Door control circuit	Page	8G
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	Lighting circuits	Page	9
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				



Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	Emergency power supply circuit	Page	10
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co.,Ltd				





Note: This page is suitable for parallel ladder CAN communication control.

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	Parallel circuit	Page	12
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				

1

2

3

4

A

A

B


B

C


C

D

D



A ladder



B ladder

D+
D-
GND

D+
D-
GND

Note: This page is suitable for parallel ladder 485 communication control.


Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-Y
Audit	Xiaoying Ru	Parallel circuit	Page	12A
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co.,Ltd				

1


2

3

4




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	Group control	Page	13
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co.,Ltd				




Door zone switch is connected to the magnetic sensor method

Note: 1, applies to the brake master voltage DC110V.



The door zone switch photoelectric switch connection

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023(U) Z
Audit	Xiaoying Ru	Emergency electric brake release circuits	Page	14
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co.,Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	car roof communication circuit board	Page	15
Approve	Youquan Niu		Date	2015.8.18




Sicher Elevator Co., Ltd

PCJX

MCTC-CTB-A
Car command board







When analog weighing means (car bottom) increase access




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	car roof communication circuit board	Page	16
Approve	Youquan Niu		Date	2015.8.18

Sicher Elevator Co.,Ltd




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru		Page	17
Approve	Youquan Niu		Date	2015.8.18


Sicher Elevator Co., Ltd




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	Outbound communications integrated circuits	Page	17A
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co.,Ltd				




Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	Main control box control loop	Page	18
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co.,Ltd				



Design	Fangfei Xu	RH6000 Deputy control box control loop	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru		Page	19
Approve	Youquan Niu		Date	2015.8.18
Sicher Elevator Co., Ltd				



Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	Disabled control box control loop	Page	20
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co., Ltd				



Note: 1, applies to this page when the control box and vice Accessible manipulate me.
2, using the button and line mode, the button line lead to line schedules.

Design	Fangfei Xu	RH6000	version	A
Draw	Yifei Gu		Draw No	GR30023 (U) Z-YL
Audit	Xiaoying Ru	Disabled control box control loop	Page	20A
Approve	Youquan Niu		Date	2015. 8. 18
Sicher Elevator Co., Ltd				

Comment	Description	Designator	Footprint	LibRef	Quantity
				接触器动合, 接触器动合, 接触器动合, 保险丝, 接 触器动合, 保险丝, 接触 器动合, 保险丝, 接触器 动合, 接触器动断, 接触 器动断, 电阻, 三相鼠笼 电机, 接触器动合, 接触 器动合, 接触器动合, 电 阻, 电阻, 接触器动合, 接 触器动合, 接触器动合, 保险丝, 接触器动合, 保 险丝, 接触器动合, 保险 丝, 接触器动合, 接触器 动断, 接触器动断, 电阻, 三相鼠笼电机, 接触器动 合, 接触器动合, 接触器 动合, 电阻, 四绕组变压 器, 桥堆, 保险丝, 保险丝, 水平单接点, 水平单接点, 水平单接点, 保险丝, 保 险丝, 四绕组变压器, 桥 堆, 保险丝, 保险丝, 水平 单接点, 水平单接点, 水 平单接点, 保险丝, 保险 丝, 二极管, 二极管, 继电 器动合, 继电器动断, 继 电器动合, 动合按钮, 动 断按钮, 动断旋钮, 动合 旋钮, 手动动断, 手动动 断, 手动动断, 位置动断, 位置动断, 位置动断, 位 置动断, 位置动断, 手动 动断, 手动动断, 手动动 断, 位置动断, 位置动断, 位置动断, 位置动断, 位 置动断, 手动动断, 继电 器动合, 吸引线圈, 位置 动合, 位置动合, 位置动 合, 位置动合, 位置动合,	497
				位置动断, 位置动断, 位置	6