

Dictionaries and Sets

Vivek K. S., Deepak G.

Information Systems Decision Sciences (ISDS)
MUMA College of Business
University of South Florida
Tampa, Florida

2017

Dictionaries

- A dictionary is similar to a list, in that it is a collection of items.
- Unlike lists, the order of the items doesn't matter.
- Dictionary elements are not identified by offset indexing as seen in lists (0,1,2..).
- Instead, in dictionaries, the items are key-value pairs and they are uniquely identified by the keys as they are unique.
- The keys are usually of String type, but they can be any immutable type in Python as integers, Booleans, floats and Tuples.
- Dictionaries are perfectly mutable.

Creating a Dictionary

```
>>>empty_dict = {}  
>>>empty_dict  
{}  
# Creating a dictionary with key-value pairs.  
>>>capitals={'New York': 'Albany',  
'California': 'Sacramento'}  
>>>capitals  
{'California': 'Sacramento', 'New York': 'Albany'}
```

Converting other Sequences into Dictionaries

```
# A list of two-item tuples:
```

```
>>>my_tuple = [ ('a', 'b'), ('c', 'd'), ('e', 'f')]
```

```
>>>my_dict = dict(my_tuple)
```

```
{ 'a': 'b', 'c': 'd', 'e': 'f' }
```

```
# A list of two-item lists:
```

```
>>>my_list = ( ['a', 'b'], ['c', 'd'], ['e', 'f'] )
```

```
>>>my_dict = dict(my_list)
```

```
{ 'c': 'd', 'a': 'b', 'e': 'f' }
```

Continued..

```
# A list of two-character strings:  
>>>my_str_list = [ 'ab', 'cd', 'ef' ]  
>>>my_dict = dict(my_str_list)  
>>>my_dict  
{ 'a': 'b', 'c': 'd', 'e': 'f' }
```

```
# A tuple of two-character strings:  
>>>my_str_tuple = ( 'ab', 'cd', 'ef' )  
>>>my_dict = dict(my_str_tuple)  
>>>my_dict  
{ 'a': 'b', 'c': 'd', 'e': 'f' }
```

Operations in Dictionaries

- Adding and modifying key-value pairs.
- Combine Dictionaries with Update().
- Deleting items.
- Deleting all items using clear().
- Membership test.
- Fetching items from the dictionary.
- Assigning using assignment sign and by copying.

Sets in Python

- Sets are similar to lists, but only the items are unique. No duplication is allowed.
- A set can be created as follows: `set()` or by using the curly braces with one or more comma-separated values.
- Sets are unordered just like Dictionaries.
- An empty pair of curly braces will only create a dictionary and not a set.
- The Python interpreter prints an empty set as `set()` and not as `.`

Summary

- We learned two important sequence data structures in Python, the Set and Dictionary type.
- We learned the different capabilities they provide and how they differ from Lists and Tuples.