

PRAKTIKUM BASIS DATA

MODUL 4

Scripting SQL – Pemrosesan Banyak Tabel



Oleh:

Andini Pratiwi

103122400060

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK

DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

MODUL 4

JURNAL

Silahkan gunakan DB [DB FILM](#)

1. Konsumen ingin mengecek ketersediaan film Habibie Ainun 3. Dia ingin mengetahui akan diputar di teater nomor berapa, tanggal berapa mulainya, dan berapa lama waktu film ini ditayangkan di bioskop (gunakan fungsi konversi EXTRACT(DAY FROM atribut Date)) ? (Screenshot query dan hasil query)

	JUDUL	ID_TEATER	PERIODE_START	LAMA WAKTU
1	Habibie Ainun 3	Teater 1	01-07-2019	7 hari
2	Habibie Ainun 3	Teater 2	01-07-2019	7 hari
3	Habibie Ainun 3	Teater 3	01-07-2019	7 hari
4	Habibie Ainun 3	Teater 1	01-07-2019	7 hari

2. Tampilkan id teater, judul, kelas, harga dan kategorikan harga tersebut ke kategori murah, normal atau mahal. Harga termasuk murah jika di bawah 50000, harga termasuk mahal jika di atas 75000 dan harga termasuk normal jika di antara harga yang murah dan mahal! (Screenshot query dan hasil query)

	ID_TEATER	JUDUL	KELAS	HARGA	KATEGORI
1	Teater 1	Keluarga Cemara	Reguler	30000	Murah
2	Teater 1	Keluarga Cemara	Reguler	30000	Murah
3	Teater 1	Habibie Ainun 3	Reguler	30000	Murah
4	Teater 2	Keluarga Cemara	Sweetbox	100000	Mahal
5	Teater 2	Taufiq	Sweetbox	100000	Mahal
6	Teater 2	Habibie Ainun 3	Sweetbox	100000	Mahal
7	Teater 2	Buya Hamka	Sweetbox	100000	Mahal
8	Teater 3	Habibie Ainun 3	4D	75000	Normal
9	Teater 1	Keluarga Cemara	Reguler	30000	Murah
10	Teater 1	Habibie Ainun 3	Reguler	30000	Murah

3. Pengelola bioskop memberikan diskon 10% bagi member yang berumur 32 tahun ke bawah. Tampilkan id member, harga awal, umur, dan harga setelah diskon lalu urutkan berdasarkan umur! (Screenshot query dan hasil query)

	ID_ME...	HARGA	UMUR	SALE
1	MM0119	100000	31	90000
2	MM0111	30000	32	27000
3	MM0116	30000	33	30000
4	MM0120	75000	33	75000
5	MM0115	100000	35	100000
6	MM0117	75000	35	75000
7	MM0112	100000	36	100000
8	MM0118	30000	36	30000
9	MM0113	75000	38	75000
10	MM0114	30000	40	30000

4. Tampilkan id member, nama member, serta judul film yang dipesan di bioskop. Dengan kondisi film yang ditonton berdurasi lebih dari sama dengan 100 menit dimana digit terakhir dari nomor hp member tersebut adalah 8 (gunakan fungsi konversi to_number)! (Screenshot query dan hasil query)

	ID_MEMBER	NAMA_MEMBER	JUDUL
1	MM0114	Rahmi	Keluarga Cemara
2	MM0116	Rusli	Keluarga Cemara

5. Sebuah bioskop mengadakan promo dengan memberikan diskon sebesar 70% untuk harga tiket film “Keluarga Cemara” yang berlaku mulai tanggal 19 Desember 2019. Tampilkan id member, id film, id teater, harga asli dan harga setelah diskon! (Screenshot query dan hasil query)

	ID_MEMBER	ID_FILM	ID_TEATER	HARGA	Sale
1	MM0115	F0102	Teater 2	100000	100000
2	MM0116	F0101	Teater 1	30000	21000
3	MM0117	F0102	Teater 3	75000	75000
4	MM0118	F0101	Teater 1	30000	21000
5	MM0119	F0102	Teater 2	100000	100000
6	MM0120	F0102	Teater 3	75000	75000

Jawab:

1. Jawaban nomor 1:

The screenshot shows the Oracle SQL Developer interface. The main window displays a SQL query in the 'Query Builder' tab. The query is as follows:

```

SELECT
  F.JUDUL,
  J.ID_TEATER,
  TO_CHAR(J.PERIOD_START,'DD-MM-YYYY') AS TANGGAL_MULAI,
  EXTRACT(DAY FROM J.PERIOD_END) AS LAMA_TAYANG
FROM FILM_103122400060 F
JOIN JADWAL_103122400060 J
ON F.ID_FILM = J.ID_FILM
WHERE F.JUDUL = 'Habibie Ainun 3';

```

Below the query, the 'Query Result' tab shows the output of the query. The results are displayed in a table with 5 columns: JUDUL, ID_TEATER, TANGGAL_MULAI, LAMA_TAYANG, and an implicit row number column. The results are as follows:

	JUDUL	ID_TEATER	TANGGAL_MULAI	LAMA_TAYANG
1	Habibie Ainun 3	Teater 1	07-01-2019	7
2	Habibie Ainun 3	Teater 2	07-01-2019	7
3	Habibie Ainun 3	Teater 3	07-01-2019	7
4	Habibie Ainun 3	Teater 1	07-01-2019	7

The status bar at the bottom indicates 'Waiting for Query Result to finish' and 'Line 333 Column 35 | Insert | Modified | Windows: CR/LF'.

2. Jawaban nomor 2:

Oracle SQL Developer : C:\Users\LOQ\Documents\BASDAT_103122400060_AndiniPratiwi_SE0802\04_Scripting_SQL_Pemrosesan\JURNAL\Jurnal4basdat.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections x Jurnal4basdat.sql x

Oracle Connections

- Jurnal2basdat
- Jurnal3basdat
- Jurnal4basdat
- TP_Modul03_BASDAT_103122400060
- Database Schema Service Connections

SQL Worksheet History

Worksheet Query Builder

```
nomor 2
SELECT
  T.ID_THEATER,
  F.JUDUL,
  T.KELAS,
  T.HARGA,
  CASE
    WHEN T.HARGA < 50000 THEN 'Murah'
    WHEN T.HARGA > 75000 THEN 'Mahal'
    ELSE 'Normal'
  END AS KATEGORI
FROM THEATER_103122400060 T
JOIN JADWAL_103122400060 J
ON T.ID_THEATER = J.ID_THEATER
JOIN FILM_103122400060 F
ON J.ID_FILM = F.ID_FILM
ORDER BY T.ID_THEATER;
```

Script Output x Query Result x

All Rows Fetched: 10 in 0.004 seconds

ID_THEATER	JUDUL	KELAS	HARGA	KATEGORI	
1	Teater 1	Habibie Ainun 3	Regular	30000	Murah
2	Teater 1	Keluarga Cemara	Regular	30000	Murah
3	Teater 1	Habibie Ainun 3	Regular	30000	Murah
4	Teater 1	Keluarga Cemara	Regular	30000	Murah
5	Teater 1	Keluarga Cemara	Regular	30000	Murah
6	Teater 2	Buya Hamka	Sweetbox	100000	Mahal
7	Teater 2	Habibie Ainun 3	Sweetbox	100000	Mahal
8	Teater 2	Taufiq	Sweetbox	100000	Mahal
9	Teater 2	Keluarga Cemara	Sweetbox	100000	Mahal
10	Teater 3	Habibie Ainun 3	4D	75000	Normal

Click on an identifier with the Control key down to perform "Go to Declaration"

Waiting for Query Result to finish

Line 336 Column 1 Insert Modified Windows: CR,LF

3. Jawaban nomor 3:

Oracle SQL Developer : C:\Users\LOQ\Documents\BASDAT_103122400060_AndiniPratiwi_SE0802\04_Scripting_SQL_Pemrosesan\JURNAL\Jurnal4basdat.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections x Jurnal4basdat.sql x

Oracle Connections

- Jurnal2basdat
- Jurnal3basdat
- Jurnal4basdat
- TP_Modul03_BASDAT_103122400060
- Database Schema Service Connections

SQL Worksheet History

Worksheet Query Builder

```
nomor 3
SELECT
  M.ID_MEMBER,
  T.HARGA AS HARGA_AWAL,
  FLOOR(MONTHS_BETWEEN(SYSDATE, M.TGL_LAHIR)/12) AS UMUR,
  CASE
    WHEN FLOOR(MONTHS_BETWEEN(SYSDATE, M.TGL_LAHIR)/12) <= 32
    THEN T.HARGA - (T.HARGA * 0.10)
    ELSE T.HARGA
  END AS HARGA_DISKON
FROM MEMBER_103122400060 M
JOIN TRANSAKSI_103122400060 TR
ON M.ID_MEMBER = TR.ID_MEMBER
JOIN JADWAL_103122400060 J
ON TR.ID_JADWAL = J.ID_JADWAL
JOIN THEATER_103122400060 T
ON J.ID_THEATER = T.ID_THEATER
ORDER BY UMUR;
```

Script Output x Query Result x

All Rows Fetched: 10 in 0.008 seconds

ID_MEMBER	HARGA_AWAL	UMUR	HARGA_DISKON
1 M0119	100000	35	100000
2 M0111	30000	36	30000
3 M0120	75000	37	75000
4 M0116	30000	38	30000
5 M0115	100000	39	100000
6 M0117	75000	40	75000
7 M0118	30000	40	30000
8 M0112	100000	41	100000
9 M0113	75000	42	75000
10 M0114	30000	44	30000

Click on an identifier with the Control key down to perform "Go to Declaration"

Waiting for Query Result to finish

Line 371 Column 15 Insert Modified Windows: CR,LF

4. Jawaban nomor 4:

The screenshot shows the Oracle SQL Developer interface. The 'Connections' pane on the left lists 'Jurnal4basdat' as the selected connection. The main window displays a SQL worksheet with a query labeled 'nomor 4'. The query is a SELECT statement that joins several tables: MEMBER, TRANSAKSI, JADWAL, and FILM. It filters for members with a duration of 100 or more and a specific substring in their name. The 'Query Result' pane shows two rows of data.

```
SELECT
  M.ID_MEMBER,
  M.NAMA,
  F.JUDUL
FROM MEMBER_103122400060 M
JOIN TRANSAKSI_103122400060 TR
ON M.ID_MEMBER = TR.ID_MEMBER
JOIN JADWAL_103122400060 J
ON TR.ID_JADWAL = J.ID_JADWAL
JOIN FILM_103122400060 F
ON J.ID_FILM = F.ID_FILM
WHERE F.DURASI >= 100
AND TO_NUMBER(SUBSTR(M.NO_HP,-1,1)) = 8;
```

ID_MEMBER	NAMA	JUDUL
1000114	Rahmi	Keluarga Cemara
2000116	Rusli	Keluarga Cemara

5. Jawaban nomor 5:

The screenshot shows the Oracle SQL Developer interface. The 'Connections' pane on the left lists 'Jurnal4basdat' as the selected connection. The main window displays a SQL worksheet with a query labeled 'nomor 5'. The query is a SELECT statement that joins several tables: MEMBER, TRANSAKSI, JADWAL, FILM, and THEATER. It calculates the price difference between the original price and the discount price. The 'Query Result' pane shows four rows of data.

```
SELECT
  M.ID_MEMBER,
  F.ID_FILM,
  T.ID_THEATER,
  T.HARGA AS HARGA_ASLI,
  T.HARGA - (T.HARGA * 0.70) AS HARGA_DISKON
FROM MEMBER_103122400060 M
JOIN TRANSAKSI_103122400060 TR
ON M.ID_MEMBER = TR.ID_MEMBER
JOIN JADWAL_103122400060 J
ON TR.ID_JADWAL = J.ID_JADWAL
JOIN FILM_103122400060 F
ON J.ID_FILM = F.ID_FILM
JOIN THEATER_103122400060 T
ON J.ID_THEATER = T.ID_THEATER
WHERE F.JUDUL = 'Keluarga Cemara';
```

ID_MEMBER	ID_FILM	ID_THEATER	HARGA_ASLI	HARGA_DISKON
1000111	F0101	Theater 1	30000	9000
2000114	F0101	Theater 1	30000	9000
3000116	F0101	Theater 1	30000	9000
4000118	F0101	Theater 1	30000	9000