

## Halaman About me

```
<script setup>
```

```
import Navbar from "@/components/Navbar.vue"
import Footer from "@/components/Footer.vue"
import aboutImgAsset from "@/assets/profil.jpg"
```

```
const aboutImage = aboutImgAsset
</script>
```

```
<template>
```

```
  <div class="flex flex-col min-h-screen bg-[#f5e5e1]">
    <Navbar />
```

```

    <main class="flex-grow w-full max-w-7xl mx-auto px-4 sm:px-6
lg:px-8 pt-28 pb-12 sm:py-20 overflow-hidden">
```

```
      <section class="mb-16 sm:mb-20">
```

```
        <div class="bg-white/60 backdrop-blur-sm rounded-[1.5rem]
sm:rounded-[2rem] p-6 sm:p-10 lg:p-12
shadow-[0_10px_35px_rgba(0,0,0,0.05)] flex flex-col-reverse lg:flex-row
items-center gap-8 lg:gap-16">
```

```
          <div class="flex-1 w-full text-center lg:text-left">
```

```
            <h2 class="text-2xl sm:text-4xl font-bold text-[#1f1f1f]
mb-4 sm:mb-6">Andi Zalfa Zahirah Najib</h2>
```

```
            <h1 class="text-xl sm:text-2xl text-[#1f1f1f] mb-4
sm:mb-6">11231010 - Informatika _ Institut Teknologi Kalimantan</h1>
```

```
            <div class="space-y-4 text-[#444] text-sm sm:text-lg
leading-relaxed text-justify sm:text-left">
```

```
              <p>
```

```
                Lorem ipsum lorem ipsum Lorem ipsum lorem ipsum Lorem
ipsum lorem ipsum
```

```
                Lorem ipsum lorem ipsum Lorem ipsum lorem ipsum Lorem
ipsum lorem ipsum
```

```
                Lorem ipsum lorem ipsum Lorem ipsum lorem ipsum Lorem
ipsum lorem ipsum
```

```
                Lorem ipsum lorem ipsum Lorem ipsum lorem ipsum Lorem
ipsum lorem ipsum
```

```
                Lorem ipsum lorem ipsum Lorem ipsum lorem ipsum Lorem
ipsum lorem ipsum
```

```
              </p>
```

```
            </div>
```

```
          </div>
```

```

    <div class="flex-1 w-full h-full flex justify-center">
      
    </div>
  </div>
</section>

<section class="text-center">
  <div class="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4
gap-6">

    <div class="bg-white rounded-[1.6rem] p-6 text-left
shadow-[0_14px_32px_rgba(0,0,0,0.05)]">
      <h4 class="text-lg font-bold text-[#222] mb-2">Bekerja sama
dalam tim</h4>
      <p class="text-sm text-[#555] leading-relaxed">
        Lorem ipsum Lorem ipsum Lorem ipsum Lorem ipsum Lorem
ipsum
      </p>
    </div>

    <div class="bg-white rounded-[1.6rem] p-6 text-left
shadow-[0_14px_32px_rgba(0,0,0,0.05)]">
      <h4 class="text-lg font-bold text-[#222] mb-2">Juara
Olimpiade Matematika</h4>
      <p class="text-sm text-[#555] leading-relaxed">
        Lorem ipsum Lorem ipsum Lorem ipsum Lorem ipsum Lorem
ipsum
      </p>
    </div>

    <div class="bg-white rounded-[1.6rem] p-6 text-left
shadow-[0_14px_32px_rgba(0,0,0,0.05)]">
      <h4 class="text-lg font-bold text-[#222] mb-2">Olimpiade
KSN-Kebumian</h4>
      <p class="text-sm text-[#555] leading-relaxed">

```

```

        Lorem ipsum Lorem ipsum Lorem ipsum Lorem ipsum Lorem
    ipsum
        </p>
    </div>

    <div class="bg-white rounded-[1.6rem] p-6 text-left
shadow-[0_14px_32px_rgba(0,0,0,0.05)]">
        <h4 class="text-lg font-bold text-[#222] mb-2">Olimpiade K3
Kota Balikpapan</h4>
        <p class="text-sm text-[#555] leading-relaxed">
            Lorem ipsum Lorem ipsum Lorem ipsum Lorem ipsum Lorem
    ipsum
        </p>
    </div>
</div>
</section>

</main>

<Footer />
</div>
</template>

```

## Navbar.vue

```

<script setup>
import { ref, watch } from "vue"
import { useRoute } from "vue-router"
import { useCartStore } from "@/store/cartStore"

const activeLink = ref("Home")
const open = ref(false)

const menus = [
  { name: "Home", href: "/" },
  { name: "About", href: "/about" },
  { name: "Aboutme", href: "/aboutme" },
  { name: "Products", href: "/product" },
  { name: "Contact", href: "/contact" },
  { name: "Cart", href: "/cart", icon: "cart" },
]

```

```

const { totalItems } = useCartStore()
const route = useRoute()

watch(
  () => route.path,
  () => {
    const currentMenu = menus.find((m) => m.href === route.path)
    if (currentMenu) activeLink.value = currentMenu.name
    open.value = false
  },
  { immediate: true }
)

function setActive(menuName) {
  activeLink.value = menuName
  open.value = false
}
</script>

<template>
  <nav class="fixed w-full top-0 z-50 bg-[#F5E5E1] shadow-md border-b
border-[#F9CBD6]">
    <div class="mx-auto max-w-7xl px-4 sm:px-6 lg:px-8">
      <div class="flex justify-between h-16 items-center">

        <router-link
          to="/"
          class="font-semibold tracking-wide shrink-0"
          style="font-family:'Great Vibes', cursive; font-size:2rem;
color:#9E182B;"
        >
          Sweetify
        </router-link>

        <div class="hidden md:flex space-x-6 items-center">
          <router-link
            v-for="menu in menus"
            :key="menu.name"
            :to="menu.href"
            @click="setActive(menu.name)"
            class="px-4 py-2 rounded-md text-sm font-medium
transition-all duration-200 flex items-center gap-2"
            :class="[

```

```

        activeLink === menu.name
        ? 'bg-[#F2AFBC] text-white shadow-sm'
        : 'text-[#9E182B] hover:bg-[#F9CBD6]
hover:text-[#9E182B]'
    ]"
  >
    <template v-if="menu.icon === 'cart'">
      <div class="relative flex items-center">
        <svg xmlns="http://www.w3.org/2000/svg" fill="none"
viewBox="0 0 24 24" stroke-width="2" stroke="currentColor" class="w-5
h-5">
          <path stroke-linecap="round" stroke-linejoin="round"
d="M2.25 3h1.386c.51 0 .955.343 1.087.835l.383 1.437m0 0L6.75
12.75m-1.644-6.478h13.788c.86 0 1.497.834 1.271 1.668l-1.5 5.25a1.35
1.35 0 01-1.271.957H7.5m0 0a2.25 2.25 0 100 4.5 2.25 2.25 0
000-4.5zm10.5 2.25a2.25 2.25 0 11-4.5 0 2.25 2.25 0 014.5 0z" />
        </svg>
        <span v-if="totalItems > 0" class="absolute -top-2
-right-2 min-w-[18px] h-[18px] px-1 flex items-center justify-center
rounded-full bg-[#9E182B] text-white text-[10px] font-bold shadow-sm
animate-bounce-short z-10">
          {{ totalItems }}
        </span>
      </div>
    </template>
    <span v-else>{{ menu.name }}</span>
  </router-link>
</div>

<div class="flex md:hidden items-center">
  <button
    @click="open = !open"
    type="button"
    class="inline-flex items-center justify-center rounded-md
p-2 text-[#9E182B] hover:bg-[#F9CBD6] focus:outline-none"
  >
    <span class="sr-only">Open main menu</span>
    <svg v-if="!open" class="block h-6 w-6" fill="none"
viewBox="0 0 24 24" stroke-width="1.5" stroke="currentColor">
      <path stroke-linecap="round" stroke-linejoin="round"
d="M3.75 6.75h16.5M3.75 12h16.5m-16.5 5.25h16.5" />
    </svg>

```

```

        <svg v-else class="block h-6 w-6" fill="none" viewBox="0 0
24 24" stroke-width="1.5" stroke="currentColor">
            <path stroke-linecap="round" stroke-linejoin="round"
d="M6 18L18 6M6 6L12 12" />
        </svg>
    </button>
</div>
</div>
</div>
</div>

<Transition
  enter-active-class="transition duration-200 ease-out"
  enter-from-class="transform -translate-y-2 opacity-0"
  enter-to-class="transform translate-y-0 opacity-100"
  leave-active-class="transition duration-150 ease-in"
  leave-from-class="transform translate-y-0 opacity-100"
  leave-to-class="transform -translate-y-2 opacity-0"
>
  <div v-if="open" class="md:hidden bg-[#F5E5E1] border-t
border-[#F9CBD6] shadow-lg">
    <div class="space-y-1 px-4 py-4 pb-5">
      <router-link
        v-for="menu in menus"
        :key="menu.name"
        :to="menu.href"
        @click="setActive(menu.name)"
        class="block rounded-md px-3 py-3 text-base font-medium
transition-colors"
        :class="[
          activeLink === menu.name
            ? 'bg-[#F2AFBC] text-white'
            : 'text-[#9E182B] hover:bg-[#F9CBD6]
hover:text-[#9E182B]'
        ]">
      <div class="flex items-center justify-between">
        <span class="flex items-center gap-3">
          <template v-if="menu.icon === 'cart'">
            <svg xmlns="http://www.w3.org/2000/svg" fill="none"
viewBox="0 0 24 24" stroke-width="2" stroke="currentColor" class="w-5
h-5">
              <path stroke-linecap="round"
stroke-linejoin="round" d="M2.25 3h1.386c.51 0 .955.343 1.087.835l.383

```

```

1.437m0 0L6.75 12.75m-1.644-6.478h13.788c.86 0 1.497.834 1.271
1.668l-1.5 5.25a1.35 1.35 0 01-1.271.957H7.5m0 0a2.25 2.25 0 100 4.5
2.25 2.25 0 000-4.5zm10.5 2.25a2.25 2.25 0 11-4.5 0 2.25 2.25 0 014.5
0z" />

        </svg>
        Cart
    </template>
    <template v-else>{{ menu.name }}</template>
</span>
    <span v-if="menu.icon === 'cart' && totalItems > 0"
class="bg-[#9E182B] text-white text-xs font-bold px-2 py-0.5
rounded-full">
        {{ totalItems }}
    </span>
</div>
</router-link>
</div>
</div>
</Transition>
</nav>
</template>

<style scoped>
nav {
    font-family: "Poppins", sans-serif;
}
@keyframes bounceShort {
    0%, 100% { transform: translateY(0); }
    50% { transform: translateY(-3px); }
}
.animate-bounce-short {
    animation: bounceShort 0.3s ease-in-out;
}
</style>

```

router/[index.js](#)

```

import { createWebHistory, createRouter } from 'vue-router';

import Home from '@components/Home.vue';
import About from '@components/About.vue';
import Products from '@components/Products.vue';
import Contact from '@components/Contact.vue';
import Cart from '@components/Cart.vue';

```

```
import Aboutme from '@components/Aboutme.vue';
```

```
const routes = [
```

```
{
```

```
  path: '/',
```

```
  name: 'Home',
```

```
  component: Home
```

```
},
```

```
{
```

```
  path: '/about',
```

```
  name: 'About',
```

```
  component: About
```

```
},
```

```
{
```

```
  path: '/about me',
```

```
  name: 'Aboutme',
```

```
  component: Aboutme
```

```
},
```

```
{
```

```
  path: '/product',
```

```
  name: 'Product',
```

```
  component: Products
```

```
},
```

```
{
```

```
  path: '/contact',
```

```
  name: 'Contact',
```

```
  component: Contact
```

```
},
```

```
{
```

```
  path: '/cart',
```

```
  name: 'Cart',
```

```
  component: Cart
```

```
}
```

```
];
```

```
const router = createRouter({
```

```
  history: createWebHistory(),
```

```
  routes
```

```
});
```

```
export default router;
```