



Sauvignon Top



GRAPES:

10 g/hl MBK + 3 g/hl ASCORBIC ACID
+ 5 g/hl TI PREMIUM

CRUSHING

+ 2 g/hl Zimaskin

LOADING OF THE PRESS

END OF THE LOADING:

+5 g/hl X-PRO PROTECTION in solution on the crushed grapes

RAW MUST:

possible addition 2 g/hl ZIMACLAR PLUS (or FLOTTOZIMA PLUS for flotation)
+ 5 g/hl X-PRO GRAPES

CLARIFICATION OF THE MUST by flotation or sedimentation

CLEAR MUST:

20 g/hl PREMIUM TIOL or V/VW SUPER TIOL
+ 30 g/hl V STARTER TF

BEFORE ONE HALF OF THE FERMENTATION:

light oxygenation

+ 30 g/hl DAP

WHEN 3/4 OF THE FERMENTATION IS DONE:

20 g/hl BOOSTER ACTIV PREMIUM

END OF THE FERMENTATION:

REMOVAL OF THE HEAVY LEES

Evaluate addition of 60-80 g/hl FUMARIC ACID (against lactic bacteria and to increase acidity)

Verify all analitic parameters: TOTAL ACIDITY, VOLATILE ACIDITY, SO₂, pH, RESIDUAL SUGARS...

FIRST RACKING AFTER FERMENTATION:

+ 5 g/hl TI PREMIUM +10 g/hl MBK

Continue with the usual operations racking when necessary and keeping the SO₂ levels.

+10 g/hl X-PRO IDENTITY WHITE

EVALUATE PROTEIN STABILITY and add the correct amount of bentonite PLUSGRAN GEL

Consider the broad range of Vason fining tannins.

EVALUATE TARTARIC STABILITY and add 40-100 g/hl SMARTSTAB 2.0 (follow the recommendations)

When the wine is clarified, filter it, add 20 g/hl V ANTIOX and bottle