Life alert

The complete screen list.
Clear journeys. Clear boundaries.

DRAFT 0.1 / DESIGN PLANNING

65 PURPOSEFUL SCREENS

46 consumer screens

6 shared adult access
36 guardian / caregiver
4 linked child experience

19 operations screens

Coordinator, crew, care and administration. Platform TBD; separate from consumer navigation.

No surprise state omissions

Payment failure, offline delivery, permissions, revocation and care authority are explicitly mapped to their owning screens. Variants and sheets are not automatically new screens.

Current code: bounded Django foundation plus a non-operational Flutter route/contract scaffold. No finished UI, live authentication, payment, messaging or emergency service is delivered by these placeholders.

01 / INFORMATION ARCHITECTURE

Separate roles. One coherent service.

Confirmed consumer Flutter surfaces; staff platform and operational implementation remain open decisions.

Shared adult access - A01 to A06

Sign-in, registration, verification and recovery are counted once. Production mobile identity remains planned.

Parent / authorized caregiver - 36 screens

Home, children, incidents and settings anchor navigation. Scoped caregiver rights differ from guardian authority.

- **HOME** — G / H / B
- **CHILDREN** — F / D / M
- **INCIDENTS** — I
- **SETTINGS** — S

Linked child - C01 to C04

Guardian setup happens beforehand. Help home, simple request status and optional comfort content. No incident-time login or parent approval.

Separate operations - 19 screens

O / Q / R / T / N inventory is retained for coordination, response, care and administration. Do not add staff tabs to the consumer app.

Permission rule: a caregiver invitation or emergency-contact entry is not legal authority to place or release a child. Object access, region and assignment still apply to every deep link.

M1/M2 labels indicate suggested design sequencing only. Both remain in the complete consumer list; no scope reduction or price is assumed.

02 / SHARED ACCESS

Access, verification and recovery

6 shared screens. Linked-child emergency initiation never goes through these adult access gates.

A01 Welcome + service scope	Explain service and begin adult access. States: loading; offline; coverage information unavailable.	M1 / PLANNED
A02 Adult sign in	Authenticate guardian or invited caregiver. States: submitting; invalid credentials; rate limited.	M1 / MIXED
A03 Create family account	Create an adult account and household. States: field validation; account already exists; submitting.	M1 / MIXED
A04 Verify contact	Verify approved account contact without asserting legal authority. States: verification pending; invalid code; expired code.	M1 / PLANNED
A05 Recover access	Start secure adult account recovery. States: generic recovery submitted; throttled; recovery unavailable.	M1 / PLANNED
A06 Complete recovery	Finish verified recovery and return to adult access. States: expired token; used token; invalid credential.	M1 / PLANNED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

03 / ADULT HOME + HOUSEHOLD

Home and caregiver permissions

7 screens. Invitation/grant/authority verification is planned; current guardian records are not that full workflow.

G01 Family home	Orient the adult and foreground active care. States: no children; multiple children; active incident.	M1 / MIXED
G02 Readiness checklist	Explain separately what is ready and missing. States: incomplete readiness; ready facts saved; coverage unknown.	M1 / MIXED
G03 Updates inbox	Collect permitted family updates without treating delivery as ownership. States: loading; empty; refresh error.	M2 / PLANNED
H01 Household + caregiver access	Show household membership and authorized scope. States: empty invites; pending invitation; accepted membership.	M2 / MIXED
H02 Invite caregiver	Propose explicit limited caregiver access. States: invalid contact; send pending; duplicate invitation.	M2 / PLANNED
H03 Caregiver scope + authority	Review permissions separately from legal care/release authority. States: scoped caregiver rights; authority verification pending; authority expired.	M2 / PLANNED
H04 Accept invitation	Accept only the offered scope after adult authentication. States: wrong account; expired invitation; already used.	M2 / PLANNED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

04 / CHILD PROFILES

Individual care information

5 screens. Tailor communication, support and calming information to the person, never diagnosis stereotypes.

F01 Children directory	Select a child within authorized household scope. States: loading; empty; multiple children.	M1 / CORE
F02 Child overview	Summarize the individual care plan and readiness. States: incomplete profile; profile update time unknown; active incident.	M1 / MIXED
F03 Care profile editor	Create/edit individual support and communication information. States: new child; editing existing child; field validation.	M1 / MIXED
F04 Emergency contacts	Keep relevant contacts visible without granting collection authority. States: empty contacts; incomplete contact; saving.	M1 / MIXED
F05 Saved places + location	Manage labeled address fallbacks and location expectations. States: empty places; location denied; location missing.	M1 / MIXED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

05 / DEVICE + MEDIA

Devices and recording audiences

7 screens. Protected adult setup leads to restricted child access; no raw long-lived credential belongs in a design.

D01 Linked devices	Review device access for this child. States: empty; pairing pending; device revoked.	M1 / MIXED
D02 Link a child device	Establish scoped child access before an incident. States: pairing pending; expired challenge; used challenge.	M1 / MIXED
D03 Device access detail	Manage one linked device and recover lost access. States: active device; lost device revoke confirmation; revoking.	M1 / MIXED
D04 Child experience preferences	Prepare individual child interaction choices behind adult access. States: preferences unset; non-reader adaptation; assistive control adaptation.	M1 / PLANNED
M01 Care recordings library	Organize recordings by purpose and audience. States: loading; empty; upload pending.	M1 / CORE
M02 Create a recording	Capture or select safe care audio and label its purpose. States: microphone permission denied; recording; paused.	M1 / MIXED
M03 Recording details + audience	Review playback, text and explicit audience permissions. States: loading; audience comfort only; audience responder only.	M1 / MIXED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

06 / SUBSCRIPTION + BILLING

Plans, renewal and payment outcomes

4 screens. B03 contains explicit failed-payment and other result variants; vendor and pricing remain unselected.

B01 Subscription + entitlement	Show paid eligibility separately from coverage/connectivity. States: expired; no plan data; accepted incident after expiry.	M1 / MIXED
B02 Plan + renewal review	Explain client-approved paid services before purchase/renewal. States: plans configured; pricing unavailable; no eligible plan.	M1 / PLANNED
B03 Billing handoff + result	Manage purchase/renewal through an approved future billing boundary. States: failed; cancelled; pending; interrupted; unknown; verified success; restore if applicable.	M1 / PLANNED
B04 Billing history + documents	Review authorized household billing records and support references. States: loading; empty; invoice unavailable.	M2 / PLANNED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

07 / SETTINGS + SUPPORT

Account, privacy and assistance

5 screens. Data deletion/export, production account changes and support channels remain planned, not instant promises.

S01 Settings + service information	Find adult account, privacy, notification and support controls. States: loading; offline; configuration unavailable.	M1 / MIXED
S02 Account + security	Manage adult identity and access safely. States: reauthentication; unverified contact change; change pending.	M2 / PLANNED
S03 Privacy + data requests	Explain access/retention and request reviewed data actions. States: data export request; account deletion request; correction request.	M2 / PLANNED
S04 Notification preferences	Control approved channels and understand delivery limitations. States: notification permission denied; unverified channel; delivery unavailable.	M1 / PLANNED
S05 Support + account help	Provide service/account guidance and approved contact options. States: support contact unavailable; outside support hours; offline help.	M1 / PLANNED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

08 / PARENT HELP + LIVE RESPONSE

Ask for help and see what is known

4 screens. Child/incident location is authoritative; a remote parent location must not silently replace it.

I01 Parent request context	Identify child and incident location with minimal friction. States: multiple children; remote parent location warning; location permission denied.	M1 / MIXED
I02 Request delivery feedback	Distinguish local tap, pending transmission and durable server receipt. States: unconfirmed send; offline; retry; old queued request.	M1 / MIXED
I03 Live incident	Show known response facts without a false promise. States: coordinator unclaimed; coordinator claimed; no crew available.	M1 / MIXED
I04 Additional help + follow-up	Provide new emergency information without pretending separate dispatch. States: followup requires review; different incident location; separate emergency not independently handled.	M1 / MIXED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

09 / HISTORY + TEMPORARY CARE

Outcomes, care updates and authority

4 screens. Capacity, suitability, consent and verified recipient authority govern care and release.

I05 Incident history	Find permitted past and current incidents. States: loading; empty; partial history.	M1 / MIXED
I06 Incident outcome detail	Explain recorded assistance and handover after response. States: resolved assistance and handover; cancelled after review; EMS outcome uncertain.	M1 / MIXED
I07 Temporary-care updates	Show whether placement is considered, confirmed or active. States: no capacity; authority unresolved; intake; release.	M1 / MIXED
I08 Care authorization + recipient check	Support protected consent/authorized-recipient verification. States: wrong person; authority missing; authority expired.	M1 / PLANNED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

10 / LINKED CHILD EXPERIENCE

A simple, individually accessible path

4 screens. Use non-reader/assistive alternatives and optional comfort audio; never expose staff-only information.

C01 Child-device activation	Complete guardian-initiated pairing on the child device. States: unlinked; pairing pending; expired challenge.	M1 / MIXED
C02 Accessible child help home	Offer the simplest individually appropriate help action. States: non-reader help adaptation; assistive input adaptation; active incident.	M1 / MIXED
C03 Child request + response status	Reassure using only known receipt and minimal own status. States: unconfirmed; received; assigned; en-route; follow-up.	M1 / MIXED
C04 Comfort activity	Provide only guardian-authorized comfort content. States: no comfort content; audio unavailable; playback interrupted.	M1 / MIXED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

11 / COORDINATOR OPERATIONS

Own the incident. Arrange help.

7 screens. Platform TBD. Q06 is privileged routing, not permission for every coordinator to browse global children.

O01 Staff access + role landing	Authenticate approved staff into their authorized operations surface. States: no authorized role; region mismatch; MFA pending.	O / MIXED
Q01 Regional incident queue	Find new, owned, unassigned and overdue regional work. States: loading; empty; unclaimed.	O / MIXED
Q02 Coordinator incident workspace	Actively own and coordinate the response. States: unowned; owned by another; takeover reason.	O / CORE
Q03 Crew review + offers	Select suitable on-duty available crews and track acceptance. States: no available crew; offer pending; declined with reason.	O / MIXED
Q04 EMS handoff + evidence	Separate handoff tasks, provider receipts, contact and dispatch. States: handoff pending; provider receipt only; provider unknown.	O / MIXED
Q05 Outcome + response reconciliation	Close only after assistance and care handover are reviewed. States: crew unreconciled; EMS unknown; placement unreconciled.	O / MIXED
Q06 Unrouted incident review	Assign regional responsibility when location routing is unresolved. States: loading; empty; missing location.	O / MIXED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

12 / CREW + CARE OPERATIONS

Response and temporary-care handover

8 screens. Platform TBD. T02 authorization is coordinator-owned; other care screens require appropriate staff access.

R01 Crew offers	Review and respond to eligible crew offers. States: empty; offer pending; expired offer.	O / CORE
R02 Assigned response + care	Support assigned response with relevant care information. States: accepted; en route; arrived.	O / MIXED
R03 Crew care handover	Document actual assistance and pass responsibility safely. States: recipient unverified; handover pending; incomplete assistance record.	O / MIXED
T01 Facility + places overview	Review authorized capacity and suitable places. States: loading; empty; no suitable place.	O / MIXED
T02 Placement suitability + authority	Authorize only a suitable available placement with valid authority. States: no capacity; authority unresolved; reservation conflict.	O / MIXED
T03 Staff assignment + intake	Receive the child with accountable staff and care context. States: staff unassigned; transport arrival pending; intake discrepancy.	O / MIXED
T04 Active care + staff handover	Maintain accountable temporary care across staff changes. States: active care; shift change; care issue escalation.	O / PLANNED
T05 Verified release + handover	Release only to a verified authorized recipient. States: wrong recipient; identity unverified; authority missing.	O / MIXED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

13 / ADMINISTRATION

Configure scope with an audit trail

4 screens. Admin configuration status alone does not permit unrestricted child-content access.


N01 Service regions + provider configuration	Configure approved operating scope and integration modes. States: disabled region; unapproved configuration; save failure.	O / MIXED
N02 Staff roles + crews	Manage authorized regional staff, qualifications and availability. States: staff coverage missing; qualification missing; availability stale.	O / MIXED
N03 Commercial + entitlement administration	Manage approved paid-service configuration and entitlement issues. States: billing unknown; active entitlement; expired entitlement.	O / MIXED
N04 Privacy + audit oversight	Review restricted audit/configuration and data-policy work. States: audit unavailable; access denied; retention legal hold.	O / MIXED

CORE = foundation contract; MIXED = gaps; PLANNED = missing API. No finished UI. Full route/action/access detail: DESIGNER-HANDOFF.md; all states: SCREEN-STATE-CHECKLIST.csv.

14 / CRITICAL INTERACTION

Help is independent of parent approval

The child flow is C02 -> C03; adult context is I01 -> I02 -> I03. Child setup C01 precedes incidents.



Truthful reassurance

Received -> actual crew offer -> crew accepts -> en-route evidence.

Only en-route permits "on the way".

Unknown is not success

Offline, timeout, stale location or unknown EMS outcome stays visible.

Another request may need review, not separate dispatch.

One open incident per child is a current foundation limit. A different request ID records follow-up review. Cancellation is a request; external response may continue pending coordinator reconciliation.

15 / CONTINUITY + CARE GATES

Do not lose the child between states

Subscription, coverage, connectivity and actual operational response are separate facts.

NEW paid request

Requires current entitlement. Billing success alone is not verified access; coverage and request eligibility remain separate.

ALREADY accepted incident

Continues through resolution after expiry. New paid requests need renewed entitlement. Offline/out-of-area does not cancel billing.

TEMPORARY-CARE JOURNEY - I07 / I08 + OPERATIONS T01-T05

1 Suitability + capacity

No appropriate place -> coordinator alternatives.

2 Authority + reservation

Consent/authority must be verified; no assumed guardianship.

3 Intake + accountable care

Staff, approved transport and relevant care handover.

4 Authorized release

Verify recipient identity/authority and record handover.

Closure: record actual assistance, verified handover/disposition, known EMS outcome and follow-up ownership. Reconcile outstanding branches. No temporary care needed does not itself close the incident.

16 / ACTUAL FLUTTER FOUNDATION

Structure now. Finished designs later.

The scaffold is real source code, but every product screen is a labeled non-operational placeholder.

frontend/mobile

Android/iOS Flutter project; 46 consumer route contracts in grouped features, with a shared placeholder rather than copied screen widgets.

APP + ROUTING

Router parser/delegate;
demo persona guard;
back-stack reset

CORE BOUNDARIES

Scoped access contracts;
API abstraction;
network disabled

FEATURES + SHARED

10 grouped features;
incident evidence models;
shared presentation

MEANINGFUL FOUNDATION CHECKS

Analyzed and tested on the installed SDK

Flutter 3.44.1 / Dart 3.12.1. Static analysis and 10 unit/widget/navigation tests passed, including narrow-device large text, role isolation and evidence-based copy.

What this does not claim

No real authentication, credentials, child data, backend calls, billing, messages, dialer calls or EMS integration. Staff platform remains TBD. Backend features were not changed.

Native device readiness is separate: Android license review is outstanding. No app was installed on a phone. See frontend/mobile/README.md for reproducible checks and build limitations.

17 / HANDOFF CHECKLIST

What the designer should return

No prices or assumed exclusions. Ask for a complete response against stable IDs and required variants.

Complete screen list	Acknowledge all 46 consumer and 19 separate operations IDs, with explicit sequencing and any exclusions.
State coverage	Map loading, empty, error, offline, permissions, unknown outcomes and the screen-specific states in the CSV.
Critical variants	Show failed/cancelled/pending/interrupted billing, child unconfirmed send, expiry during accepted care, revoked devices and authority failure.
Reusable design system	Accessible controls, status/location/audio components and purposeful sheets. Do not multiply screens for every repeated state.
Android + iOS adaptation	Document native handoffs, typography, safe areas, assistive semantics, large text and platform differences.
Clickable journeys + source	Prototype child and adult help, uncertainty, device setup, care handover and account/billing recovery. Deliver editable annotated files.

Use the full companion set

SCREEN-LIST.md: names and states. DESIGNER-HANDOFF.md: per-screen route/action/access/trace. SCREEN-STATE-CHECKLIST.csv: every state mapped to an owner.

502 checklist entries = 65 base layouts + 437 named conditions, not 502 screens or automatic artboards. Client/provider changes require versioned agreement. The proposed 5-10 minute mobilization goal is not an ETA or guarantee.