


Website Vulnerability Scanner Report

✓ https://www.cushyrental.com/

Target added due to a redirect from https://cushyrental.com

Summary

Overall risk level:



Scan information:

Start time: Dec 14, 2023 / 04:46:18
Finish time: Dec 14, 2023 / 04:46:38

Scan duration: 20 sec
Tests performed: 19/19

Scan status: Finished

Findings

Missing security header: X-Frame-Options

CONFIRMED

URL	Evidence
https://www.cushyrental.com/	Response headers do not include the HTTP X-Frame-Options security header

▼ Details

Risk description:

Because the X-Frame-Options header is not sent by the server, an attacker could embed this website into an iframe of a third party website. By manipulating the display attributes of the iframe, the attacker could trick the user into performing mouse clicks in the application, thus performing activities without user consent (ex: delete user, subscribe to newsletter, etc). This is called a Clickjacking attack and it is described in detail here:

https://owasp.org/www-community/attacks/Clickjacking

Recommendation:

We recommend you to add the X-Frame-Options HTTP header with the values DENY or SAMEORIGIN to every page that you want to be protected against Clickjacking attacks.

References

https://cheatsheetseries.owasp.org/cheatsheets/Clickjacking_Defense_Cheat_Sheet.html

Classification:

CWE: CWE-693

OWASP Top 10 - 2013 : A5 - Security Misconfiguration OWASP Top 10 - 2017 : A6 - Security Misconfiguration

Missing security header: Content-Security-Policy

CONFIRMED

URL	Evidence
https://www.cushyrental.com/	Response headers do not include the HTTP Content-Security-Policy security header

▼ Details

Risk description:

The Content-Security-Policy (CSP) header activates a protection mechanism implemented in web browsers which prevents exploitation of Cross-Site Scripting vulnerabilities (XSS). If the target application is vulnerable to XSS, lack of this header makes it easily exploitable by attackers.

Recommendation:

Configure the Content-Security-Header to be sent with each HTTP response in order to apply the specific policies needed by the application.

References:

 $https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html \\ https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Content-Security-Policy$

Classification:

CWE: CWE-693

OWASP Top 10 - 2013 : A5 - Security Misconfiguration OWASP Top 10 - 2017 : A6 - Security Misconfiguration

Missing security header: X-Content-Type-Options

CONFIRMED

URL	Evidence
https://www.cushyrental.com/	Response headers do not include the X-Content-Type-Options HTTP security header

▼ Details

Risk description:

The HTTP header X-Content-Type-Options is addressed to the Internet Explorer browser and prevents it from reinterpreting the content of a web page (MIME-sniffing) and thus overriding the value of the Content-Type header). Lack of this header could lead to attacks such as Cross-Site Scripting or phishing.

Recommendation:

We recommend setting the X-Content-Type-Options header such as X-Content-Type-Options: nosniff.

References:

https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options

Classification:

CWE: CWE-693

OWASP Top 10 - 2013: A5 - Security Misconfiguration OWASP Top 10 - 2017: A6 - Security Misconfiguration

Missing security header: Referrer-Policy

CONFIRMED

URL	Evidence
https://www.cushyrental.com/	Response headers do not include the Referrer-Policy HTTP security header as well as the <meta/> tag with name 'referrer' is not present in the response.

✓ Details

Risk description:

The Referrer-Policy HTTP header controls how much referrer information the browser will send with each request originated from the current web application.

For instance, if a user visits the web page "http://example.com/pricing/" and it clicks on a link from that page going to e.g. "https://www.google.com", the browser will send to Google the full originating URL in the Referer header, assuming the Referer-Policy header is not set. The originating URL could be considered sensitive information and it could be used for user tracking.

Recommendation:

The Referrer-Policy header should be configured on the server side to avoid user tracking and inadvertent information leakage. The value no-referrer of this header instructs the browser to omit the Referrer header entirely.

References:

https://developer.mozilla.org/en-US/docs/Web/Security/Referer_header:_privacy_and_security_concerns

Classification:

CWE: CWE-693

OWASP Top 10 - 2013 : A5 - Security Misconfiguration OWASP Top 10 - 2017 : A6 - Security Misconfiguration

Server software and technology found

UNCONFIRMED 1

Software / Version	Category
G Google Sign-in	Authentication
Vercel	PaaS
♦ SmtpJS 3	Email
♦ HSTS	Security

✓ Details

Risk description:

An attacker could use this information to mount specific attacks against the identified software type and version.

Recommendation:

We recommend you to eliminate the information which permits the identification of software platform, technology, server and operating system: HTTP server headers, HTML meta information, etc.

References:

 $https://owasp.org/www-project-web-security-testing-guide/stable/4-Web_Application_Security_Testing/01-Information_Gathering/02-Fingerprint_Web_Server.html$

Classification:

OWASP Top 10 - 2013 : A5 - Security Misconfiguration OWASP Top 10 - 2017 : A6 - Security Misconfiguration

- Website is accessible.
- Nothing was found for vulnerabilities of server-side software.
- Nothing was found for client access policies.
- Nothing was found for robots.txt file.
- Nothing was found for absence of the security.txt file.
- Nothing was found for use of untrusted certificates.
- Nothing was found for enabled HTTP debug methods.
- Nothing was found for secure communication.
- Nothing was found for directory listing.
- Nothing was found for missing HTTP header Strict-Transport-Security.

- Nothing was found for domain too loose set for cookies.
- Nothing was found for HttpOnly flag of cookie.
- Nothing was found for Secure flag of cookie.
- Nothing was found for unsafe HTTP header Content Security Policy.

Scan coverage information

List of tests performed (19/19)

- Checking for website accessibility...
- Checking for missing HTTP header X-Frame-Options...
- Checking for missing HTTP header Content Security Policy...
- Checking for missing HTTP header X-Content-Type-Options...
- Checking for missing HTTP header Referrer...
- Checking for website technologies...
- Checking for vulnerabilities of server-side software...
- ✓ Checking for client access policies...
- ✓ Checking for robots.txt file...
- Checking for absence of the security.txt file...
- Checking for use of untrusted certificates...
- Checking for enabled HTTP debug methods...
- Checking for secure communication...
- Checking for directory listing...
- Checking for missing HTTP header Strict-Transport-Security...
- Checking for domain too loose set for cookies...
- Checking for HttpOnly flag of cookie...
- Checking for Secure flag of cookie...
- Checking for unsafe HTTP header Content Security Policy...

Scan parameters

Target: https://www.cushyrental.com/

Scan type: Light Authentication: False

Scan stats

Unique Injection Points Detected: 1
URLs spidered: 3
Total number of HTTP requests: 11
Average time until a response was

27ms

received: