



PlatformTests

Execution time
4/4/2017 9:37:11 PM
Operating system
Windows 7 Service Pack 1 64bit
Language
en-US
Total errors
0

Computer name
TDELEV0347
Screen dimensions
1920x1080
Duration
1.3m
Total warnings
0

2x Success



Expand Test Cases Expand Details Collapse All

Test Case Filter: ☒ Success ☒ Failed ☒ Blocked

Test Data

TestCases 1.3m

Test Data

IndividualScaling 1.3m

SETUP 8744ms

LoadSimpleIVSimulation 8577ms

IndividualScaling_25 1.1m

Filter: ☒ Info ☒ Success

Time	Level	Category	Message
00:09.045	Info	Mouse	Mouse Left Click item 'MdiClient' at 327;303.
00:09.693	Info	Set Value	Setting attribute Expanded to 'True' on item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.IndividualsRootNode'.
00:11.132	Info	Mouse	Mouse Left Click item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.Human_1' at 7;9.
00:11.576	Info	Mouse	Mouse Right Click item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.Human_1' at 8;9.
00:12.054	Info	Mouse	Mouse Left Click item 'PopupView.Edit' at 21;3.
00:12.976	Info	Mouse	Mouse Left Click item 'PKSimR50.EditIndividualView.Expression' at 32;6.
00:14.784	Info	Mouse	Mouse Right Click item 'PKSimR50.EditIndividualView.EditIndividualExpressionsView.IndividualExpressionTreeView.InfoRow0' at 74;11.
00:15.675	Info	Mouse	Mouse Left Click item 'PopupView.AddMoleculeFromDefault' at 46;15.
00:16.554	Info	Mouse	Mouse Left Click item 'AddProteinExpression.AddProteinExpression' at 30;1.
00:17.220	Info	Mouse	Mouse Left Click item 'AddProteinExpression.TextBoxMaskBox' at 21;5.
00:17.842	Info	Keyboard	Key sequence 'CYP3A4' with focus on 'AddProteinExpression.TextBoxMaskBox'.
00:18.898	Info	Keyboard	Key 'Alt+O' Press with focus on 'AddProteinExpression.AddProteinExpression'.
00:19.236	Info	Mouse	Mouse Left Click item 'PKSimR50.EditIndividualView.EditIndividualExpressionsView.IndividualExpressionParameters.CYP3A4' at 70;8.
00:22.396	Info	Keyboard	Key sequence 'CYP2D6{Tab}' with focus on 'PKSimR50.EditIndividualView.EditIndividualExpressionsView.IndividualExpressionParameters.CYP3A4'.
00:26.296	Info	Mouse	Mouse Left Click item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.Human_1' at 29;15.
00:26.716	Info	Mouse	Mouse Right Click item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.Human_1' at 28;15.
00:27.188	Info	Mouse	Mouse Left Click item 'SubMenuControlForm.Scale' at 57;13.
00:28.032	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.TextMaskBox1' at 219;3.
00:29.520	Info	Keyboard	Key sequence '{LShiftKey down}{Home}{LShiftKey up}' with focus on 'ScaleIndividualHuman1.TextMaskBox1'.
00:30.059	Info	Keyboard	Key sequence 'Kid' with focus on 'ScaleIndividualHuman1.TextMaskBox1'.
00:30.790	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox' at 144;10.
00:31.860	Info	Keyboard	Key sequence '{LShiftKey down}{Home}{LShiftKey up}' with focus on 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox'.
00:32.665	Info	Keyboard	Key sequence '{NumPad2}' with focus on 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox'.
00:33.465	Info	Keyboard	Key sequence '{Tab}' with focus on 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox'.
00:34.274	Info	Keyboard	Key 'Alt+N' Press.
00:34.465	Info	Keyboard	Key 'Alt+N' Press.
00:34.621	Info	Keyboard	Key 'Alt+N' Press.
00:34.773	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.LayoutControl2.Expression' at Center.
00:35.261	Info	Validation	Validating AttributeEqual (Text='CYP3A4') on item 'ScaleIndividualHuman1.LayoutControl2.InfoRow1'.
00:35.909	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl2.InfoRow1' does match the specified value.
00:36.111	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.LayoutControl2.InfoRow1' at Center.
00:36.938	Info	Validation	Validating AttributeEqual (Text='CYP2D6') on item 'ScaleIndividualHuman1.LayoutControl2.CYP2D6'.
00:39.967	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl2.CYP2D6' does match the specified value.
00:40.129	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.ButtonOK' at 41;10.
00:40.678	Info	Mouse	Mouse Left Click item 'PKSimR50.BuildingBlockEditView.AnatomyPhysiology' at 83;19.
00:41.405	Info	Set Value	Setting attribute Expanded to 'True' on item 'PKSimR50.ParameterContainerView.LayoutControlTree.TreeViewParameterGroup.PhysiologyNode'.
00:42.962	Info	Mouse	Mouse Left Click item 'PKSimR50.ParameterContainerView.LayoutControlTree.TreeViewParameterGroup.pHNode' at Center.
00:43.468	Info	Mouse	Mouse Left Click item 'PKSimR50.EditIndividualView.EditIndividualParameterPanel2.pH.ValueRow21' at 53;7.
00:45.408	Info	Keyboard	Key sequence '{NumPad8}' with focus on 'PKSimR50.EditIndividualView.EditIndividualParameterPanel2.pH.ValueRow21'.
00:46.208	Info	Keyboard	Key sequence '{Return}' with focus on 'PKSimR50.EditIndividualView.EditIndividualParameterPanel2.pH.ValueRow21'.

Time	Level	Category	Message
00:46.968	Info	Mouse	Mouse Left Click item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.Human_1' at 28;14.
00:47.416	Info	Mouse	Mouse Right Click item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.Human_1' at 28;14.
00:47.884	Info	Mouse	Mouse Left Click item 'SubMenuControlForm.Scale' at 49;7.
00:48.736	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.TextMaskBox1' at 166;4.
00:49.971	Info	Keyboard	Key sequence '{LShiftKey down}{Home}{LShiftKey up}' with focus on 'ScaleIndividualHuman1.TextMaskBox1'.
00:50.509	Info	Keyboard	Key sequence 'Kid2' with focus on 'ScaleIndividualHuman1.TextMaskBox1'.
00:51.299	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox' at 138;6.
00:52.370	Info	Keyboard	Key sequence '{LShiftKey down}{Home}{LShiftKey up}' with focus on 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox'.
00:53.225	Info	Keyboard	Key sequence '{NumPad2}' with focus on 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox'.
00:54.028	Info	Keyboard	Key 'Alt+N' Press with focus on 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox'.
00:54.724	Info	Validation	(Optional Action) Validating AttributeEqual (Text='Organism-pH (intracellular)') on item 'ScaleIndividualHuman1.LayoutControl1.ParameterRow0'.
00:55.493	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.ParameterRow0' does match the specified value.
00:55.632	Info	Validation	(Optional Action) Validating AttributeEqual (Text='Use default value') on item 'ScaleIndividualHuman1.LayoutControl1.ScalingMethodRow0'.
00:55.893	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.ScalingMethodRow0' does match the specified value.
00:56.032	Info	Validation	(Optional Action) Validating AttributeRegEx (Text=~^8,00) on item 'ScaleIndividualHuman1.LayoutControl1.SourceValueRow0'.
00:56.275	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.SourceValueRow0' does match the specified RegEx.
00:56.414	Info	Validation	(Optional Action) Validating AttributeRegEx (Text=~^7,00) on item 'ScaleIndividualHuman1.LayoutControl1.DefaultValueRow0'.
00:56.674	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.DefaultValueRow0' does match the specified RegEx.
00:56.814	Info	Validation	(Optional Action) Validating AttributeRegEx (Text=~^7,00) on item 'ScaleIndividualHuman1.LayoutControl1.ScaledValueRow0'.
00:57.057	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.ScaledValueRow0' does match the specified RegEx.
00:57.195	Info	Keyboard	Key 'Alt+N' Press.
00:57.369	Info	Keyboard	Key 'Alt+N' Press.
00:57.536	Info	Keyboard	Key 'Alt+O' Press.
00:57.741	Info	Set Value	Setting attribute Expanded to 'True' on item 'PKSimR50.ParameterContainerView.LayoutControlTree.TreeViewParameterGroup.Anatomy_Node'.
00:57.949	Info	Mouse	Mouse Left Click item 'PKSimR50.ParameterContainerView.LayoutControlTree.TreeViewParameterGroup.OrganVolumesNode' at Center.
00:58.435	Info	Mouse	Mouse Left Click item 'PKSimR50.BuildingBlockEditView.ValueRow11' at 115;5.
01:02.291	Info	Keyboard	Key sequence '{NumPad3}{Return}' with focus on 'PKSimR50.BuildingBlockEditView.ValueRow11'.
01:07.174	Info	Mouse	Mouse Left Click item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.Human_1' at 22;5.
01:07.650	Info	Mouse	Mouse Right Click item 'PKSimR50.BuildingBlockExplorerTreeView.BuildingBlockExplorerTreeViewPanel.Human_1' at 14;10.
01:08.125	Info	Mouse	Mouse Left Click item 'SubMenuControlForm.Scale' at 36;10.
01:08.978	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.TextMaskBox1' at 290;4.
01:10.127	Info	Keyboard	Key sequence '{LShiftKey down}{Home}{LShiftKey up}' with focus on 'ScaleIndividualHuman1.TextMaskBox1'.
01:10.610	Info	Keyboard	Key sequence 'Kid3' with focus on 'ScaleIndividualHuman1.TextMaskBox1'.
01:11.438	Info	Mouse	Mouse Left Click item 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox' at 212;7.
01:12.473	Info	Keyboard	Key sequence '{LShiftKey down}{Home}{LShiftKey up}{NumPad2}' with focus on 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox'.
01:13.395	Info	Keyboard	Key 'Alt+N' Press with focus on 'ScaleIndividualHuman1.LayoutControl2.TextMaskBox'.
01:14.116	Info	Validation	(Optional Action) Validating AttributeEqual (Text='3.00000 l') on item 'ScaleIndividualHuman1.LayoutControl1.SourceValueRow1'.
01:14.891	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.SourceValueRow1' does match the specified value.
01:15.041	Info	Validation	(Optional Action) Validating AttributeRegEx (Text=~^1\,21.*\ l) on item 'ScaleIndividualHuman1.LayoutControl1.SourceDefaultValueRow1'.
01:15.323	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.SourceDefaultValueRow1' does match the specified RegEx.
01:15.458	Info	Validation	(Optional Action) Validating AttributeRegEx (Text=~^0\,23.*\ l) on item 'ScaleIndividualHuman1.LayoutControl1.DefaultValueRow1'.
01:15.707	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.DefaultValueRow1' does match the specified RegEx.
01:15.858	Info	Validation	(Optional Action) Validating AttributeRegEx (Text=~^0\,56.*\ l) on item 'ScaleIndividualHuman1.LayoutControl1.ScaledValueRow1'.
01:16.119	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.ScaledValueRow1' does match the specified RegEx.
01:16.257	Info	Validation	(Optional Action) Validating AttributeEqual (Text='Same percentile') on item 'ScaleIndividualHuman1.LayoutControl1.ScalingMethodRow1'.
01:16.500	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.ScalingMethodRow1' does match the specified value.
01:16.662	Info	Validation	(Optional Action) Validating AttributeRegEx (Text=~^12\,58.*) on item 'ScaleIndividualHuman1.LayoutControl1.TargetBodyWeight'.
01:17.047	Success	Validation	Attribute 'Text' of element for item 'PlatformTestsRepository.ScaleIndividualHuman1.LayoutControl1.TargetBodyWeight' does match the specified RegEx.
01:17.188	Info	Keyboard	Key 'Alt+N' Press.
01:17.354	Info	Keyboard	Key 'Alt+N' Press.
01:17.549	Info	Keyboard	Key 'Alt+O' Press.

TEARDOWN
3297ms

CloseProject
3288ms