A7: High-level architecture. Privileges. Web resources specification

This document catalogues the resources used by SegFault, and identifies their properties. These include references to the graphical interfaces, and the format of JSON responses. Furthermore, this artifact presents a documentation for the web application, including all operations over data: create, read, update, and delete.

1. Overview

This section presents an overview of the web application to implement, identifies the application's modules and briefly describes them. The web resources associated with each module are detailed in the individual documentation of each module.

M01:	Web recourses associated with user authentication	
	Web resources associated with user authentication,	
Authentication	includes the following system features: login/logout and	
	registration.	
M02:	Web resources associated with individual profile	
Individual	management, includes the following system features: view	
Profile	and edit personal profile information, view personal	
	notifications and favorite questions.	
M03:	Web resources associated with questions, answers and	
Messages	their comments, includes the following system features:	
Ü	add, view, vote, report and delete questions, add, view,	
	vote, report and delete answers and add, view, vote,	
	, -	
	report and delete comments.	
M04:	Web resources associated with categories, includes the	
Categories	following system features: list categories and search	
	categories	
M05: Static	Web resources with static content are associated with	
Pages	this module: about and 404 page.	

2. Permissions

This section defines the permissions used in the modules to establish the conditions of access to resources, in increasing order of restrictiveness.

PUB	Public	Group of users without privileges.
\mathbf{USR}	User	Group of authenticated users.

own	Owner	Group of users that can update their profiles and have
		privileges regarding their messages (extension over the
		USR permissions).
MOD	Moderator	Group of Moderators that can manage any message
		(extension over the USR permissions).

3. Modules

This section documents each web resource of each module, indicating the URL, HTTP methods, the possible parameters, interfaces with the user (referring to the A3 artefact) — or JSON responses in the event of APIs.

3.1 Module M01: Authentication

Endpoints of module Authentication

These are the endpoints available in the Authentication module:

- R101: Login Action /login
- R102: Logout Action /logout
- R103: Register Form /register
- R104: Register Action /register

R101: Login Action

/login
This web resource logs the user into the system.
+username: string (account username)
+password: string (account password)
POST
Reloads the page on success or failure.
PUB

R102: Logout Action

URL	/logout
Description	This web resource logs out the
	authenticated user (or moderator).
Method	POST
Redirects	Reloads the page.
Permissions	USR

R103: Register Form

URL	/register
Description	Page with a form to register a new user account.
Method	GET
UI	UI06
Submit	R104
Permissions	PUB

R104: Register Action

URL	/register
Description	This web resource inserts the user into the system.
Method	POST
Redirects	Success - Main page
	Failure - Register
Request Body	+username: string (account username)
	+email: string (account email)
	+password: string (account password)
Permissions	PUB

3.2 Module M02: Individual Profile

Endpoints of module Individual Profile

These are the endpoints available in the Individual Profile module:

- R201: View Profile /users/{user_id}
- R202: Edit Profile Form /users/{user_id}/edit_profile
- R203: Edit Profile Action /users/{user_id}
- R204: Change Password Form /users/{user_id}/change_password
- R205: Change Password Action /users/{user_id}
- R206: View Favourite Questions /users/{user_id}/favourites
- R207: Delete a Favourite Question /users/{user_id}/favourites/{question_id}
- R208: Add a Favourite Question /users/{user_id}/favourites/{question_id}

R201: View Profile

URL	/users/{user_id}
Description	Shows a user's profile page.
Method	GET
Parameters	+user_id: integer (user primary key)
UI	UI05

Permissions PUB

$\mathbf{R202}$: Edit Profile Form

URL	/users/{user_id}/edit_profile
Description	Page with a form to edit profile info.
Method	GET
Parameters	+user_id: integer (user primary key)
UI	UI09
Submit	R203
Permissions	OWN

R203: Edit Profile Action

URL	/users/{user_id}
Description	Web resource that changes
	a user's profile info based
	on its input.
Method	POST
Parameters	+user_id: integer (user
	primary key)
Request Body	?background_picture:
	string (New background
	picture path)
	?profile_picture: string
	(New profile picture path)
	?biography: string (New
	user's biography)
Response Body	JSON05
Permissions	OWN

R204: Change Password Form

URL	/users/{user_id}/change_password
Description	Page with a form to change the user's password.
Method	GET
Parameters	+user_id: integer (user primary key)
UI	Click on "Settings"
Submit	R205
Permissions	OWN

R205: Change Password Action

URL /users/{user_id}

Description Web resource to change a user's password.

Method POST

Parameters +user_id: integer (user primary key)

Request Body +old_password: string (The previous password)

+new_password: string (The new password)

OWN

206: View Favourite Questions

URL /users/{user_id}/favourites

Description Web resource that gets all favourite questions of a user.

Method GET

Parameters +user_id: integer (user primary key)

Response Body JSON01

Permissions OWN

207: Delete a Favourite Question

URL	/users/{user_id}/favourites/{question_id}
Description	Web resource that deletes a
	question from a user's
	favourites.
Method	DELETE
Parameters	+user_id: integer (user
	primary key)
	+question_id: integer (the
	primary key of the question
	to delete)
Permissions	OWN

208: Add a Favourite Question

URL	/users/{user_id}/favourites/{question_id}
Description	Web resource that adds a question to a user's favourites.
Method	POST
Parameters	+user_id: integer (user primary key)
	+question_id: integer (the primary key of the question to add)
Response Body	JSON02
Permissions	OWN

3.3 Module M03: Messages

Endpoints of module Messages

- R301: Search Questions Page /questions
- R302: Get recent questions /questions/recent/{page_num}
- R303: Get hot questions /questions/hot/{page_num}
- R304: Get highly voted questions /questions/highly-voted/{page_num}
- R305: Get active questions /questions/active/{page_num}
- R306: Get question's details /questions/{id}
- R307: Add a new question Form /questions/create
- R308: Add a new question Action /questions
- R309: Edit a question Form /questions/{id}/edit
- R310: Edit a question Action /questions/{id}
- R311: Delete a question /questions/{id}
- R312: Get question's answers /questions/{id}/answers
- R313: Get answer's details /questions/{id}/answers/{answer_id}
- R314: Add a new answer /questions/{id}/answers
- R315: Edit an answer /questions/{id}/answers/{answer_id}
- R316: Delete an answer /questions/{id}/answers/{answer_id}
- R317: Get question's comments /questions/{id}/comments
- R318: Add a new comment to a question /questions/{id}/comments
- R319: Edit a question's comment /questions/{id}/comments/{comment_id}
- R320: Delete a question's comment /questions/{id}/comments/{comment_id}
- R321: Get answer's comments /questions/{id}/answers/{answer_id}/comments
- R322: Add a new comment to an answer /questions/{id}/answers/{answer id}/comments
- R323: Edit an answer's comment /questions/{id}/answers/{answer_id}/comments/{comment_id}
- R324: Delete an answer's comment /questions/{id}/answers/{answer_id}/comments/{comment_id}

R301: Search Questions Page

URL	/questions
Description	Resource that allows
	searching for a question by
	it's title.
Method	GET
Parameters	+query: string (String field
	to search for in questions).
	?categories: id[] (Optionally,
	filter questions by
	categories, by their foreign
	keys).
Response Body	JSON01
Permissions	PUB

R302: Get Recent Questions

URL	/questions/recent/{page_num}
Description	Resource that shows the 25
	most recent questions,
	offset by $page_num~(25~*$
	$page_num).$
Method	GET
Parameters	+page_num: integer (Page
	number).
UI	UI01
Permissions	PUB

R303: Get Hot Questions

URL	/questions/hot/{page_num}
Description	Shows the 25 hottest
	questions (highly voted
	questions with most
	answers but no correct
	answer), offset by
	$page_num~(25~*$
	$page_num).$
Method	GET
Parameters	+page_num: integer (Page
	number).
UI	UI01
Permissions	PUB

R304: Get Highly Voted Questions

URL	/questions/highly-voted/{page_num}
Description	Show the 25 questions with
P	highest score, offset by
	$page_num~(25~*$
	$page_num).$
Method	GET
Parameters	+page_num: integer (Page
	number).
UI	UI01
Permissions	PUB

R305: Get Active Questions

URL	/questions/active/{page_num}
Description	Show 25 unanswered
	questions, offset by
	$page_num~(25~*$
	$page_num).$
Method	GET
Parameters	+page_num: integer (Page
	number).
UI	UI01
Permissions	PUB

R306: Get Question's Details

URL	/questions/{id}
Description	Shows the question's page,
	featuring its details,
	answers and comments.
Method	GET
UI	UI03
Parameters	+id: integer (The
	question's id)
Permissions	PUB

R307: Add a New Question - Form

URL	/questions/create
Description	Page with a form for creating a new question.
Method	GET
UI	UI04
SUBMIT	R308
Permissions	USR

R308: Add a New Question - Action

URL	/questions

Description	Web resource that creates a
	new question based on the
	input received. Redirects to
	the new question page on
	success, and back to new
	question form on failure.
Method	POST
Request Body	+title: string (The
	question's title)
	+content: string (The
	question's contents)
	+author: integer (The
	question author's id)
	+categories: id[] (The
	question's categories's
	foreign keys)
Redirects	R306 - SUCCESS
	R307 - FAILURE
Permissions	USR

R309: Edit a Question - Form

URL	/questions/{id}/edit
Description	Page with a form for editing a question.
Method	GET
UI	UI04
SUBMIT	R310
Permissions	OWN, MOD

R310: Edit a Question - Action

URL	/questions/{id}
Description	Web resource that edits a
	previous question based on
	the input received.
	Redirects to the new
	question page on success,
	and back to edit question
	form on failure.
Method	PUT
Request Body	+author: integer (The
	question author's id)
	?content: string (The
	question's contents)

 $\begin{array}{c} ? categories: id[] \ (The \\ question's \ categories's \\ for eign \ keys) \\ Redirects \\ R306 - SUCCESS \\ R309 - FAILURE \\ Permissions \\ OWN, MOD \end{array}$

R311: Delete a question

URL	/questions/{id}
Description	Web resource that deletes a
	question based on its ID. In
	case of success redirect to
	Main page, otherwise stay
	in the question page.
Method	DELETE
Request Body	+question_id: integer
	(question primary key)
Returns	200 OK - The question was
	successfully deleted.
	400 Bad Request - Error.
	Error message is specified
	via a HTTP header.
	404 Not Found - Error. No
	work with the specified
	primary key exists.
Redirect	R302 - SUCCESS
Permissions	OWN, MOD

R312: Get question's answers

URL	<pre>/questions/{id}/answers</pre>
Description	Get all the answers of a question.
Method	GET
Parameters	+id: integer (The question's id)
Response Body	JSON07
Permissions	PUB

R313: Get answer's details

URL	<pre>/questions/{id}/answers/{answer_id}</pre>
Description	The details and contents of a answer.

Method GET

Parameters +question_id: integer (The question's id) Parameters +answer_id: integer (The answer's id)

Response Body JSON08 Permissions PUB

R314: Add a new answer

URL	/questions/{id}/answers
Description	Web resource that creates a
	new answer based on the
	input received.
Method	POST
Request Body	+content: string (The
	question's contents)
	+author: integer (The
	question author's id)
Permissions	USR

R315: Edit an answer

URL	<pre>/questions/{id}/answers/{answer_id}</pre>
Description	Web resource that edits a
	previous answer based on
	the input received.
Method	PUT
Request Body	+question_id: integer (The
	question's id)
	+author: integer (The
	answer author's id)
	?content: string (The
	answer's contents)
Permissions	OWN, MOD

R316: Delete an answer

URL	<pre>/questions/{id}/answers/{answer_id}</pre>
Description	Web recourse that delete a answer based on his

Description Web resource that delete a answer based on his ID.

Method DELETE

Request Body +question_id: integer (question primary key)

+answer_id: integer (answer primary key)

Returns 200 OK - The answer was successfully deleted.

 $400~{\rm Bad}$ Request - Error. Error message is specified via a HTTP header. $404~{\rm Not}$ Found - Error. No work with the specified primary key exists.

Permissions

OWN, MOD

R317: Get question's comments

URL	/questions/{id}/comments
Description	Get all the comments of a question.
Method	GET
Parameters	+id: integer (The question's id)
Response Body	JSON04
Permissions	PUB

R318: Add a new comment to a question

URL	/questions/{id}/comments
Description	Web resource to add a new comment to a question.
Method	POST
Parameters	+id: integer (Question id)
Request Body	+content: string (Comment content)
	+author: integer (User id)
	+commentable: integer (Question id)
Response body	JSON03
Permissions	USR

R319: Edit a question's comment

URL	/questions/{id}/comments/{comment_id}
Description	Web resource that allows the edition of a question's comment.
Method	PUT
Parameters	+id: integer (Question id)
	+comment_id: integer (Comment id)
Request Body	+content: string (Comment content)
	+editor: integer (User id)
	+commentable: integer (Question id)
	+comment: integer (Comment id)
Response body	JSON03
Permissions	OWN, MOD

R320: Delete a question's comments

URL /questions/{id}/comments/{comment_id} Description Web resource that allows the deletion of a question's comment. Method DELETE Parameters +id: integer (Question id) +comment_id: integer (Comment Request Body +commentable: integer (Question id) +comment: integer (Comment id) Returns 200 OK - The comment was successfully edited. $400~\mathrm{Bad}$ Request - Error. Could not delete the comment Permissions OWN, MOD

R321: Get answer's comments

URL	/questions/{id}/answers/{answer_id}/comments
Description	Web resource that allows to show all the answer's comments.
Method	GET
Parameters	+id: integer (Question id)
	+answer_id: integer (Answer id)
	+comment_id: integer (Comment id)
Response body	JSON04
Permissions	PUB

R322: Add a new comment to an answer

URL	/questions/{id}/answers/{answer_id}/comments
Description	Web resource that allows to add a new comment to an answer.
Method	POST
Parameters	+id: integer (Question id)
	+answer_id: integer (Answer id)
Request Body	+content: string (Answer content)
	+author: integer (User id)
	+commentable: integer (Answer id)
Response body	JSON03
Permissions	USR

R323: Edit an answer's comment

URL/questions/{id}/answers/{answer_id}/comments/{comment_id} Description Web resource that allows the edition of a answer's comment. Method PUT Parameters +id: integer (Question id) +answer_id: integer (Answer id) +comment_id: integer (Comment id) Request Body +content: string (Comment content) +editor: integer (User id) +commentable: integer (Answer id) +comment: integer (Comment id) Response body JSON03 Permissions OWN, MOD

R324: Delete an answer's comment

URL	/questions/{id}/answers/{answer_id}/comments/{comment_id}
Description	Web resource that allows the deletion of a answer's comment.
Method	DELETE
Parameters	+id: integer (Question id)
	+answer_id: integer (Answer id)
	+comment_id: integer (Comment id)
Request Body	+commentable: integer (Answer id)
	+comment: integer (Comment id)
Returns	200 OK - The comment was successfully edited.
	400 Bad Request - Error. Could not delete the comment
Permissions	OWN, MOD

3.4 Module M04: Categories

Endpoints of module Categories

These are the endpoints available in the Categories module:

- R401: Categories page /categories
- R402: Search Categories /categories/search
- R403: Get category's questions /categories/{id}/questions

R401: Categories Page

URL	/categories
Description	Get categories page.
Method	GET
UI	UI05

Permissions PUB

R402: Search Categories

URL	/categories/search
Description	Web resource that allows
	searching for a category by it's
	name.
Method	GET
Parameters	+query: string (String field to
	search for in categories).
Response Body	JSON06
Permissions	PUB

R403: Get category's questions

URL Description	/categories/{id}/questions Web resource that shows the questions associated with a category.
Method	GET
Parameters	+id: integer (The category's id)
Response Body	JSON01
Permissions	PUB

3.5 Module M05: Static Pages

Endpoints of module Static Pages

These are the endpoints available in the Static module:

R501: About Page /aboutR502: 404 Page /404

R501: About Page

/about
Get about page.
GET
UI02
PUB

R502: 404 Page

URL	/404
Description	Get 404 page.
Method	GET
UI	UI08
Permissions	PUB

4. JSON/XML Types

JSON01: Questions {question}[]

JSON response containing a list of questions and their contents.

```
"question": [
 {
   "id": 137,
   "title": "Is there multiple inheritance in JAVA?",
   "content": "I'm a C++ developer and have always been intrigued by the
     fact that some languages allow for multiple inheritance and others
     don't.\nIs there a deeper thought process behind this?",
   "author": "sudomakemeasandwich",
    "score": 120,
   "correct_answer": 43,
    "creation_time": "2018-04-07 14:11",
    "category": [
     {
       name: "JAVA",
        id: 1
     },
      {
       name: "00P",
        id: 2
   ]
 },
   "id": 12,
   "title": "Is javascript dynamically typed?",
    "content": "I was wondering if javascript was a dynamically typed language?",
   "author": "sudormrf",
   "score": 10,
   "correct answer": 435,
    "creation_time": "2018-03-01 10:03",
```

```
"category": [
        {
          name: "JAVA",
          id: 1
        },
        {
          name: "00P",
          id: 2
     ]
    }
 ]
}
JSON02: Question {question}
JSON response containing a question's details and contents.
{
  "question":
    {
      "id": 137,
      "title": "Is there multiple inheritance in JAVA?",
      "author": "sudomakemeasandwich",
      "score": 120,
      "correct_answer": 43,
      "category": [
        {
          name: "JAVA",
          id: 1
        },
        {
          name: "00P",
          id: 2
        }
      ],
      "was_edited": true,
      "content":
        {
          "version": "I'm a C++ developer and have always been intrigued by the
          fact that some languages allow for multiple inheritance and others
          don't.\nIs there a deeper thought process behind this?",
          "creation_time": "2018-04-07 14:11",
          "author": "sudomakemeasandwich"
```

}

```
}
}
```

JSON03: Comment {comment}

JSON response containing a comment's details and contents.

```
{
    "comment":
    {
        "id": 236,
        "author": "sudomakemeasandwich",
        "score": 10,
        "was_edited": true,
        "content":
        {
            "version": "Heyyy wadup",
            "creation_time": "2018-03-07 01:11",
            "author": "sudomakemeasandwich"
        }
    }
}
```

JSON04: Comments {comment}[]

JSON response containing a list of comments and their contents.

```
{
  "comment": [
    {
      "id": 236,
      "author": "sudomakemeasandwich",
      "score": 10,
      "was_edited": true,
      "content":
        {
          "version": "Heyy I agreeeee",
          "creation_time": "2018-04-08 11:10",
          "author": "sudomakemeasandwich"
        }
    }
 ]
}
```

```
JSON05: Profile {user}
```

```
JSON response containing the contents of a user's profile.
```

```
{
   "username": "sudomakemeasandwhich",
   "background_img": "imgs/profile/standard-bg.png",
   "profile_img": "imgs/profile/linuxislove.png",
   "biography": "Better than uml only ..."
}
```

JSON06: Categories {category}[]

JSON response containing a list of categories and their information.

JSON07: Answers {answer}[]

JSON response containing a list of answers and their information.

```
{
    "answer": [
        {
            "id": 702,
            "author": "amccoy0",
            "score": 3,
            "was_edited": false,
            "content":
            {
                 "version": "Use php7.1 dummy",
                  "creation_time": "2018-04-07 14:51",
                  "author": "sudomakemeasandwich"
            }
        }
}
```

```
]
}
```

JSON08: Answer {answer}

JSON response containing an answer's details and contents.

```
{
  "answer":
    {
      "id": 137,
      "author": "sudomakemeasandwich",
      "score": -1,
      "was_edited": false,
      "content":
      {
            "version": "Your question makes no sense...",
            "creation_time": "2018-04-07 18:11",
            "author": "sudomakemeasandwich"
      }
    }
}
```

Revision history

- 12/04/2018: Deleted "Login Form" resource, as its not a separate page;
- 12/04/2018: Added links to all UIs;
- 12/04/2018: Reassessed the usfulness of response with status code 202 or 204, deleted most;
- 12/04/2018: Deleted UI field of R311-R314;
- 12/04/2018: Modified JSONs to include flag was_edited instead of all versions of a message;
- 12/04/2018: Corrected R402's URL;
- 12/04/2018: Added categories' foreign keys to JSON responses, and restricted to only categories foreign keys when adding a question (instead of a string) R301, R308, R310;
- 13/04/2018: Corrected markdown typos;
- 16/04/2018: Added pagination to questions resources (extra URL parameter);

GROUP1763, 16/04/2018

André Cruz, up201503776@fe.up.pt Daniel Marques, up201503822@fe.up.pt Edgar Carneiro, up201503784@fe.up.pt João Carvalho, up201504875@fe.up.pt