Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for SegFaultQuestion.html

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** **Attribute** `autocorrect` **not allowed on element** `textarea` **at this point.**

   From line 224, column 1316; to line 224, column 1481

   ```
   t: 14px;"><textarea autocorrect="off" autocapitalize="off" spellcheck="false" style="position: absolute; padding:
   0px; width: 1000px; height: 1em; outline: none;" tabindex="0"></text
   ```

   Attributes for element `textarea`:

   Global attributes

   `autocapitalize` - Hint for automatic capitalization by user agents.

   `autocomplete` - Hint for form autofill feature

   `autofocus` - Automatically focus the form control when the page is loaded

   `cols` - Maximum number of characters per line

   `dirname` - Name of form field to use for sending the element's directionality in §4.10.21 Form submission

   `disabled` - Whether the form control is disabled

   `form` - Associates the control with a `form` element

   `maxlength` - Maximum length of value

   `minlength` - Minimum length of value

name - Name of form control to use for §4.10.21 Form submission and in the form.elements API

placeholder - User-visible label to be placed within the form control

readonly - Whether to allow the value to be edited by the user

required - Whether the control is required for §4.10.21 Form submission

rows - Number of lines to show

wrap - How the value of the form control is to be wrapped for §4.10.21 Form submission

2. **Error** **Attribute** `cm-not-content` **not allowed on element** `div` **at this point.**

From line 224, column 1499; to line 224, column 1598

```
rea></div><div class="CodeMirror-vscrollbar" cm-not-content="true" style="width: 18px; pointer-events: none;"><div
s
```

Attributes for element `div`:

    Global attributes

3. **Error** **Attribute** `cm-not-content` **not allowed on element** `div` **at this point.**

From line 224, column 1653; to line 224, column 1753

```
div></div><div class="CodeMirror-hscrollbar" cm-not-content="true" style="height: 18px; pointer-events: none;">
<div s
```

Attributes for element `div`:

    Global attributes

4. **Error** **Attribute** `cm-not-content` **not allowed on element** `div` **at this point.**

From line 224, column 1822; to line 224, column 1884

```
div></div><div class="CodeMirror-scrollbar-filler" cm-not-content="true"></div>
```

Attributes for element `div`:

    Global attributes

5. **Error** **Attribute** `cm-not-content` **not allowed on element** `div` **at this point.**

From line 224, column 1891; to line 224, column 1950

```
ue"></div><div class="CodeMirror-gutter-filler" cm-not-content="true"></div>
```

Attributes for element `div`:

6. **Error** **Attribute** `cm-text` **not allowed on element** `span` **at this point.**

From line 224, column 2631; to line 224, column 2647

`: 0.1px;">``<span cm-text="">``</spa`

Attributes for element `span`:

Global attributes

7. **Error** **Attribute** `autocorrect` **not allowed on element** `textarea` **at this point.**

From line 831, column 1271; to line 831, column 1436

`ht: 0px;">``<textarea autocorrect="off" autocapitalize="off" spellcheck="false" style="position: absolute; padding: 0px; width: 1000px; height: 1em; outline: none;" tabindex="0">``</text`

Attributes for element `textarea`:

Global attributes

`autocapitalize` - Hint for automatic capitalization by user agents.

`autocomplete` - Hint for form autofill feature

`autofocus` - Automatically focus the form control when the page is loaded

`cols` - Maximum number of characters per line

`dirname` - Name of form field to use for sending the element's directionality in §4.10.21 Form submission

`disabled` - Whether the form control is disabled

`form` - Associates the control with a `form` element

`maxlength` - Maximum length of value

`minlength` - Minimum length of value

`name` - Name of form control to use for §4.10.21 Form submission and in the `form.elements` API

`placeholder` - User-visible label to be placed within the form control

`readonly` - Whether to allow the value to be edited by the user

`required` - Whether the control is required for §4.10.21 Form submission

`rows` - Number of lines to show

`wrap` - How the value of the form control is to be wrapped for §4.10.21 Form submission

8. **Error** **Attribute** `cm-not-content` **not allowed on element** `div` **at this point.**

From line 831, column 1454; to line 831, column 1547

`rea></div>`<mark>`<div class="CodeMirror-vscrollbar" cm-not-content="true" style="display: block; bottom: 0px;">`</mark>`<div s`

Attributes for element `div`:

Global attributes

9. **Error** **Attribute** `cm-not-content` **not allowed on element** `div` **at this point.**

From line 831, column 1603; to line 831, column 1659

`div></div>`<mark>`<div class="CodeMirror-hscrollbar" cm-not-content="true">`</mark>`<div s`

Attributes for element `div`:

Global attributes

10. **Error** **Attribute** `cm-not-content` **not allowed on element** `div` **at this point.**

From line 831, column 1728; to line 831, column 1790

`div></div>`<mark>`<div class="CodeMirror-scrollbar-filler" cm-not-content="true"></div>`</mark>

Attributes for element `div`:

Global attributes

11. **Error** **Attribute** `cm-not-content` **not allowed on element** `div` **at this point.**

From line 831, column 1797; to line 831, column 1856

`ue"></div>`<mark>`<div class="CodeMirror-gutter-filler" cm-not-content="true"></div>`</mark>

Attributes for element `div`:

Global attributes

12. **Error** **Attribute** `gapi_processed` **not allowed on element** `script` **at this point.**

From line 922, column 1; to line 922, column 91

`</script>`↵<mark>`<script src="./SegFaultQuestion_files/platform.js" async="" defer="" gapi_processed="true"></scri`</mark>

Attributes for element `script`:

Global attributes

`src` - Address of the resource

`type` - Type of embedded resource

<code>async</code> - Execute script in parallel

<code>defer</code> - Defer script execution

<code>crossorigin</code> - How the element handles crossorigin requests

<code>integrity</code> - Integrity metadata used in *Subresource Integrity* checks [SRI]

Document checking completed.

Used the HTML parser.

Total execution time 746 milliseconds.