

Concordia University
Comp 353- Databases

Main Project
A Simple database for the education health facilities


Group: fdc353_1
Andre Hei Wang Law 40175600
Andrei Barbulescu 40208635
Dimitri El-Choueiry 40070184
Ziyi Wang 40167122

Due: August 11th, 2023 at 12:00

1. Reasonable Assumptions

- No null values for any primary or foreign key within our database.
- the secondary teachers cannot have a second role as explained in the guidelines.
- Two people can't have same phone #
- Two people can't have same email address

2. E/R Diagram



3.

Person (FirstName, LastName, DateOfBirth, Address, City, Province, PostalCode, Citizenship, MedicareCardNumber (PK), emailAddress, TelephoneNumber, MedicareExpirationDate)

Student(MedicareCardNumber (PK,FK), FacilityID (FK), MinistryID(FK), level) - 3NF

Employee(Role, MedicareCardNumber (PK,FK), FacilityID, MinistryID) - 3NF

SchoolsAttendedByStudents(MedicareCardNumber (PK,FK), FacilityID (FK), MinistryID(FK), level, startDate, endDate)

WorkplaceForEachEmployee((Role, MedicareCardNumber (PK,FK), FacilityID(PK,FK), MinistryID(PK,FK), startDate, endDate)

Infection(DateOfInfection, MedicareCardNumber(FK), infectionType) - 3NF

Vaccination(DoseNumber (PK), Date, Type, MedicareCardNumber(FK)) : F={MCN,DN->Date, type ____ MCN,Date -> DN,Type) - 3NF

Ministry(ministryID(PK), headOfficeFacilityAddress(FK), ministerOfEducation(president of head office FK)) F={ministryID->everything, ministerOfEdu->everything) 3NF

Facility(FacilityID (PK), MinistryID(PK)(FK), Name, Address, City, Province, CapOnEmployees, PostalCode, Phone, WebAddress, Type) ____ F={FacIDMinID->everything, phone#->everything, webAdd->everything) - 3NF because all the FD LHS are superkeys also this is the canonical cover of the relation

Educational(FacilityID(PK,FK), MinistryID principleID(personID), type) -
F = {FacIDMinID->everything, principle->everything) 3NF

Management(FacilityID (PK,FK), MinistryID(PK,FK), presidentID(personID)(FK), headOffice (boolean)) - 3NF F={facIDminID-> everything, presID->everything)

EmployeeSchedule(FacilityID (FK), MinistryID(FK), MedicareCardNumber (FK), Date, StartTime EndTime) - 3NF

DDL Creation

```
CREATE TABLE Person (  
    MedicareCardNumber INT PRIMARY KEY NOT NULL,  
    FirstName VARCHAR(50) NOT NULL,  
    LastName VARCHAR(50) NOT NULL,  
    DateOfBirth DATE NOT NULL,  
    Address VARCHAR(100) NOT NULL,  
    City VARCHAR(50) NOT NULL,  
    Province VARCHAR(50) NOT NULL,  
    PostalCode VARCHAR(10) NOT NULL,  
    Citizenship VARCHAR(50) NOT NULL,  
    EmailAddress VARCHAR(100) NOT NULL,  
    TelephoneNumber VARCHAR(20) NOT NULL,  
    MedicareExpirationDate DATE NOT NULL  
);  
  
CREATE TABLE Ministry (  
    MinistryID INT PRIMARY KEY NOT NULL,  
    HeadOfficeFacilityAddress VARCHAR(100) NOT NULL,  
    MinisterOfEducation INT NOT NULL,  
    FOREIGN KEY (MinisterOfEducation) REFERENCES Person(MedicareCardNumber)  
);  
  
CREATE TABLE Facility (  
    FacilityID INT NOT NULL,  
    MinistryID INT NOT NULL,  
    Name VARCHAR(100) NOT NULL,  
    Address VARCHAR(100) NOT NULL,  
    City VARCHAR(50) NOT NULL,  
    Province VARCHAR(50) NOT NULL,  
    CapOnEmployees INT NOT NULL,  
    PostalCode VARCHAR(10) NOT NULL,  
    Phone VARCHAR(20) NOT NULL,  
    WebAddress VARCHAR(100) NOT NULL,  
    Type VARCHAR(50) NOT NULL,  
    FOREIGN KEY (MinistryID) REFERENCES Ministry(MinistryID),  
    PRIMARY KEY (FacilityID, MinistryID)  
);  
  
CREATE TABLE Infection (  
    DateOfInfection DATE NOT NULL,  
    MedicareCardNumber INT NOT NULL,  
    InfectionType VARCHAR(50) NOT NULL,
```

```
FOREIGN KEY (MedicareCardNumber) REFERENCES Person(MedicareCardNumber),  
PRIMARY KEY (MedicareCardNumber, DateOfInfection)  
);
```

```
CREATE TABLE Vaccination (  
    DoseNumber INT NOT NULL,  
    Date DATE NOT NULL,  
    Type VARCHAR(50) NOT NULL,  
    MedicareCardNumber INT NOT NULL,  
    FOREIGN KEY (MedicareCardNumber) REFERENCES Person(MedicareCardNumber),  
    PRIMARY KEY (DoseNumber, MedicareCardNumber)  
);
```

```
CREATE TABLE Educational (  
    FacilityID INT NOT NULL ,  
    MinistryID INT NOT NULL,  
    Principle INT NOT NULL,  
    Type VARCHAR(50) NOT NULL,  
    FOREIGN KEY (FacilityID, MinistryID) REFERENCES Facility(FacilityID, MinistryID),  
    FOREIGN KEY (Principle) REFERENCES Person(MedicareCardNumber),  
    PRIMARY KEY (FacilityID, MinistryID)  
);
```

```
CREATE TABLE Student (  
    MedicareCardNumber INT PRIMARY KEY NOT NULL,  
    FacilityID INT NOT NULL,  
    MinistryID INT NOT NULL,  
    Level VARCHAR(50) NOT NULL,  
    FOREIGN KEY (FacilityID, MinistryID) REFERENCES Facility(FacilityID, MinistryID),  
    FOREIGN KEY (MedicareCardNumber) REFERENCES Person(MedicareCardNumber)  
);
```

```
CREATE TABLE Employee (  
    Role VARCHAR(50) NOT NULL,  
    MedicareCardNumber INT PRIMARY KEY NOT NULL,  
    FacilityID INT NOT NULL,  
    MinistryID INT NOT NULL,  
    FOREIGN KEY (FacilityID, MinistryID) REFERENCES Facility(FacilityID, MinistryID),  
    FOREIGN KEY (MedicareCardNumber) REFERENCES Person(MedicareCardNumber)
```

);

```
CREATE TABLE Management (  
    FacilityID INT NOT NULL,  
    MinistryID INT NOT NULL,  
    PresidentID INT NOT NULL,  
    HeadOffice BOOLEAN NOT NULL,  
    PRIMARY KEY (FacilityID, MinistryID),  
    FOREIGN KEY (FacilityID, MinistryID) REFERENCES Facility(FacilityID, MinistryID),  
    FOREIGN KEY (PresidentID) REFERENCES Person(MedicareCardNumber)  
);
```

```
CREATE TABLE SchoolsAttendedByStudents (  
    MedicareCardNumber INT NOT NULL,  
    FacilityID INT NOT NULL,  
    MinistryID INT NOT NULL,  
    Level VARCHAR(50) NOT NULL,  
    StartDate DATE NOT NULL,  
    EndDate DATE,  
    PRIMARY KEY (MedicareCardNumber, FacilityID, MinistryID),  
    FOREIGN KEY (FacilityID, MinistryID) REFERENCES Facility(FacilityID, MinistryID),  
    FOREIGN KEY (MedicareCardNumber) REFERENCES Person(MedicareCardNumber)  
);
```

```
CREATE TABLE WorkplaceForEachEmployee (  
    Role VARCHAR(50) NOT NULL,  
    MedicareCardNumber INT NOT NULL,  
    FacilityID INT NOT NULL,  
    MinistryID INT NOT NULL,  
    StartDate DATE NOT NULL,  
    EndDate DATE,  
    PRIMARY KEY (MedicareCardNumber, FacilityID, MinistryID),  
    FOREIGN KEY (FacilityID, MinistryID) REFERENCES Facility(FacilityID, MinistryID),  
    FOREIGN KEY (MedicareCardNumber) REFERENCES Person(MedicareCardNumber)  
);
```

```
CREATE TABLE EmployeeSchedule (  
    FacilityID INT NOT NULL,
```

```

MinistryID INT NOT NULL,
MedicareCardNumber INT NOT NULL,
Date DATE NOT NULL,
StartTime TIME NOT NULL,
EndTime TIME NOT NULL,
PRIMARY KEY (FacilityID, MinistryID, MedicareCardNumber, Date),
FOREIGN KEY (FacilityID, MinistryID) REFERENCES Facility(FacilityID, MinistryID),
FOREIGN KEY (MedicareCardNumber) REFERENCES Person(MedicareCardNumber)
);

```

SQL Queries (8-20)

Query 8:

Query 9:

```

SELECT
    E.Role, P.FirstName, P.LastName, W.StartDate, P.DateOfBirth,
    P.MedicareCardNumber, P.TelephoneNumber,
    P.Address, P.City, P.Province, P.PostalCode, P.Citizenship,
    P.EmailAddress
FROM Employee AS E
INNER JOIN Person AS P ON E.MedicareCardNumber =
P.MedicareCardNumber
INNER JOIN WorkplaceForEachEmployee AS W ON E.MedicareCardNumber =
W.MedicareCardNumber
WHERE W.FacilityID = $facilityID
ORDER BY E.Role ASC, P.FirstName ASC, P.LastName ASC

```

Query 10:

To Do

Query 11:

```

SELECT
    P.FirstName,
    P.LastName,
    I.DateOfInfection,
    F.Name AS FacilityName
FROM

```



```

        Infection AS I
    JOIN
        Employee AS E ON I.MedicareCardNumber = E.MedicareCardNumber
    JOIN
        Person AS P ON I.MedicareCardNumber = P.MedicareCardNumber
    JOIN
        Facility AS F ON E.FacilityID = F.FacilityID AND
        E.MinistryID = F.MinistryID
    WHERE
        I.DateOfInfection >= DATE_SUB(CURRENT_DATE(), INTERVAL 2 WEEK) AND
        E.Role = 'Teacher' AND
        I.InfectionType = 'COVID-19'
    GROUP BY
        P.FirstName
    ORDER BY
        F.Name ASC, P.FirstName ASC

```

Query 12:

```
SELECT * FROM EmailLog WHERE SenderFacilityName = ? ORDER BY DateSent ASC"
```

Query 13:

```

SELECT DISTINCT Person.FirstName, Person.LastName, Employee.Role
    FROM Person
        INNER JOIN Employee ON Person.MedicareCardNumber =
Employee.MedicareCardNumber
        INNER JOIN EmployeeSchedule ON Employee.MedicareCardNumber =
EmployeeSchedule.MedicareCardNumber
    WHERE EmployeeSchedule.FacilityID = ? AND EmployeeSchedule.Date >= ?
    ORDER BY Employee.Role ASC, Person.FirstName ASC

```

Query 14:

```

SELECT Person.FirstName, Person.LastName, EmployeeSchedule.MedicareCardNumber,
    SUM(TIME_TO_SEC(TIMEDIFF(EndTime, StartTime))) / 3600 AS TotalHours
    FROM Person
        INNER JOIN Employee ON Person.MedicareCardNumber =
Employee.MedicareCardNumber
        INNER JOIN EmployeeSchedule ON Employee.MedicareCardNumber =
EmployeeSchedule.MedicareCardNumber
    WHERE EmployeeSchedule.FacilityID = ? AND EmployeeSchedule.Date
    BETWEEN ? AND ?
    GROUP BY Person.FirstName, Person.LastName,
EmployeeSchedule.MedicareCardNumber
    ORDER BY Person.FirstName ASC, Person.LastName ASC

```

Query 15:

```
SELECT
    F.Province,
    F.Name AS SchoolName,
    F.CapOnEmployees AS Capacity,
    COUNT(DISTINCT I.MedicareCardNumber) AS InfectedTeachers,
    COUNT(DISTINCT S.MedicareCardNumber) AS InfectedStudents
FROM Facility F
LEFT JOIN
    Employee e ON F.FacilityID = e.FacilityID AND
    F.MinistryID = e.MinistryID
LEFT JOIN
    Infection I ON e.MedicareCardNumber = I.MedicareCardNumber AND
    I.DateOfInfection BETWEEN '$twoWeeksAgo' AND '$currentDate'
LEFT JOIN
    Student S ON F.FacilityID = S.FacilityID AND
    F.MinistryID = S.MinistryID
LEFT JOIN
    Infection st ON S.MedicareCardNumber = st.MedicareCardNumber AND
    st.DateOfInfection BETWEEN '$twoWeeksAgo' AND '$currentDate'
WHERE
    F.Type = 'Education' AND
    I.InfectionType = 'COVID-19' AND
    st.InfectionType = 'COVID-19' AND
    S.Level = 'High School'
GROUP BY
    F.FacilityID, F.MinistryID, F.Province, F.Name, F.CapOnEmployees
ORDER BY
    F.Province ASC, InfectedTeachers ASC;
```

Query 16:

Query 17:

Query 18:

Query 19:

Query 20:

```
SELECT
    F.Name AS FacilityName,
    F.Address AS FacilityAddress,
    P.FirstName AS EmployeeFirstName,
    P.LastName AS EmployeeLastName,
```

```
        P.EmailAddress AS EmployeeEmail,
        S.Date AS ScheduleDate,
        S.StartTime AS ScheduleStartTime,
        S.EndTime AS ScheduleEndTime
FROM Facility F
    JOIN EmployeeSchedule S ON F.FacilityID = S.FacilityID AND
F.MinistryID = S.MinistryID
    JOIN Person P ON S.MedicareCardNumber = P.MedicareCardNumber
WHERE S.Date BETWEEN ? AND ?
```

CONTRIBUTIONS

Reasonable Assumptions (Andrei Barbulescu)

Conceptual DB design (Andrei Barbulescu and Dimitri El-Choueiry)

E/R diagram (Dimitri El-Choueiry and Andrei Barbulescu)

E/R to DB schema conversion (Andrei Barbulescu and Dimitri El-Choueiry)

Normalizing Relations and Refining DB schema - 3NF/BCNF (Dimitri El-Choueiry)

DDL (Andrei Barbulescu and Dimitri El-Choueiry)

Queries:

Ziyi: 1,13,14,12,20

Andrei : 3,7,9,10

Andre: 4,5,11,15

Dimitri: 2,6,8,16

Issues:

1. Phone number duplicate in person
2. Email duplicate in person
- 3.