


# To Pine Script™ version 4



This is a guide to converting Pine Script™ code from `@version=3` to `@version=4`.

## Converter

Pine Script™ Editor comes with an utility to automatically convert v3 indicators and strategies to v4. To access it, open a script with `//@version=3` in it and select the `Convert to v4` option in the `More` dropdown menu:



Not all scripts can be automatically converted from v3 to v4. If you want to convert the script manually or if your indicator returns a compilation error after conversion, consult the guide below for more information.

## Renaming of built-in constants, variables, and functions

In Pine Script™ v4 the following built-in constants, variables, and functions were renamed:

- Color constants (e.g. `red`) are moved to the `color.*` namespace (e.g. `color.red`).
- The `color` function has been renamed to `color.new`.
- Constants for `input()` types (e.g. `integer`) are moved to the `input.*` namespace (e.g. `input.integer`).
- The plot style constants (e.g. `histogram` style) are moved to the `plot.style_*` namespace (e.g.

```
plot.style_histogram ).
```

- Style constants for the `hline` function (e.g. the `dotted` style) are moved to the `hline.style_*` namespace (e.g. `hline.style_dotted` ).
- Constants of days of the week (e.g. `sunday` ) are moved to the `dayofweek.*` namespace (e.g. `dayofweek.sunday` ).
- The variables of the current chart timeframe (e.g. `period` , `isintraday` ) are moved to the `timeframe.*` namespace (e.g. `timeframe.period` , `timeframe.isintraday` ).
- The `interval` variable was renamed to `timeframe.multiplier` .
- The `ticker` and `tickerid` variables are renamed to `syminfo.ticker` and `syminfo.tickerid` respectively.
- The `n` variable that contains the bar index value has been renamed to `bar_index` .

The reason behind renaming all of the above was to structure the standard language tools and make working with code easier. New names are grouped according to assignments under common prefixes. For example, you will see a list with all available color constants if you type ‘color’ in the editor and press Ctrl + Space.

## Explicit variable type declaration

In Pine Script™ v4 it's no longer possible to create variables with an unknown data type at the time of their declaration. This was done to avoid a number of issues that arise when the variable type changes after its initialization with the `na` value. From now on, you need to explicitly specify their type using keywords or type functions (for example, `float` ) when declaring variables with the `na` value:

```
//@version=4
study("Green Candle Close")
// We expect `src` to hold float values, so we declare in with the `float` keyword
float src = na
if close > open
    src := close
plot(src)
```

# TradingView

[To Pine Script™ version 5](#)

[To Pine Script™ version 3](#)