# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options…]

Check by [text input ∨]   ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous">
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-C6RzsynM9kWDrMNeT87bh95OGNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error** **An** `input` **element with a** `type` **attribute whose value is** `hidden` **must not have an** `autocomplete` **attribute whose value is** `on` **or** `off` **.**

    [From line 34, column 5; to line 34, column 107](#)

    ```
    gin">↵      <input type="hidden" name="_token"
    value="5ToFqVFiysJUatMYjs72utc5zXP1OcAGrCbCtPUk" autocomplete="off">↵↵
    ```

Document checking completed.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3.     <head>↵
4.         <meta charset="utf-8">↵
5.         <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.         <meta name="viewport" content="width=device-width, initial-scale=1">↵
7.         <link
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
   rel="stylesheet" integrity="sha384-
```

```
     T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
     crossorigin="anonymous">↵
8.           <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.
     js" integrity="sha384-
     C6RzsynM9kWDrMNeT87bh95OGNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
     crossorigin="anonymous"></script>↵
9.           <script src="https://kit.fontawesome.com/f1d77e88ed.js"
     crossorigin="anonymous"></script>↵
10.  ↵
11.           <!-- CSRF Token -->↵
12.           <meta name="csrf-token"
     content="5ToFqVFiysJUatMYjs72utc5zXP1OcAGrCbCtPUk">↵
13.  ↵
14.           <title>Login</title>↵
15.                        <!-- Styles -->↵
16.           <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
17.           <script>↵
18.               // Fix for Firefox autofocus CSS bug↵
19.               // See: http://stackoverflow.com/questions/18943276/html-5-
     autofocus-messes-up-css-loading/18945951#18945951↵
20.           </script>↵
21.           <script src="http://localhost:8000/js/app.js" defer></script>↵
22.       </head>↵
23.       <body>↵
24.           <header>↵
25.               <h3>SWC News</h3>↵
26.               <hr>↵
27.           </header>↵
28.           <main>↵
29.               <h1>    Login↵
30. </h1>↵
31.               <br>↵
32.               <div id="content">↵
33.                   <form method="POST" action="http://localhost:8000/login">↵
34.       <input type="hidden" name="_token"
     value="5ToFqVFiysJUatMYjs72utc5zXP1OcAGrCbCtPUk" autocomplete="off">↵
35.  ↵
36.       <label for="email">E-mail*</label>↵
37.       <input id="email" type="email" name="email" value="" required autofocus
     placeholder="email@example.com">↵
38.       ↵
39.       <label for="password" >Password*</label>↵
40.       <input id="password" type="password" name="password" required
     placeholder="********">↵
41.       ↵
42.       <label>↵
43.           <input type="checkbox" name="remember" > Remember Me↵
44.       </label>↵
45.  ↵
46.       <button type="submit">↵
47.           Login↵
48.       </button>↵
49.       <a class="button button-outline"
     href="http://localhost:8000/register">Register</a>↵
50.       <a id="google_button" href="http://localhost:8000/auth/google">↵
51.           <p>Login with <i class="fa-brands fa-google"></i></p>↵
52.       </a>↵
53.       <a href="http://localhost:8000/recover-password">Forgot Your Password?</a>
     ↵
54.       ↵
55.       </form>↵
56.                   </div>↵
57.           </main>↵
58.           <hr>↵
59.           <footer>↵
60.               © SWC News↵
61.           </footer>↵
62.       </body>↵
63.  </html>
```

Used the HTML parser.

Total execution time 13 milliseconds.

About this checker • Report an issue • Version: 23.12.19