Foundations of Operations Research - Notes - v0.2.0-dev

260236

September 2024

Preface

Every theory section in these notes has been taken from the sources:

• Course slides. [1]

About:

GitHub repository

These notes are an unofficial resource and shouldn't replace the course material or any other book on foundations of operations research. It is not made for commercial purposes. I've made the following notes to help me improve my knowledge and maybe it can be helpful for everyone.

As I have highlighted, a student should choose the teacher's material or a book on the topic. These notes can only be a helpful material.

Contents

1	1 Introduction					4
	1.1	Decision	ion-making problems			5
		1.1.1	Assignment problem			5
		1.1.2	Network design			6
		1.1.3	Shortest path			6
		1.1.4	Other problems			6
	1.2	Schem	ne of an OR study			7
In	dex					12

1 Introduction

Definition 1

Operations Research (OR), often shortened to the initialism OR, is the branch of mathematics in which mathematical models and quantitative methods (e.g. optimization, game theory, simulation) are used to analyze complex decision-making problems and find (near-)optimal solutions.

The overall and primary goal is to help make better decisions.

OR can be seen as an interdisciplinary field at the intersection of applied mathematics, computer science, economics, and industrial engineering.

Operations research is often concerned with **determining the extreme values** of some real-world objective: the *maximum* (of profit, performance, or yield) or *minimum* (of loss, risk, or cost). Originating in military efforts before World War II, its techniques have grown to concern problems in a variety of industries. [2]

Its origins date back to World War II: teams of scientists were asked to research the most efficient way to conduct operations (e.g., to optimize the allocation of scarce resources).

In the decades after the war, the techniques became public and were applied more widely to problems in business, industry, and society.

During the industrial boom, the substantial increase in the size of firms and organizations led to more complex decision problems.

There are favorable circumstances: rapid progress in OR and in numerical analysis methods, and the advent and spread of computers (available computing power and widespread software).

1.1 Decision-making problems

Decision-making problems are analyzed using mathematical models and quantitative methods.

Definition 2

Decision-making problems are problems in which we must choose a (feasible) solution among a large number of alternatives based on one or several criteria.

In other words, they are complex decision-making problems that are **addressed through a mathematical modeling approach** (mathematical models, algorithms, and computer implementations).

Some practical examples include assignment problem, network design, shortest paths, personnel scheduling, service management, multicriteria problem, and maximum clique.

1.1.1 Assignment problem

A mathematical definition of an **assignment problem** is as follows. Given m jobs and m machines, suppose that each job can be executed by any machine and that t_{ij} is the execution time of job J_i on machine M_j .

	M_1	M_2	M_3
$\overline{J_1}$	2	6	3
J_2	8	4	9
J_3	5	7	8

Table 1: Example of an assignment problem table.

The main goal is to decide which job to assign to each machine in order to minimize the total execution time. Also, (constraints) each job must be assigned to exactly one machine, and each machine must be assigned to exactly one job.

The **number** of feasible **solutions** is the permutations, then the **factorial of** m: m!.

1.1.2 Network design

The **network design problem** is characterized as **how to connect** n **cities** (offices) **via a collection of possible links** so as $(main\ goal)$ **to minimize** the total link cost.

Using mathematical terms, given a graph G = (N, E) with a node $i \in N$ for each city and an edge $\{i, j\} \in E$ of cost c_{ij} , select a subset of edges of minimum total cost, guaranteeing that all pairs of nodes are connected.




Figure 1: Examples of network design graphs.

The **number** of alternative **solutions** is at most 2^m , where m = |E|.

1.1.3 Shortest path

The **shortest path problem** is similar to network design. Given a direct path that represents a road network with distances (traveling times) for each arc, determine the shortest (fastest) path between two points (nodes).




Figure 2: Examples of shortest path graphs.

1.1.4 Other problems

Other decision-making problems are:

- Personnel scheduling problem: determine the week schedule for the hospital personnel, so as to minimize the number of people involved (physicians, nurses, ...) while meeting the daily requirements.
- Service management problem: determine how many counters/desks to open at a given time of the day so that the average customer waiting time does not exceed a certain value (guarantee a given service quality).
- Multicriteria problem: decide which laptop to buy considering the price, the weight and the performance.
- Maximum clique problem: determine the complete subgraph of a graph, with maximum number of vertices.

1.2 Scheme of an OR study

The most important and common **steps** in operational research are:

- 1. **Problem**. Define the problem;
- 2. Model. Build the model;
- 3. **Algorithm**. Select or develop an appropriate algorithm;
- 4. **Implementation**. Implementing or using an efficient computer program;
- 5. **Results**. Analyze the results.

Definition 3

A mathematical model is a simplified representation of a real-world problem.

To define a mathematical model, it is necessary to identify the fundamental elements of the problem and the main relationships between them.

Example 1: production planning

A company produces 3 types of electronic devices: D_1 , D_2 , D_3 ; going through 3 main phases of the production process: assembly, refinement and quality control.

Time (in minutes) required for each phase and product:

	D_1	D_2	D_3
Assembly	80	70	120
Refinement	70	90	20
Quality control	40	30	20

Available resources within the planning horizon (depend on the workforce) in minutes:

$$\frac{\text{Assembly} \mid \text{Refinement} \mid \text{Quality control}}{30'000 \mid 25'000 \mid 18'000}$$

Unitary profit (in KEuro):

$$\frac{D_1 \mid D_2 \mid D_3}{1.6 \mid 1 \mid 2}$$

Assumption: the company can sell whatever it produces.

 $\label{lem:condition} \textit{Give a mathematical model for determining a production plan which maximizes the total profit.}$

- **Decision variables**, x_j is equal to the number of devices D_j produced, for j = 1, 2, 3.
- Objective function: max $z = 1.6x_1 + 1x_2 + 2x_3$.

• Constraints: the production capacity limit for each phase:

$$80x_1 + 70x_2 + 120x_3 \le 30'000$$
 (assembly)
 $70x_1 + 90x_2 + 20x_3 \le 25'000$ (refinement)
 $40x_1 + 30x_2 + 20x_3 \le 18'000$ (quality control)

• Non-negative variables: $x_1, x_2, x_3 \ge 0$ may be fractional (real) values.

Example 2: portfolio selection problem

An insurance company must decide which investments to select out of a given set of possible assets (stocks, bonds, options, gold certificates, real estate, \dots).

Investments	area	capital $(c_j K)$	expected return (r_j)		
A	Germany	150	11%		
В	Italy	150	9%		
\mathbf{C}	U.S.A.	60	13%		
D	Italy	100	10%		
\mathbf{E}	Italy	125	8%		
\mathbf{F}	France	100	7%		
G	Italy	50	3%		
H	UK	80	5%		

Legend:

• A and B: automotive

• C and D: ICT

• E and F: real estate

• G: short term treasury bounds

• H: long term treasury bounds

The available capital is: 600 KEuro.

At most 5 investments to avoid excessive fragmentation.

Geographic diversification to limit risk: ≤ 3 investments in Italy and ≤ 3 abroad.

Give a mathematical model for deciding which investments to select so as to maximize the expected return while satisfying the constraints.

• **Decision variables**, x_j is equal to 1 if j-th investment is selected and $x_j = 0$ otherwise, for j = 1, ..., 8.

8

• Objective function: max $z = \sum_{i=1}^{8} c_i r_j x_j$.

• Constraints:

$$\sum_{j=1}^{8} c_j \, x_j \, \leq \, 600 \qquad \text{(capital)}$$

$$\sum_{j=1}^{8} x_j \, \leq \, 5 \qquad \text{(max 5 investments)}$$

$$x_2 + x_4 + x_5 + x_7 \, \leq \, 3 \qquad \text{(max 3 in Italy)}$$

$$x_1 + x_3 + x_6 + x_8 \, \leq \, 3 \qquad \text{(max 3 abroad)}$$

• Binary (integer) variables: $x_j \in \{0,1\}$ and $1 \le j \le 8$.

<u>Possible variant</u>. In order to limit the risk, if any of the ICT investment is selected then at least one of the treasury bond must be selected.

- Objective function: $\max z = \sum_{j=1}^{8} c_j r_j x_j$.
- Constraints:

$$\sum_{j=1}^{8} c_j x_j \leq 600 \qquad \text{(capital)}$$

$$\sum_{j=1}^{8} x_j \leq 5 \qquad \text{(max 5 investments)}$$

$$x_2 + x_4 + x_5 + x_7 \leq 3 \qquad \text{(max 3 in Italy)}$$


$$x_1 + x_3 + x_6 + x_8 \leq 3 \qquad \text{(max 3 abroad)}$$

$$\frac{x_3 + x_4}{2} \leq x_7 + x_8 \quad \text{(investment in treasury bonds)}$$

• Binary (integer) variables: $x_j \in \{0,1\}$ and $1 \le j \le 8$.

Example 3: facility location

Consider 3 oil pits, located in positions $A,\,B$ and C, from which oil is extracted.



Connect them to a refinery with pipelines whose cost is proportional to the square of their length.

The refinery must be at least 100 km away from point D = (100, 200), but the oil pipelines can cross the corresponding forbidden zone.

Give a mathematical model to decide where to locate the refinery so as to minimize the total pipeline cost.

- **Decision variables**, x_1, x_2 cartesian coordinates of the refinery.
- Objective function:

$$\min z = \left[(x_1 - 0)^2 + (x_2 - 0)^2 \right] + \left[(x_1 - 300)^2 + (x_2 - 0)^2 \right] + \left[(x_1 - 240)^2 + (x_2 - 300)^2 \right]$$

• Constraints:

$$\sqrt{(x_1 - 100)^2 + (x_2 - 200)^2} \ge 100$$

• Variables: $x_1, x_2 \in \mathbb{R}$.

References

- [1] Braz Pascoal Marta Margarida. Foundations of Operations Research. Slides from the HPC-E master's degree course on Politecnico di Milano, 2024.
- [2] Wikipedia. Operations research Wikipedia. https://en.wikipedia.org/wiki/Operations_research. [Accessed 08-09-2024].

Index

\mathbf{A}	
assignment problem	5
D	
Decision-making problems	5
M	
Maximum clique problem	6
model	7
Multicriteria problem	6
N	
network design problem	6
O	
Operations Research (OR)	4
P	
Personnel scheduling problem	6
\mathbf{S}	
Service management problem	6
shortest path problem	6