E.L.L.A.

Embedded Local Logic Agent

User Manual

v1.5.6

© 2026 Andre Zabel, Berlin · ella-agent.de

E.L.L.A. — User Manual

Version 1.5.6

Hello — I'm E.L.L.A.

E.L.L.A. stands for *Embedded Local Logic Agent* — your personal AI assistant for Windows. Always ready, always local, always yours.

What makes me different: I run locally on your own machine. No subscription, no privacy fine print. Just install and go.

No hidden API key that makes it all possible.

Ollama runs locally, the AI runs locally, your data stays local. For some optional features (German voice output, multi-agents, vision) you can configure your own OpenAI key — details at [Network connections](network.md).

Getting Started

Installation

- Run `E.L.L.A Setup 1.5.6.exe`
- Choose an installation path (default: `C:\Program Files\E.L.L.A`)
- The installer sets everything up automatically — MariaDB, Ollama, Node.js. Nothing else to install.

First Launch

- **Language selection** — German or English
- **EULA** — accept the terms of use and the ELLA Directive
- **Hardware scan** — ELLA detects your system and recommends a suitable language model
- **Model selection** — you choose (no download without your consent)
- **Voice selection** — 4 female voices in DE/EN/ES/FR with preview
- **Location** — for weather and local information (optional)
- **License activation** — enter your license key `ELLA-XXXX-XXXX-XXXX-XXXX`
- **Chat** — you're ready

The Chat

How to Talk to Me

Just write what you need — in plain language, no commands, no special syntax.

Voice Input

Click the **microphone button** or say **"Ella"** (wakeword mode). Modes:

- **Off** — no automatic listening
- **Manual** — microphone button only
- **Wakeword** — listen for "Ella", then record
- **Always** — continuous listening

Voice Output (TTS)

- **Kokoro TTS** — local neural voice via `kokoro-js` (ONNX q8, offline) for **English, French, and Spanish**. Model downloaded from HuggingFace on first launch (~80 MB, one-time)
- **Microsoft Edge TTS** — primary voice for **German** (de-DE-KatjaNeural). The spoken text is sent to Microsoft servers. Also used as fallback for other languages when Kokoro is unavailable
- Language selection in Settings: DE/EN/ES/FR — the appropriate engine is selected automatically

Feedback Loop

Thumbs up / thumbs down below each response → ELLA learns your preferences and adapts permanently.

Tool Display

When ELLA does something you briefly see which tool she used — full transparency over every action.

Provider Display

The avatar panel bottom-left shows a green chip indicating whether **Ollama** (local) or **OpenAI** (cloud-optional) is currently active.

All Tools at a Glance

ELLA has **111 tools**. Here are all of them — with examples.

Programs & Apps

`list_programs` — List programs

Shows all installed and approved programs on your system.

```
"Which programs do I have installed?"
"List all apps"
"What programs can ELLA open?"
```

`open_app` — Open app

Opens an installed application.

```
"Open Chrome"
"Start Spotify"
"Open Word"
"Open Task Manager"
```

`launch_app` — Start app with parameters

Starts an application with additional arguments or file paths.

```
"Open Notepad with the file C:\config.txt"
"Start VLC with the video on the desktop"
```

`load_setup` — Run setup

Executes a predefined setup macro — automatically opens and closes apps.

```
"Load my work setup"
"Start the gaming setup"
"Run setup Evening"
```

`create_setup` — Create setup

Creates a new setup macro from within the chat.

```
"Create a setup called Home Office: open Teams, Outlook and Chrome"
"New setup: in the evening close all apps and open Spotify"
```

`control_window` — Control window

Minimizes, maximizes, closes, or moves application windows.

```
"Minimize Chrome"
"Maximize the current window"
"Close all Word windows"
```

`pause_ella` — Pause ELLA

Disables the wakeword for a set amount of time.

```
"Pause ELLA for 30 minutes"
"Mute for an hour"
"ELLA, quiet please – 20 minutes"
```

Files & Folders

`search_files` — Search files

Searches all drives for files (Windows Search Index + fallback).

```
"Search for the file Proposal"
"Find all PDFs with the word Invoice"
"Where is my resume?"
```

`open_file` — Open file

Opens a file with the default program.

```
"Open C:\Documents\Report.docx"
"Open the file you just found"
```

`explore_folder` — Open folder in Explorer

Opens a folder in Windows Explorer.

```
"Open the Downloads folder"
"Show me the Desktop folder"
"Explorer on C:\Projects"
```

`list_folder` — List folder contents

Lists the contents of a folder.

```
"What's in the Documents folder?"
"List all files in the Downloads directory"
```

`read_file_content` — Read file content

Reads and understands the contents of documents (.docx, .pdf, .xlsx, .html, .txt).

```
"What does this PDF say?"
"Read me the Excel spreadsheet Revenue2024"
"Summarize the Word document"
"What's on page 3 of the report?"
```

`create_document` — Create document

Creates a new Word or text document.

```
"Create a new Word document called Minutes"
"New text file on the desktop: Notes"
```

`dictate_to_document` — Dictate to document

Opens a Word document and inserts dictated text with AI correction.

```
"Dictate into the document Report: Dear Sir or Madam..."
"Write that into my current Word document"
```

`rename_file` — Rename file

Renames a file.

```
"Rename the file Photo1.jpg to Vacation2024.jpg"
"Rename C:\old_file.txt to new_file.txt"
```

`copy_file` — Copy file

Copies a file to a new location.

```
"Copy the document Contract to D:\Backup"
"Copy all JPGs from the desktop to E:\Photos"
```

`delete_file` — Delete single file

Deletes a specific file (with confirmation).

```
"Delete the file temp_backup.zip"
```

`delete_files` — Delete multiple files

Deletes multiple files at once.

```
"Delete all .tmp files in the Temp folder"
"Remove all old log files from C:\Logs"
```

`create_folder` — Create folder

Creates a new folder.

```
"Create a folder called Projects 2025 on the desktop"
"New folder: C:\Archive\2024"
```

`find_duplicates` — Find duplicate files

Searches drives for duplicate files and calculates wasted storage.

```
"Find duplicate files"
"How much space am I wasting on duplicates?"
"Find duplicate photos on drive D"
```

System & Performance

`get_disk_usage` — Disk usage

Shows free and used storage per drive.

```
"How much space is left on drive C?"
"Show disk usage"
"Am I running out of space on D?"
```

`get_system_info` — System information

Shows CPU, RAM, operating system and hardware details.

```
"What processor do I have?"
"Show me my system specs"
"How much RAM is installed?"
```

`get_system_status` — System status

Current status: CPU load, RAM, drives at a glance.

```
"How is my system running right now?"
"System check please"
"Is everything okay with the computer?"
```

`get_temperatures` — Temperatures

Shows CPU and GPU temperatures.

```
"How hot is my CPU?"
"Show temperatures"
"Is my computer overheating?"
```

`get_battery_status` — Battery status

Shows battery status and charge level (laptops).

```
"How much battery do I have left?"
"Is my laptop charging?"
```

`free_ram` — Free RAM

Releases unused RAM.

```
"Free the RAM"
"Clear memory"
"My computer is slow, clean up the memory"
```

`clean_temp` — Clean temp files

Deletes temporary system files.

```
"Clean up the temp files"
"Clear the cache"
"Empty the temp folder"
```

`empty_recycle_bin` — Empty recycle bin

Empties the Windows Recycle Bin.

```
"Empty the recycle bin"
"Clear the trash"
```

`get_event_log` — Windows event log

Reads Windows system events and errors.

```
"What's in the Windows event log?"
"Were there any system errors today?"
"Show me the latest Windows error messages"
```

`list_autostart` — Autostart programs

Shows all programs that start automatically with Windows.

```
"Which programs start automatically with Windows?"
"Show autostart list"
"What loads when I boot up?"
```

`toggle_dark_mode` — Toggle dark mode

Switches Windows Dark Mode on or off.

```
"Turn on dark mode"
"Switch to light theme"
"Toggle dark mode"
```

`shutdown_system` — Shutdown / restart

Shuts down or restarts Windows.

```
"Shut down the computer"
"Restart Windows"
"Shut down in 5 minutes"
```

Processes & Services

`list_processes` — List processes

Shows all running processes, sorted by CPU or RAM usage.

```
"Which processes are running?"
"What's using the most RAM?"
"Show me the top 10 by CPU usage"
```

`kill_process` — End process

Ends a running process (system-critical processes are protected).

```
"End the process chrome.exe"
"Kill the Firefox process"
"End all frozen Word instances"
```

`manage_service` — Manage Windows services

Starts, stops or lists Windows services.

```
"List all Windows services"
"Start the print spooler service"
"Stop the Windows Update service"
```

`run_command` — Run command

Executes a shell command and returns the result.

```
"Run the command ipconfig /all"
"Start the script setup.bat"
```

Drives & Storage Media

`format_drive` — Format drive

Formats a drive (system drives protected, confirmation required).

```
"Format my USB stick"
"Format drive F as NTFS"
```

`rename_drive` — Rename drive

Gives a drive a new label.

```
"Rename drive E to Data"
"Change the label of D: to Backup"
```

Network

`scan_network` — Scan network

Scans the local network via ARP and shows all connected devices.

```
"Who's on my network?"
"Show me all devices on the WiFi"
"Start a network scan"
```

`list_connections` — TCP connections

Shows active network connections and open ports.

```
"Show me active TCP connections"
"Which ports are open?"
"What's currently connecting to the internet?"
```

`list_devices` — Connected devices

Lists all currently detected devices (USB, network, Bluetooth).

```
"What devices are connected?"
"What USB sticks are plugged in?"
```

`get_wifi_info` — WiFi status

Shows WiFi connection details: SSID, signal, IP address.

```
"What's my WiFi status?"
"How strong is my WiFi signal?"
"What network am I connected to?"
```

Mail & Calendar

`read_emails` — Read Outlook emails

Reads unread or filtered Outlook emails.

```
"Show me my unread emails"
"What did Klaus write?"
"New emails from today please"
```

`mark_email` — Mark Outlook email

Marks an email as read, spam, or archived.

```
"Mark the email from Klaus as read"
"Mark the last email as spam"
"Archive the email with that subject"
```

`compose_email` — Compose email

Opens an Outlook draft with AI-formulated text (does not send automatically).

```
"Write a draft to Klaus: meeting tomorrow at 2pm?"
"Email to team@company.com: the meeting is postponed"
```

`read_gmail` — Read Gmail

Reads Gmail emails via OAuth 2.0 (one-time setup in Settings).

```
"Show me my Gmail emails"
"Unread Gmail from today"
```

`mark_gmail` — Mark Gmail email

Marks Gmail emails as read, spam, or archived.

```
"Mark Gmail email as read"
"Move spam email in Gmail"
```

`read_calendar` — Read Outlook calendar

Reads calendar appointments from Outlook.

```
"What's on my calendar this week?"
"What appointments do I have tomorrow?"
"Show me the calendar for next Monday"
```

`create_appointment` — Create Outlook appointment

Creates a new appointment in Outlook.

```
"Create an appointment: dentist, Friday at 10am"
"Meeting with Klaus: Thursday 2pm, 1 hour"
```

`read_google_calendar` — Read Google Calendar

Reads Google Calendar via OAuth 2.0.

```
"What's on my Google Calendar today?"
"Google appointments for this week"
```

`create_google_appointment` — Create Google appointment

Creates an appointment in Google Calendar.

```
"Appointment in Google Calendar: doctor, Monday 9am"
```

Tasks & Alarms

`add_task` — Add task

Adds a task to the persistent todo list (survives restarts).

```
"Add the task 'File taxes'"
"Todo: call back Miller"
"New to-do: finish the proposal by Friday"
```

`list_tasks` — Show tasks

Shows all open or completed tasks.

```
"Show me my open tasks"
"What's still on my todo list?"
"Show completed tasks"
```

`complete_task` — Complete task

Marks a task as done.

```
"Mark 'File taxes' as done"
"Check off task 3"
```

`delete_task` — Delete task

Removes a task from the list.

```
"Delete the task call back Miller"
"Remove task 5"
```

`set_alarm` — Set alarm

Sets an alarm — ELLA triggers it with a voice alert.

```
"Set an alarm for 7:30"
"Alarm tomorrow morning at 6"
"Wake me up in 45 minutes"
```

`list_alarms` — Show alarms

Shows all active alarms.

```
"Which alarms are active?"
"Show my alarms"
```

`delete_alarm` — Delete alarm

Deletes a set alarm.

```
"Delete the 7:30 alarm"
"Remove the alarm for tomorrow"
```

`set_reminder` — Set reminder

Creates a reminder via Windows Task Scheduler — appears as a popup at the set time.

```
"Remind me tomorrow at 3pm: call the doctor's office"
"Reminder: Friday 9am — pay invoice"
```

`list_reminders` — Show reminders

Shows all active reminders.

```
"What reminders do I have?"
"Show my reminders"
```

`delete_reminder` — Delete reminder

Deletes a scheduled reminder.

```
"Delete the doctor reminder"
```

System Control

`set_volume` — Control volume

Sets the Windows system volume.

```
"Set the volume to 40 percent"
"Quieter please – to 10"
"Maximum volume"
"Mute"
```

`get_clipboard` — Read clipboard

Reads the current clipboard contents (including the last 20 entries).

```
"What's in the clipboard?"
"What did I last copy?"
"Show me the clipboard history"
```

`set_clipboard` — Set clipboard

Writes text to the clipboard.

```
"Copy 'Hello World' to the clipboard"
"Write my email address to the clipboard"
```

`send_keys` — Simulate keys

Sends keyboard shortcuts to the active window.

```
"Send Ctrl+C to the active window"
"Press Enter"
"Send Alt+F4"
```

Mouse & Screen Automation

`move_mouse` — Move mouse

Moves the mouse cursor to specific coordinates.

```
"Move the mouse to position 500, 300"
```

`click_at` — Click at position

Clicks at specific screen coordinates.

```
"Click at position 200, 400"
"Right-click at 800, 600"
```

`drag_drop` — Drag & drop

Drags an element from one position to another.

```
"Drag from 100,200 to 500,600"
```

`click_element` — Click element

Clicks on a named element on screen.

```
"Click the OK button"
"Click Save"
```

`read_screen` — Read screen

Reads text from the current screen.

```
"What does my screen say?"
"Read me the text in the active window"
```

`watch_screen` — Watch screen

Watches the screen and waits for a specific change.

```
"Wait until the download is done and let me know"
"Watch the screen for error messages"
```

`describe_screen` — Describe screen

Takes a screenshot and describes what's visible (OpenAI Vision).

```
"Describe what's happening on screen"
"What do you see on my monitor right now?"
```

`take_screenshot` — Take screenshot

Takes a screenshot and saves it.

```
"Take a screenshot"
"Screenshot of the screen"
"Photo of the current window"
```

`describe_image` — Analyze image

Analyzes a pasted image with GPT-4o Vision (OpenAI key required).

```
"What's in this image?" _(paste image)_
"Analyze this photo"
"Describe the image I just sent"
```

`describe_webpage` — Analyze webpage

Loads a webpage and summarizes its content.

```
"What does this website say: https://..."
"Summarize the article at this URL"
```

Internet & Search

`search_web` / `web_search` — Web search

Searches the internet via DuckDuckGo, no tracking.

```
"Search for the current Bitcoin price"
"What's the new iPhone model?"
"Who won the Champions League?"
```

`fetch_url` — Fetch URL

Loads the content of a URL and returns it.

```
"Fetch this URL and tell me what's there"
"Get the content of https://..."
```

`get_weather` — Weather

Gets the current weather for your location (Open-Meteo, no API key needed).

```
"What's the weather like today?"
"Weather for tomorrow please"
"Do I need an umbrella today?"
```

`get_location` — Location

Returns your configured location.

```
"What's my current location?"
"Where am I set to?"
```

Date & Time

`get_datetime` — Date and time

Returns the current date and time.

```
"What time is it?"
"What's today's date?"
"How many days until Christmas?"
```

Music & Media

`play_music` — Play music

Searches your music library and opens tracks in the media player.

```
"Play something by Coldplay"
"Open the album 'Brothers in Arms' by Dire Straits"
"Search Metallica tracks in my library"
"Play my favorite playlist"
```

`control_media` — Control media playback

Controls the current media player (play, pause, next, previous).

```
"Pause"
"Next track"
"Previous song"
"Start playback"
```

`get_now_playing` — Now playing

Shows what's currently playing.

```
"What's playing right now?"
"Which track is on?"
```

Text & Language

`write_for_me` — Write text

Writes texts of any kind on request.

```
"Write me a professional cover letter for the position of..."
"Draft a decline for Klaus's invitation"
"Write an Instagram caption for this photo"
```

`translate_text` — Translate text

Translates text into any language.

```
"Translate this to German"
"How do you say this in Spanish?"
"Translate this paragraph into French"
```

`summarize_text` — Summarize text

Summarizes long text concisely.

```
"Summarize this text"
"Short version please"
"TL;DR of this article"
```

Memory

`remember` — Remember

Saves information permanently in the vector store.

```
"Remember: I don't drink coffee in the morning"
"Save: my favorite color is blue"
"Remember that my car is a VW Golf"
```

`forget` — Forget

Deletes a stored memory.

```
"Forget the note about coffee"
"Delete memory entry number 3"
```

`list_memories` — Show memory

Shows all stored memories.

```
"What do you know about me?"
"Show me your memory"
"My saved notes please"
```

Configuration

`update_setting` — Change setting

Changes an ELLA setting through conversation.

```
"Switch to OpenAI"
"Set the provider to Ollama"
"Disable voice output"
```

`create_rule` — Create rule

Creates a new behavioral rule for ELLA.

```
"Create a rule: ELLA must not send emails"
"Rule: no alarms between 10pm and 7am"
"Block ELLA from accessing drive D"
```

`homework_mode` — Homework mode

Activates or deactivates the PIN-secured kiosk mode.

```
"Activate homework mode"
"Start children's mode"
"Deactivate homework mode" _(PIN required)_
```

Multi-Agents

The most powerful feature: multiple AI agents work **in parallel** — faster, deeper, more at once.

> *Requires OpenAI key. Ollama runs separately for normal chat.*

Predefined Pipelines

■ **Morning Briefing** — 3 agents simultaneously:

- Today's calendar appointments
- Open tasks
- Current weather

■■ **System Report** — 4 agents simultaneously:

- Storage space on all drives
- RAM and CPU usage
- Top processes by resource consumption
- Network status and connections

Setup After Completion

Link a pipeline to a setup macro — after completion, apps are automatically opened or closed.

Setups

Macros — define once, call at any time with a word.

Create: Settings → Setups → New

Use: "Load my work setup"

Chess

Since v1.4.0, ELLA can play chess — in a dedicated visual window.

```
"Let's play chess"
"Open the chess board"
```

- **Visual board** — frameless Electron window with 4 themes (Classic, Neon, Marble, Midnight), ambient glow and particle background
- **3D pieces** — SVG with radial gradients and drop shadow
- **AI opponent** — ELLA picks her move via LLM from legal options; comments live with personality
- **Pause/Resume** — interrupt games anytime, click "■ Continue" when reopening
- **Reflection** — after the game ends, ELLA stores strategic insights in her memory
- **Captured pieces** — Unicode symbols with material advantage shown above/below the board

---

Knowledge Graph

Since v1.5.0, ELLA understands connections — not just individual memories.

ELLA automatically extracts relationships from conversations as triples (subject/predicate/object):

"My son's name is Max" → `Son → is named → Max`

"Max goes to Einstein High" → `Max → attends → Einstein High`

When you later ask *"What school does my son go to?"*, ELLA follows the connection: Son → Max → Einstein High.

- **No extra LLM call** — piggybacks on the existing memory process
- **Hybrid recall** — cosine similarity + graph traversal work together
- **Visualization** — visible as purple dashed edges with labels in the memory dashboard

Proactive Approval-Memory

ELLA learns which notifications you want:

- ■ **Dismiss** — hide a single message
- ■ **Mute** — permanently silence that category
- **Auto-mute** — automatically muted after 5 dismissals

System-critical categories (alarms, scheduled setups) always stay active.

Memory Deduplication

- **Preventive** — before saving, ELLA checks for duplicates (≥85% similarity)
- **Retroactive** — ■ Clean up button in the memory dashboard clears everything at once

---

Memory

Vector-based long-term storage (nomic-embed-text, local). Profile-isolated — each user has their own memory. Knowledge Graph extends plain text search with semantic connections.

Proactive Messages

ELLA reaches out proactively when:

- A drive drops below 10% free space
- RAM is sustained high
- A USB device is plugged in
- An alarm triggers
- An IBAN, tracking number, or phone number is detected in the clipboard
- A calendar appointment starts in 15 minutes
- Open tasks remain in the evening
- A long work session calls for a break

User Profiles

Multiple profiles on one machine — each with its own memory, its own history, optional PIN.

Settings → Profiles

Homework Mode

PIN-secured kiosk: only approved apps can be opened.

No automatic expiry — only the PIN ends the mode.

Accessibility

Blind Mode

- TTS always active
- No markdown formatting
- Audio tones as status feedback
- All elements labeled with `aria-label`

Deaf Mode

- TTS and microphone completely hidden
- Visual banner in chat

Settings

Area	Content
LLM	Model tier (Small/Standard/Large) + Custom Model
Provider	Ollama (local) · OpenAI · Auto
API Key	OpenAI key for GPT features and Multi-Agents
Voice	TTS engine, language, stress analysis
Tools	Enable / disable individual tools
Programs	Scan + search + manual approval
Setups	Macros for app combinations
Rules	Allow / deny individual actions
Profiles	Manage user profiles
Homework	Configure children's mode
Accessibility	Blind and deaf mode

Custom Model (new in v1.3.0)

You're not limited to the three predefined models. Under **Settings** → **LLM** → **Custom Model**:

- All models already installed in Ollama appear as clickable options
- Free text field for any model name after `ollama pull`

Example: `ollama pull qwen2.5:32b` in terminal → immediately selectable in ELLA.

Programs (improved in v1.3.0)

If a program doesn't appear in the scanned list:

- **Search:** Type the program name → ELLA searches all drives
- **Browse:** Navigate directly to the .exe and add it

Newly installed programs are automatically approved after scanning — you only need to explicitly block what ELLA shouldn't use.

The ELLA Directive

Four absolute prohibitions — anchored in the architecture, not disableable:

- **harm** — no damage: physical, financial, psychological, data-related
- **conceal** — no concealment of actions or capabilities
- **surveil** — no monitoring without knowledge and consent
- **exfiltrate** — no data sharing without explicit consent

Refusals appear as a red **DIRECTIVE** banner in chat.

Privacy

- All data stays on your machine — no usage data sent to us or third parties
- No telemetry, no tracking
- Ollama runs locally, database locally (MariaDB)
- German voice output via Edge TTS: text is sent to Microsoft servers (only exception during standard operation)
- OpenAI features (Vision, Multi-Agents, Whisper) only when your own key is configured and actively used
- OpenAI does not train models on API data
- Full transparency: [Network connections](network.md)

Dictation Mode (since v1.5.4)

Speech is transcribed and typed directly into the active Windows window — system-wide, not just within ELLA.

Activation:

- In Settings → Voice → set mode to "Dictation"
- Or: keyboard shortcut `Ctrl+Alt+Space` (configurable in Settings)

How it works:

- ELLA listens, transcribes via Whisper, and types the text into the active window
- Optional: spell correction before typing (`dictationCorrection` setting)
- The clipboard is backed up and restored after insertion

Appearances (since v1.5.6)

ELLA has three visual themes:

- **Calm** (default) — dark, quiet design
- **HUD** — technical layout with cyan accent, top bar instead of sidebar, telemetry panels
- **Show** — presentation mode in fullscreen: only the orb and the last response, sensitive data is redacted

Switch: Settings → Appearance

HUD accent colors: Cyan, Violet, Amber

Automatic fallback: In blind mode, homework mode, or with `prefers-reduced-motion`, the appearance automatically falls back to Calm.

Offline Mode (since v1.5.2)

Under Settings → Offline Mode, ELLA can be completely disconnected from the internet:

- All network tools blocked (web search, weather, location, webpages)
- No OpenAI — `cloudAllowed()` returns `false`
- License verification uses the local cache
- Local network tools (`scan_network`, `list_connections`, `list_devices`) still work

Note: In offline mode, German voice output is unavailable (Edge TTS requires internet).

Cloud Governance (since v1.5.1)

All OpenAI requests go through a central function (`openaiRequest()`):

- **Cloud counter:** Every request is logged in the database
- **Dashboard tile:** Shows today's cloud request count
- **Three provider modes:** Auto (local first, OpenAI fallback) · OpenAI (cloud preferred) · Ollama (local only)

Frequently Asked Questions

ELLA isn't responding?

Ollama may not be running. The orange banner at the top of the chat indicates this. Restart Ollama or switch to OpenAI.

Can I use ELLA offline?

Mostly yes. The core (chat, tools, memory) runs locally via Ollama. German voice output requires Edge TTS (internet, Microsoft servers). Weather, Gmail/Google Calendar, and OpenAI features also need internet. The offline mode in Settings blocks all network tools and cloud services. Details: [Network connections](network.md).

How do I change the language model?

Settings → LLM → choose a model or enter a custom name.

How do I add a program ELLA can't find?

Settings → Programs → search field or Browse button.

What's the difference between Chat and Multi-Agents?

Chat: one agent, sequential. Multi-Agents: multiple OpenAI agents in parallel — faster, more depth.

ELLA declined something?

Either one of your own rules is active or the ELLA Directive applies. The red banner explains why. Rules can be adjusted in Settings.

How do I clear the memory?

Say "Forget everything about me" — or individual entries: "Show me your memory" → "Forget entry number X".

E.L.L.A. v1.5.6 — Embedded Local Logic Agent

Built for Windows 10/11 (x64)