



GAME RULES

🔍 Search rules...

PART 4: MEASURING AND MOVEMENT

OGÓLNE



4.1 MEASURING DISTANCES



All distances are measured in inches (") using a tape measure or ruler.

Players may measure any distance at any time, including before declaring an action, during an opponent's activation, and between Phases. There are no restrictions on pre-measuring. Players are encouraged to measure thoroughly and agree on distances before committing to an action.

Between Models: Measure from the nearest point of one model's base to the nearest point of the other model's base. For models on flight stands, the bottom of the stand is treated as the model's base for all measurements (Part 2.3).

- **Ignore Overhang:** Weapons, wings, limbs, and scenic elements extending beyond the base rim are ignored.

- **Base-to-Base Contact:** If two bases are physically touching, the distance between them is 0".

- **Tokens and Markers:** Measure to the nearest physical edge.

- **Elevation:** When calculating distances between models at different elevations, always measure horizontally from a top-down perspective. The vertical height difference should not be included in your measurements. This applies to Range, Engagement Range, and the ranges of abilities. Movement distances are measured as specified by the action being performed (see Part 8.5.3).

<< VISUAL: Three examples - flat ground measurement, measuring around terrain, measuring to a model on elevation >>

<>

In this example, the distance between models is measured from the closest point

of one model's base to the closest point of the other model's base.

<>

✓ Notification

In this example, the distance between a model and a terrain piece is measured from the closest point of the model's base to the closest edge of the terrain piece.

<>

In this example, the distance measurement from Marine on HIGH GROUND to a Marine at GROUND LEVEL is measured horizontally from a direct overhead view, ignoring the vertical height of the terrain.

4.2 WITHIN VS. WHOLLY WITHIN

WITHIN

A model is Within a distance if any part of its base touches or crosses into that range. A Unit is Within a distance if at least one model's base touches or crosses into that range.

WHOLLY WITHIN

A model is Wholly Within a distance only if its entire base sits inside that range - no part of the base may extend beyond the edge. A Unit is Wholly Within only if every model's base in the Unit satisfies this condition.

<>

In this example, a Marine measures 3" from its base. Zergling A is Wholly Within this 3" range - its entire base sits inside it. Zergling B is Within 3" of the Marine - part of its base touches the range, but not all of it. Zergling C is outside the 3" range entirely. The Zergling Unit is considered to be Within 3" of the Marine because at least one model (Zergling A) is in range. However, the Zergling Unit is not Wholly Within 3" since models B and C are not Wholly Within this range.

Maly side EXAMPLE 2.

<>

In this example, a Unit of Raptors with all of its models Wholly Within 3" of its Leading Model that is on HIGH GROUND. The distance is measured horizontally as viewed from directly above - the vertical height of the terrain is ignored.

Designer's Note: Some Units have special rules that allow their models to

occupy different elevations. When this occurs, all distances between models within the Unit are still measured horizontally.

✓ Notification

4.3 THE LEADING MODEL

The Leading Model is a temporary reference point used to execute a Unit's movement. Whenever a Unit resolves a Move, Deploy, Run, Charge, Disengage, or Close Ranks action, or any other action or ability that instructs the Unit to nominate a Leading Model.

Move the Leading Model first, measuring its exact path. Then set the remaining models in valid Coherency around the Leading Model's new position. The Leading Model nomination ends once the action resolves.

<< VISUAL: Unit with leading model highlighted, two Enemy units at different distances showing how leading model choice affects options >>

4.4 UNIT COHERENCY

Coherency is checked at the end of any action that repositions models, including Move, Deploy, Charge, Disengage, Close Ranks, Run, PLACE, and SUMMON.

At the end of such an action, all models in the Unit must be Wholly Within 3" of the Leading Model and able to trace a valid Coherency Link to it. If this condition is met, the Unit is **In Coherency**.

The battlefield is rarely so accommodating. Terrain and crowded positions may prevent a model from reaching a legal position Wholly Within 3" of the Leading Model. When this occurs, set the affected model as close as possible to the Leading Model. The model **must** still maintain a valid Coherency Link. A Unit with one or more models set beyond 3" is Out of Coherency.

If a model cannot be set in any legal position while maintaining a valid Coherency Link, it is removed as a casualty immediately.

A Unit that is **In Coherency** remains so until its next repositioning action. Casualties from any source never trigger a **Coherency** check and never cause a Unit to become **Out of Coherency**.

A Unit is Out of Coherency only if this condition was not met at the end of its last repositioning action.

While **In Coherency**, the Unit may control and contest Mission Markers normally (see 8.9.1).

COHERENCY LINK



✓ Notification

When placing models after a move, set the Leading Model first. Then place each remaining model one at a time, Wholly Within 3" of the Leading Model, and able to trace a Coherency Link to it.

A Coherency Link is a chain of imaginary lines drawn model-to-model through models of the same Unit. Links **cannot** pass through models from other Units, terrain, or gaps that the Leading Model itself could not move through. A link **may** pass through Enemy models that the Unit is currently Engaged with.

Any model that **cannot** find a legal position maintaining the Coherency Link is immediately **removed as a casualty**.

<>

*In this example, a Unit of Marines **In Coherency**. All of its models are Wholly Within 3" of the Leading Model (marked in blue) with Coherency Links (marked in red) drawn from its other models to the Leading Model. The Marine model on the left links to the Leading Model through another model from its Unit to bypass the blocking terrain.*

<>

*In this example, a Unit of Marines with **illegal placement**. All models in the Unit are Wholly Within 3" of its Leading Model, but the model behind the wall (marked in red) **cannot** draw a Coherency Link to another model from its Unit without passing through the terrain shown. Since the model cannot draw a link through another model without passing through restricted terrain, the player cannot set the model here.*

FLYING UNITS AND COHERENCY LINKS



When drawing Coherency Links for a Flying Unit, ignore terrain. Links may pass freely through terrain pieces of any **Size**, and may also pass through models from other Units.

OUT OF COHERENCY



If at the end of an action that repositions models, any model is not Wholly Within 3" of the Leading Model, the Unit is Out of Coherency. Out of Coherency Units cannot control or contest Mission Markers (Part 8.9.1).

4.5 DIRECTLY TOWARDS & DIRECTLY AWAY



✓ Notification

Some abilities force a Unit to move **Directly Towards** or **Directly Away** from another Unit. Draw an imaginary straight line from the centre of the acting model's base through the centre of the target model's base. The affected model follows this line.

If terrain or another model blocks the path, the affected model bypasses it via the **shortest possible route**, then continues in the original direction. If two routes are equally short, the controlling player chooses.

After completing the move:

- A model moving **Directly Towards** cannot end further from the target than it started.
- A model moving **Directly Away** cannot end closer to the target than it started.

Multi-model Units moving Directly Towards: The Leading Model must be the one with the shortest route to the target. Move it first. Set the remaining models as close to the target as possible while maintaining **Coherency**.

Multi-model Units moving Directly Away: The Leading Model must be the one with the shortest route to the target. Move it first. Set the remaining models as far from the target as possible while maintaining **Coherency**.

When multiple models exist in the target Unit, draw an imaginary line to the model that is physically closest (when moving towards) or furthest (when moving away) from the acting model.

If a model is forced to move off the battlefield edge by any involuntary movement effect, it stops at the edge of the battlefield in contact with the table edge. The model cannot be moved beyond the battlefield boundary.

<< **VISUAL:** Hydralisk moving Directly Towards Marine unit, path blocked by wall, bypass route shown >>

4.6 GAP CLEARANCE AND MODEL SIZE



Not every gap in the terrain is wide enough to squeeze through, and a Siege Tank does not thread the same needle as a Zergling.

A gap is any physical space between terrain pieces or models, through which a model's path of movement passes.

<>

The Leading Model can pass through gaps depending on the Unit's **Size**:

✓ Notification

- **Size 2 or lower:** May pass through gaps at least 1" wide. Infantry creatures exploit narrow corridors that larger Units cannot.
- **Size 3 or larger:** Requires a gap at least 3" wide.

Regardless of clearance, a model **cannot** be set where its base doesn't physically fit. Clearance governs movement through a space, not stopping inside one.

Openings in terrain pieces - such as archways, doorways, and breaches - are treated as gaps for the purpose of Gap Clearance, even if the surrounding terrain piece is **Size 2** or larger. The gap must be wide enough for the model's **Size** category. Players should agree on which terrain openings are passable during Battlefield Setup.

This applies to all movement types: Move, Run, Charge, Disengage, and **Close Ranks**.

Flying Units ignore Gap Clearance during movement. Their Leading Model moves point-to-point, bypassing all terrain in transit. However, the Leading Model must still end in a legal position where its base or stand physically fits without overlapping another model's base or stand, or terrain.

 EXPORT PDF