

Full Throttle Promotions 2 Man Extreme Man Van 2022 Rules

***If the vehicle does not pass inspection or driver is unwilling to change the vehicle to pass inspection - absolutely no refunds!!

1. Ages 14 –17 must have a notarized permission slip.
2. DO NOT hit the driver's door! Sometimes this happens, but if it looks intentional or carelessness, you will be disqualified. Don't use your door as a shield; it may cause you to get disqualified.
3. NO sandbagging or holding!!! You will be disqualified!!!
4. You are given 20 seconds for aggressive hits, 1 minute for restarts and 1 minute if you are hung up.
5. Vehicles are subject to re-inspection before any prize money is handed out.
6. All vans must be stock unless modification is stated in the rules.
7. All glass, plastic, chrome, and interior must be removed from the van before arriving to the derby.
8. You must have a visible roof sign with car number on it
9. Driver must have a long sleeve or non-flammable jacket, pants, closed toe shoes to wear while driving in the event.
10. If you are running an electric fuel pump – it must be hooked up to your ignition switch – so when your car shuts off – it shuts off.

MINI VAN CLASS RULES: (Front and Rear Wheel Drive Vans) (Example: Caravan, Astro, Aerostar)

11. Vehicle must remain completely stock. This is meant to be a quick build class with no modification or swapping of parts. NO CARB CONVERSIONS
12. No welding allowed except driver's door, passenger door, and differentials. (May add seat support bar and dash bar inside vehicle post to post, inside door bars attached only to dash and seat bar on driver's side and passenger side.) You may run a rollover loop attached to floor tin only, rollover loop must be within 6 inches of the front seats.
13. MUST HAVE A MINIMUM OF A 4 POINT CAGE. Cage must be floating, with no down bars.
14. Strip vehicle as normal. May run aftermarket cable shifter, brake, and gas pedal setup. No torching of fenders. Vehicle must be totally stock appearing. 12" Fire hole in hood required. No pre-bending of body panels.
15. Can relocate electrical boxes anywhere in van.
16. Remove gas tank and mount a steel tank in inside center of vehicle, securely fasten down and covered. Battery must be moved inside of vehicle securely mounted away from any door and covered. Must be high pressure fuel line. Must be safe or won't run.
17. Two chains per vertical door seam. Four chains per hood. Rear hatch and doors 4 total hold downs max. 2 chains can be used around bumper to hold it on vehicle. No reinforcement.



18. All suspension and struts must be stock. 2 leaf spring clamps total, per spring. No chaining of suspension. Suspension must bounce.
19. You may run any air inflated tire on factory style wheels. Valve stem protectors allowed. No solid tires, 8 inch diameter small centers ok on rims, no full centered wheels.
20. All airbags must be removed and disabled.
21. Front bumper can be a max of 4x4 flat tube. Welded directly to the frame horns, no added material for bumper attachment. You cannot not load the tube; ends must remain open.
22. Driver must operate the steering and passenger must operate the gas and brake.
23. No AWD allowed
24. A header will be allowed, no bolts in hood around header opening.

