


# PASERIE (V1R0M8)

## Utility for Source-Level Distribution in IBM i

This utility helps you maintain your IBM i source code on GitHub. Once available on a target system the utility allows you to install your packages in a very simple way, directly accessing your repositories on GitHub or the repositories of other developers that authorized you.

The suite provides three tools:

- **PASERIE/INSTALL** the main command focusing on the installation phase of an already developed and GitHub-released package.
- **PASERIE/INSTALLOD** the command used in the development phase to test the installation of a package (planned to be released on GitHub or not) directly from a directory in the IFS.
- **PASERIE/LIBCLONE** the command used to jump-start the packaging (consistently with PASERIE tools' conventions) from an existing native library.



## INSTALLATION

Let's first create an empty SAVEFILE named **QGPL/PASERIE**. Then, from **CALL QP2TERM**, we verify to have **curl** installed:

```
$  
> PATH=/Q0penSys/pkgs/bin:$PATH  
$  
> export PATH
```

```
$
> which curl
/QOpenSys/pkgs/bin/curl
```

By means of curl we download 2 archives:

```
curl -o PaseOssFloating.tar \
      https://www.andrearibuoli.it/paserie/PaseOssFloating.tar
```

```
curl -o /QSYS.LIB/QGPL.LIB/PASERIE.FILE \
      https://www.andrearibuoli.it/paserie/PASERIE.SAVF
```

From the home path of the user that will be using **PASERIE/INSTALL** we install **PaseOss** folder by untarring *PaseOssFloating* tar file:

```
tar xvf PaseOssFloating.tar
```

Now, closed the QP2TERM session, we can perform the **RSTLIB** for PASERIE.

PARAMETERS

KWD	INSTALL	INSTALLOC	LIBCLONE
REPO_OWNER	yes		
REPOSITORY	yes		
YOURGITPAT	yes		
SRCLIB			yes
LOCALPATH		yes	yes
TGTLIB	yes	yes	
TGTRLS	yes	yes	
DEVOPT	yes	yes	yes
LOGOUTPUT	yes	yes	yes
VERBOSE	yes	yes	yes

```

PASERIE Installer          V1R0M2 (INSTALL)

Type choices, press Enter.

GitHub repository owner . . . . REPO_OWNER
Repository . . . . . REPOSITORY
GitHub personal access token . . YOURGITPAT

Target library . . . . . TGTLIB      *REPOSITORY
Target release . . . . . TGTRLS     *CURRENT

Additional Parameters

Developemnt option . . . . . DEVOPT   N
Job lob output . . . . . LOGOUTPUT  *PND
Verbose . . . . . VERBOSE           N

Bottom
```

```

PASERIE Local Installer V1R0M2 (INSTALL0C)

Type choices, press Enter.

Project directory . . . . .

Target library . . . . . *LOCAL_PATH  Character value, *LOCAL_PATH
Target release . . . . . *CURRENT     Character value, *CURRENT...

Additional Parameters

Developemnt option . . . . . N         Character value
Job lob output . . . . . *PND         Character value, *SAME...
Verbose . . . . . N                 Character value

Bottom
```

```

PASERIE Library Clone    V1R0M2 (LIBCLONE)

Type choices, press Enter.

Source library . . . . . SRCLIB
Target project directory . . . . LOCAL_PATH  *SRCLIB

Additional Parameters

Developemnt option . . . . . DEVOPT      N
Job lob output . . . . . LOGOUTPUT    *PND
Verbose . . . . . VERBOSE      N

Bottom
```

THE NAME

pastry ==> *pâ-tis-se-rie* ==> **PASERIE**