


Tutorial buat file di Github



➤ Input nama Repository

Q Type [] to search

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere?
[Import a repository.](#)

Required fields are marked with an asterisk (*).

Owner *
Andreabdulrauf

Repository name *
tugasandre
tugasandre is available.

Great repository names are short and memorable. Need inspiration? How about **congenial-carnival** ?

Description (optional)

☒ Public
Anyone on the internet can see this repository. You choose who can commit.

☐ Private
You choose who can see and commit to this repository.

Initialize this repository with:

☐ Add a README file
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore
.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)



Choose a license
License: None


A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

ⓘ You are creating a public repository in your personal account.

Create repository

Create Repository





```
MINGW64:/c/Users/LAMBANG/Desktop/tugas andre

LAMBANG@DESKTOP-A67DAQM MINGW64 ~/Desktop/tugas andre (master)
$ git init
Initialized empty Git repository in C:/Users/LAMBANG/Desktop/tugas andre/.git/

LAMBANG@DESKTOP-A67DAQM MINGW64 ~/Desktop/tugas andre (master)
$ git add .

LAMBANG@DESKTOP-A67DAQM MINGW64 ~/Desktop/tugas andre (master)
$ git commit -m "Upload file"
[master (root-commit) 976eda2] Upload file
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 tugasdesginweb.txt

LAMBANG@DESKTOP-A67DAQM MINGW64 ~/Desktop/tugas andre (master)
$ git remote add origin https://github.com/Andreabduhrauf/tugasandre.git

LAMBANG@DESKTOP-A67DAQM MINGW64 ~/Desktop/tugas andre (master)
$ git branch -M main

LAMBANG@DESKTOP-A67DAQM MINGW64 ~/Desktop/tugas andre (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 222 bytes | 222.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Andreabduhrauf/tugasandre.git
* [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```