



BANK EQUIPMENT

MESIN HITUNG UANG - MESIN HITUNG UANG FRICTION - MESIN HITUNG UANG VACUM
SMART TELLER MACHINE - MESIN SORTING - MESIN ENCODE - MESIN VALLAS
CHECK WRITER & ULTRAVIOLET CRM & ATM - POS TERMINALS

HITACHI



GRG Banking

DORS



MAVERICK International



NewlandNPT



Money Counter GRG CM100V Intelligent Banknote Sorting Machine

- Fitness/denomination/version/ orientation sorting
- Sorting : 720 notes/ min; Counting 1,000 notes/ min
- UV,IR,Visible light, Magnetic, OCR, CIS
- RS-232, USB, LAN
- Power Supply : AC90-240, 50/60HZ
- Dimension : 310*310*394mm (W*H*D)
- Weight : 13kg

Money Counter GRG CM200V Intelligent Banknote Sorting Machine

- Fitness/denomination/version/ orientation sorting
- Sorting : 720 notes/ min; Counting 1,000 notes/ min
- UV,IR,Visible light, Magnetic, OCR, CIS
- RS-232, USB, LAN
- Power Supply : AC90-240, 50/60HZ
- Dimension : 310*310*394mm (W*H*D)
- Weight : 13kg





Money Counter IBD G100

- Hooper Capacity : 200 pcs
- Stacker Capacity : 200 pcs
- Feeding System : Friction Roller
- Counting Speed : ± 1000 pcs/min
- Dimensions : 296x247x171 mm (W*H*D)
- Weight : 4.8 kg



Money Counter IBD G110

- Hooper Capacity : 200 pcs
- Stacker Capacity : 200 pcs
- Feeding System : Friction Roller
- Counting Speed : ± 1000 pcs/min
- Dimensions : 289x235x189 mm (W*H*D)
- Weight : 5.7 kg



Money Counter IBD G120

- Hooper Capacity : 200 pcs
- Stacker Capacity : 200 pcs
- Feeding System : Friction Roller
- Counting Speed : ± 1000 pcs/min
- Dimensions : 293x256x161 mm (W*H*D)
- Weight : 5.9 kg



CMICO VACUUM TYPE CCM-868 Floor

- Function : [CHECK]-[BATCH]-[FREE]-[ADD]
[AUTO]-[MANUAL]-[CLEAR]
- Speed : Standard : Approx. 100 sheets/
4 second
Adjustable : Approx. 100 sheets/ 2-3-4-6
second (option)
- Capacity : Approx 200
- Memory : Totals can be retained until cleared
- Display : Accumulation Display 5 digits
Batch Display : 3 digits
- Dimension : 355x330x840mm (W*H*D)
- Weight : 38 kg



CMICO VACUUM TYPE CCM-868 Dekstop

- Function : [CHECK]-[BATCH]-[FREE]-[ADD]
[AUTO]-[MANUAL]-[CLEAR]
- Speed : Standard : Approx. 100 sheets/
4 second
Adjustable : Approx. 100 sheets/ 2-3-4-6
second (option)
- Capacity : Approx 200
- Memory : Totals can be retained until cleared
- Display : Accumulation Display 5 digits
Batch Display : 3 digits
- Dimension : 355x330x300mm (W*H*D)
- Weight : 24 kg





Branch Cash Recycler GRG P5800

Intel® Atom™ D2550 1.86G CPU, 4G RAM
 500G HDD
 Windows 7
 Dispensing Speed : 8 notes/ second
 Escrow capacity : 200 notes
 Up to 4 recycling cassettes and acceptance cassettes
 Cassette capacity : max.3,000 notes*
 Acceptance cassette capacity : max. 2,000 notes
 Dimensions : 538x960.3x1161.8 mm (W*H*D)
 Weight : 460 kg

Branch Cash Recycler GRG TCR71

Intel® Celeron J1900/4Cores/2.0GHz CPU,4G RAM
 500G HDD
 Display:
 -7" LCD touch screen
 Fingerprint scanner (opt.)
 Deposit/dispense speed: 12 notes per second
 Retract bin capacity: 500 notes
 Denominations: Max. 8
 Up to 4 dual-cassettes and 1 acceptance cassette



Branch Cash Recycler GRG P500L

Intel® i3/i5 CPU 4G RAM
 500G HDD
 Windows® 7 /1
 ID card reader (opt.)
 Card/Ukey issuer (opt.)
 Body proximity detection (opt.)
 Signature pen (opt.)

Weight: 540kg



Money Counter GRG CM300 Intelligent Banknote Sorting Machine

- Fitness/denomination/version/orientation sorting
- Sorting : 720 notes/ min; Counting 1,000 notes/ min
- UV,IR,Visible light, Magnetic, OCR, CIS
- RS-232, USB, LAN
- Power Supply : AC90-240, 50/60HZ
- Dimension : 785x613x486 mm (W*H*D)
- Weight : 95 kg

Money Counter GRG CM400 Intelligent Banknote Sorting Machine

- Fitness/denomination/version/orientation sorting
- Sorting : 720 notes/ min; Counting 1,000 notes/ min
- UV,IR,Visible light, Magnetic, OCR, CIS
- RS-232, USB, LAN
- Power Supply : AC90-240, 50/60HZ
- Dimension : 785x613x486 mm (W*H*D)
- Weight : 86 kg





Encoder Maverick M712

- Display : Cool Blue 20 character, 2 line, alphanumeric, dot matrix, back lit LCS
- Printer : 24 column, dot matrix
- Interface port : RS232, RS422, RS485, TTL
- Option : 20ma Current Loop
- Ribbon : Average yield of 60,000 characters
Print Hammer : Average yield of 65 million impression
Font : E13B (optional : CMC-7 and OCR-A /B
Power : 120 - 240 VAC
Dimensions : 13.5"x13.2"x6.0"
Weight : 13.3 kg



Encoder Maverick M570

- Keyboard : 39 keys with up to 45 programmable function keys
- Stacker Capacity : 200 pcs
- Transport Speed : 20"/sec, 3400 DPH
- Display : Cool Blue 20 character, 2 line, alphanumeric, dot matrix, back lit LCD
- Printer : 24 column, dot matrix
- Ribbon : Average yield of 100,000 characters
Print Hammer : Average yield of 65 million impressions
Font : E13B (optional: CMC7 and OCR A/B)
Power : 120/240 VAC (auto-switchable) 50/60 Hz
Dimensions : 18.0" x 6.0" x 12.0"
Weight : 13.5 kg



Encoder Maverick M580

- Field programmable
- Standard batch program incl.
- Power eject
- Super twist LCD Display
- 3400 documents per hour
- Full field encoding
Detachable catch tray
Power: AC 100/120w
Dimensions : 293x256x161 mm (W*H*D)
Weight : 5.9 kg



CHECKWRITER MACHINE CW 16

- 10 DIGITS
- 12 CURRENCIES : SGD, HKD, USD, GBP, EUR, RMB, JPY, CHF, DKK, THB, RPRM%u2026
- CALCULATOR FUNCTION
- MEMORY FUNCTION
- Dimension : 235x185x105mm (W*H*D)
- Weight : 2 kg



CHECKWRITER MACHINE CW 5

- Compact and durable checkwriter with
- 12-digits printing capacity
- 12 digit LCD display
- Power Supply : 220VAC, 60Hz
- Dimension : 233 (L)x 113(W) x 113(H)mm
- Weight : 1.38kg. kg

ULTRA VIOLET IBD 182

- AUDI182
- Alat Pendeteksi Uang Palsu dengan sinar Ultraviolet
- 9 Watt UV Light source at the top
- 9 Watt UV Light source at the bottom
- Watermark security thread and the value, consisting of fragments on the front and back as translucent register





Multicurrency Automatic Detector DORS

Color 3.5" (9mm) high resolution LCD.

Full length CIS (6 wavelength)

Input voltage of the adaptor : 100-240 V,
~50/60 Hz

Input voltage of the detector : 12 V

Dimension : 115x105x86 mm (W*H*D)

Weight : 0.5 kg



Multicurrency Automatic Detector DORS 800

2-Pocket banknote counter DORS 800

Display color LED 4.3" (11cm)

Counting speed, banknotes per minute
600/900/1200/1500

Power supply 100-240V ~ 50/60Hz

Power consumption, at most 240 BT

Dimensions : 305x295x345 mm (W*H*D)

Weight : 9.8kg kg



Multicurrency Automatic Detector DORS 700

- Counting speed : 1200 banknotes per minute
- Hopper capacity : 500 banknotes
- Stacker capacity : 100 banknotes
- Batch setting : 1 to 999
- Detection : UV, optical density, double note
- Power Supply : 100-240 V, 50 Hz
- Weight : 4.5 kg
- Dimensions : 290x240x270 mm



Multicurrency Automatic Detector DORS 600

- Counting speed : 1200 banknotes per minute
- Banknote size : 100–165 mm (width); 50–85 mm (length); 0.05–0.2 mm (thickness)
- Hopper capacity : 400 banknotes
- Stacker capacity : 100 banknotes
- Counting number display : 1 to 999
- Feed system : Roller friction system
- Weight : 5.3 kg
- Dimensions : 261 x 238 x 232 mm

Money Scan BC-932

- Piece counting
- Automatic detect counterfeits with UV(ultraviolet), MG(magnetic) and IR(infra red)
Capacity : Approx 200
- Stops and sounds alarm for the counting errors (Double, Chain, Half) Batching, adding and self-examina
- Rotatable LED display
- SGD / EURO / USD / HKD / CAD/ CHF/THB / Chinese Yuan and plastic notes detection available
- Weight : 10 kg



Money Scan N911

- Can detect up to 14 currencies (USD, Euro, British Pound, Renminbi, Hong Kong Dollar)
- 3.2" LCD display
- Speed: 800 / 1,000 / 1,200 sheets per minute
- Optional external display and banknote number printing function
- Incoming banknote capacity: 500 sheets
- Receiving banknote capacity: 200 sheet
- Dimensions: 27 x 27 x 30 cm

Smart POS



N750

N950

N910
Pro

N910 Plus

N700

Smart ECR



X800

CPOS X5

N850

Biometrics



F10

N910 fp

N910 Pro fp

QR code Device



ME66

ME70

VB80P

DP20

Classic POS



SP550

SP930

SP630 Pro

ME31

SP880

MPOS/MiniPOS



ME60

ME30S

Unattended



U2000

U1000

U900

PIN pads



P300

SP130

GRG Cash Recycler H68N Series

Versalite Cash Recycler

- Intel® Core™ i3/i5/i7 3.3Ghz CPU, 4G RAM (up to 16GB)
- 500G HDD (Dual HDD support), DVD-RW
- Windows® XP / 7 / 10
- Deposit/dispensing speed: 8 notes per second
- Up to 4 recycling cassettes and 1 acceptance cassette
- Cassette capacity:
 - Recycling cassette capacity: max. 3,300 notes*
 - Acceptance cassette capacity: max. 2,000 notes*
- ECB Article 6 compliant
- Display:
 - 15" TFT color LCD with touch screen & 2*4 function keys
 - Privacy filter (opt.)
 - Optional brightness of screen
- Keypad:
 - Motorized card reader, Hi-Co & Lo-Co track read
 - DIP card reader (opt.)
 - Contactless smart card reader/writer (opt.)
 - EMV Level 1 and Level 2 compliant



GRG ATM H22V Series

Multi Function Cash Dispenser

- IPC: Intel H61/H81/Q87, support Core
- i3/i5/i7 CPU, 500G+ HDD (opt. Dual HDD), Max. 32GB memory, DVD-RW
- Embedded PC(opt.): intel ATOM D2550, 500G HDD, 4G memory
- Windows® 7 / 10
- High-speed bulk dispenser:
 - Dispensing speed: 7 notes per second
 - Max. 100 notes per transaction
 - Up to 4 cassettes
 - Cassette capacity: max. 3,500 notes*
- Reject capacity: max. 300 notes
- Retract capacity: max. 300 notes
- OCR for note serial number recognition (opt.)
- Display:
 - 15" TFT color LCD touch screen
 - Privacy filter (opt.)
 - 2*4 function keys
- Keypad:
 - 4*4 metal encryption PIN pad
 - Dust proof/water proof/vandal resistant



Cash Recycling Machine CASH80ALG

Features

Fashionable & Friendly Design, Maintenance is very convenient.

Bill high identification rate and low jam bill rate, can configure bill identification functions of cash deposit and withdrawal.

Comply with international non-obstacle standard, accord to disabled people usage demand.

High brightness large screen LCD display, operate conveniently & intuitively.

Specifications

Controlling Unit

CPU: Intel 2.6GHz, RAM: 8GB, HDD: 1TB

Card Reader

Motorized Card Reader, ISO7811-1/2/3/4/5/6, Support IC Card R/w

Display

15" LCD display, waterproof, dust-proof, explosion-proof, high resolution 1024X768

Cash Processing Unit

4 Cycle Cassettes

UPS

Finishing the last transaction when power off

Keyboard

4x4 Numeric Metal Keypad, Waterproof, Dust-Proof, PCI4.0 Certified EPP

RFID Card Reader

Support mifare desfire 1K/4K, ultra light, ISO 14443-4 TYPE A&B

Passbook Printer

Finger Printer

Sensor type: CMOS, matching method: 1:1 or 1:N, Interface: USB2.0

Barcode Reader

Support Barcode and QR Code Reading

ID Card Reader

Motorized Card Reader

Camera (Portrait)

Temperature

-15°C to +50°C (-35°C to +50°C, with optional heating unit)

Dimensions

H*W*D: 1620mm * 900mm * 900mm

Relative Humidity

5% - 95%

Cash Dispenser Machine CASH80ALI



Features

Cash Dispenser : Dengan penggunaan Friction Bundle Cash Dispenser, kapasitas pengeluaran maksimum mesin per transaksi dapat menjadi 72 uang kertas dan kecepatan pengeluaran dapat menjadi 8 uang kertas/detik.

Extensibility : Mesin memiliki ekstensibilitas yang kaya dan desain yang disesuaikan, seperti pembaca kartu nirsentuh, printer tanda terima, dan modul biometrik lainnya, dapat diterima, memberikan lebih banyak skenario layanan bernilai tambah kepada bank untuk memperluas saluran bisnis.

Safety Performance : Mesin ini dilengkapi dengan pembaca kartu terintegrasi yang baru (anti-skimming dan interferensi anti-elektromagnetik) dan keyboard kata sandi yang sesuai dengan PCI, memberikan keamanan akun yang lebih tinggi kepada pengguna.

Optimized Design : Dikombinasikan dengan panel ergonomis, struktur kompak, modul fungsional visual, dan modul fungsi yang dapat diperluas.

Specifications

Controlling Unit

CPU: Intel i5 3.4GHz; RAM: 8GB, HDD: 1TB (WD WD10EZEX)

OS

Windows 10 Operating System (English)

Customer Display

17" High-Light TFT color & touchable LED with vandal glass, Touch screen, Waterproof, Dust-proof, Resolution 1024x768, Privacy display filter

EPP

4 X 4 numeric metal keypad, waterproof, dust-proof, PCI4.0 certified EPP

Card Reader

Motorized card reader (magnetic/IC card supported, EMV certified), ISO 7810, 7811, Magnetic card R/W track 1/2/3, ISO/IEC 7816, IC card R/W; Anti-Fishing/Anti-skimming, Return card on Power failure, Card capture Bin

RFID Card Reader (Opt)

support ISO 14443 A/B card; support NFC

Receipt Printer

High-speed 40 column graphic thermal printer; Paper width: 80 mm; Paper roll diameter: 150 mm max.

Journal Printer (Opt)

Dot Matrix 40 Columns graphic thermal printer; Paper roll: 76mm; Paper roll diameter: 120mm max.

Cash Dispenser

Frictional bundle cash dispensing; Dispensing speed: 8 notes/S; Maximum 72 notes; Note cassette: 4 cassettes + 1 reject vault (separate retract from reject compartment). Cassette capacity: 3000 new notes

Finger Printer (Opt)

Sensor type: CMOS; Matching Method: 1:1 or 1:N; Interface: USB2.0

Barcode Reader

1D: UPC, EAN, Code128, Code39, Code93, Code11, Matrix 2 of 5, Interleaved 2 of 5, Codedabar, MSI Plessey, etc. 2D: PDF417, MicroPDF417, Data Matrix, Maxicode, QR Code, Micro QR, Aztec, Hanxin, etc.

Pinpad Shield

Fireproof plastic pinpad shield cover EPP to protect PIN

Safe

UL291 L1 or CEN L

Lock

Combination mechanical lock and key lock

Camera

2 * Camera (Portrait + Shutter)

Power Supply

AC220±15% V/ 50±Hz

Awareness Mirror

2*1 Awareness Mirror



OFFICE, COMPUTER & BANKING EQUIPMENT

Jl. Pesanggrahan No.1128B, Kembangan, Jakarta Barat, DKI Jakarta 11610

Telp: (021) 5814220 / 5809933 | Fax: (021) 5820774

E-mail: info@bismacindo.co.id

www.bismacindo.co.id