



[SAD-8] Admin Interface

Created: 12/May/24 6:47 PM - Updated: 12/May/24 7:10 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Epic	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

OpenCart's administration side of the store is where you can modify features, upload images, add products, keep track of customers, manage payments and much more. Customization in the admin affects how the customer will interact with a store : by modifying the look, structure and content of the store front.

In the Admin Interface you can :

- [Overview](#);
- [Filter](#);
- [Image Manager](#);
- [Adding Multiple Languages](#);
- [Creating a Multi-Store](#);
- [Moving OpenCart to a New Server](#);
- [SEO Keywords](#);
- [SSL Certificates and HTTPS](#);
- [Basic Security Practices](#);
- [vQmod](#).



[SAD-9] Catalog

Created: 12/May/24 7:02 PM - Updated: 18/Jul/24 7:02 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Epic	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

In the Catalog section you can access :

- [Categories;](#)
- [Products;](#)
- [Profiles;](#)
- [Filters;](#)
- [Attributes;](#)
- [Options;](#)
- [Manufacturers;](#)
- [Downloads;](#)
- [Reviews;](#)
- [Information.](#)

**[SAD-10] Adding multiple languages**

Created: 12/May/24 7:10 PM - Updated: 30/Jun/24 10:15 AM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Parent:	SAD-8 Admin Interface (Epic)
Component/s:	None
Fix Version/s:	v1.0

Type:	Story	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

With shops serving a wider array of customers across multiple countries, it may become necessary to add multiple language options for your customers. The default language provided from the installation is English. Other available languages can be viewed on the OpenCart [Language](#) page. These language packs can be downloaded through the [Extension Directory](#).

Links**Relates**

relates to [SAD-11](#) Changing a language in the store front Backlog

**[SAD-11] Changing a language in the store front**


Created: 12/May/24 7:29 PM - Updated: 30/Jun/24 10:17 AM


Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Saving a language pack in Localisation will make it immediately available in the store front. The language area is located in the header of every page, from the left top corner. In achieve the example below, a French language pack was downloaded and FTP'd to OpenCart. By assigning French an assorting order of 2, it is displayed below of English in the header of every page of our store. The customer can click on the French flag in the header to change the language.

**Attachments**



admin-interface-language.png (15 kB)

Links			
Relates			
relates to	SAD-12	Verify if the language can be changed from the header.	Backlog
relates to	SAD-10	Adding multiple languages	Backlog



[SAD-12] Verify if the language can be changed from the header.

Created: 12/May/24 7:52 PM - Updated: 16/Jul/24 7:24 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: None

Type: Test **Priority:** Medium
Reporter: IT Factory **Assignee:** Unassigned
Resolution: Unresolved **Votes:** 0
Labels: None
Original Estimate: Not Specified
Remaining Estimate: Not Specified
Time Spent: Not Specified

Description

Preconditions : admin username and password.

Test Step	Test Data	Expected Result
1. Go to Localisation -> Language		
2. Click on the French flag and the language name will appear in the language list.	Language : French Language description : test the software application.	
3. Press on the language flag to chose the language.		The language is successfully changed.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Admin Interface	PASS		IT Factory	18/Jul/24 7:31 PM
		1. PASS			18/Jul/24 7:30 PM
		2. PASS			18/Jul/24 7:30 PM
		3. PASS			18/Jul/24 7:30 PM

Links

Relates

relates to [SAD-11](#) Changing a language in the store front Backlog



[SAD-13] Products

Created: 12/May/24 8:30 PM - Updated: 12/May/24 8:42 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Parent:	SAD-9 Catalog (Epic)
Component/s:	None
Fix Version/s:	v1.0

Type:	Story	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Before adding products, you must make sure that you have all the necessary information about the product you are adding to the store. To get detailed information of your products to your customer, OpenCart requires this information to be gathered beforehand. The more information given to OpenCart about a specific product, the more informed the customer will be about that particular product when purchasing it from your store.

Links

Relates

relates to [SAD-14](#) Managing and adding/deleted products in the catalog Backlog



[SAD-14] Managing and adding/deleted products in the catalog

Created: 12/May/24 8:42 PM - Updated: 17/Jul/24 9:46 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

The complete list of store products can be found under Catalog > Products. If this is your first time in the Product section, you will notice the default products left over from the installation. These products can be used to experiment with and explore the OpenCart features before launching your store. You will eventually need to delete these products to make room for your store's products.

Links

Relates

<i>relates to</i>	SAD-15	Verify if the individual products can be successfully added in the Product list menu	Backlog
<i>relates to</i>	SAD-16	Verify if the default products can be deleted	Backlog
<i>relates to</i>	SAD-13	Products	Backlog

**[SAD-15] Verify if the individual products can be successfully added in the Product list menu**

Created: 12/May/24 8:57 PM - Updated: 16/Jul/24 8:24 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Test Step	Test Data	Expected Result
1. Go to Catalog / Products / Product List		
2. Press the "Insert" button which directs the administrator to a page requiring product information under the following tabs : General Data Links Attribute Option Discount Special Image Reward Points Design		
3. Press Save to complete the process of adding the products.		The product listed successfully created

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Catalog	PASS		IT Factory	19/Jul/24 9:11 AM
		1. PASS			18/Jul/24 9:10 PM
		2. PASS			19/Jul/24 9:11 AM
		3. PASS			19/Jul/24 9:11 AM

Links**Relates**

relates to [SAD-14](#) Managing and adding/deleted products in the catalog Backlog



[SAD-16] Verify if the default products can be deleted

Created: 12/May/24 9:17 PM - Updated: 16/Jul/24 8:26 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Test Step	Test Data	Expected Result
1. Go to Catalog / Product / Products List		
2. Check the box left of the "Image column" in the list.		
3. Click the "Delete" button on the top right side		
4. Press "OK" when a window pops up asking "Delete/Install cannot be undone! Are you sure you want to do this?".		The default product was successfully deleted

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Catalog	PASS		IT Factory	18/Jul/24 7:51 PM
		1. PASS			18/Jul/24 7:50 PM
		2. PASS			18/Jul/24 7:50 PM
		3. PASS			18/Jul/24 7:51 PM
		4. PASS			18/Jul/24 7:51 PM

Links

Relates

relates to	SAD-14	Managing and adding/deleted products in the catalog	Backlog
------------	------------------------	---	---------

**[SAD-17] Profiles**

Created: 12/May/24 9:30 PM - Updated: 18/Jul/24 7:01 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Epic	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Profiles are a new, optional feature in OpenCart 1.5.6. They allow you to set up recurring payments for your customers. Profiles are useful if you plan to sell products by subscription, if you are promoting a discount or member's club, or if you are simply breaking up payments into smaller portions. This feature gives the store owner more control over how customers are charged for products or services.

Links**Relates**

<i>relates to</i>	SAD-18	Adding New Profiles	Backlog
<i>relates to</i>	SAD-35	Applying the profile to a Product	Backlog



[SAD-18] Adding New Profiles

Created: 12/May/24 9:33 PM - Updated: 17/Jul/24 9:53 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Parent: [SAD-17](#) Profiles (Epic)
Component/s: None
Fix Version/s: v1.0

Type: Story **Priority:** Medium
Reporter: IT Factory **Assignee:** Unassigned
Resolution: Unresolved **Votes:** 0
Labels: None
Original Estimate: Not Specified
Remaining Estimate: Not Specified
Time Spent: Not Specified

Description

If you choose to Insert a new profile, you will see the following options:

- ***Name :** This will be the name of the subscription or payment plan, such as "\$35 per month or Discount Club.
- ***Sort Order :** This is simply for putting your profiles into a certain order, to make your top picks easier to find.
- ***Status :** You can enable or disable the profile here.
- ***Price:** The actual price of the program or subscription. In this example, it is \$39.99.
- ***Duration:** The number of times a user will make a payment. Set to 0 if unlimited. If unlimited, the payments plan will continue until cancelled by you or the user. In the example, the duration is set to 12 months (for a yearly subscription).
- ***Cycle:** The number that will be applied to your frequency option.
- ***Frequency:** This option allows you to choose how often a user will make a payment. In the example, the cycle is "1," and the frequency is "month," causing the user to be billed monthly. If you wanted your customer to be billed every three weeks, you would choose "3" as the cycle, and "week" as the frequency.
- ***Trial Status:** Here, you may enable or disable a free trial. If disabled, you may leave the following options blank.

Links

Relates

<i>relates to</i>	SAD-19	Name	Backlog
<i>relates to</i>	SAD-21	Price	Backlog
<i>relates to</i>	SAD-23	Duration	Backlog
<i>relates to</i>	SAD-25	Status	Backlog
<i>relates to</i>	SAD-27	Cycle	Backlog
<i>relates to</i>	SAD-31	Trial Status	Backlog
<i>relates to</i>	SAD-33	Sort Order	Backlog
<i>relates to</i>	SAD-17	Profiles	Backlog

Blocks

<i>blocks</i>	SAD-29	Frequency	Backlog
---------------	------------------------	-----------	---------

**[SAD-19] Name**

Created: 12/May/24 9:38 PM - Updated: 18/Jul/24 6:59 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

This will be the name of the subscription or payment plan, such as "\$35 per month or Discount Club.

Links**Relates**

relates to [SAD-18](#) Adding New Profiles Backlog

Blocks

blocks [SAD-20](#) Verify if the the name of the subscription or payment plan can be added Backlog



[SAD-20] Verify if the the name of the subscription or payment plan can be added

Created: 12/May/24 9:40 PM - Updated: 17/Jul/24 9:48 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog -> Profiles Tab		
2. Go to Insert New Profile		
3. Insert the name of the subscription or payment plan		
4. Click Save to insert the name		The name was successfully saved

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	PASS		IT Factory	20/Jul/24 12:58 PM
		1. PASS			20/Jul/24 12:56 PM
		2. PASS			20/Jul/24 12:57 PM
		3. PASS			20/Jul/24 12:58 PM
		4. PASS			20/Jul/24 12:58 PM

Links

Blocks

is blocked by [SAD-19](#) Name Backlog

**[SAD-21] Price**

Created: 12/May/24 9:47 PM - Updated: 18/Jul/24 6:59 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description
The actual price of the program or subscription.

Links
Relates
<i>relates to</i> SAD-18 Adding New Profiles Backlog
Blocks
<i>blocks</i> SAD-22 Verify if the price can be successfully added Backlog

**[SAD-22] Verify if the price can be successfully added**

Created: 12/May/24 9:49 PM - Updated: 20/Jul/24 1:08 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: None

Type: Test **Priority:** Medium
Reporter: IT Factory **Assignee:** Unassigned
Resolution: Unresolved **Votes:** 0
Labels: None
Original Estimate: Not Specified
Remaining Estimate: Not Specified
Time Spent: Not Specified

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog / Profiles Tab / Price		
2. Put the actual price of the program or subscription in the tab Price		
3. Press Save to insert the new price of the program or subscription		The Price was successfully added

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	FAIL	1 0 [SAD-63]	IT Factory	20/Jul/24 1:02 PM
		1. PASS			20/Jul/24 12:59 PM
		2. FAIL			20/Jul/24 1:01 PM
		3. FAIL			20/Jul/24 1:01 PM

Links**Relates**

relates to [SAD-63](#) The price cannot be edit. Backlog
relates to [SAD-63](#) The price cannot be edit. Backlog

Blocks

is blocked by [SAD-21](#) Price Backlog

**[SAD-23] Duration**

Created: 12/May/24 9:53 PM - Updated: 18/Jul/24 7:00 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

The number of times a user will make a payment. Set to 0 if unlimited. If unlimited, the payments plan will continue until cancelled by you or the user.

Links**Relates**

relates to [SAD-18](#) Adding New Profiles Backlog

Blocks

blocks [SAD-24](#) Verify if the number of times of a user which will make a payment can be added Backlog

**[SAD-24] Verify if the number of times of a user which will make a payment can be added**

Created: 12/May/24 9:56 PM - Updated: 20/Jul/24 1:16 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog -> Profiles Tab / Duration		
2. Set the number of times which a user will make a payment. Set to 0 if unlimited. If unlimited, the payments plan will continue until cancelled by you or the user.		
3. Press Save to insert the Duration		The number of times was successfully inserted

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	FAIL	1 0 [SAD-64]	IT Factory	20/Jul/24 1:11 PM
		1. PASS			20/Jul/24 1:10 PM
		2. PASS			20/Jul/24 1:11 PM
		3. FAIL			20/Jul/24 1:11 PM

Links**Relates**

<i>relates to</i>	SAD-64	The number of times "0" for unlimited cannot be saved.	Backlog
<i>relates to</i>	SAD-64	The number of times "0" for unlimited cannot be saved.	Backlog

Blocks

<i>is blocked by</i>	SAD-23	Duration	Backlog
----------------------	------------------------	----------	---------

**[SAD-25] Status**

Created: 12/May/24 10:02 PM - Updated: 18/Jul/24 7:00 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description
The profile can be enabled or disabled.

Links			
Relates			
<i>relates to</i>	SAD-18	Adding New Profiles	Backlog
Blocks			
<i>blocks</i>	SAD-26	Verify if the status enabled or disabled can be added	Backlog



[SAD-26] Verify if the status enabled or disabled can be added

Created: 12/May/24 10:03 PM - Updated: 17/Jul/24 9:53 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description
Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog / Profiles Tab / Status		
2. Set the status Enabled or Disabled		
3. Press Save to insert the Status		The Status was successfully inserted

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	PASS		IT Factory	20/Jul/24 12:28 PM
		1. PASS			20/Jul/24 12:28 PM
		2. PASS			20/Jul/24 12:28 PM
		3. PASS			20/Jul/24 12:28 PM

Links
Blocks
is blocked by SAD-25 Status Backlog

**[SAD-27] Cycle**

Created: 12/May/24 10:08 PM - Updated: 18/Jul/24 7:00 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description
The number that will be applied to your frequency option.

Links			
Relates			
<i>relates to</i>	SAD-18	Adding New Profiles	Backlog
Blocks			
<i>blocks</i>	SAD-28	Verify if the Cycle can be added	Backlog

**[SAD-28] Verify if the Cycle can be added**

Created: 12/May/24 10:09 PM - Updated: 17/Jul/24 9:53 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: None

Type: Test
Reporter: IT Factory
Resolution: Unresolved
Labels: None
Original Estimate: Not Specified
Remaining Estimate: Not Specified
Time Spent: Not Specified

Priority: Medium
Assignee: Unassigned
Votes: 0

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog / Profiles Tab / Cycle		
2. Put the number that will be applied to your frequency option	The cycle is "1" and the frequency is "month," causing the user to be billed monthly. If you wanted your customer to be billed every three weeks, you would choose "3" as the cycle, and "week" as the frequency.	
3. Press Save to insert the Cycle		The Cycle was successfully created

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	PASS		IT Factory	20/Jul/24 12:53 PM
		1. PASS			20/Jul/24 12:53 PM
		2. PASS			20/Jul/24 12:53 PM
		3. PASS			20/Jul/24 12:53 PM

Links**Blocks**

is blocked by [SAD-27](#) Cycle Backlog



[SAD-29] Frequency

Created: 12/May/24 10:15 PM - Updated: 18/Jul/24 7:01 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

This option allows you to choose how often a user will make a payment. In the example, the cycle is "1," and the frequency is "month," causing the user to be billed monthly. If you wanted your customer to be billed every three weeks, you would choose "3" as the cycle, and "week" as the frequency.

Links

Relates

relates to [SAD-30](#) Verify if the Frequency can be added Backlog

Blocks

is blocked by [SAD-18](#) Adding New Profiles Backlog



[SAD-30] Verify if the Frequency can be added

Created: 12/May/24 10:17 PM - Updated: 20/Jul/24 12:50 PM

Status:	Backlog		
Project:	ST4_Andreea Dragastan		
Component/s:	None		
Fix Version/s:	None		
Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog / Profiles Tab / Frequency		
2. Set how often a user will make a payment	The cycle is "1," and the frequency is "month," causing the user to be billed monthly. If you wanted your customer to be billed every three weeks, you would choose "3" as the cycle, and "week" as the frequency.	
3. Press Save to insert the Frequency		The Frequency was successfully inserted

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	FAIL	1 0 [SAD-62]	IT Factory	20/Jul/24 12:41 PM
		1. PASS			20/Jul/24 12:29 PM
		2. PASS			20/Jul/24 12:30 PM
		3. FAIL			20/Jul/24 12:40 PM

Links

Relates

relates to	SAD-62	The "week" as a frequency cannot be inserted.	Backlog
relates to	SAD-29	Frequency	Backlog
relates to	SAD-62	The "week" as a frequency cannot be inserted.	Backlog

**[SAD-31] Trial Status**

Created: 12/May/24 10:24 PM - Updated: 18/Jul/24 7:01 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

You may enable or disable a free trial. If disabled, you may leave the following options blank.

Links**Relates**

<i>relates to</i>	SAD-32	Verify if the Trial Status can be added	Backlog
<i>relates to</i>	SAD-18	Adding New Profiles	Backlog

**[SAD-32] Verify if the Trial Status can be added**

Created: 12/May/24 10:25 PM - Updated: 16/Jul/24 8:33 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog / Profiles Tab / Trial Status		
2. Set the enable or disable a free trial.		
3. Press Save to insert the Trial Status		The Trial Status was successfully created

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	PASS		IT Factory	20/Jul/24 1:17 PM
		1. PASS			20/Jul/24 1:17 PM
		2. PASS			20/Jul/24 1:17 PM
		3. PASS			20/Jul/24 1:17 PM

Links**Relates**

relates to [SAD-31](#) Trial Status Backlog

**[SAD-33] Sort Order**

Created: 12/May/24 10:28 PM - Updated: 18/Jul/24 7:01 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

This is for putting your profiles into a certain order, to make your top picks easier to find.

Links**Relates**

<i>relates to</i>	SAD-34	Verify if the Sort Order can be added	Backlog
<i>relates to</i>	SAD-18	Adding New Profiles	Backlog

**[SAD-34] Verify if the Sort Order can be added**

Created: 12/May/24 10:29 PM - Updated: 16/Jul/24 8:34 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog / Profiles Tab / Sort Order		
2. Put the profiles into a certain order.		
3. Press Save to insert the Sort Order		The Sort Order was successfully inserted

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	PASS		IT Factory	20/Jul/24 1:10 PM
		1. PASS			20/Jul/24 1:10 PM
		2. PASS			20/Jul/24 1:10 PM
		3. PASS			20/Jul/24 1:10 PM

Links**Relates**

relates to [SAD-33](#) Sort Order Backlog



[SAD-35] Applying the profile to a Product

Created: 12/May/24 10:35 PM - Updated: 12/May/24 10:38 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Parent:	SAD-17 Profiles (Epic)
Component/s:	None
Fix Version/s:	v1.0

Type:	Story	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Once you have created your customer group and added your selected customers to that group, you are ready to apply your profile to a product.

Links

Relates

<i>relates to</i>	SAD-36	Add new profile	Backlog
<i>relates to</i>	SAD-17	Profiles	Backlog

**[SAD-36] Add new profile**

Created: 12/May/24 10:38 PM - Updated: 18/Jul/24 7:01 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Once you have created your customer group and added your selected customers to that group, you are ready to apply your profile to a product.

Links**Relates**

<i>relates to</i>	SAD-37	Verify if the new profile can be added in the Profile Tab	Backlog
<i>relates to</i>	SAD-35	Applying the profile to a Product	Backlog

**[SAD-37] Verify if the new profile can be added in the Profile Tab**

Created: 12/May/24 10:40 PM - Updated: 16/Jul/24 8:35 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
<ol style="list-style-type: none"> Go to Catalog / Products page and choose a product. Click Edit, then click the Profile Tab. Click Add Profile, and choose which Profile and which Customer Group to apply to the particular product. Press Save to apply the new profile 		The new Profile has been successfully applied to your selected customers for your selected product.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Profiles	PASS		IT Factory	20/Jul/24 12:55 PM
		1. PASS			20/Jul/24 12:55 PM
		2. PASS			20/Jul/24 12:55 PM
		3. PASS			20/Jul/24 12:55 PM
		4. PASS			20/Jul/24 12:55 PM

Links**Relates**

relates to [SAD-36](#) Add new profile Backlog



[SAD-38] Attributes

Created: 17/Jul/24 7:08 PM - Updated: 18/Jul/24 11:23 AM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Parent:	SAD-9 Catalog (Epic)
Component/s:	None
Fix Version/s:	v1.0

Type:	Story	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

The attributes section lets you edit the attributes compared between products in "Product Comparison". When viewing products in the store front, customers have the option to add products to "Add to Compare" to analyze the similarities and differences between products in the store. Attributes can be used to describe the size, weight, color and any other specifications of the product that have potential for comparison.

Links

Blocks

<i>blocks</i>	SAD-39	Creating attributes	Backlog
<i>blocks</i>	SAD-41	Assigning the attributes to a product	Backlog

**[SAD-39] Creating attributes**

Created: 17/Jul/24 7:13 PM - Updated: 18/Jul/24 7:02 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

In Catalog > Attributes, attributes can be created, edited, and deleted.

Links**Relates**

relates to [SAD-40](#) Verify if a new attribute can be created Backlog

Blocks

is blocked by [SAD-38](#) Attributes Backlog



[SAD-40] Verify if a new attribute can be created

Created: 17/Jul/24 7:18 PM - Updated: 18/Jul/24 8:08 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : username and password.

Test Step	Test Data	Expected Result
1. Go to Catalog > Attributes		
2. To create a new attribute, click "Insert". This button will direct you to a page asking for the "Attribute Name", "Attribute Group" and "Sort Order".	The "Sort Order" determines the position of the attribute if the product has multiple attributes assigned to it. The "Attribute Group" is the larger group of attributes that this particular attribute will belong to when assigned.	
3. Press Save to add new attribute		The new attribute has been created.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Catalog	FAIL	1 0 [SAD-61]	IT Factory	18/Jul/24 7:56 PM
		1. PASS			18/Jul/24 7:54 PM
		2. PASS			18/Jul/24 7:55 PM
		3. FAIL			18/Jul/24 7:56 PM

Links

Relates

relates to	SAD-61	The new attribute cannot be saved	Backlog
relates to	SAD-39	Creating attributes	Backlog
relates to	SAD-61	The new attribute cannot be saved	Backlog



[SAD-41] Assigning the attributes to a product

Created: 17/Jul/24 7:29 PM - Updated: 18/Jul/24 7:02 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

As the attributes have been created , we need to edit the individual products to contain these attributes. To be consistent, we will add "Aspect Ratio" and "Monitor Dimensions" to all of our laptop products. We don't want a scenario where our customers need to compare different laptop products, but only one or two of our laptops has the "Aspect Ratio" listed to compare.

Links

Relates

relates to [SAD-42](#) Verify if the attributes can be added directly to a product Backlog

Blocks

is blocked by [SAD-38](#) Attributes Backlog

**[SAD-42] Verify if the attributes can be added directly to a product**

Created: 17/Jul/24 7:33 PM - Updated: 17/Jul/24 7:33 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Catalog > Products and click Edit for our HP laptop product.		
2. In the Attributes tab, we add the Aspect Ratio and Monitor Size as attributes individually. The text description must be manually added, so we add 16:10 to "Aspect Ratio" and 19.3" x 27.2" to our monitor size.	We will continue on by adding these two attributes individually to all of our laptop products.	
3. When we start typing "Monitor", both the attribute group and attribute name is displayed in the drop down box.		
4. Press Save to add these two attributes individually.		These two attributes individually have been added to all of our laptop products.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Catalog	PASS		IT Factory	18/Jul/24 7:52 PM
		1. PASS			18/Jul/24 7:51 PM
		2. PASS			18/Jul/24 7:52 PM
		3. PASS			18/Jul/24 7:52 PM
		4. PASS			18/Jul/24 7:52 PM

Links**Relates**

relates to [SAD-41](#) Assigning the attributes to a product Backlog



[SAD-43] Options

Created: 17/Jul/24 7:44 PM - Updated: 18/Jul/24 11:24 AM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Parent:	SAD-9 Catalog (Epic)
Component/s:	None
Fix Version/s:	v1.0

Type:	Story	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

The Options section, under Catalog, lets you customize what details the customer sees when checking out a product. On the product page, the "Available Options" section is displayed under the price. The option for that product must be selected before the customer can add the product to the shopping cart.

Links

Blocks

<i>blocks</i>	SAD-44	File type	Backlog
---------------	------------------------	-----------	---------

**[SAD-44] File type**

Created: 17/Jul/24 7:49 PM - Updated: 18/Jul/24 7:02 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

The File Type requires the customers to upload a file of their own before adding the product to their cart.

Links**Relates**

relates to [SAD-45](#) Verify if a file can be uploaded before adding the product in the cart. Backlog

Blocks

is blocked by [SAD-43](#) Options Backlog



[SAD-45] Verify if a file can be uploaded before adding the product in the cart.

Created: 17/Jul/24 7:52 PM - Updated: 17/Jul/24 7:52 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: None

Type: Test
Reporter: IT Factory
Resolution: Unresolved
Labels: None
Original Estimate: Not Specified
Remaining Estimate: Not Specified
Time Spent: Not Specified

Priority: Medium
Assignee: Unassigned
Votes: 0

Description

Preconditions : admin username and password.

Test Step	Test Data	Expected Result
<ol style="list-style-type: none"> Go to Catalog -> Options We move the Option tab under the Catalog > Product to add the option to the product, there is only an selection to require the file or not. There isn't any option values since it is up to the user to upload their own file from their computer. Press Save to see the result on the iPod Classic product page. The sort order of 2 set the file type option below the Color option. When the customer clicks on the "Upload File" button, they can select a file from their computer that will be included in the checkout. 		The file has been uploaded successfully before being added in the cart.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Catalog	PASS		IT Factory	20/Jul/24 12:27 PM
		1. PASS			20/Jul/24 12:22 PM
		2. PASS			20/Jul/24 12:24 PM
		3. PASS			20/Jul/24 12:26 PM

Links

Relates

relates to [SAD-44](#) File type Backlog



[SAD-46] Sales

Created: 17/Jul/24 8:17 PM - Updated: 18/Jul/24 7:03 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: v1.0

Type:	Epic	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

In the Sales section you can :

- Managing orders;
- Viewing order details;
- Searching for an order;
- Manually adding/modifying an order;
- Customer details;
- Payment details;
- Shipping details;
- Products;
- Vouchers;
- Totals;
- Printing invoices.

Links

Relates

<i>relates to</i>	SAD-47	Orders	Backlog
<i>relates to</i>	SAD-54	Returns	Backlog

**[SAD-47] Orders**

Created: 17/Jul/24 8:20 PM - Updated: 17/Jul/24 9:16 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Parent:	SAD-46 Sales (Epic)
Component/s:	None
Fix Version/s:	v1.0

Type:	Story	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

When a customer goes through checkout, the information on their order is automatically transferred to the Orders section for you to keep track of. In the administration, you can view all of the orders made on their site, manually add orders, or edit the details of existing orders.

Links**Relates**

<i>relates to</i>	SAD-48	Viewing order details	Backlog
<i>relates to</i>	SAD-50	Manually adding/modifying an order	Backlog
<i>relates to</i>	SAD-52	Printing invoices	Backlog
<i>relates to</i>	SAD-46	Sales	Backlog



[SAD-48] Viewing order details

Created: 17/Jul/24 8:24 PM - Updated: 18/Jul/24 7:02 PM

Status:	Backlog		
Project:	ST4_Andreea Dragastan		
Component/s:	None		
Fix Version/s:	v1.0		
Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

The Orders section is located under Sales > Orders. On this page, every order ever made from the store is listed in detail.

The following details are displayed for each order on the list:

- **Order ID:** a number assigned to an order by OpenCart during the checkout confirmation
- **Customer:** the name of the customer that made the order.
- **Status:** update of the status of the order. After the order is initially created the status will be "Pending". The default options are Missing Orders, Canceled, Canceled Reversal, Chargeback, Complete, Denied, Expired, Failed, Pending, Processed, Processing, Refunded, Reversed, Shipped, and Voided.
- **Total:** the total price of the order.
- **Date Added**
- **Date Modified.**

Links

Relates

<i>relates to</i>	SAD-49	Verify if the order details are displayed on the list.	Backlog
<i>relates to</i>	SAD-47	Orders	Backlog



[SAD-49] Verify if the order details are displayed on the list.

Created: 17/Jul/24 8:26 PM - Updated: 17/Jul/24 8:26 PM

Status:	Backlog	Priority:	Medium
Project:	ST4_Andreea Dragastan	Assignee:	Unassigned
Component/s:	None	Votes:	0
Fix Version/s:	None		
Type:	Test		
Reporter:	IT Factory		
Resolution:	Unresolved		
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Sales -> Orders. On this page, every order ever made from the store is listed in detail.		
2. The following details are displayed for each order on the list: Order ID : a number assigned to an order by OpenCart during the checkout confirmation. Customer: the name of the customer that made the order. Status: update of the status of the order. After the order is initially created the status will be "Pending". The default options are Missing Orders, Canceled, Canceled Reversal, Chargeback, Complete, Denied, Expired, Failed, Pending, Processed, Processing, Refunded, Reversed, Shipped, and Voided. Total: the total price of the order. Date Added Date Modified		All the order details are displayed successfully in the list.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Sales	PASS		IT Factory	20/Jul/24 1:27 PM
		1. PASS			20/Jul/24 1:27 PM
		2. PASS			20/Jul/24 1:27 PM

Links

Relates

relates to [SAD-48](#) Viewing order details Backlog



[SAD-50] Manually adding/modifying an order

Created: 17/Jul/24 8:33 PM - Updated: 18/Jul/24 7:02 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Customer Orders will be automatically updated to the Order section after a customer confirms checkout. Though it is automatically updated, you may want to edit or add orders manually to add new information such as a gift-voucher, or add reward points.

Links

Relates

<i>relates to</i>	SAD-51	Verify if an order can be added/modified manually.	Backlog
<i>relates to</i>	SAD-47	Orders	Backlog



[SAD-51] Verify if an order can be added/modified manually.

Created: 17/Jul/24 8:36 PM - Updated: 17/Jul/24 8:36 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Test Step	Test Data	Expected Result
1. Go to Sales -> Orders		
2. Click the "Insert" button to added the order or click "Edit" under Action to modify a pre-existing order.		
3. Add/modify the order		The order has been added/modified successfully.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Sales	PASS		IT Factory	20/Jul/24 1:25 PM
		1. PASS			20/Jul/24 1:25 PM
		2. PASS			20/Jul/24 1:25 PM
		3. PASS			20/Jul/24 1:25 PM

Links

Relates

relates to [SAD-50](#) Manually adding/modifying an order Backlog



[SAD-52] Printing invoices

Created: 17/Jul/24 8:44 PM - Updated: 18/Jul/24 7:03 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

In the "Print Invoice" section we can print the invoices for all the orders.

Links

Relates

<i>relates to</i>	SAD-53	Verify if the invoices can be printed	Backlog
<i>relates to</i>	SAD-47	Orders	Backlog



[SAD-53] Verify if the invoices can be printed

Created: 17/Jul/24 8:45 PM - Updated: 20/Jul/24 1:24 PM

Status: Backlog
Project: ST4_Andreea Dragastan
Component/s: None
Fix Version/s: None

Type: Test
Reporter: IT Factory
Resolution: Unresolved
Labels: None
Original Estimate: Not Specified
Remaining Estimate: Not Specified
Time Spent: Not Specified

Priority: Medium
Assignee: Unassigned
Votes: 0

Description

Preconditions : admin username and password

Test Step	Test Data	Expected Result
1. Go to Orders page under Sales -> Orders.		
2. Above the order list on the top right corner is the "Print Invoice" button. Select the order to be printed and click "Print Invoice".		
3. This action will direct you to a printable page of the invoice. The invoice can be printed out and included in with the shipping.		The invoice has been printed successfully.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Sales	FAIL	1 0 [SAD-65]	IT Factory	20/Jul/24 1:20 PM
		1. PASS			20/Jul/24 1:18 PM
		2. FAIL			20/Jul/24 1:20 PM
		3. FAIL			20/Jul/24 1:20 PM

Links

Relates

relates to [SAD-65](#) The order cannot be selected to be printed. Backlog

relates to [SAD-52](#) Printing invoices Backlog

relates to [SAD-65](#) The order cannot be selected to be printed. Backlog



[SAD-54] Returns

Created: 17/Jul/24 8:52 PM - Updated: 17/Jul/24 8:55 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Parent:	SAD-46 Sales (Epic)
Component/s:	None
Fix Version/s:	v1.0

Type:	Story	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

In Return section you can manage merchandise returns.

Links

Relates

<i>relates to</i>	SAD-55	Adding a new return	Backlog
<i>relates to</i>	SAD-46	Sales	Backlog

**[SAD-55] Adding a new return**

Created: 17/Jul/24 8:55 PM - Updated: 18/Jul/24 7:03 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

The Return section under Sales > Returns you must manually enter the product and return information to create a new return.

Links**Relates**

<i>relates to</i>	SAD-56	Verify if a new return can be added	Backlog
<i>relates to</i>	SAD-54	Returns	Backlog



[SAD-56] Verify if a new return can be added

Created: 17/Jul/24 8:57 PM - Updated: 20/Jul/24 1:31 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	None

Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Test Step	Test Data	Expected Result
1. Go to Return section under Sales > Returns.		
2. To insert a new return, click the "Insert" button in the right corner above the returns list.		
3. Filling in the Returns Details tab is the first step in creating a new return. The following details are required to fill out a return: Order ID: the ID of the order that was returned. Order Date: the date that order was made. Customer First Name Last Name E-mail Telephone		
4. Complete all the return details and press Save.		The new return has been added successfully.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Sales	FAIL	1 0 [SAD-66]	IT Factory	20/Jul/24 1:28 PM
		1. PASS			20/Jul/24 1:27 PM
		2. PASS			20/Jul/24 1:27 PM
		3. FAIL			20/Jul/24 1:28 PM
		4. FAIL			20/Jul/24 1:28 PM

Links

Relates

relates to	SAD-66	The return details cannot be edit to create a new return.	Backlog
relates to	SAD-55	Adding a new return	Backlog
relates to	SAD-66	The return details cannot be edit to create a new return.	Backlog

**[SAD-58] Gift Vouchers**

Created: 17/Jul/24 9:07 PM - Updated: 17/Jul/24 9:09 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Parent:	SAD-46 Sales (Epic)
Component/s:	None
Fix Version/s:	v1.0

Type:	Story	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Gift vouchers can be individually sent to customers through their email by other customers in the store front. The customer receiving the gift certificate can use the code provided in the email at the shopping cart to deduct the gift voucher amount from the order total.

Links**Relates**

relates to [SAD-59](#) Create a new gift voucher Backlog

**[SAD-59] Create a new gift voucher**

Created: 17/Jul/24 9:09 PM - Updated: 18/Jul/24 7:03 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Fix Version/s:	v1.0

Type:	Task	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Links			
Relates			
relates to	SAD-60	Verify if a new gift voucher can be created	Backlog
relates to	SAD-58	Gift Vouchers	Backlog



[SAD-60] Verify if a new gift voucher can be created

Created: 17/Jul/24 9:10 PM - Updated: 17/Jul/24 9:10 PM

Status:	Backlog		
Project:	ST4_Andreea Dragastan		
Component/s:	None		
Fix Version/s:	None		
Type:	Test	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Test Step	Test Data	Expected Result
<ol style="list-style-type: none"> Go to Sales > Gift Vouchers. To create a new gift voucher, click "Insert". The following information will be needed: Code: The code the customer must enter in the Shopping Cart to use the gift voucher. From Name: The name of the person sending the gift certificate. From E-Mail: The email of the person sending the gift certificate. To Name: The name of the person receiving the gift certificate. To E-Mail: The email of the person receiving the gift certificate. Theme: The theme of the gift voucher email. Message: A message added in the gift voucher email. Amount: The amount of the gift certificate to be used in the store. Status: Enables or disables the gift voucher. After all the details have been completed , press Save. 		The new gift voucher has been created.

Version	Test Cycle	Status	Defects	Executed By	Executed On
v1.0	Sales	PASS		IT Factory	20/Jul/24 1:32 PM
		1. PASS			20/Jul/24 1:32 PM
		2. PASS			20/Jul/24 1:32 PM
		3. PASS			20/Jul/24 1:32 PM
		4. UNEXECUTED			

Links			
Relates			
relates to	SAD-59	Create a new gift voucher	Backlog



[SAD-61] The new attribute cannot be saved

Created: 18/Jul/24 8:08 PM - Updated: 18/Jul/24 8:08 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Affects Version/s:	v1.0
Fix Version/s:	None

Type:	Bug	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Reproduction steps :

- 1.Go to Catalog > Attributes;
- 2.To create a new attribute, click "Insert".This button will direct you to a page asking for the "Attribute Name", "Attribute Group" and "Sort Order".
- 3.Press Save to add new attribute.

Expected results : The new attribute has been created.

Actual results : The new attribute cannot be created,an error displayed : "You do not have permission to modify attributes!"

Attachments

image-2024-07-18-20-05-25-318.png (223 kB)

Links

Relates

<i>relates to</i>	SAD-40	Verify if a new attribute can be created	Backlog
<i>relates to</i>	SAD-40	Verify if a new attribute can be created	Backlog

Web Link

<i>Affects test execution of</i>	SAD-40	https://itfclasses.atlassian.net/plugins/servlet/ac/com.thed.zephyr.je/general-search-test-executions?project.id=10464&issue.id=19564&execution.id=810df80e-6f68-4701-9733-53f0693a568d
----------------------------------	--------	---



[SAD-62] The "week" as a frequency cannot be inserted.

Created: 20/Jul/24 12:50 PM - Updated: 20/Jul/24 12:50 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Affects Version/s:	v1.0
Fix Version/s:	None

Type:	Bug	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password .

Reproduction steps :

- 1.Go to Catalog / Profiles Tab / Frequency;
- 2.Set how often a user will make a payment;
- 3.Press Save to insert the Frequency.

Expected results : The Frequency was successfully inserted.

Actual results : The "week" as a Frequency cannot be inserted,an error is displayed.

Links

Relates

<i>relates to</i>	SAD-30	Verify if the Frequency can be added	Backlog
<i>relates to</i>	SAD-30	Verify if the Frequency can be added	Backlog

Web Link

<i>Affects test execution of</i>	SAD-30	https://itfclasses.atlassian.net/plugins/servlet/ac/com.thed.zephyr.je/general-search-test-executions?project.id=10464&issue.id=17958&execution.id=b9ee9f8e-adc4-40c8-881c-8ce955f2fa6c
----------------------------------	--------	---



[SAD-63] The price cannot be edit.

Created: 20/Jul/24 1:08 PM - Updated: 20/Jul/24 1:08 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Affects Version/s:	v1.0
Fix Version/s:	None

Type:	Bug	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Reproduction steps :

- 1.Go to Catalog / Profiles Tab / Price;
- 2.Put the actual price of the program or subscription in the tab Price.
- 3.Press Save to insert the new price of the program or subscription.

Expected results : The Price was successfully added.

Actual results : The price cannot be edit.

Links

Relates

<i>relates to</i>	SAD-22	Verify if the price can be successfully added	Backlog
<i>relates to</i>	SAD-22	Verify if the price can be successfully added	Backlog

Web Link

<i>Affects test execution of</i>	SAD-22	https://itfclasses.atlassian.net/plugins/servlet/ac/com.thed.zephyr.je/general-search-test-executions?project.id=10464&issue.id=17950&execution.id=e332ea6e-3f20-4ef9-8759-e38c03b408e9
----------------------------------	--------	---



[SAD-64] The number of times "0" for unlimited cannot be saved.

Created: 20/Jul/24 1:16 PM - Updated: 20/Jul/24 1:16 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Affects Version/s:	v1.0
Fix Version/s:	None

Type:	Bug	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Reproduction steps :

- 1.Go to Catalog -> Profiles Tab / Duration.
- 2.Set the number of times which a user will make a payment. Set to 0 if unlimited. If unlimited, the payments plan will continue until cancelled by you or the user.
- 3.Press Save to insert the Duration.

Expected results : The number of times was successfully inserted.

Actual results : The number of times "0" for unlimited cannot be saved,an error is displayed.

Links

Relates

<i>relates to</i>	SAD-24	Verify if the number of times of a user which will make a payment can be added	Backlog
<i>relates to</i>	SAD-24	Verify if the number of times of a user which will make a payment can be added	Backlog

Web Link

<i>Affects test execution of</i>	SAD-24	https://itfclasses.atlassian.net/plugins/servlet/ac/com.thed.zephyr.je/general-search-test-executions?project.id=10464&issue.id=17952&execution.id=62bca399-e0d3-473a-b1f1-cebcda771965
----------------------------------	--------	---



[SAD-65] The order cannot be selected to be printed.

Created: 20/Jul/24 1:24 PM - Updated: 20/Jul/24 1:24 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Affects Version/s:	v1.0
Fix Version/s:	None

Type:	Bug	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Reproduction steps :

- 1.Go to Orders page under Sales -> Orders.
- 2.Above the order list on the top right corner is the "Print Invoice" button. Select the order to be printed and click "Print Invoice".
- 3.This action will direct you to a printable page of the invoice. The invoice can be printed out and included in with the shipping.

Expected results : The invoice has been printed successfully.

Actual results : The order cannot be selected to be printed,so the order cannot be printed.

Links

Relates

<i>relates to</i>	SAD-53	Verify if the invoices can be printed	Backlog
<i>relates to</i>	SAD-53	Verify if the invoices can be printed	Backlog

Web Link

<i>Affects test execution of</i>	SAD-53	https://itfclasses.atlassian.net/plugins/servlet/ac/com.thed.zephyr.je/general-search-test-executions?project.id=10464&issue.id=19577&execution.id=5d464ac3-8aac-4ca0-92ec-1dee78f8926d
----------------------------------	--------	---

**[SAD-66] The return details cannot be edit to create a new return.**

Created: 20/Jul/24 1:31 PM - Updated: 20/Jul/24 1:31 PM

Status:	Backlog
Project:	ST4_Andreea Dragastan
Component/s:	None
Affects Version/s:	v1.0
Fix Version/s:	None

Type:	Bug	Priority:	Medium
Reporter:	IT Factory	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Original Estimate:	Not Specified		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Description

Preconditions : admin username and password.

Reproduction steps :

- 1.Go to Return section under Sales > Returns.
- 2.Filling in the Returns Details tab is the first step in creating a new return. The following details are required to fill out a return:
Order ID: the ID of the order that was returned.
Order Date: the date that order was made.
Customer
First Name
Last Name
E-mail
Telephone.
- 3.Complete all the return details and press Save.

Expected results : The new return has been added successfully.

Actual results :The return details like "Order ID" and "Order Date" cannot be edit to create a new return.

Links**Relates**

<i>relates to</i>	SAD-56	Verify if a new return can be added	Backlog
<i>relates to</i>	SAD-56	Verify if a new return can be added	Backlog

Web Link

<i>Affects test execution of</i>	SAD-56	https://itfclasses.atlassian.net/plugins/servlet/ac/com.thed.zephyr.je/general-search-test-executions?project.id=10464&issue.id=19580&execution.id=a48bfaa4-ae6a-4fbf-b15a-64e9cae685f6
----------------------------------	--------	---