

Select an existing key pair or create a key pair



 We noticed that you didn't select a key pair. If you want to be able to connect to your instance it is recommended that you create one or select an existing one.

☒ Create new key pair

☐ Proceed without key pair

Key pair name

Key pairs allow you to connect to your instance securely.

MyKeyPair

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ **RSA**
RSA encrypted private and public key pair

☐ **ED25519**
ED25519 encrypted private and public key pair (Not supported for Windows instances)

Private key file format

☒ .pem

Cancel

Launch instance

✓ **Success**
Successfully initiated launch of instance ([i-020ae5d561c081a21](#))

▶ **Launch log**

Next Steps

 What would you like to do next with this instance, for example "create alarm" or "create ba

< 1 2 3 4 5 6 7 ... 12 >

Create billing and free tier usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.

[Create billing alerts](#) 

Connect to your instance

Once your instance is running, log into it from your local computer.

[Connect to instance](#) 

[Learn more](#) 

Get Windows password [Info](#)

Use your private key to retrieve and decrypt the initial Windows administrator password for this instance.

Instance ID

 i-020ae5d561c081a21 (MyWindowsInstance)

Key pair associated with this instance

 MyKeyPair

Private key

Either upload your private key file or copy and paste its contents into the field below.

 [Upload private key file](#)

 MyKeyPair.pem
1.678KB

Private key contents - *optional*

```
-----BEGIN RSA PRIVATE KEY-----
MIIEpAIBAAKCAQEAzrdRQ6Fy7vHdsWSa9RHZr6DR7nibwU7TZordqU5h143iLeI2
zTSkQVDTUU1QVYKqafWHlgaqlrQxSrsO5X7InQAGKvwH7x64HchEpOXo1ThQ2gmw
tcikbv+sz0fgXvzTKs2ShZQ0QYfwGjvk2DTCTBlOUjaSvE0tQ5+tex+fjm07SGq
TGHlk8EWeDkt6Us9H7BQMKGbWxCotFKi5UlCv39l1fdFupL9Pf589UgJqKwg3qNn
usUj/OwT4U0V9OEyPRtkoku08vOjKt4BoJVre5YI3+z0bYnvHL8xdRjLGxjkAjd
7rDkP/tQIH10Qm0DaQ96JSOfdAUyb/VlV4zDLwIDAQABAoIBAQCfdCa6TXpzuJwz
9PgJXJyluB7Xna8/sMc/DRUo+S5d8LMsg5eUOowO+gLXbxTtsQo1C9D+PTfV7D7A
-----
```

Connection Type

- ☒ **Connect using RDP client**
Download a file to use with your RDP client and retrieve your password.

- ☐ **Connect using Fleet Manager**
To connect to the instance using Fleet Manager Remote Desktop, the SSM Agent must be installed and running on the instance. For more information, see [Working with SSM Agent](#) 

You can connect to your Windows instance using a remote desktop client of your choice, and by downloading and running the RDP shortcut file below:

 [Download remote desktop file](#)

When prompted, connect to your instance using the following username and password:

Public DNS

 ec2-16-171-208-99.eu-north-1.compute.amazonaws.com

Username [Info](#)




Administrator 

Password



-  If you've joined your instance to a directory, you can use your directory credentials to connect to your instance.



Run a command

Command document

Select the type of command that you want to run.

Search: AWS-ConfigureAWSPackage X

Clear filters

Name	Owner	Platform types
 AWS-ConfigureAWSPackage 	Amazon	Windows, Linux, MacOS

Description

Install or uninstall a Distributor package. You can install the latest version, default version, or a version of the package you specify. Packages provided by AWS such as AmazonCloudWatchAgent, AwsEnaNetworkDriver, and AWSPVDriver are also supported.

Document version

Choose the document version you want to run.

Command parameters

Action

(Required) Specify whether or not to install or uninstall the package.

Install ▼

Installation Type

(Optional) Specify the type of installation. Uninstall and reinstall: The application is taken offline until the reinstallation process completes. In-place update: The application is available and updated files are added to the installation.

Uninstall and reinstall ▼

Installation Type

(Optional) Specify the type of installation. Uninstall and reinstall: The application is taken offline until the reinstallation process completes. In-place update: The application is available and updated files are added to the installation.

Uninstall and reinstall ▼

Name

(Required) The package to install/uninstall.

AmazonCloudWatchAgent

Version

(Optional) The version of the package to install or uninstall. If you don't specify a version, the system installs the latest published version by default. The system will only attempt to update a version that is currently installed. If no version of the package is installed, the system returns an error.

Additional Arguments

(Optional) The additional parameters to provide to your install, uninstall, or update scripts.

⌵

Target selection

Target selection

Choose a method for selecting targets.

☐ Specify instance tags

Specify one or more tag key-value pairs to select instances that share those tags.

☒ Choose instances manually

Manually select the instances you want to register as targets.

☐ Choose a resource group

Choose a resource group that includes the resources you want to target.

i-020ae5d561c081a21 X

Instances

Q

< 1 >

☒	Name	Instance ID	Instance state	Availability zone	Ping status	Last ping time
☒	MyWindowsInstance	i-020ae5d561c081a21	running	eu-north-1b	Online	02/12/2024 at

✔ Command ID: a936f9d2-5260-4c9e-bc9d-103bc10ef052 was successfully sent!



AWS Systems M

Command ID: a936f9...

