

Taxibot RTO —



1:

1. Telegram, @BotFather
2. /newbot
3. (Taxibot RTO) username (my_taxibot_rto_bot)
4. 123456789:ABCdefGHIjklMNOpqrsTUVwxyz
5. — !

2: PythonAnywhere

1. pythonanywhere.com
2. “Start running Python online in less than a minute”
3. : username, email, password
4. “Create account”
5. email ()

3:

1. PythonAnywhere
2. “Files”
3. : taxibot “New directory”
4. taxibot
5. “Upload a file” — bot.py
6. “Upload a file” — requirements.txt

4:

1. “Consoles”
2. “Bash” ()
3. :

```
pip3 install --user python-telegram-bot[job-queue]==20.7 openpyxl==3.1.2
```

4. (1-2)

5:

1. “Files”
2. bot.py ()
3. (26-):

```
TOKEN = "ВСТАВЬ_СВОЙ_TOKEN_ЗДЕСЬ"
```

4. :

```
TOKEN = "123456789:ABCdefGHIjk1MN0pqrsTUVwxyz"
```

5. “Save” ()

6:

1. “Consoles”

2. “Bash” ()

3. :

```
cd ~/taxibot
python3 bot.py
```

4. Бот запущен! — !

7: !

-
- 24/7, Always-on task (.)



Always-on task ()

PythonAnywhere . :

1. “Tasks”

2. “Always-on task” — “Create a new always-on task”

3. :

```
python3 /home/TBOЙ_USERNAME/taxibot/bot.py
```

(TBOЙ_USERNAME username PythonAnywhere)

4. “Create”

— Scheduled task:

1. “Tasks” → “Scheduled tasks”

2. , 10 : bash curl -s https://TBOЙ_USERNAME.pythonanywhere.com/keepalive > /dev/null



1. Telegram username (@BotFather)

2. /start

3. :

- — ,
- — 15 30
- —

-  —
-  —
-  — Excel



- **Telegram!**
- PythonAnywhere (UTC). UTC,
- (shifts.db) PythonAnywhere — !



?

,
, ()
Telegram
Always-on task

