1.Database table

```
1 CREATE TABLE `friends` (
2 `id` INT NOT NULL AUTO_INCREMENT PRIMARY KEY ,
3 `name` VARCHAR( 100 ) NOT NULL ,
4 `email` VARCHAR( 100 ) NOT NULL ,
5 `mobile` VARCHAR( 100 ) NOT NULL
6 ) ENGINE = INNODB;
```

2. Database Connecting

database.php

```
<?php
 2 ▼ class Database {
        private $ host = 'localhost';
        private $_username = 'linndows_user';
        private $ password = 'g0@U1d78':
        private $ database = 'linndows learn':
        protected $connection;
 9
        public function construct()
10
11 ▼
            if (!isset($this->connection)) {
12 ▼
13
                $this->connection = new mysqli($this->_host,
14
15
                if (!$this->connection) {
16 ▼
                    echo 'Cannot connect to database server';
17
18
                    exit;
19
20
21
            return $this->connection;
23
24
25
    ?>
```

2. Database Connecting

Crud.php

```
2 include once 'database.php':
3 ▼ class Crud extends Database {
 4 ▼ public function construct() {
        parent:: construct();
 6
 7 ▼
      public function getData($query) {
        $result = $this->connection->query($query);
9 ▼
       if ($result == false) {
          return false;
10
11
12
        $rows = arrav():
13 ▼
        while ($row = $result->fetch assoc()) {
14
          $rows[] = $row;
15
16
        return $rows;
17
18 ▼
     public function execute($query) {
        $result = $this->connection->query($query);
19
      if ($result == false) {
21
          echo 'Error: cannot execute the command';
22
          return false;
23 ▼
        } else {
24
          return true;
25
26
     public function delete($nr, $table) {
        $query = "DELETE FROM $table WHERE nr = $nr";
        $result = $this->connection->query($query);
29
30 ▼
       if ($result == false) {
          echo 'Error: cannot delete nr ' . $nr . ' from table ' . $table;
31
32
          return false;
33 ▼
       } else {
34
          return true;
35
36
      public function escape string($value) {
        return $this->connection->real escape string($value);
38
39
40
41 ?>
```

3.Landing Page – index.php

```
1 <!DOCTYPE html>
 2 ▼ <html lang="en">
 3 ▼ <head>
       <title>Index-php-Bootstrap</title>
       <meta charset="utf-8">
         <meta name="viewport" content="width=device-width. initial-scale=1">
         <\link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
         <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
8
         <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
9
         <script src="https://cdnis.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.is"></script>
10
11
         <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/is/bootstrap.min.js"></script>
12
           </head>
13 ▼
           <body>
14 ▼
             <div class="container">
15
              <h2> CRUD Friends index file </h2>
16
              My friends are below:
17 ▼
              18 ▼
                <thead>
19 ▼
                  20
                     Name 
21
                     Email Address 
22
                     Mobile Number 
23
                  24
                </thead>
25 ▼
                26
                  <?php
27
                  include once("db/Crud.php");
                  $crud = new Crud();
28
                  $result = $crud->getData("SELECT * FROM friends ORDER BY id DESC");
29
                  foreach ($result as $kev => $row) {
30 ▼
31
                  echo "":
                  echo $row['id'].". ".$row['name'];
32
                  echo "":
33
                  echo $row['email']; echo ""; echo $row['mobile']; echo "";
34
35
36
                  ?>
37
                38
              39
             </div>
40
           </body>
41
         </html>
```

4.Add "Create"

Action

```
echo 'Add "Read"

<a href="read.php?id='.$row['id'].'"
class="btn btn-info"><sub>
<i class="material-icons">format_color_text</i>
</sub><span class="lead"> Read</span></a>';
```

5. "Create" page - create.php </ri>

<div class="container">

```
<div class="span10 offset1">
                <div class="row">
                    <h3>Create a Friend</h3>
                <form class="form-horizontal" action="create.php" method="post">
                  <div class="control-group <?php echo !emptv($nameError)?'error':'':?>">
                   <label class="control-label">Name</label>
                    <div class="controls">
                        <input name="name" type="text" placeholder="Name" value="<?php echo !emptv($name)?$name:'':?>">
                        <?php if (!empty($nameError)): ?>
                            <span class="help-inline"><?php echo $nameError;?></span>
                        <?php endif: ?>
                   </div>
                  </div>
                  <div class="control-group <?php echo !empty($emailError)?'error':'';?>">
                   <label class="control-label">Email Address</label>
                   <div class="controls">
                        <input name="email" type="text" placeholder="Email Address" value="<?php echo !empty($email)?$email:'':?>">
                        <?php if (!emptv($emailError)): ?>
                            <span class="help-inline"><?php echo $emailError;?></span>
                        <?php endif:?>
                    </div>
                  </div>
                  <div class="control-group <?php echo !empty($mobileError)?'error':'';?>">
                   <label class="control-label">Mobile Number</label>
                   <div class="controls">
                        <input name="mobile" type="text" placeholder="Mobile Number" value="<?php echo !empty($mobile)?$mobile:'':?>">
                        <?php if (!empty($mobileError)): ?>
                            <span class="help-inline"><?php echo $mobileError;?></span>
                        <?php endif;?>
                    </div>
                  </div>
                  <div class="form-actions">
                      <button type="submit" class="btn btn-success">Create</button>
                      <a class="btn" href="index.php">Back</a>
                    </div>
                </form>
            </div>
</div> <!-- /container -->
```

5. "Create" page -

Update **create.php**

Put the codes aside to the beginning of "create.php" file

```
1 ▼ <html>
    <head></head>
    <?php
    //including database connection file
    include once("classes/Crud.php");
    $crud = new Crud();
 8 ▼ if(isset($ POST['Submit'])) {
10
        $unu = $crud->escape_string($_POST['name']);
11
      $doi = $crud->escape_string($_POST['email']);
12
      $trei = $crud->escape string($ POST['mobile']);
13
           //insert data to database
     $result = $crud->execute("INSERT INTO `friends` (`name`, `email`, `mobile`)
     VALUES ('$unu','$doi','$trei')");
15
16
17
            ?>
18
19 ▼ <body class="w3-light-grey"><div>Gata se Inregistreaza!</div>
    <!-- iOuerv library -->
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
22
    <!-- Latest compiled JavaScript -->
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
25 ▼ <script>$(document).ready(function () {
        // Handler for .readv() called.
27 ▼
        window.setTimeout(function () {
28
            top.location.href = "index.php";
29
        }, 300);
30 });</script>
31 ▼ <script>
        jQuery(document).ready(function( $ ) {
33 ▼
            $('.counter').counterUp({
34
                delay: 10,
35
                time: 300
36
            });
        });
    </script>
    </body>
40 </html>
```