# 1 CheatSheet: Jenkins & Groovy

LANGUAGES

Updated: March 3, 2019

- PDF Link: cheatsheet-jenkins-groovy-A4.pdf, Category: languages
- Blog URL: https://cheatsheet.dennyzhang.com/cheatsheet-jenkins-groovy-A4
- $\bullet$  Related posts: Jenkins CheatSheet, #denny-cheatsheets

File me Issues or star this repo.

#### 1.1 Jenkins Pipeline

Comment
<pre>build job:'job1', parameters:[string(name:'name1', value:va1)]</pre>
<pre>node(\$agent_label) {}</pre>
<pre>stage('stage2'){ input "OK to go?" }</pre>
error("Build failed because of this and that")
keep-going-with-errors.groovy
slack-notification.groovy
jenkinsfile-pass-parameter.groovy
jenkinsfile-timeout-retry.groovy
jenkinsfile-finally.groovy
jenkinsfile-sequentially.groovy
jenkinsfile-parallelly.groovy

#### 1.2 Config Jenkins Via Groovy

Name	Comment
Set timezone for jenkins	timezone.groovy
Create jenkins views and add jobs to it	jenkins-views.groovy
Configure default view	jenkins-views.groovy
Add default jobs	Copy jobs config.xml to /usr/share/jenkins/ref/jobs/
Jenkins skip wizzard when initialization	-Djenkins.install.runSetupWizard=false
Install jenkins plugins	/usr/local/bin/install-plugins.sh < /usr/share/jenkins/ref/plugins.txt
Configure jenkins slave Node	

## 1.3 Groovy Basic

Comment
<pre>def env = System.getenv(), def content = readFile("/tmp/test.txt")</pre>
echo 'Action is done', println "Hello World"
$if (istrue == "false") \{\}$
$def a = 3, b = 7; println "$a + $b = {a + b}"$
get-env.groovy
SaaS: Groovy Web console
Link: Jenkins Script Console
Link: Apache Groovy

#### 1.4 Groovy String

Name	Comment
Convert list to string	1.join(";")
Create string with multi-lines	multi-line-string.groovy
Convert string to list	split-string.groovy
Convert string to json	string-to-json.groovy

### 1.5 Groovy Array

Name	Comment
Iterate a list	<pre>for(item in [1,2,3,4]){ println item }</pre>
Iterate a list	(13).each { println "Number \${it}"}
Add item to list	def alist = [10, 9, 8]; alist « 7
List size	<pre>def alist = [10, 9, 8]; alist.size()</pre>
Split string with delimiter	'1128-2'.tokenize( '-')

#### 1.6 Groovy Dictionary

Name	Comment
Create a map	<pre>def m = ['fruit':'Apple', 'veggie':'Carrot']</pre>
Add an item to map	<pre>m.put('denny','hello')</pre>
Check if key exists	<pre>m.containsKey('key1')</pre>
Loop a map	loop-map.groovy

#### 1.7 Groovy Network

Name	Comment
Get hostname by ip	get-ip-by-hostname.groovy
validate user input: ip address	assert ip_address.matches("\\d{1,3}\\.\\d{1,3}\\.\\d{1,3}\\.\\d{1,3}\")

## 1.8 Jenkins Groovy

Name	Command
Print message to stdout	See print.groovy
Get environment variables	See get-env.groovy
Convert string to list	See split-string.groovy
Create string with multi-lines	See multi-line-string.groovy
Loop a map	See loop-map.groovy
Get hostname by ip	See get-ip-by-hostname.groovy
Convert list to string	1.join(";"), link: groovy list

### 1.9 Jenkins Plugins

Name	Command
Backup jenkins	ThinBackup Plugin
Load the ssh key	Credentials Plugin
Add timestamp to job output	Timestamper Plugin
Create dashboard	Dashboard View Plugin
Abort if job takes too long	Build-timeout Plugin
Retry failed a job	Naginator Plugin
Backup job configuration	JobConfigHistory Plugin

#### 1.10 More Resources

 $\verb|http://groovy-lang.org/documentation.html| #getting started|$ 

https://jenkins.io/doc/

License: Code is licensed under MIT License.

Updated: March 3, 2019