

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="FH1tGLuNfZ4sPfiCEMcqewbPDGJ362Tf3jbut2fY">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 41, column 17; to line 41, column 41

```
<section class="buttons"><!--
```

5. **Warning** Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 71, column 11; to line 71, column 37

```
<h1 class="modal-subtitle">Once y
```

6. **Error** An img element must have an alt attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 152, column 29; to line 152, column 243

```
<img class="password eye-img"
src=http://lbaw2102.lbaw.fe.up.pt/img/eye.png width="25" onmousedown=...
ementById('password').type='text'"
```

7. **Error** An img element must have an alt attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 160, column 29; to line 160, column 246

```
<img class="cPassword eye-img"
src=http://lbaw2102.lbaw.fe.up.pt/img/eye.png width="25" onmousedown ...
entById('cPassword').type='text'"
```

8. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 139, column 17; to line 139, column 45

```
<section class="writtenInfo"><!--
```

9. **Warning** Article lacks heading. Consider using h2 - h6 elements to add identifying headings to all articles.

From line 114, column 5; to line 114, column 40

```
/div><!--<article class="user" data-id="104"><!--
```

10. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 50, column 7; to line 50, column 28

er>↔ <section id="content">↔

11. **Warning** **Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.**

[From line 178, column 9; to line 178, column 32](#)

>↔ <section class="footer">Copyri

12. **Error** **The aria-labelledby attribute must point to an element in the same document.**

[From line 53, column 5; to line 53, column 121](#)

/dit">↔ <div class="modal fade" id=logout tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↔ <

13. **Error** **The aria-labelledby attribute must point to an element in the same document.**

[From line 66, column 5; to line 66, column 121](#)

/div">↔ <div class="modal fade" id=delete tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↔ <

14. **Error** **The aria-labelledby attribute must point to an element in the same document.**

[From line 80, column 5; to line 80, column 120](#)

/div">↔ <div class="modal fade" id=photo tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↔ <

Document checking completed.

## Source

```

1. <!DOCTYPE html>↔
2. <html lang="en">↔
3.   <head>↔
4.     <meta charset="utf-8">↔
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
6.     <meta name="viewport" content="width=device-width, initial-scale=1">↔
7.   ↔
8.   <!-- CSRF Token -->↔
9.   <meta name="csrf-token"
  content="FH1tGLuNfZ4sPfiCEMCqewbPDGJ362Tf3jbut2fY">↔
10.  ↔
11.    <title>toEaseManage</title>↔
12.    <link rel="icon"
      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔
13.  ↔
14.    <!-- Styles -->↔
15.  ↔
16.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
      integrity="sha384-"
```

```
KJ3o2DKtIkVYIK3UENmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>↵
17.   <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
integrity="sha384-
vFjXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwicKwpJf9c9IpFgh"
crossorigin="anonymous"></script>↵
18.   <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta.2/js/bootstrap.min.js" integrity="sha384-
alpBpkh1PFOepccYYDB4do5UnbKysX5WZXm3XxPqe5iKTfUKjNkCk9SaVuEZf1J"
crossorigin="anonymous"></script>↵
19.   ↵
20.   <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21.   <script type="text/javascript" src=http://lbaw2102.lbaw.fe.up.pt/js/app.js
defer></script>↵
22.   <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
23.   <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
rel="stylesheet">↵
24.   <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
rel="stylesheet">↵
25.   <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
26.   <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
rel="stylesheet">↵
27.   <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
28.   ↵
29.   ↵
30.   <script type="text/javascript">↵
31.     // Fix for Firefox autofocus CSS bug<-
32.     // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951<-
33.   </script>↵
34.   <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↵
35.   ↵
36.   </head>↵
37.   <body>↵
38.     <main>↵
39.       <header id="header">↵
40.         <h1><a href="/users"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo.png width="250"></a></h1>↵
41.         <section class="buttons">↵
42.           <a class= "notification" href="/users/104/notifications">↵
43.             <img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/notification.png width="25">↵
44.             <span class="notification-
number">14</span>↵
45.           </a>↵
46.           <a href="/users/104/profile">↵
47.             <img alt="Profile Image"
src=http://lbaw2102.lbaw.fe.up.pt./img/1643328073.jpg class="profilePhoto" >
</a>↵
48.         </section>↵
49.       </header>↵
50.       <section id="content">↵
51.         ↵
52.       <section id="user-edit">↵
53.         <div class="modal fade" id=logout tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">↵
54.           <div class="modal-dialog modal-dialog-centered" role="document">↵
55.             <div class="modal-content">↵
56.               <div class="modal-header">↵
57.                 <h4 class="modal-title">Are you sure you want to logout?</h4>↵
58.               </div>↵
59.               <div class="modal-footer">↵
60.                 <a class="btn confirm"
href="http://lbaw2102.lbaw.fe.up.pt/logout">Logout</a>↵
61.                 <button type="button" class="btn cancel" data-
dismiss="modal">Cancel</button>↵
62.               </div>↵
63.             </div>↵
64.           </div>↵
```

```
65. </div>↵
66.   <div class="modal fade" id=delete tabindex="-1" role="dialog" aria-  
labelledby="exampleModalLabel" aria-hidden="true">↵
67.     <div class="modal-dialog modal-dialog-centered" role="document">↵
68.       <div class="modal-content">↵
69.         <div class="modal-header">↵
70.           <h4 class="modal-title">Are you sure you want to delete your profile?  
</h4>↵
71.           <h1 class="modal-subtitle">Once you delete it, you can't go  
back</h1>↵
72.         </div>↵
73.         <div class="modal-footer">↵
74.           <button type="button" class="btn delete" data-  
id=104>Delete</button>↵
75.           <button type="button" class="btn cancel" data-  
dismiss="modal">Cancel</button>↵
76.         </div>↵
77.       </div>↵
78.     </div>↵
79.   </div>↵
80.   <div class="modal fade" id=photo tabindex="-1" role="dialog" aria-  
labelledby="exampleModalLabel" aria-hidden="true">↵
81.     <div class="modal-dialog modal-dialog-centered" role="document">↵
82.       <form action=/api/users/104/uploadImage method="POST"  
enctype="multipart/form-data">↵
83.         <input type="hidden" name="_token"  
value="FH1tGLuNfZ4sPfiCEMcqewbPDGJ362Tf3jbut2fY">           <div class="modal-  
content">↵
84.           <div class="modal-body">↵
85.             <a class="userIcon">↵
86.               ↵
87.             </a>↵
88.           <div class="options">↵
89.             ↵
90.             <label for="file" class="btn upload">Upload  
photo</label>↵
91.             <input id="file" type="file" name="image"  
style="display:none">↵
92.           ↵
93.           ↵
94.           </div>↵
95.           <div class="colors">↵
96.             <input type="radio" id="yellow" name="color"  
value="yellow">↵
97.             <label for="yellow" class="yellow"></label>↵
98.             <input type="radio" id="green" name="color"  
value="green">↵
99.             <label for="green" class="red"></label>↵
100.            <input type="radio" id="blue" name="color"  
value="blue">↵
101.            <label for="blue" class="blue"></label>↵
102.            <input type="radio" id="pink" name="color"  
value="pink">↵
103.            <label for="pink" class="pink"></label>↵
104.          </div>↵
105.        </div>↵
106.        <div class="modal-footer">↵
107.          <button type="submit" class="btn confirm">Save</button>↵
108.          <button type="button" class="btn cancel" data-  
dismiss="modal">Cancel</button>↵
109.        </div>↵
110.      </div>↵
111.    </form>↵
112.  </div>↵
113. </div>↵
114.   <article class="user" data-id="104">↵
115.     <div id="sidenav" class="sidenav">↵
116.       <div class="sidenavleft selected-edit">↵
117.         <a href="/users/104/profile" id="view">Edit Profile<
```

```
118.         <img alt="Profile"
119.         src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↪
120.             </div>↪
121.             <div class="sidenavleft">↪
122.                 <a href="/users/104/notifications"
123.                     id="notification">Notifications↪
124.                         <img alt="Notifications"
125.                         src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↪
126.                     </div>↪
127.                     <div class="sidenavleft">↪
128.                         <a data-toggle="modal" data-target="#delete">Delete Profile↪
129.                             <img alt="Delete Account"
130.                             src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↪
131.                         </div>↪
132.                         </div class="sidenavleft">↪
133.                         <a data-toggle="modal" data-target="#logout">Logout↪
134.                             <img alt="Logout"
135.                             src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↪
136.                         </div>↪
137.                         </div>↪
138.                         <div class="userInfo">↪
139.                             <form class="info">↪
140.                                 <a class="userIcon">↪
141.                                     ↪
144.                                     <img alt="Edit image"
145.                                     src=http://lbaw2102.lbaw.fe.up.pt/img/editBlue.png data-toggle="modal" data-
146. target="#photo" class="editIconBlue">↪
147.                                 </a>↪
148.                                 <section class="writtenInfo">↪
149.                                     <div class="full">↪
150.                                         <label for="name">Name</label>↪
151.                                         <input id="name" type="text" name="name" value="Andreia
152. Pereira Bastos"/>↪
153.                                     </div>↪
154.                                     <div class="full">↪
155.                                         <label for="email">Email</label>↪
156.                                         <input id="email" type="text" name="email"
157.                                         value="up201905650@up.pt">↪
158.                                         </div>↪
159.                                         <div class="full pass">↪
160.                                             <label for="password">Password</label>↪
161.                                             <div class="eye">↪
162.                                                 <input class="full" id="password" type="password"
163.                                                 name="password">↪
164.                                                 <img class="password eye-img"
165.                                                 src=http://lbaw2102.lbaw.fe.up.pt/img/eye.png width="25" onmousedown
166. = "document.getElementById('password').type='text'"
167. onmouseup="document.getElementById('password').type='password'"/>↪
168.                                         </div>↪
169.                                         </div>↪
170.                                         <div class="full pass">↪
171.                                             <label for="cPassword">Confirm Password</label>↪
172.                                             <div class="eye">↪
173.                                                 <input class="full" id="cPassword" type="password"
174.                                                 name="cPassword">↪
175.                                                 <img class="cPassword eye-img"
176.                                                 src=http://lbaw2102.lbaw.fe.up.pt/img/eye.png width="25" onmousedown
177. = "document.getElementById('cPassword').type='text'"
178. onmouseup="document.getElementById('cPassword').type='password'"/>↪
179.                                         </div>↪
180.                                         </div>↪
181.                                         </section>↪
182.                                         <div class="submitEdit">↪
183.                                             <span class="error-messages">Error, change the data and try
184. again</span>↪
185.                                             <div class="editButtons">↪
186.                                                 <button class="btn save" type="submit">Save</button>↪
```

```
168.     <a class="btn cancel"
169.           href="/users/104/profile">Cancel</a>↵
170.         </div>↵
171.       </div>↵
172.     </div>↵
173.   </article>↵
174. </section>↵
175. ↵
176.   </section>↵
177.   <footer class="footer">↵
178.     <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
179.   </footer>↵
180. </main>↵
181. </body>↵
182. </html>
```

Used the HTML parser.

Total execution time 25 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="FH1tGLuNfZ4sPfiCEMcqewbPDGJ362Tf3jbut2fY">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 41, column 17; to line 41, column 41

```
<section class="buttons"><!--
```

5. **Warning** Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 71, column 11; to line 71, column 37

```
<h1 class="modal-subtitle">Once y
```

6. **Error** Element style not allowed as child of element article in this context. (Suppressing further errors from this subtree.)

From line 102, column 5; to line 102, column 11

```
404"><!-- <style><!--
```

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element article:

Flow content.

7. **Error** The element button must not appear as a descendant of the a element.

From line 119, column 37; to line 119, column 86

```
<button class="accept" data-id="75" type="submit">Accept
```

8. **Error** Start tag a seen but an element of the same type was already open.

From line 120, column 21; to line 120, column 52

```
<a class="cancel" data-id="75">Declin
```

9. **Error** End tag a violates nesting rules.

From line 120, column 21; to line 120, column 52

```
<a class="cancel" data-id="75">Declin
```

10. **Fatal Error** Cannot recover after last error. Any further errors will be ignored.

From line 120, column 21; to line 120, column 52

```
<a class="cancel" data-id="75">Declin
```

Document checking completed.

## Source

```
1. <!DOCTYPE html>↔
2. <html lang="en">↔
3.   <head>↔
4.     <meta charset="utf-8">↔
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
6.     <meta name="viewport" content="width=device-width, initial-scale=1">↔
7.   ↔
8.     <!-- CSRF Token -->↔
9.     <meta name="csrf-token"
  content="FH1tGLuNfZ4sPfiCEMCqewbPDGJ362Tf3jbut2fY">↔
10.  ↔
11.    <title>toEaseManage</title>↔
12.    <link rel="icon"
  href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔
13.  ↔
14.    <!-- Styles -->↔
15.  ↔
16.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
  integrity="sha384-
KJ3o2DKtIkVYIK3UENzm7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KKN"
  crossorigin="anonymous"></script>↔
17.    <script
  src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
  integrity="sha384-
vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwicKwpJf9c9IpFgh"
  crossorigin="anonymous"></script>↔
18.    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta.2/js/bootstrap.min.js" integrity="sha384-
alpBpkh1PF0epccYYDB4do5UnbKysX5WZXm3XXPqe5iKTfUKjNkCk9SaVuEZfIJ"
  crossorigin="anonymous"></script>↔
19.  ↔
20.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↔
21.    <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js
  defer"></script>↔
22.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↔
23.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
  rel="stylesheet">↔
24.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
  rel="stylesheet">↔
25.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↔
26.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
  rel="stylesheet">↔
27.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↔
28.  ↔
29.  ↔
30.    <script type="text/javascript">↔
31.      // Fix for Firefox autofocus CSS bug↔
32.      // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
  messes-up-css-loading/18945951#18945951↔
33.    </script>↔
34.    <script type="text/javascript"
  src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↔
35.  ↔
36.  </head>↔
37.  <body>↔
38.    <main>↔
39.      <header id="header">↔
40.        <h1><a href="/users"></a></h1>↔
41.          <section class="buttons">↔
42.            <a class="notification" href="/users/104/notifications">↔
43.              ↔
44.                                <span class="notification-
  number">14</span>↔
45.                                </a>↔
46.            <a href="/users/104/profile">↔
47.              
```

```
</a>↔
48.         </section>↔
49.             </header>↔
50.             <section id="content">↔
51.                 ↵
52.             <section id="notifications">↔
53.                 <div class="modal fade" id="logout" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">↔
54.                     <div class="modal-dialog modal-dialog-centered" role="document">↔
55.                         <div class="modal-content">↔
56.                             <div class="modal-header">↔
57.                                 <h4 class="modal-title">Are you sure you want to logout?</h4>↔
58.                             </div>↔
59.                             <div class="modal-footer">↔
60.                                 <a class="btn confirm"
61. href="http://lbaw2102.lbaw.fe.up.pt/logout">Logout</a>↔
62.                                     <button type="button" class="btn cancel" data-
dismiss="modal">Cancel</button>↔
63.                                 </div>↔
64.                             </div>↔
65.                         </div>↔
66.                     <div class="modal fade" id="delete" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">↔
67.                         <div class="modal-dialog modal-dialog-centered" role="document">↔
68.                             <div class="modal-content">↔
69.                                 <div class="modal-header">↔
70.                                     <h4 class="modal-title">Are you sure you want to delete your profile?
71.                                         <h1 class="modal-subtitle">Once you delete it, you can't go
back</h1>↔
72.                                     </div>↔
73.                                 <div class="modal-footer">↔
74.                                     <button type="button" class="btn delete" data-
id=104>Delete</button>↔
75.                                     <button type="button" class="btn cancel" data-
dismiss="modal">Cancel</button>↔
76.                                 </div>↔
77.                             </div>↔
78.                         </div>↔
79.                         </div>↔
80.             <article class="user" data-id="104">↔
81.                 <div id=" sidenav" class="sidenav">↔
82.                     <div class="sidenavleft">↔
83.                         <a href="/users/104/profile" id="view">View Profile<
84.                         <img alt="Profile"
src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↔
85.                         </div>↔
86.                         <div class="sidenavleft selected-edit">↔
87.                             <a href="/users/104/notifications"
id="notification">Notifications<
88.                             <img alt="Notifications"
src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↔
89.                             </div>↔
90.                             <div class="sidenavleft">↔
91.                                 <a data-toggle="modal" data-target="#delete">Delete Profile<
92.                                 <img alt="Delete"
src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↔
93.                                 </div>↔
94.                                 <div class="sidenavleft">↔
95.                                     <a data-toggle="modal" data-target="#logout">Logout<
96.                                     <img alt="Logout"
src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↔
97.                                     </div>↔
98.                                 </div>↔
99.                                 <div class="notifications-info">↔
100.                                     <header><span>Notifications</span></header>↔
101.                                     <article class="notification id-404" data-id="404">↔
102.                                         <style>↔
103.                                             #notifications article.notification.id-404 {↔
104.                                                 border-left: 5px solid #26C5B3;↔
```

```
105.         position: relative;←
106.     }←
107.     #notifications .square.id-404 {←
108.         background-color: #595656;←
109.     }←
110.    ←
111.    </style>←
112.    ←
113.    <a href="/projects/75">←
114.        <div class="link content">←
115.            <div class="square id-404"></div>←
116.            <span class="not-content">Invite to a new project!</span>←
117.        </div>←
118.        <div class='not-buttons'>←
119.            <button class="accept" data-id="75"←
120.                type="submit">Accept</button>←
121.                <a class="cancel" data-id="75">Decline</a>←
122.            </div>←
123.        </a>←
124.    <article class="notification id-399" data-id="399">←
125.        <style>←
126.            #notifications article.notification.id-399 {←
127.                border-left: 5px solid #26C5B3;←
128.                position: relative;←
129.            }←
130.            #notifications .square.id-399 {←
131.                background-color: #96d0df;←
132.            }←
133.        ←
134.        </style>←
135.        ←
136.        <a href="/projects/58">←
137.            <div class="link content">←
138.                <div class="square id-399"></div>←
139.                <span class="not-content">Your project has a new Coordinator!←
140.            </span>←
141.        </div>←
142.        </a>←
143.    <article class="notification id-398" data-id="398">←
144.        <style>←
145.            #notifications article.notification.id-398 {←
146.                border-left: 5px solid #26C5B3;←
147.                position: relative;←
148.            }←
149.            #notifications .square.id-398 {←
150.                background-color: #96d0df;←
151.            }←
152.        ←
153.        </style>←
154.        ←
155.        <a href="/projects/58">←
156.            <div class="link content">←
157.                <div class="square id-398"></div>←
158.                <span class="not-content">Your project has a new Coordinator!←
159.            </span>←
160.        </div>←
161.        </a>←
162.    <article class="notification id-396" data-id="396">←
163.        <style>←
164.        ←
165.            #notifications article.notification.id-396 {←
166.                border-left: unset;←
167.                position: relative;←
168.            }←
169.            #notifications .square.id-396 {←
170.                background-color: #96d0df;←
171.            }←
172.        ←
```

```
173.    </style>↵
174. ↵
175.    <a href="/projects/58">↵
176.        <div class="link content">↵
177.            <div class="square id-396"></div>↵
178.            <span class="not-content">Invite to a new project!</span>↵
179.        </div>↵
180.    </a>↵
181. </article>↵
182. <article class="notification id-394" data-id="394">↵
183.     <style>↵
184.
```

Used the HTML parser.

Total execution time 17 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="poNjvVsn0FJ9JCuh3m6AQpZpGn76Nxoi0pkT8Bfh">

    <title>toEaseManage</title>
    <link rel="icon"
      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 28, column 5; to line 28, column 35](#)

```
et">↔<script type="text/javascript">↔
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 32, column 7; to line 32, column 87](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 7; to line 33, column 91](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 41, column 13; to line 41, column 37

```
<section class="buttons"><..>
```

5. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 38, column 7; to line 38, column 27

```
in><..> <section id="static"><..>
```

6. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 57, column 9; to line 57, column 26

```
><..> <h1 class="title">About
```

7. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 67, column 81; to line 67, column 149

```
ira2001/"></a><..>
```

8. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 72, column 99; to line 72, column 167

```
8853148/"></a><..>
```

9. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 79, column 81; to line 79, column 149

```
liveira/"></a><..>
```

10. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 84, column 91; to line 84, column 159](#)

```
a17a1bb/"><img class="lkin"
src=http://lbaw2102.lbaw.fe.up.pt/img/linkedin.png></a>↔
```

11. **Warning** **Section lacks heading. Consider using `h2 - h6` elements to add identifying headings to all sections.**

[From line 48, column 7; to line 48, column 28](#)

```
on>↔      <section id="content">↔
```

12. **Warning** **Section lacks heading. Consider using `h2 - h6` elements to add identifying headings to all sections.**

[From line 100, column 9; to line 100, column 32](#)

```
>↔      <section class="footer">Copyri
```

Document checking completed.

## Source

```

1. 1. <!DOCTYPE html>↔
2. 2. <html lang="en">↔
3. 3.   <head>↔
4. 4.     <meta charset="utf-8">↔
5. 5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
6. 6.     <meta name="viewport" content="width=device-width, initial-scale=1">↔
7. 7.   ↔
8. 8.     <!-- CSRF Token -->↔
9. 9.     <meta name="csrf-token"
content="poNjvVsn0FJ9JCuh3m6AQpZpGn76Nxoi0pkT8Bfh">↔
10. 10.   ↔
11. 11.     <title>toEaseManage</title>↔
12. 12.     <link rel="icon"
href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔
13. 13.   ↔
14. 14.     <!-- Styles -->↔
15. 15.     <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>↔
16. 16.     <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
integrity="sha384-
vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwicKwpJf9c9IpFgh"
crossorigin="anonymous"></script>↔
17. 17.     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta.2/js/bootstrap.min.js" integrity="sha384-
alpBpkh1PFOepccYYDB4do5UnbKysX5WZXm3XxPqe5iKTfUKjNkCk9SaVuEZflJ"
crossorigin="anonymous"></script>↔
18. 18.   ↔
19. 19.   ↔
20. 20.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↔
21. 21.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↔
22. 22.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
rel="stylesheet">↔
23. 23.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
rel="stylesheet">↔
24. 24.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↔

```

```
25.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
26.          rel="stylesheet">↪
27.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↪
28.      <script type="text/javascript">↪
29.          // Fix for Firefox autofocus CSS bug↪
30.          // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↪
31.      </script>↪
32.      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></script>↪
33.      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↪
34.  ↵
35.      </head>↪
36.  <body>↪
37.      <main>↪
38.          <section id="static">↪
39.              <header>↪
40.                  <a href="/"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png></a>↪
41.                  <section class="buttons">↪
42.                      <a class="button" href="/about">about</a>↪
43.                      <a class="button" href="/services">services</a>↪
44.                      <a class="button" href="/contact">contact us</a>↪
45.                  </section>↪
46.              </header>↪
47.          </section>↪
48.          <section id="content">↪
49.              ↵
50.          <section id="about">↪
51.              <div class="grid">↪
52.                  <div class="grid-container">↪
53.                      <a class="item-amarelo"><img alt="Yellow Box"
src=http://lbaw2102.lbaw.fe.up.pt/img/yellow_project_box.png></a>↪
54.                      <a class="item-rosa"><img alt="Pink Box"
src=http://lbaw2102.lbaw.fe.up.pt/img/pink_project_box.png></a>↪
55.                      <a class="item-azul"><img alt="Blue Box"
src=http://lbaw2102.lbaw.fe.up.pt/img/blue_project_box.png></a>↪
56.                      <a class="item-verde"><img alt="Green Box"
src=http://lbaw2102.lbaw.fe.up.pt/img/green_project_box.png></a>↪
57.                      <h1 class="title">About Us</h1>↪
58.                  </div>↪
59.              </div>↪
60.              <div class="about-info">↪
61.                  <span class="title2"> Project Management has never been easier
</span>↪
62.                  <div class="team-members">↪
63.                      <div class="row">↪
64.                          <div class="team-member">↪
65.                              <img class="member-photo" alt= "André Pereira"
src=http://lbaw2102.lbaw.fe.up.pt/img/andre.png>↪
66.                              <span>André Pereira</span>↪
67.                              <a
href="https://www.linkedin.com/in/andrepereira2001/"><img class="lkin"
src=http://lbaw2102.lbaw.fe.up.pt/img/linkedin.png></a>↪
68.                          </div>↪
69.                          <div class="team-member">↪
70.                              <img class="member-photo" alt= "Beatriz Santos"
src=http://lbaw2102.lbaw.fe.up.pt/img/beatriz.png>↪
71.                              <span>Beatriz Santos</span>↪
72.                              <a href="https://www.linkedin.com/in/beatriz-lopes-dos-
 santos-bb8853148/"><img class="lkin"
src=http://lbaw2102.lbaw.fe.up.pt/img/linkedin.png></a>↪
73.                          </div>↪
74.                      </div>↪
75.                      <div class="row">↪
76.                          <div class="team-member">↪
77.                              <img class="member-photo" alt= "Matilde Oliveira"
src=http://lbaw2102.lbaw.fe.up.pt/img/matilde.png>↪
78.                              <span>Matilde Oliveira</span>↪
```

```
79.          <a href="https://www.linkedin.com/in/matildejoliveira/"><img class="lkin" src=http://lbaw2102.lbaw.fe.up.pt/img/linkedin.png></a>↔
80.          </div>↔
81.          <div class="team-member">↔
82.              <img class="member-photo" alt= "Ricardo Ferreira" src=http://lbaw2102.lbaw.fe.up.pt/img/ricardo.png>↔
83.              <span>Ricardo Ferreira</span>↔
84.              <a href="https://www.linkedin.com/in/ricardo-ferreira-36a17a1bb/"><img class="lkin" src=http://lbaw2102.lbaw.fe.up.pt/img/linkedin.png></a>↔
85.          </div>↔
86.          </div>↔
87.          <span class="text">At toEaseManage we believe that there is a better way to manage your life and work projects.<br>↔
88.          A more valuable, secure way where our customers are earned rather than bought. We're obsessively passionate about it,<br>↔
89.          and our mission is to help you achieve your desired organization.<br> We focus on keeping every thing simple for you.<br>↔
90.          It's one of the least understood and least transparent aspects of great management, and we see that as an opportunity.<br>↔
91.          We're excited to simplify the life of everyone through our website, organization and community!<br>↔
92.          </span>↔
93.      </div>↔
94.  </div>↔
95. ↔
96. </section>↔
97. ↔
98.     </section>↔
99.     <footer class="footer">↔
100.         <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↔
101.     </footer>↔
102.   </main>↔
103. </body>↔
104. </html>
```

Used the HTML parser.

Total execution time 9 milliseconds.

---

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<div class="form">
  <form method="GET" action="http://lbaw2102.lbaw.fe.up.pt/contact/sendEmail"
id="contact-form">
    <div class="name-email">
      <div class="name">
        <p><label for="name">Name</label></p>
        <input type="text" class="name-textbox" id="name" name="name">
      </div>
      <div class="email">
        <p><label for="email">Email</label></p>
        <input type="email" class="email-textbox" id="email" name="email">
      </div>
    </div>
    <div class="message">
      <p><label for="message">Message</label></p>
    </div>
  </form>
</div>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 28, column 5; to line 28, column 35](#)

```
et">↔<script type="text/javascript">↔
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 32, column 7; to line 32, column 87](#)

```
pt">↔<script type="text/javascript"
src="http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 7; to line 33, column 91](#)

```
pt">↔<script type="text/javascript"
src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 41, column 13; to line 41, column 37

```
<section class="buttons"><!--
```

5. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 38, column 7; to line 38, column 27

```
in><!--<section id="static"><!--
```

6. **Warning** Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 57, column 7; to line 57, column 24

```
/a><!--<h1 class="title">Contac
```

7. **Error** Attribute type not allowed on element textarea at this point.

From line 74, column 9; to line 74, column 120

```
><!--<textarea type="text" class="message-textbox" id="message" name="message" maxlength="1000" form="contact-form"></text
```

Attributes for element textarea:

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

8. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 48, column 7; to line 48, column 28

```
on>↔      <section id="content">↔
```

9. **Warning** **Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.**

From line 87, column 9; to line 87, column 32

```
>↔      <section class="footer">Copyri
```

Document checking completed.

## Source

```

1. 1.<!DOCTYPE html>↔
2. 2.<html lang="en">↔
3. 3.  <head>↔
4. 4.    <meta charset="utf-8">↔
5. 5.    <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
6. 6.    <meta name="viewport" content="width=device-width, initial-scale=1">↔
7. 7.  ↔
8. 8.    <!-- CSRF Token -->↔
9. 9.    <meta name="csrf-token"
10. 10.   content="poNjvVsnOFJ9JCuh3m6AQpZpGn76Nxoi0pkT8Bfh">↔
11. 11.  ↔
12. 12.    <title>toEaseManage</title>↔
13. 13.    <link rel="icon"
14. 14.      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔
15. 15.  ↔
16. 16.    <!-- Styles -->↔
17. 17.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
18. 18.      integrity="sha384-
19. 19.      KJ3o2DKtIkYIK3UENm7KCKR/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KKN"
20. 20.      crossorigin="anonymous"></script>↔
21. 21.    <script
22. 22.      src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
23. 23.      integrity="sha384-
24. 24.      vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh"
25. 25.      crossorigin="anonymous"></script>↔
26. 26.  ↔
27. 27.  ↔
28. 28.    <script type="text/javascript">↔
29. 29.      // Fix for Firefox autofocus CSS bug↔
30. 30.      // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
31. 31.      messes-up-css-loading/18945951#18945951↔
32. 32.    <script type="text/javascript"
33. 33.      src="http://lbaw2102.lbaw.fe.up.pt/js/app.js defer"></script>↔
34. 34.    <script type="text/javascript"
35. 35.      src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↔

```

```
34.  ↵
35.      </head>↵
36.  <body>↵
37.      <main>↵
38.          <section id="static">↵
39.              <header>↵
40.                  <a href="/"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png></a>↵
41.                  <section class="buttons">↵
42.                      <a class="button" href="/about">about</a>↵
43.                      <a class="button" href="/services">services</a>↵
44.                      <a class="button" href="/contact">contact us</a>↵
45.                  </section>↵
46.              </header>↵
47.          </section>↵
48.          <section id="content">↵
49.              ↵
50.      <section id="contact">↵
51.          <div class="grid">↵
52.              <div class="grid-container">↵
53.                  <a class="item-amarelo"><img alt="Yellow box"
src=http://lbaw2102.lbaw.fe.up.pt/img/yellow_project_box.png></a>↵
54.                  <a class="item-rosa"><img alt="Pink box"
src=http://lbaw2102.lbaw.fe.up.pt/img/pink_project_box.png></a>↵
55.                  <a class="item-azul"><img alt="Blue box"
src=http://lbaw2102.lbaw.fe.up.pt/img/blue_project_box.png></a>↵
56.                  <a class="item-verde"><img alt="Green box"
src=http://lbaw2102.lbaw.fe.up.pt/img/green_project_box.png></a>↵
57.              <h1 class="title">Contact Us</h1>↵
58.          </div>↵
59.      </div>↵
60.      <div class="form">↵
61.          <form method="GET"
action="http://lbaw2102.lbaw.fe.up.pt/contact/sendEmail" id="contact-form">↵
62.              <div class="name-email">↵
63.                  <div class="name">↵
64.                      <p><label for="name">Name</label></p>↵
65.                      <input type="text" class="name-textbox" id="name" name="name">↵
66.                  </div>↵
67.                  <div class="email">↵
68.                      <p><label for="email">Email</label></p>↵
69.                      <input type="email" class="email-textbox" id="email" name="email">↵
70.                  </div>↵
71.              </div>↵
72.              <div class="message">↵
73.                  <p><label for="message">Message</label></p>↵
74.                  <textarea type="text" class="message-textbox" id="message"
name="message" maxlength="1000" form="contact-form"></textarea>↵
75.              </div>↵
76.              <div class="submit">↵
77.                  <button class="btn confirm submit-button" type="submit">Send</button>↵
78.              </div>↵
79.          </form>↵
80.      </div>↵
81.  </section>↵
82.  ↵
83.  ↵
84.  ↵
85.      </section>↵
86.      <footer class="footer">↵
87.          <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
88.      </footer>↵
89.  </main>↵
90.  </body>↵
91. </html>
```

Used the HTML parser.

Total execution time 14 milliseconds.



# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
</a>
<a class="register-button" href="/register">
    <div class="name">
        <span>Register</span>
    </div>
</a>
</div>
<div class="opinion">
    <div class="bibs">
        <img alt="Maria Beatriz Russo Lopes dos Santos Image"
src=http://lbaw2102.lbaw.fe.up.pt/img/beatriz.png>
        <span class=opinion-text> "Discovering toEaseManage was the best thing
that happened to me! Now I don't have to memorize every task that I need to do and
can discuss with my colleagues about the project in an easy way!" - Beatriz Lopes
dos Santos</span>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 28, column 5; to line 28, column 35](#)

```
et">↔<script type="text/javascript">↔
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 32, column 7; to line 32, column 87](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 7; to line 33, column 91](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add](#)
- [identifying headings to all sections.](#)
- [From line 41, column 13; to line 41, column 37](#)
- ```
<section class="buttons">↔
```
5. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add](#)
- [identifying headings to all sections.](#)
- [From line 38, column 7; to line 38, column 27](#)
- ```
in>↔      <section id="static">↔
```
6. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add](#)
- [identifying headings to all sections.](#)
- [From line 50, column 1; to line 50, column 19](#)
- ```
↔          ↔<section id="home">↔      <
```
7. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add](#)
- [identifying headings to all sections.](#)
- [From line 48, column 7; to line 48, column 28](#)
- ```
on>↔      <section id="content">↔
```
8. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add](#)
- [identifying headings to all sections.](#)
- [From line 83, column 9; to line 83, column 32](#)
- ```
>↔      <section class="footer">Copyri
```

Document checking completed.

## Source

```

1. 1. <!DOCTYPE html>↔
2. 2. <html lang="en">↔
3. 3.   <head>↔
4. 4.     <meta charset="utf-8">↔
5. 5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
6. 6.     <meta name="viewport" content="width=device-width, initial-scale=1">↔
7. 7.   ↔
8. 8.     <!-- CSRF Token -->↔
9. 9.     <meta name="csrf-token"
  content="poNjvVsn0FJ9JCuh3m6AQpZpGn76Nxoi0pkT8Bfh">↔
10. 10.   ↔
11. 11.     <title>toEaseManage</title>↔
12. 12.     <link rel="icon"
  href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔
13. 13.   ↔
14. 14.     <!-- Styles -->↔
15. 15.     <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
  integrity="sha384-"
```

```
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>↵
16.    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
integrity="sha384-
vFjXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwicKwpJf9c9IpFgh"
crossorigin="anonymous"></script>↵
17.    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta.2/js/bootstrap.min.js" integrity="sha384-
alpBpkh1PFOepccYYDB4do5UnbKysX5WZXm3XxPqe5iKTfUKjNkCk9SaVuEZf1J"
crossorigin="anonymous"></script>↵
18.  ↵
19.  ↵
20.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
22.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
rel="stylesheet">↵
23.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
rel="stylesheet">↵
24.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
25.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
rel="stylesheet">↵
26.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
27.  ↵
28.    <script type="text/javascript">↵
29.        // Fix for Firefox autofocus CSS bug↵
30.        // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↵
31.    </script>↵
32.    <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></script>↵
33.    <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↵
34.  ↵
35.    </head>↵
36.  <body>↵
37.    <main>↵
38.      <section id="static">↵
39.        <header>↵
40.          <a href="/"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png></a>↵
41.          <section class="buttons">↵
42.            <a class="button" href="/about">about</a>↵
43.            <a class="button" href="/services">services</a>↵
44.            <a class="button" href="/contact">contact us</a>↵
45.          </section>↵
46.        </header>↵
47.      </section>↵
48.      <section id="content">↵
49.        ↵
50.      <section id="home">↵
51.        <div class="logo">↵
52.          <img alt="Logo" src=http://lbaw2102.lbaw.fe.up.pt/img/logo.png>↵
53.        </div>↵
54.        <div class="title">↵
55.          <span>Project Management has never been easier</span>↵
56.        </div>↵
57.        <div class="buttons">↵
58.          <a class="login-button" href="/login">↵
59.            <div class="name">↵
60.              <span>Login</span>↵
61.            </div>↵
62.          </a>↵
63.          <a class="register-button" href="/register">↵
64.            <div class="name">↵
65.              <span>Register</span>↵
66.            </div>↵
67.          </a>↵
68.        </div>↵
69.        <div class="opinion">↵
70.          <div class="bibs">↵
```

```
71.           <img alt="Maria Beatriz Russo Lopes dos Santos Image"  
72.             src=http://lbaw2102.lbaw.fe.up.pt/img/beatriz.png>↔  
72.           <span class=opinion-text> "Discovering toEaseManage was the best  
72.             thing that happened to me! Now I don't have to memorize every task that I need  
72.             to do and can discuss with my colleagues about the project in an easy way!" -  
72.             Beatriz Lopes dos Santos</span>↔  
73.           </div>↔  
74.           <div class="mati">↔  
75.             <span class=opinion-text> "I have improved my project manager  
75.               skills thanks to the organization of toEaseManage. It really is a platform that  
75.               allows us to evolve and change our working methods!" - Matilde  
75.               Oliveira</span>↔  
76.           <img alt="Matilde Jacinto Oliveira"  
76.             src=http://lbaw2102.lbaw.fe.up.pt/img/matilde.png>↔  
77.           </div>↔  
78.         </div>↔  
79.     </section>↔  
80.   ↔  
81.   </section>↔  
82.   <footer class="footer">↔  
83.     <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↔  
84.   </footer>↔  
85.   </main>↔  
86. </body>↔  
87. </html>
```

Used the HTML parser.

Total execution time 9 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="poNjvVsn0FJ9JCuh3m6AQpZpGn76Nxoi0pkT8Bfh">

    <title>toEaseManage</title>
    <link rel="icon"
      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 28, column 5; to line 28, column 35](#)

```
et">↔<script type="text/javascript">↔
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 32, column 7; to line 32, column 87](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 7; to line 33, column 91](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 41, column 13; to line 41, column 37

```
<section class="buttons"><...>
```

5. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 38, column 7; to line 38, column 27

```
in><...> <section id="static"><...>
```

6. **Warning** Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 57, column 7; to line 57, column 24

```
/a><...> <h1 class="title">Servic
```

7. **Error** Bad value 65px for attribute width on element img: Expected a digit but saw p instead.

From line 61, column 22; to line 61, column 113

```
ass="box"><span>
```

8. **Error** Bad value 65px for attribute width on element img: Expected a digit but saw p instead.

From line 62, column 22; to line 62, column 113

```
ass="box"><span>
```

9. **Error** Bad value 65px for attribute width on element img: Expected a digit but saw p instead.

From line 63, column 22; to line 63, column 113

```
ass="box"><span>
```

10. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 48, column 7; to line 48, column 28

```
on><...> <section id="content"><...>
```

11. **Warning** Section lacks heading. Consider using `h2 - h6` elements to add identifying headings to all sections.

From line 70, column 9; to line 70, column 32

```
>↵      <section class="footer">Copyri
```

Document checking completed.

## Source

```

1. 1. <!DOCTYPE html>↵
2. 2. <html lang="en">↵
3. 3.   <head>↵
4. 4.     <meta charset="utf-8">↵
5. 5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6. 6.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
7. 7.   ↵
8. 8.     <!-- CSRF Token -->↵
9. 9.     <meta name="csrf-token" content="poNjvVsnOFJ9JCuh3m6AQpZpGn76Nxoi0pkT8Bfh">↵
10. 10.   ↵
11. 11.     <title>toEaseManage</title>↵
12. 12.     <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↵
13. 13.   ↵
14. 14.     <!-- Styles -->↵
15. 15.     <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>↵
16. 16.     <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js" integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwicKwpJf9c9IpFgh" crossorigin="anonymous"></script>↵
17. 17.     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta.2/js/bootstrap.min.js" integrity="sha384-alpBpkh1PF0epccYYDB4do5UnbKysX5WZXm3XXPqe5iKTfUKjNkCk9SaVuEZfIJ" crossorigin="anonymous"></script>↵
18. 18.   ↵
19. 19.   ↵
20. 20.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21. 21.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
22. 22.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css" rel="stylesheet">↵
23. 23.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css" rel="stylesheet">↵
24. 24.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
25. 25.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css" rel="stylesheet">↵
26. 26.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
27. 27.   ↵
28. 28.     <script type="text/javascript">↵
29. 29.       // Fix for Firefox autofocus CSS bug↵
30. 30.       // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951↵
31. 31.     </script>↵
32. 32.     <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js defer"></script>↵
33. 33.     <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↵
34. 34.   ↵
35. 35.     </head>↵
36. 36.   <body>↵
37. 37.     <main>↵

```

```

38.     <section id="static">←
39.         <header>←
40.             <a href="/"><img alt="Logo"
41.                 src=http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png></a>←
42.             <section class="buttons">←
43.                 <a class="button" href="/about">about</a>←
44.                 <a class="button" href="/services">services</a>←
45.                 <a class="button" href="/contact">contact us</a>←
46.             </section>←
47.         </header>←
48.     <section id="content">←
49.         ←
50.     <section id="services">←
51.         <div class="grid">←
52.             <div class="grid-container">←
53.                 <a class="item-amarelo"><img alt="Yellow Box" class="img"
54.                     src=http://lbaw2102.lbaw.fe.up.pt/img/yellow_project_box.png></a>←
55.                 <a class="item-rosa"><img alt="Pink Box" class="img"
56.                     src=http://lbaw2102.lbaw.fe.up.pt/img/pink_project_box.png></a>←
57.                 <a class="item-azul"><img alt="Blue Box" class="img"
58.                     src=http://lbaw2102.lbaw.fe.up.pt/img/blue_project_box.png></a>←
59.                 <a class="item-verde"><img alt="Green Box" class="img"
60.                     src=http://lbaw2102.lbaw.fe.up.pt/img/green_project_box.png></a>←
61.             <h1 class="title">Services</h1>←
62.         </div>←
63.     </div>←
64.     <div class="enumeration">←
65.         <div class="box"><img alt="Blue Box"
66.             src=http://lbaw2102.lbaw.fe.up.pt/img/blue_project_box.png width="65px"><span
67.             class="description"> At toEaseManage, all users can create or be part of many
68.             projects.</span></div>←
69.         <div class="box"><img alt="Blue Box"
70.             src=http://lbaw2102.lbaw.fe.up.pt/img/blue_project_box.png width="65px"><span
71.             class="description"> With the task labeling and assignement system, it's easy
72.             to have a properly organized teamwork.</span></div>←
73.         <div class="box"><img alt="Blue Box"
74.             src=http://lbaw2102.lbaw.fe.up.pt/img/blue_project_box.png width="65px"><span
75.             class="description"> Any doubts about a project can be answered by other
76.             members of the project in our forum, a very simple chat room where users can
77.             post doubts, thoughts and ideas.</span></div>←
78.     </div>←
79.     ←
80.   </section>←
81.   </main>←
82. </body>←
83. </html>

```

Used the HTML parser.

Total execution time 12 milliseconds.

---

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="Qg06JtIJNWyqMYfFneZ2LDzh6DRFiwKruxT9q3cS">

    <title>toEaseManage</title>
    <link rel="icon"
      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 28, column 5; to line 28, column 35](#)

```
et">↔<script type="text/javascript">↔
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 32, column 7; to line 32, column 87](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 7; to line 33, column 91](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 41, column 13; to line 41, column 37

```
<section class="buttons"><!--
```

5. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 38, column 7; to line 38, column 27

```
in><!--      <section id="static"><!--
```

6. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 48, column 7; to line 48, column 28

```
on><!--      <section id="content"><!--
```

7. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 92, column 9; to line 92, column 32

```
><!--      <section class="footer">Copyri
```

Document checking completed.

## Source

```

1. <!DOCTYPE html><!--
2. <html lang="en"><!--
3.   <head><!--
4.     <meta charset="utf-8"><!--
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge"><!--
6.     <meta name="viewport" content="width=device-width, initial-scale=1"><!--
7.   <!-- CSRF Token --><!--
8.   <meta name="csrf-token"
9.     content="Qg06JtIJNWyqMYffFneZ2LDzh6DRFiwKruxT9q3cS"><!--
10.  <!--
11.    <title>toEaseManage</title><!--
12.    <link rel="icon"
13.      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png"><!--
14.  <!-- Styles --><!--
15.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
16.      integrity="sha384-KJ3o2DKtIkVYIK3UENzmM7KCKR/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
17.      crossorigin="anonymous"></script><!--
16.    <script
17.      src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
18.      integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh"
19.      crossorigin="anonymous"></script><!--
20.    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
21.      beta.2/js/bootstrap.min.js" integrity="sha384-"
```

```
alpBpkh1PFOepccYVYDB4do5UnbKysX5WZXm3XxPqe5iKTfUKjNkCk9SaVuEZf1J"
crossorigin="anonymous"></script>↵
18. ↵
19. ↵
20.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
22.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
rel="stylesheet">↵
23.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
rel="stylesheet">↵
24.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
25.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
rel="stylesheet">↵
26.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
27. ↵
28.     <script type="text/javascript">↵
29.         // Fix for Firefox autofocus CSS bug↵
30.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↵
31.     </script>↵
32.     <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></script>↵
33.     <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↵
34. ↵
35.     </head>↵
36. <body>↵
37.     <main>↵
38.         <section id="static">↵
39.             <header>↵
40.                 <a href="/"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png></a>↵
41.                 <section class="buttons">↵
42.                     <a class="button" href="/about">about</a>↵
43.                     <a class="button" href="/services">services</a>↵
44.                     <a class="button" href="/contact">contact us</a>↵
45.                 </section>↵
46.             </header>↵
47.         </section>↵
48.         <section id="content">↵
49.             ↵
50.         ↵
51.         ↵
52.         <div class="logo1">↵
53.             <img alt="Logo" src=./img/logo_sem_letras.png class="logo" >↵
54.             <form id="login" method="POST"
action="http://lbaw2102.lbaw.fe.up.pt/login">↵
55.                 <input type="hidden" name="_token"
value="Qg06JtIJNWyqMYfFneZ2LDzh6DRFiwKruxT9q3cS">↵
56.                 <div class="loginPhoto1">↵
57.                     <img alt="Logo" src=./img/loginPhoto.png class="loginPhoto" >↵
58.                 </div>↵
59.                 <div class="loginEmail">↵
60.                     <input id="email" type="email" name="email" placeholder="Email"
value="" required autofocus>↵
61.                     <label for="email"><img alt="User" src=./img/loginUser.png
class="loginUser" ></label>↵
62.                 ↵
63.                 ↵
64.             </div>↵
65.             ↵
66.             <div class="loginPassword">↵
67.                 <div>↵
68.                     <input id="password" type="password" name="password"
placeholder="Password" required>↵
69.                     <label for="password"><img alt="Password"
src=./img/loginPassword.png class="loginPasswordImg" ></label>↵
70.                 ↵
71.                     </div>↵
72.                 </div>↵
73.             ↵
```

```
74. ↵
75.     <div class="loginArea">↵
76.         <button type="submit" class="loginButton">↵
77.             Login↵
78.         </button>↵
79.         <div class="underLoginButton">↵
80.             <label class="remeberMe">↵
81.                 <input type="checkbox" name="remember" > Remember me↵
82.             </label>↵
83.             <a class="forgotPassword" href="/recoverPassword"> Forgot
password?</a>↵
84.         </div>↵
85.     </div>↵
86. ↵
87.     <span class="registerHereSpan"> Don't have an account? <a
class="registerHere" href="http://lbaw2102.lbaw.fe.up.pt/register"> Register
here</a></span>↵
88.     </form>↵
89. </div>↵
90.     </section>↵
91.     <footer class="footer">↵
92.         <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
93.     </footer>↵
94. </main>↵
95. </body>↵
96. </html>
```

Used the HTML parser.

Total execution time 18 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.26

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="Qg06JtIJNWyqMYfFneZ2LDzh6DRFiwKruxT9q3cS">

    <title>toEaseManage</title>
    <link rel="icon"
      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 28, column 5; to line 28, column 35](#)

```
et">↔<script type="text/javascript">↔
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 32, column 7; to line 32, column 87](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 7; to line 33, column 91](#)

```
pt">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 41, column 13; to line 41, column 37](#)

```
<section class="buttons"><!--
```

5. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 38, column 7; to line 38, column 27](#)

```
in><!--      <section id="static"><!--
```

6. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 48, column 7; to line 48, column 28](#)

```
on><!--      <section id="content"><!--
```

7. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 85, column 9; to line 85, column 32](#)

```
><!--      <section class="footer">Copyri
```

Document checking completed.

## Source

```

1. <!DOCTYPE html><!--
2. <html lang="en"><!--
3.   <head><!--
4.     <meta charset="utf-8"><!--
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge"><!--
6.     <meta name="viewport" content="width=device-width, initial-scale=1"><!--
7.   <!-- CSRF Token --><!--
8.   <meta name="csrf-token"
9.     content="Qg06JtIJNWyqMYffFneZ2LDzh6DRFiwKruxT9q3cS"><!--
10.  <!--
11.    <title>toEaseManage</title><!--
12.    <link rel="icon"
13.      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png"><!--
14.  <!-- Styles --><!--
15.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
16.      integrity="sha384-KJ3o2DKtIkVYIK3UENzmM7KCKR/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
17.      crossorigin="anonymous"></script><!--
16.    <script
18.      src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
19.      integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh"
20.      crossorigin="anonymous"></script><!--
17.    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
21.      beta.2/js/bootstrap.min.js" integrity="sha384-
```

```
alpBpkh1PFOepccYVYDB4do5UnbKysX5WZXm3XxPqe5iKTfUKjNkCk9SaVuEZf1J"
crossorigin="anonymous"></script>↵
18. ↵
19. ↵
20.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
22.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
rel="stylesheet">↵
23.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
rel="stylesheet">↵
24.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
25.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
rel="stylesheet">↵
26.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
27. ↵
28.     <script type="text/javascript">↵
29.         // Fix for Firefox autofocus CSS bug↵
30.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↵
31.     </script>↵
32.     <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></script>↵
33.     <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↵
34. ↵
35.     </head>↵
36. <body>↵
37.     <main>↵
38.         <section id="static">↵
39.             <header>↵
40.                 <a href="/"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png></a>↵
41.                 <section class="buttons">↵
42.                     <a class="button" href="/about">about</a>↵
43.                     <a class="button" href="/services">services</a>↵
44.                     <a class="button" href="/contact">contact us</a>↵
45.                 </section>↵
46.             </header>↵
47.         </section>↵
48.         <section id="content">↵
49.             ↵
50.         <div class="logo1">↵
51.             <img alt="Logo" src=../img/logo_sem_letras.png class="logo" >↵
52.             <form id="register" method="POST"
action="http://lbaw2102.lbaw.fe.up.pt/register">↵
53.                 <input type="hidden" name="_token"
value="Qg06JtIJNWyqMYfFneZ2LDzh6DRFiwKruxT9q3cS">↵
54.                 <div class="loginPhoto1">↵
55.                     <img alt="Logo" src=../img/loginPhoto.png class="loginPhoto" >↵
56.                 </div>↵
57.             ↵
58.             <div class="registerInfo">↵
59.                 <label for="name" >Name*</label>↵
60.                 <input id="name" type="text" name="name" value="" placeholder="Name"
required autofocus>↵
61.                 ↵
62.                 <label for="email" >Email*</label>↵
63.                 <input id="email" type="email" name="email" value=""
placeholder="Email" required>↵
64.                 ↵
65.                 <label for="password" >Password*</label>↵
66.                 <input id="password" type="password" name="password"
placeholder="Password" required>↵
67.                 ↵
68.                 <label for="password-confirm" >Password Confirm*</label>↵
69.                 <input id="password-confirm" type="password"
name="password_confirmation" placeholder="Confirm password" required>↵
70.             ↵
71.                 <span class="required">* Required</span>↵
72.             </div>↵
73.         ↵
```

```
74.      <div class="loginArea">↵
75.          <button type="submit" class="registerButton">↵
76.              Register↵
77.          </button>↵
78.      </div>↵
79.  ↵
80.      <span class="loginHereSpan"> Already have an account? <a
81.          class="loginHere" href="http://lbaw2102.lbaw.fe.up.pt/login"> Login here</a>
82.      </span>↵
83.  </form>↵
84. </div>↵
85.      </section>↵
86.      <footer class="footer">↵
87.          <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
88.      </footer>↵
89.  </body>↵
89. </html>
```

Used the HTML parser.

Total execution time 12 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using `h2 - h6` elements to add identifying headings to all sections.

From line 41, column 17; to line 41, column 41

```
<section class="buttons"><!--
```

5. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 93, column 21; to line 93, column 71

```
<!--
```

6. **Warning** Article lacks heading. Consider using `h2 - h6` elements to add identifying headings to all articles.

From line 92, column 17; to line 92, column 48

```
<article class="project create"><!--
```

7. **Error** Element `style` not allowed as child of element `div` in this context.  
(Suppressing further errors from this subtree.)

From line 96, column 13; to line 96, column 19

```
<style><!--#pro
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

8. **Error** Element `style` not allowed as child of element `div` in this context.  
(Suppressing further errors from this subtree.)

From line 116, column 1; to line 116, column 7

```
/article><style><!--#pro
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

9. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 136, column 1; to line 136, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

10. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 153, column 1; to line 153, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

11. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 173, column 1; to line 173, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

12. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 190, column 1; to line 190, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

13. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 210, column 1; to line 210, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

14. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 230, column 1; to line 230, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

15. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 247, column 1; to line 247, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

16. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 264, column 1; to line 264, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

17. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 282, column 1; to line 282, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

18. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 299, column 1; to line 299, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

19. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 317, column 1; to line 317, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

20. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 334, column 1; to line 334, column 7](#)

```
/article>↔<style>↔↔#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

21. **Warning** Section lacks heading. Consider using [h2 - h6](#) elements to [add](#)

[identifying headings to all sections](#).

[From line 52, column 1; to line 52, column 23](#)

```
↔      ↔<section id="projects">↔      <
```

22. **Warning** Section lacks heading. Consider using [h2 - h6](#) elements to [add](#)

[identifying headings to all sections](#).

[From line 50, column 7; to line 50, column 28](#)

```
er>↔      <section id="content">↔
```

23. **Warning** Section lacks heading. Consider using [h2 - h6](#) elements to [add](#)

[identifying headings to all sections](#).

[From line 359, column 9; to line 359, column 32](#)

```
>↔      <section class="footer">Copyri
```

Document checking completed.

## Source

1. <!DOCTYPE html>↔
2. <html lang="en">↔
3. <head>↔
4. <meta charset="utf-8">↔
5. <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
6. <meta name="viewport" content="width=device-width, initial-scale=1">↔
7. ↔

```
8.      <!-- CSRF Token -->↵
9.      <meta name="csrf-token"↵
10.         content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">↵
11.      <title>toEaseManage</title>↵
12.      <link rel="icon"↵
13.         href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↵
14.      <!-- Styles -->↵
15.      <!-- Scripts -->↵
16.      <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkVYIK3UENzmM7KCKR/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>↵
17.      <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js" integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickWPj9c9IpFgh" crossorigin="anonymous"></script>↵
18.      <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta.2/js/bootstrap.min.js" integrity="sha384-alpBpkh1PFOepccYYDB4do5UnbKysX5WZXm3XXPqe5iKTfUKjNkCk9SaVuEZf1J" crossorigin="anonymous"></script>↵
19.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
20.      <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js defer"></script>↵
21.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
22.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css" rel="stylesheet">↵
23.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css" rel="stylesheet">↵
24.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
25.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css" rel="stylesheet">↵
26.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
27.      <script type="text/javascript">↵
28.          // Fix for Firefox autofocus CSS bug↵
29.          // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951↵
30.      </script>↵
31.      <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↵
32.      </head>↵
33.      <body>↵
34.          <main>↵
35.              <header id="header">↵
36.                  <h1><a href="/users"></a></h1>↵
37.                  <section class="buttons">↵
38.                      <a class="notification" href="/users/104/notifications">↵
39.                           ↵
40.                          <span class="notification-number">11</span>↵
41.                      </a>↵
42.                      <a href="/users/104/profile">↵
43.                          ↵
44.                      </a>↵
45.                  </section>↵
46.              </header>↵
47.              <section id="content">↵
48.                  <section id="projects">↵
49.                      <form class="search-tab">↵
50.                          <fieldset class="order">↵
51.                              <div>↵
52.          </div>↵
53.      </div>↵
54.  </div>↵
55. </div>↵
```

```
56.      <label for = "search"> <img alt="Search"
57.          src=http://lbaw2102.lbaw.fe.up.pt/img/lupa.png > </label>↵
58.          <input type="text" id="search" class="search" name="search"
59.          placeholder="Search for Project" value="" />↵
60.      </div>↵
61.      <div>↵
62.          <input type="radio" id = "alphabetic" name="order" value="name"
63.      />↵
64.          <label for= "alphabetic" class="button_projects"> <img
65.          alt="Alphabetic sort" src=http://lbaw2102.lbaw.fe.up.pt/img/sort-az.png >
66.      </label>↵
67.      </div>↵
68.      <div>↵
69.          <input type="radio" id = "creation" name="order"
70.          value="created_at" />↵
71.          <label for= "creation" class="button_projects"> <img alt="Date
72.          sort" src=http://lbaw2102.lbaw.fe.up.pt/img/recent.png > </label>↵
73.      </div>↵
74.      <button type="submit" >Search</button>↵
75.  </fieldset>↵
76.  <fieldset class="filters">↵
77.      <div>↵
78.          <input type = "checkbox" id = "favourite" name = "filters[]"
79.          class="favourite" value = "favourite" />↵
80.          <label for = "favourite"> Favourite </label>↵
81.      </div>↵
82.      <div>↵
83.          <input type = "checkbox" id = "coordinator" name = "filters[]"
84.          value = "coordinator" />↵
85.          <label for = "coordinator"> Coordinator </label>↵
86.      </div>↵
87.      <div>↵
88.          <input type = "checkbox" id = "member" name = "filters[]"
89.          value = "member" />↵
90.          <label for = "member"> Member </label>↵
91.      </div>↵
92.      <div>↵
93.          <input type = "checkbox" id = "archived" name = "filters[]"
94.          value = "archived" />↵
95.          <label for = "archived"> Archived </label>↵
96.      </div>↵
97.  </fieldset>↵
98.  #projects article.project.id-59{↵
99.      background-color: #5683bdcc;↵
100. }↵
101. </div>↵
102. </div>↵
103. </div>↵
104. <article class="project id-59" data-id="59">↵
105.     <header>↵
106.         <h3><a href="/projects/59">League Of Legends Clash</a></h3>↵
107.     </header>↵
108.     <div class="content">↵
109.         <img alt="Help"
110.         src=http://lbaw2102.lbaw.fe.up.pt./img/help.png width="20" class="help">↵
111.         <span class="help-labels">You should archive the projects, where you
112.         are coordinator, when the project has finished, so that the information is
113.         maintained for future consultation, but no one can make any changes.</span>↵
114.         <a href="#" class="archive"><img alt="Not Archived"
115.         src=http://lbaw2102.lbaw.fe.up.pt/img/cardboard-box.png width="20"></a>↵
```

```
112.           ↵
113.           <a href="#" class="fav"><img alt="Not Favourited"
114.             src=http://lbaw2102.lbaw.fe.up.pt/img/star.png width="20"></a>↵
115.         </div>↵
116.     <style>↵
117.     ↵
118. #projects article.project.id-61{↵
119.   background-color: #26d6d9cc;↵
120. }↵
121. ↵
122. </style>↵
123. ↵
124. <article class="project id-61" data-id="61">↵
125.   <header>↵
126.     <h3><a href="/projects/61">Curricular Internship</a></h3>↵
127.   </header>↵
128.   <div class="content">↵
129.     <img alt="Help"
130.       src=http://lbaw2102.lbaw.fe.up.pt./img/help.png width="20" class="help">↵
131.       <span class="help-labels">You should archive the projects, where you
132.       are coordinator, when the project has finished, so that the information is
133.       mantained for future consultation, but no one can make any changes.</span>↵
134.       <a href="#" class="archive"><img alt="Not Archived"
135.         src=http://lbaw2102.lbaw.fe.up.pt/img/cardboard-box.png width="20"></a>↵
136.       ↵
137.     </div>↵
138.   </article>↵
139. <style>↵
140. ↵
141. </style>↵
142. ↵
143. <article class="project id-62" data-id="62">↵
144.   <header>↵
145.     <h3><a href="/projects/62">SINF</a></h3>↵
146.   </header>↵
147.   <div class="content">↵
148.     <img alt="Favourited"
149.       src=http://lbaw2102.lbaw.fe.up.pt/img/filed_star.png width="20"></a>↵
150.     </div>↵
151.   </article>↵
152. <style>↵
153. ↵
154. <article class="project id-57" data-id="57">↵
155.   <header>↵
156.     background-color: #f58447cc;↵
157.   }↵
158. ↵
159. </style>↵
160. ↵
161. <article class="project id-57" data-id="57">↵
162.   <header>↵
163.     <h3><a href="/projects/57">Web Game</a></h3>↵
164.   </header>↵
165.   <div class="content">↵
166.     <img alt="Help"
167.       src=http://lbaw2102.lbaw.fe.up.pt./img/help.png width="20" class="help">↵
168.       <span class="help-labels">You should archive the projects, where you
169.       are coordinator, when the project has finished, so that the information is
170.       mantained for future consultation, but no one can make any changes.</span>↵
171.       <a href="#" class="archive"><img alt="Not Archived"
172.         src=http://lbaw2102.lbaw.fe.up.pt/img/cardboard-box.png width="20"></a>↵
173.       ↵
174.     </div>↵
175.   </article>↵
176. <style>↵
177. ↵
178. </style>↵
```

```
171.          </div>↵
172.      </article>↵
173.  <style>↵
174.  ↵
175. #projects article.project.id-64{↵
176.     background-color: #d6ffffcc;↵
177. }↵
178. ↵
179. </style>↵
180. ↵
181. <article class="project id-64" data-id="64">↵
182.     <header>↵
183.         <h3><a href="/projects/64">Coffe workshop</a></h3>↵
184.     </header>↵
185.     <div class="content">↵
186.         ↵
187.             <a href="#" class="fav"><img alt="Not Favourited" src=http://lbaw2102.lbaw.fe.up.pt/img/star.png width="20"></a>↵
188.         </div>↵
189.     </article>↵
190.  <style>↵
191.  ↵
192. #projects article.project.id-65{↵
193.     background-color: #80f587cc;↵
194. }↵
195. ↵
196. </style>↵
197. ↵
198. <article class="project id-65" data-id="65">↵
199.     <header>↵
200.         <h3><a href="/projects/65">Family ToDo</a></h3>↵
201.     </header>↵
202.     <div class="content">↵
203.         <img alt="Help" src=http://lbaw2102.lbaw.fe.up.pt/.img/help.png width="20" class="help">↵
204.         <span class="help-labels">You should archive the projects, where you are coordinator, when the project has finished, so that the information is mantained for future consultation, but no one can make any changes.</span>↵
205.         <a href="#" class="archive"><img alt="Not Archived" src=http://lbaw2102.lbaw.fe.up.pt/img/cardboard-box.png width="20"></a>↵
206.         ↵
207.             <a href="#" class="fav"><img alt="Favourited" src=http://lbaw2102.lbaw.fe.up.pt/img/filed_star.png width="20"></a>↵
208.         </div>↵
209.     </article>↵
210.  <style>↵
211.  ↵
212. #projects article.project.id-56{↵
213.     background-color: #d7c75bcc;↵
214. }↵
215. ↵
216. </style>↵
217. ↵
218. <article class="project id-56" data-id="56">↵
219.     <header>↵
220.         <h3><a href="/projects/56">Holiday</a></h3>↵
221.     </header>↵
222.     <div class="content">↵
223.         <img alt="Help" src=http://lbaw2102.lbaw.fe.up.pt/.img/help.png width="20" class="help">↵
224.         <span class="help-labels">You should archive the projects, where you are coordinator, when the project has finished, so that the information is mantained for future consultation, but no one can make any changes.</span>↵
225.         <a href="#" class="archive"><img alt="Not Archived" src=http://lbaw2102.lbaw.fe.up.pt/img/cardboard-box.png width="20"></a>↵
226.         ↵
227.             <a href="#" class="fav"><img alt="Not Favourited" src=http://lbaw2102.lbaw.fe.up.pt/img/star.png width="20"></a>↵
228.         </div>↵
229.     </article>↵
230.  <style>↵
```

```
231. ↵
232. #projects article.project.id-68{↵
233.     background-color: #d1d6ffcc;↵
234. }↵
235. ↵
236. </style>↵
237. ↵
238. <article class="project id-68" data-id="68">↵
239.     <header>↵
240.         <h3><a href="/projects/68">Build a starship</a></h3>↵
241.     </header>↵
242.     <div class="content">↵
243.         ↵
244.             <a href="#" class="fav"><img alt="Favourited" src=http://lbaw2102.lbaw.fe.up.pt/img/filed_star.png width="20"></a>↵
245.         </div>↵
246.     </article>↵
247. <style>↵
248. ↵
249. #projects article.project.id-69{↵
250.     background-color: #9471e5cc;↵
251. }↵
252. ↵
253. </style>↵
254. ↵
255. <article class="project id-69" data-id="69">↵
256.     <header>↵
257.         <h3><a href="/projects/69">Vacations Planning</a></h3>↵
258.     </header>↵
259.     <div class="content">↵
260.         ↵
261.             <a href="#" class="fav"><img alt="Not Favourited" src=http://lbaw2102.lbaw.fe.up.pt/img/star.png width="20"></a>↵
262.         </div>↵
263.     </article>↵
264. <style>↵
265. ↵
266. #projects article.project.id-67{↵
267.     background-color: #8c2d19cc;↵
268. }↵
269. ↵
270. </style>↵
271. ↵
272. <article class="project id-67" data-id="67">↵
273.     <header>↵
274.         <h3><a href="/projects/67">Git Workshop</a></h3>↵
275.     </header>↵
276.     <div class="content">↵
277.         <a href="#"><img alt="Archived" src=http://lbaw2102.lbaw.fe.up.pt/img/cardboard-box-filled.png width="20"></a>↵
278.         ↵
279.             <a href="#" class="fav"><img alt="Not Favourited" src=http://lbaw2102.lbaw.fe.up.pt/img/star.png width="20"></a>↵
280.         </div>↵
281.     </article>↵
282. <style>↵
283. ↵
284. #projects article.project.id-58{↵
285.     background-color: #96d0dfcc;↵
286. }↵
287. ↵
288. </style>↵
289. ↵
290. <article class="project id-58" data-id="58">↵
291.     <header>↵
292.         <h3><a href="/projects/58">LBAW Information Web Application</a></h3>↵
293.     </header>↵
294.     <div class="content">↵
295.         ↵
```

```
296.         <a href="#" class="fav"><img alt="Not Favourited"
297.             src=http://lbaw2102.lbaw.fe.up.pt/img/star.png width="20"></a>↪
298.     </div>↪
299. <style>↪
300. ↵
301. #projects article.project.id-71{↪
302.     background-color: #98622fcc;↪
303. }↪
304. ↵
305. </style>↪
306. ↵
307. <article class="project id-71" data-id="71">↪
308.     <header>↪
309.         <h3><a href="/projects/71">New Project</a></h3>↪
310.     </header>↪
311.     <div class="content">↪
312.         <a href="#"><img alt="Archived"
313.             src=http://lbaw2102.lbaw.fe.up.pt/img/cardboard-box-filled.png width="20">
314.         </a>↪
315.         ↵
316.     </article>↪
317. <style>↪
318. ↵
319. #projects article.project.id-72{↪
320.     background-color: #d84b4bcc;↪
321. }↪
322. ↵
323. </style>↪
324. ↵
325. <article class="project id-72" data-id="72">↪
326.     <header>↪
327.         <h3><a href="/projects/72">Paddel Tournament</a></h3>↪
328.     </header>↪
329.     <div class="content">↪
330.         ↵
331.         <a href="#" class="fav"><img alt="Not Favourited"
332.             src=http://lbaw2102.lbaw.fe.up.pt/img/star.png width="20"></a>↪
333.         </div>↪
334. <style>↪
335. ↵
336. #projects article.project.id-70{↪
337.     background-color: #f16ad8cc;↪
338. }↪
339. ↵
340. </style>↪
341. ↵
342. <article class="project id-70" data-id="70">↪
343.     <header>↪
344.         <h3><a href="/projects/70">Crossfit workshop</a></h3>↪
345.     </header>↪
346.     <div class="content">↪
347.         <a href="#"><img alt="Archived"
348.             src=http://lbaw2102.lbaw.fe.up.pt/img/cardboard-box-filled.png width="20">
349.         </a>↪
350.         ↵
351.     </article>↪
352.         </div>↪
353.         ↵
354.     </form>↪
355. </section>↪
356. ↵
357.     </section>↪
358.     <footer class="footer">↪
```

```
359.      <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
360.      </footer>↵
361.    </main>↵
362.  </body>↵
363. </html>
```

Used the HTML parser.

Total execution time 40 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.26

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 41, column 17; to line 41, column 41](#)

```
<section class="buttons"><!--
```

5. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 51, column 13; to line 51, column 41](#)

```
<section id="project-create"><!--
```

6. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 50, column 7; to line 50, column 28](#)

```
er><!--<section id="content"><!--
```

7. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 76, column 9; to line 76, column 32](#)

```
><!--<section class="footer">Copyri
```

Document checking completed.

## Source

```

1. <!DOCTYPE html><!--
2. <html lang="en"><!--
3.   <head><!--
4.     <meta charset="utf-8"><!--
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge"><!--
6.     <meta name="viewport" content="width=device-width, initial-scale=1"><!--
7.   <!-- CSRF Token --><!--
8.   <meta name="csrf-token"
9.     content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix"><!--
10.  <!--
11.    <title>toEaseManage</title><!--
12.    <link rel="icon"
13.      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png"><!--
14.    <!-- Styles --><!--
15.  <!--
16.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
17.      integrity="sha384-KJ3o2DKtIkYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
18.      crossorigin="anonymous"></script><!--
17.    <script
18.      src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
19.      integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh"
20.      crossorigin="anonymous"></script><!--
21.    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
22.      beta.2/js/bootstrap.min.js" integrity="sha384-

```

```
alpBpkh1PFOepccYVYDB4do5UnbKysX5WZXm3XxPqe5iKTfUKjNkCk9SaVuEZf1J"
crossorigin="anonymous"></script>↪
19. ↵
20.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↪
21.     <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js
defer"></script>↪
22.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↪
23.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
rel="stylesheet">↪
24.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
rel="stylesheet">↪
25.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↪
26.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
rel="stylesheet">↪
27.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↪
28. ↵
29. ↵
30.     <script type="text/javascript">↪
31.         // Fix for Firefox autofocus CSS bug↪
32.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↪
33.     </script>↪
34.     <script type="text/javascript"
src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↪
35. ↵
36.     </head>↪
37.     <body>↪
38.         <main>↪
39.             <header id="header">↪
40.                 <h1><a href="/users"></a></h1>↪
41.                 <section class="buttons">↪
42.                     <a class="notification" href="/users/104/notifications">↪
43.                         ↪
44.   <span class="notification-
number">12</span>↪
45.   </a>↪
46.   <a href="/users/104/profile">↪
47.   
</a>↪
48.   </section>↪
49.   </header>↪
50.             <section id="content">↪
51.                 <section id="project-create">↪
52.                     <form class="create">↪
53.                         <div class="info-not-created">↪
54.                             <input class="name-proj" type="text" placeholder="Project
Name...*" name="name">↪
55.                             <input class="description-proj" type="text" placeholder="Add a
description..." name="description">↪
56.                             <input class="color" type="color" name="color"
value="#595656">↪
57.                         </div>↪
58.                         <div class="coordinators">↪
59.                             <span>Coordinators</span>↪
60.                             <div class="content">↪
61.                                 <div class="user-info" data-id=104>↪
62.                                     ↪
63.                                     <a href="/users/104/profile">Andreia Pereira Bastos</a>↪
64.                             </div>↪
65.                         </div>↪
66.                         </div>↪
67.                     </div>↪
68.                     <div class="coordinator-buttons">↪
69.                         <button class="btn save" type="submit">Save</button>↪
70.                         <a href="/users" class="btn cancel">Cancel</a>↪
71.                     </div>↪
72.                 </form>↪
```

```
73.      </section>↵
74.      </section>↵
75.      <footer class="footer">↵
76.          <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
77.      </footer>↵
78.      </main>↵
79.  </body>↵
80. </html>
```

Used the HTML parser.

Total execution time 13 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<h1><span>League Of Legends Clash</span></h1>
<a href="/projects/59/details">View Project Details</a>
</div>
<div class="todo-box">
  <div class="todo-search">
    <h2>T0-D0</h2>
    <form>
      <label for="task-search"> <img alt="Search" src=http://lbaw2102.lbaw.fe.up.pt/img/lupa.png> </label>
      <input type="text" id="task-search" name="search" placeholder="Search for Task"/>
    </form>
  </div>
  <ul class="tasksToDo">
    <a href="/tasks/271">
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔ <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔ <script type="text/javascript">↔
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔ <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 41, column 17; to line 41, column 41](#)

```
<section class="buttons"><!--
```

5. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 51, column 13; to line 51, column 41](#)

```
<section id="project-create"><!--
```

6. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 50, column 7; to line 50, column 28](#)

```
er><!--      <section id="content"><!--
```

7. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 76, column 9; to line 76, column 32](#)

```
><!--      <section class="footer">Copyri
```

Document checking completed.

## Source

```

1. <!DOCTYPE html><!--
2. <html lang="en"><!--
3.   <head><!--
4.     <meta charset="utf-8"><!--
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge"><!--
6.     <meta name="viewport" content="width=device-width, initial-scale=1"><!--
7.   <!-- CSRF Token --><!--
8.   <meta name="csrf-token"
9.     content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix"><!--
10.  <!--
11.    <title>toEaseManage</title><!--
12.    <link rel="icon"
13.      href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png"><!--
14.  <!-- Styles --><!--
15.  <!--
16.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
17.      integrity="sha384-KJ3o2DKtIkYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
18.      crossorigin="anonymous"></script><!--
17.    <script
18.      src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
19.      integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh"
20.      crossorigin="anonymous"></script><!--
21.    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
22.      beta.2/js/bootstrap.min.js" integrity="sha384-

```

```
alpBpkh1PFOepccYVYDB4do5UnbKysX5WZXm3XxPqe5iKTfUKjNkCk9SaVuEZf1J"
crossorigin="anonymous"></script>↪
19. ↵
20.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↪
21.     <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js
defer></script>↪
22.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↪
23.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
rel="stylesheet">↪
24.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
rel="stylesheet">↪
25.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↪
26.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
rel="stylesheet">↪
27.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↪
28. ↵
29. ↵
30.     <script type="text/javascript">↪
31.         // Fix for Firefox autofocus CSS bug↪
32.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↪
33.     </script>↪
34.     <script type="text/javascript"
src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↪
35. ↵
36.     </head>↪
37.     <body>↪
38.         <main>↪
39.             <header id="header">↪
40.                 <h1><a href="/users"></a></h1>↪
41.                 <section class="buttons">↪
42.                     <a class="notification" href="/users/104/notifications">↪
43.                         ↪
44.   <span class="notification-
number">12</span>↪
45.   </a>↪
46.   <a href="/users/104/profile">↪
47.   
</a>↪
48.   </section>↪
49.   </header>↪
50.             <section id="content">↪
51.                 <section id="project-create">↪
52.                     <form class="create">↪
53.                         <div class="info-not-created">↪
54.                             <input class="name-proj" type="text" placeholder="Project
Name...*" name="name">↪
55.                             <input class="description-proj" type="text" placeholder="Add a
description..." name="description">↪
56.                             <input class="color" type="color" name="color"
value="#595656">↪
57.                         </div>↪
58.                         <div class="coordinators">↪
59.                             <span>Coordinators</span>↪
60.                             <div class="content">↪
61.                                 <div class="user-info" data-id=104>↪
62.                                     ↪
63.                                     <a href="/users/104/profile">Andreia Pereira Bastos</a>↪
64.                             </div>↪
65.                         </div>↪
66.                         </div>↪
67.                     </div>↪
68.                     <div class="coordinator-buttons">↪
69.                         <button class="btn save" type="submit">Save</button>↪
70.                         <a href="/users" class="btn cancel">Cancel</a>↪
71.                     </div>↪
72.                 </form>↪
```

```
73.      </section>↵
74.      </section>↵
75.      <footer class="footer">↵
76.          <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
77.      </footer>↵
78.  </main>↵
79. </body>↵
80. </html>
```

Used the HTML parser.

Total execution time 13 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show  source  outline  image report

Options...

Check by   css

```
</div>

<div class="user invite" data-id=14>
    <div class="user-info">
        <span class="span profilePhoto">D</span>
        <a href="/users/14/profile">Daffie Jandera</a>
    </div>
    <button type="button" class="btn confirm" data-id=14>Add</button>
</div>

<div class="user invite" data-id=17>
    <div class="user-info">
        <span class="span profilePhoto">M</span>
        <a href="/users/17/profile">Milena Tortoiseshell</a>
    </div>
    ...
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `[type]` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `[type]` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `[type]` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 41, column 17; to line 41, column 41

```
<section class="buttons"><.....>
```

5. **Error** Element style not allowed as child of element section in this context. (Suppressing further errors from this subtree.)

From line 53, column 1; to line 53, column 7

```
<.....><style><.....>
```

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element section:

Flow content.

6. **Warning** Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 1021, column 13; to line 1021, column 34

```
<h1 class="name-proj">League
```

7. **Error** Bad value 30px for attribute width on element img: Expected a digit but saw p instead.

From line 1036, column 106; to line 1036, column 191

```
<rdinator"></butt
```

8. **Error** Bad value 30px for attribute width on element img: Expected a digit but saw p instead.

From line 1045, column 120; to line 1045, column 203

```
<e-member"></butt
```

9. **Error** Bad value 30px for attribute width on element img: Expected a digit but saw p instead.

From line 1054, column 116; to line 1054, column 196

```
<dd-label"></butt
```

10. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

[From line 50, column 7; to line 50, column 28](#)

```
>↔      <section id="content">↔
```

11. **Warning** **Section lacks heading. Consider using [h2 - h6] elements to add identifying headings to all sections.**

[From line 1068, column 9; to line 1068, column 32](#)

```
>↔      <section class="footer">Copyri
```

12. **Error** **The value of the [for] attribute of the [label] element must be the ID of a non-hidden form control.**

[From line 87, column 17; to line 87, column 38](#)

```
<label for = "search"> <img
```

13. **Error** **The value of the [for] attribute of the [label] element must be the ID of a non-hidden form control.**

[From line 107, column 17; to line 107, column 38](#)

```
<label for = "search"> <img
```

14. **Error** **The value of the [for] attribute of the [label] element must be the ID of a non-hidden form control.**

[From line 983, column 17; to line 983, column 35](#)

```
<label for="label"> Label
```

15. **Error** **The [aria-labelledby] attribute must point to an element in the same document.**

[From line 66, column 9; to line 66, column 132](#)

```
>↔      <div class="modal fade" id=leave-project tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↔      <
```

16. **Error** **The [aria-labelledby] attribute must point to an element in the same document.**

[From line 79, column 5; to line 79, column 130](#)

```
/div>↔      <div class="modal fade" id=add-coordinator tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↔      <
```

17. **Error** **The [aria-labelledby] attribute must point to an element in the same document.**

[From line 99, column 5; to line 99, column 128](#)

```
/div>↔      <div class="modal fade" id=invite-member tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↔      <
```

18. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 975, column 5; to line 975, column 124](#)

```
</div>↵      <div class="modal fade" id=add-label tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↵          <
```

19. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 994, column 9; to line 994, column 133](#)

```
<>      <div class="modal fade" id=delete-project tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↵          <
```

Document checking completed.

## Source

```

1. 1. <!DOCTYPE html>↵
2. 2. <html lang="en">↵
3. 3.   <head>↵
4. 4.     <meta charset="utf-8">↵
5. 5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6. 6.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
7. 7.   ↵
8. 8.     <!-- CSRF Token -->↵
9. 9.     <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">↵
10. 10.   ↵
11. 11.     <title>toEaseManage</title>↵
12. 12.     <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↵
13. 13.   ↵
14. 14.     <!-- Styles -->↵
15. 15.   ↵
16. 16.     <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5Kkn" crossorigin="anonymous"></script>↵
17. 17.     <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js" integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh" crossorigin="anonymous"></script>↵
18. 18.     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta.2/js/bootstrap.min.js" integrity="sha384-aPFUKIRWzJduoIs91t8pI1EfiA2aihYAO9fF7jD8gccc43oEamXqxbnQw绷" crossorigin="anonymous"></script>↵
19. 19.   ↵
20. 20.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21. 21.     <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js defer"></script>↵
22. 22.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
23. 23.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css" rel="stylesheet">↵
24. 24.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css" rel="stylesheet">↵
25. 25.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
26. 26.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css" rel="stylesheet">↵

```

```
27.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
28. ↵
29. ↵
30.      <script type="text/javascript">↵
31.          // Fix for Firefox autofocus CSS bug↵
32.          // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↵
33.      </script>↵
34.      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↵
35. ↵
36.      </head>↵
37.      <body>↵
38.          <main>↵
39.              <header id="header">↵
40.                  <h1><a href="/users"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo.png width="250"></a></h1>↵
41.                  <section class="buttons">↵
42.                      <a class= "notification" href="/users/104/notifications">↵
43.                          <img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/notification.png width="25">↵
44.                                      <span class="notification-
number">13</span>↵
45.                      </a>↵
46.                      <a href="/users/104/profile">↵
47.                          <img alt="Profile Image"
src=http://lbaw2102.lbaw.fe.up.pt/.img/1643328073.jpg class="profilePhoto" >
</a>↵
48.                  </section>↵
49.              </header>↵
50.              <section id="content">↵
51.                  ↵
52. ↵
53.      <style>↵
54.      ↵
55.          #project-details.id-59 .content-inside {↵
56.              border-color: #5683bdcc;↵
57.          }↵
58. ↵
59.          #project-details.id-59 .info-created {↵
60.              background-color: #5683bdcc;↵
61.          }↵
62. ↵
63.      </style>↵
64.      ↵
65.      <section id="project-details" class="id-59" data-id=59>↵
66.          <div class="modal fade" id=leave-project tabindex="-1" role="dialog"
aria-labelledby="exampleModalLabel" aria-hidden="true">↵
67.              <div class="modal-dialog modal-dialog-centered" role="document">↵
68.                  <div class="modal-content">↵
69.                      <div class="modal-header">↵
70.                          <h5 class="modal-title">Are you sure you want to leave project?
</h5>↵
71.                      </div>↵
72.                      <div class="modal-footer">↵
73.                          <button type="button" class="btn confirm" data-
id=104>Confirm</button>↵
74.                          <button type="button" class="btn cancel" data-
dismiss="modal">Cancel</button>↵
75.                      </div>↵
76.                  </div>↵
77.              </div>↵
78.          </div>↵
79.          <div class="modal fade" id=add-coordinator tabindex="-1" role="dialog"
aria-labelledby="exampleModalLabel" aria-hidden="true">↵
80.              <div class="modal-dialog modal-dialog-centered" role="document">↵
81.                  <div class="modal-content">↵
82.                      <div class="modal-header">↵
83.                          <h5 class="modal-title">Add Coordinator</h5>↵
84.                      </div>↵
85.                      <div class="modal-body">↵
```

```
86.          <div>↔
87.              <label for = "search"> <img alt="Search"
88.                  src=http://lbaw2102.lbaw.fe.up.pt/img/lupa.png width="30"> </label>↔
89.                  <input class= "search" type="text" data-id=59 name="search"
90.                  placeholder="Search for User"/>↔
91.          </div>↔
92.          <div class="all-users">↔
93.              </div>↔
94.          <div class="modal-footer">↔
95.              <button type="button" class="btn close" data-
96. dismiss="modal">Close</button>↔
97.          </div>↔
98.      </div>↔
99.      <div class="modal fade" id=invite-member tabindex="-1" role="dialog" aria-
100. labelledby="exampleModalLabel" aria-hidden="true">↔
101.          <div class="modal-dialog modal-dialog-centered" role="document">↔
102.              <div class="modal-content">↔
103.                  <div class="modal-header">↔
104.                      <h5 class="modal-title">Invite user</h5>↔
105.                  </div>↔
106.                  <div class="modal-body">↔
107.                      <div>↔
108.                          <label for = "search"> <img alt="Search"
109.                              src=http://lbaw2102.lbaw.fe.up.pt/img/lupa.png width="30"> </label>↔
110.                          <input class= "search" type="text" data-id=59 name="search"
111.                          placeholder="Search for User"/>↔
112.                      </div>↔
113.                      <div class="all-users">↔
114.                          <div class="user invite" data-id=2>↔
115.                              <div class="user-info">↔
116.                                  <span class="span profilePhoto">A</span>↔
117.                                  <a href="/users/2/profile">Abby Oakly</a>↔
118.                          </div>↔
119.                          <button type="button" class="btn confirm" data-id=2>Add</button>↔
120.                      </div>↔
121.                      <div class="user invite" data-id=3>↔
122.                          <div class="user-info">↔
123.                              <span class="span profilePhoto">S</span>↔
124.                              <a href="/users/3/profile">Shirl Bennallck</a>↔
125.                          </div>↔
126.                          <button type="button" class="btn confirm" data-id=3>Add</button>↔
127.                      </div>↔
128.                      <div class="user invite" data-id=4>↔
129.                          <div class="user-info">↔
130.                              <span class="span profilePhoto">E</span>↔
131.                              <a href="/users/4/profile">Eamon Westrip</a>↔
132.                          </div>↔
133.                          <button type="button" class="btn confirm" data-id=4>Add</button>↔
134.                      </div>↔
135.                      <div class="user invite" data-id=5>↔
136.                          <div class="user-info">↔
137.                              <span class="span profilePhoto">E</span>↔
138.                              <a href="/users/5/profile">Eliot Sutlieff</a>↔
139.                          </div>↔
140.                          <button type="button" class="btn confirm" data-id=5>Add</button>↔
141.                      </div>↔
142.                      <div class="user invite" data-id=6>↔
143.                          <div class="user-info">↔
144.                              <span class="span profilePhoto">A</span>↔
145.                              <a href="/users/6/profile">Albie Ormesher</a>↔
146.                          </div>↔
147.                          <button type="button" class="btn confirm" data-id=6>Add</button>↔
148.                      </div>↔
149.                  </div>↔
150.              </div>↔
```

```
151. <div class="user invite" data-id=8>↔
152.   <div class="user-info">↔
153.     <span class="span profilePhoto">F</span>↔
154.     <a href="/users/8/profile">Fritz Baudet</a>↔
155.   </div>↔
156.   <button type="button" class="btn confirm" data-id=8>Add</button>↔
157. </div>↔
158. ↔
159. <div class="user invite" data-id=9>↔
160.   <div class="user-info">↔
161.     <span class="span profilePhoto">J</span>↔
162.     <a href="/users/9/profile">Jess Bosden</a>↔
163.   </div>↔
164.   <button type="button" class="btn confirm" data-id=9>Add</button>↔
165. </div>↔
166. ↔
167. <div class="user invite" data-id=12>↔
168.   <div class="user-info">↔
169.     <span class="span profilePhoto">A</span>↔
170.     <a href="/users/12/profile">Antonietta Bonsey</a>↔
171.   </div>↔
172.   <button type="button" class="btn confirm" data-id=12>Add</button>↔
173. </div>↔
174. ↔
175. <div class="user invite" data-id=14>↔
176.   <div class="user-info">↔
177.     <span class="span profilePhoto">D</span>↔
178.     <a href="/users/14/profile">Daffie Jandera</a>↔
179.   </div>↔
180.   <button type="button" class="btn confirm" data-id=14>Add</button>↔
181. </div>↔
182. ↔
183. <div class="user invite" data-id=17>↔
184.   <div class="user-info">↔
185.     <span class="span profilePhoto">M</span>↔
186.     <a href="/users/17/profile">Milena Tortoiseshell</a>↔
187.   </div>↔
188.   <button type="button" class="btn confirm" data-id=17>Add</button>↔
189. </div>↔
190. ↔
191. <div class="user invite" data-id=18>↔
192.   <div class="user-info">↔
193.     <span class="span profilePhoto">T</span>↔
194.     <a href="/users/18/profile">Thor McAtamney</a>↔
195.   </div>↔
196.   <button type="button" class="btn confirm" data-id=18>Add</button>↔
197. </div>↔
198. ↔
199. <div class="user invite" data-id=19>↔
200.   <div class="user-info">↔
201.     <span class="span profilePhoto">D</span>↔
202.     <a href="/users/19/profile">Devland Idell</a>↔
203.   </div>↔
204.   <button type="button" class="btn confirm" data-id=19>Add</button>↔
205. </div>↔
206. ↔
207. <div class="user invite" data-id=20>↔
208.   <div class="user-info">↔
209.     <span class="span profilePhoto">G</span>↔
210.     <a href="/users/20/profile">Gwyneth Menicomb</a>↔
211.   </div>↔
212.   <button type="button" class="btn confirm" data-id=20>Add</button>↔
213. </div>↔
214. ↔
215. <div class="user invite" data-id=21>↔
216.   <div class="user-info">↔
217.     <span class="span profilePhoto">E</span>↔
218.     <a href="/users/21/profile">Enrico Seldon</a>↔
219.   </div>↔
220.   <button type="button" class="btn confirm" data-id=21>Add</button>↔
221. </div>↔
```

```
222. ↵
223. <div class="user invite" data-id=22>↵
224.   <div class="user-info">↵
225.     <span class="span profilePhoto">B</span>↵
226.     <a href="/users/22/profile">Batholomew Buret</a>↵
227.   </div>↵
228.   <button type="button" class="btn confirm" data-id=22>Add</button>↵
229. </div>↵
230. ↵
231. <div class="user invite" data-id=23>↵
232.   <div class="user-info">↵
233.     <span class="span profilePhoto">D</span>↵
234.     <a href="/users/23/profile">Deirdre Ilchenko</a>↵
235.   </div>↵
236.   <button type="button" class="btn confirm" data-id=23>Add</button>↵
237. </div>↵
238. ↵
239. <div class="user invite" data-id=24>↵
240.   <div class="user-info">↵
241.     <span class="span profilePhoto">F</span>↵
242.     <a href="/users/24/profile">Fairleigh Darwood</a>↵
243.   </div>↵
244.   <button type="button" class="btn confirm" data-id=24>Add</button>↵
245. </div>↵
246. ↵
247. <div class="user invite" data-id=25>↵
248.   <div class="user-info">↵
249.     <span class="span profilePhoto">M</span>↵
250.     <a href="/users/25/profile">Marijo McMonnies</a>↵
251.   </div>↵
252.   <button type="button" class="btn confirm" data-id=25>Add</button>↵
253. </div>↵
254. ↵
255. <div class="user invite" data-id=26>↵
256.   <div class="user-info">↵
257.     <span class="span profilePhoto">G</span>↵
258.     <a href="/users/26/profile">Georgia Dubarry</a>↵
259.   </div>↵
260.   <button type="button" class="btn confirm" data-id=26>Add</button>↵
261. </div>↵
262. ↵
263. <div class="user invite" data-id=27>↵
264.   <div class="user-info">↵
265.     <span class="span profilePhoto">I</span>↵
266.     <a href="/users/27/profile">Ingeborg Appleford</a>↵
267.   </div>↵
268.   <button type="button" class="btn confirm" data-id=27>Add</button>↵
269. </div>↵
270. ↵
271. <div class="user invite" data-id=29>↵
272.   <div class="user-info">↵
273.     <span class="span profilePhoto">L</span>↵
274.     <a href="/users/29/profile">Lorelle Mottley</a>↵
275.   </div>↵
276.   <button type="button" class="btn confirm" data-id=29>Add</button>↵
277. </div>↵
278. ↵
279. <div class="user invite" data-id=30>↵
280.   <div class="user-info">↵
281.     <span class="span profilePhoto">T</span>↵
282.     <a href="/users/30/profile">Teriann Goracci</a>↵
283.   </div>↵
284.   <button type="button" class="btn confirm" data-id=30>Add</button>↵
285. </div>↵
286. ↵
287. <div class="user invite" data-id=31>↵
288.   <div class="user-info">↵
289.     <span class="span profilePhoto">R</span>↵
290.     <a href="/users/31/profile">Robers Jakoviljevic</a>↵
291.   </div>↵
292.   <button type="button" class="btn confirm" data-id=31>Add</button>↵
```

```
293. </div>↔
294. ↔
295. <div class="user invite" data-id=32>↔
296.   <div class="user-info">↔
297.     <span class="span profilePhoto">P</span>↔
298.       <a href="/users/32/profile">Persis Nicely</a>↔
299.   </div>↔
300.   <button type="button" class="btn confirm" data-id=32>Add</button>↔
301. </div>↔
302. ↔
303. <div class="user invite" data-id=33>↔
304.   <div class="user-info">↔
305.     <span class="span profilePhoto">T</span>↔
306.       <a href="/users/33/profile">Therese Hayesman</a>↔
307.   </div>↔
308.   <button type="button" class="btn confirm" data-id=33>Add</button>↔
309. </div>↔
310. ↔
311. <div class="user invite" data-id=34>↔
312.   <div class="user-info">↔
313.     <span class="span profilePhoto">L</span>↔
314.       <a href="/users/34/profile">Linoel Challener</a>↔
315.   </div>↔
316.   <button type="button" class="btn confirm" data-id=34>Add</button>↔
317. </div>↔
318. ↔
319. <div class="user invite" data-id=35>↔
320.   <div class="user-info">↔
321.     <span class="span profilePhoto">X</span>↔
322.       <a href="/users/35/profile">Xerxes Ellerbeck</a>↔
323.   </div>↔
324.   <button type="button" class="btn confirm" data-id=35>Add</button>↔
325. </div>↔
326. ↔
327. <div class="user invite" data-id=36>↔
328.   <div class="user-info">↔
329.     <span class="span profilePhoto">A</span>↔
330.       <a href="/users/36/profile">Audrye Mauchlen</a>↔
331.   </div>↔
332.   <button type="button" class="btn confirm" data-id=36>Add</button>↔
333. </div>↔
334. ↔
335. <div class="user invite" data-id=37>↔
336.   <div class="user-info">↔
337.     <span class="span profilePhoto">L</span>↔
338.       <a href="/users/37/profile">Lanita Drinkhall</a>↔
339.   </div>↔
340.   <button type="button" class="btn confirm" data-id=37>Add</button>↔
341. </div>↔
342. ↔
343. <div class="user invite" data-id=38>↔
344.   <div class="user-info">↔
345.     <span class="span profilePhoto">F</span>↔
346.       <a href="/users/38/profile">Fawnia Franciskiewicz</a>↔
347.   </div>↔
348.   <button type="button" class="btn confirm" data-id=38>Add</button>↔
349. </div>↔
350. ↔
351. <div class="user invite" data-id=39>↔
352.   <div class="user-info">↔
353.     <span class="span profilePhoto">S</span>↔
354.       <a href="/users/39/profile">Sebastiano Antyshev</a>↔
355.   </div>↔
356.   <button type="button" class="btn confirm" data-id=39>Add</button>↔
357. </div>↔
358. ↔
359. <div class="user invite" data-id=40>↔
360.   <div class="user-info">↔
361.     <span class="span profilePhoto">A</span>↔
362.       <a href="/users/40/profile">Alikee Edmett</a>↔
363.   </div>↔
```

```
364.      <button type="button" class="btn confirm" data-id=40>Add</button>↔
365.  </div>↔
366.  ↔
367.  <div class="user invite" data-id=41>↔
368.      <div class="user-info">↔
369.          <span class="span profilePhoto">R</span>↔
370.          <a href="/users/41/profile">Rubina Kruszelnicki</a>↔
371.      </div>↔
372.      <button type="button" class="btn confirm" data-id=41>Add</button>↔
373.  </div>↔
374.  ↔
375.  <div class="user invite" data-id=42>↔
376.      <div class="user-info">↔
377.          <span class="span profilePhoto">A</span>↔
378.          <a href="/users/42/profile">Adda Bedding</a>↔
379.      </div>↔
380.      <button type="button" class="btn confirm" data-id=42>Add</button>↔
381.  </div>↔
382.  ↔
383.  <div class="user invite" data-id=43>↔
384.      <div class="user-info">↔
385.          <span class="span profilePhoto">M</span>↔
386.          <a href="/users/43/profile">Michaeline Tomalin</a>↔
387.      </div>↔
388.      <button type="button" class="btn confirm" data-id=43>Add</button>↔
389.  </div>↔
390.  ↔
391.  <div class="user invite" data-id=44>↔
392.      <div class="user-info">↔
393.          <span class="span profilePhoto">B</span>↔
394.          <a href="/users/44/profile">Belita Clarage</a>↔
395.      </div>↔
396.      <button type="button" class="btn confirm" data-id=44>Add</button>↔
397.  </div>↔
398.  ↔
399.  <div class="user invite" data-id=7>↔
400.      <div class="user-info">↔
401.          <span class="span profilePhoto">J</span>↔
402.          <a href="/users/7/profile">Jae Watts</a>↔
403.      </div>↔
404.      <button type="button" class="btn confirm" data-id=7>Add</button>↔
405.  </div>↔
406.  ↔
407.  <div class="user invite" data-id=15>↔
408.      <div class="user-info">↔
409.          <span class="span profilePhoto">R</span>↔
410.          <a href="/users/15/profile">Raheel Northridge</a>↔
411.      </div>↔
412.      <button type="button" class="btn confirm" data-id=15>Add</button>↔
413.  </div>↔
414.  ↔
415.  <div class="user invite" data-id=10>↔
416.      <div class="user-info">↔
417.          <span class="span profilePhoto">G</span>↔
418.          <a href="/users/10/profile">Gertrud Wigmore</a>↔
419.      </div>↔
420.      <button type="button" class="btn confirm" data-id=10>Add</button>↔
421.  </div>↔
422.  ↔
423.  <div class="user invite" data-id=28>↔
424.      <div class="user-info">↔
425.          <span class="span profilePhoto">C</span>↔
426.          <a href="/users/28/profile">Celinka Keunemann</a>↔
427.      </div>↔
428.      <button type="button" class="btn confirm" data-id=28>Add</button>↔
429.  </div>↔
430.  ↔
431.  <div class="user invite" data-id=16>↔
432.      <div class="user-info">↔
433.          <span class="span profilePhoto">A</span>↔
434.          <a href="/users/16/profile">Adriena Hawkett</a>↔
```

```
435.      </div>↵
436.      <button type="button" class="btn confirm" data-id=16>Add</button>↵
437.    </div>↵
438.  ↵
439.  <div class="user invite" data-id=13>↵
440.    <div class="user-info">↵
441.      <span class="span profilePhoto">C</span>↵
442.      <a href="/users/13/profile">Carmelle Mithon</a>↵
443.    </div>↵
444.    <button type="button" class="btn confirm" data-id=13>Add</button>↵
445.  </div>↵
446.  ↵
447.  <div class="user invite" data-id=45>↵
448.    <div class="user-info">↵
449.      <span class="span profilePhoto">B</span>↵
450.      <a href="/users/45/profile">Brandon Slyme</a>↵
451.    </div>↵
452.    <button type="button" class="btn confirm" data-id=45>Add</button>↵
453.  </div>↵
454.  ↵
455.  <div class="user invite" data-id=46>↵
456.    <div class="user-info">↵
457.      <span class="span profilePhoto">C</span>↵
458.      <a href="/users/46/profile">Cart Elsworth</a>↵
459.    </div>↵
460.    <button type="button" class="btn confirm" data-id=46>Add</button>↵
461.  </div>↵
462.  ↵
463.  <div class="user invite" data-id=47>↵
464.    <div class="user-info">↵
465.      <span class="span profilePhoto">R</span>↵
466.      <a href="/users/47/profile">Roarke de Almeida</a>↵
467.    </div>↵
468.    <button type="button" class="btn confirm" data-id=47>Add</button>↵
469.  </div>↵
470.  ↵
471.  <div class="user invite" data-id=48>↵
472.    <div class="user-info">↵
473.      <span class="span profilePhoto">M</span>↵
474.      <a href="/users/48/profile">Monica Lanchbury</a>↵
475.    </div>↵
476.    <button type="button" class="btn confirm" data-id=48>Add</button>↵
477.  </div>↵
478.  ↵
479.  <div class="user invite" data-id=49>↵
480.    <div class="user-info">↵
481.      <span class="span profilePhoto">G</span>↵
482.      <a href="/users/49/profile">Garreth Stading</a>↵
483.    </div>↵
484.    <button type="button" class="btn confirm" data-id=49>Add</button>↵
485.  </div>↵
486.  ↵
487.  <div class="user invite" data-id=50>↵
488.    <div class="user-info">↵
489.      <span class="span profilePhoto">K</span>↵
490.      <a href="/users/50/profile">Katleen Garrettson</a>↵
491.    </div>↵
492.    <button type="button" class="btn confirm" data-id=50>Add</button>↵
493.  </div>↵
494.  ↵
495.  <div class="user invite" data-id=51>↵
496.    <div class="user-info">↵
497.      <span class="span profilePhoto">M</span>↵
498.      <a href="/users/51/profile">Mendel Daulby</a>↵
499.    </div>↵
500.    <button type="button" class="btn confirm" data-id=51>Add</button>↵
501.  </div>↵
502.  ↵
503.  <div class="user invite" data-id=52>↵
504.    <div class="user-info">↵
505.      <span class="span profilePhoto">L</span>↵
```

```
506.          <a href="/users/52/profile">Lurline Paiton</a>↔
507.      </div>↔
508.      <button type="button" class="btn confirm" data-id=52>Add</button>↔
509.  </div>↔
510. ↔
511. <div class="user invite" data-id=53>↔
512.     <div class="user-info">↔
513.         <span class="span profilePhoto">A</span>↔
514.         <a href="/users/53/profile">Armstrong Kornyshev</a>↔
515.     </div>↔
516.     <button type="button" class="btn confirm" data-id=53>Add</button>↔
517. </div>↔
518. ↔
519. <div class="user invite" data-id=54>↔
520.     <div class="user-info">↔
521.         <span class="span profilePhoto">Y</span>↔
522.         <a href="/users/54/profile">Ysabel Huard</a>↔
523.     </div>↔
524.     <button type="button" class="btn confirm" data-id=54>Add</button>↔
525. </div>↔
526. ↔
527. <div class="user invite" data-id=55>↔
528.     <div class="user-info">↔
529.         <span class="span profilePhoto">C</span>↔
530.         <a href="/users/55/profile">Claus Richardson</a>↔
531.     </div>↔
532.     <button type="button" class="btn confirm" data-id=55>Add</button>↔
533. </div>↔
534. ↔
535. <div class="user invite" data-id=56>↔
536.     <div class="user-info">↔
537.         <span class="span profilePhoto">R</span>↔
538.         <a href="/users/56/profile">Roley St. Hill</a>↔
539.     </div>↔
540.     <button type="button" class="btn confirm" data-id=56>Add</button>↔
541. </div>↔
542. ↔
543. <div class="user invite" data-id=57>↔
544.     <div class="user-info">↔
545.         <span class="span profilePhoto">S</span>↔
546.         <a href="/users/57/profile">Spenser Posthill</a>↔
547.     </div>↔
548.     <button type="button" class="btn confirm" data-id=57>Add</button>↔
549. </div>↔
550. ↔
551. <div class="user invite" data-id=58>↔
552.     <div class="user-info">↔
553.         <span class="span profilePhoto">M</span>↔
554.         <a href="/users/58/profile">Mandi Gunson</a>↔
555.     </div>↔
556.     <button type="button" class="btn confirm" data-id=58>Add</button>↔
557. </div>↔
558. ↔
559. <div class="user invite" data-id=59>↔
560.     <div class="user-info">↔
561.         <span class="span profilePhoto">M</span>↔
562.         <a href="/users/59/profile">Mickie Elstub</a>↔
563.     </div>↔
564.     <button type="button" class="btn confirm" data-id=59>Add</button>↔
565. </div>↔
566. ↔
567. <div class="user invite" data-id=60>↔
568.     <div class="user-info">↔
569.         <span class="span profilePhoto">D</span>↔
570.         <a href="/users/60/profile">Dorey Mycock</a>↔
571.     </div>↔
572.     <button type="button" class="btn confirm" data-id=60>Add</button>↔
573. </div>↔
574. ↔
575. <div class="user invite" data-id=61>↔
576.     <div class="user-info">↔
```

```
577.             <span class="span profilePhoto">K</span>↔
578.             <a href="/users/61/profile">Kiley Bothe</a>↔
579.         </div>↔
580.         <button type="button" class="btn confirm" data-id=61>Add</button>↔
581.     </div>↔
582. ↔
583. <div class="user invite" data-id=62>↔
584.     <div class="user-info">↔
585.         <span class="span profilePhoto">W</span>↔
586.         <a href="/users/62/profile">Wendi Walter</a>↔
587.     </div>↔
588.     <button type="button" class="btn confirm" data-id=62>Add</button>↔
589. </div>↔
590. ↔
591. <div class="user invite" data-id=63>↔
592.     <div class="user-info">↔
593.         <span class="span profilePhoto">H</span>↔
594.         <a href="/users/63/profile">Hakeem Keighly</a>↔
595.     </div>↔
596.     <button type="button" class="btn confirm" data-id=63>Add</button>↔
597. </div>↔
598. ↔
599. <div class="user invite" data-id=64>↔
600.     <div class="user-info">↔
601.         <span class="span profilePhoto">G</span>↔
602.         <a href="/users/64/profile">Grethel Murfin</a>↔
603.     </div>↔
604.     <button type="button" class="btn confirm" data-id=64>Add</button>↔
605. </div>↔
606. ↔
607. <div class="user invite" data-id=65>↔
608.     <div class="user-info">↔
609.         <span class="span profilePhoto">R</span>↔
610.         <a href="/users/65/profile">Rebecca Tear</a>↔
611.     </div>↔
612.     <button type="button" class="btn confirm" data-id=65>Add</button>↔
613. </div>↔
614. ↔
615. <div class="user invite" data-id=66>↔
616.     <div class="user-info">↔
617.         <span class="span profilePhoto">K</span>↔
618.         <a href="/users/66/profile">Kinsley Hathaway</a>↔
619.     </div>↔
620.     <button type="button" class="btn confirm" data-id=66>Add</button>↔
621. </div>↔
622. ↔
623. <div class="user invite" data-id=67>↔
624.     <div class="user-info">↔
625.         <span class="span profilePhoto">M</span>↔
626.         <a href="/users/67/profile">Mayor Weekes</a>↔
627.     </div>↔
628.     <button type="button" class="btn confirm" data-id=67>Add</button>↔
629. </div>↔
630. ↔
631. <div class="user invite" data-id=68>↔
632.     <div class="user-info">↔
633.         <span class="span profilePhoto">G</span>↔
634.         <a href="/users/68/profile">Gilberto Burk</a>↔
635.     </div>↔
636.     <button type="button" class="btn confirm" data-id=68>Add</button>↔
637. </div>↔
638. ↔
639. <div class="user invite" data-id=69>↔
640.     <div class="user-info">↔
641.         <span class="span profilePhoto">F</span>↔
642.         <a href="/users/69/profile">Fionna Olanda</a>↔
643.     </div>↔
644.     <button type="button" class="btn confirm" data-id=69>Add</button>↔
645. </div>↔
646. ↔
647. <div class="user invite" data-id=70>↔
```

```
648. <div class="user-info">↔
649.     <span class="span profilePhoto">B</span>↔
650.     <a href="/users/70/profile">Birch Cherrie</a>↔
651.   </div>↔
652.   <button type="button" class="btn confirm" data-id=70>Add</button>↔
653. </div>↔
654. ↔
655. <div class="user invite" data-id=71>↔
656.   <div class="user-info">↔
657.     <span class="span profilePhoto">C</span>↔
658.     <a href="/users/71/profile">Cristina Luto</a>↔
659.   </div>↔
660.   <button type="button" class="btn confirm" data-id=71>Add</button>↔
661. </div>↔
662. ↔
663. <div class="user invite" data-id=72>↔
664.   <div class="user-info">↔
665.     <span class="span profilePhoto">D</span>↔
666.     <a href="/users/72/profile">Deva Quarton</a>↔
667.   </div>↔
668.   <button type="button" class="btn confirm" data-id=72>Add</button>↔
669. </div>↔
670. ↔
671. <div class="user invite" data-id=73>↔
672.   <div class="user-info">↔
673.     <span class="span profilePhoto">G</span>↔
674.     <a href="/users/73/profile">Genevra Josiah</a>↔
675.   </div>↔
676.   <button type="button" class="btn confirm" data-id=73>Add</button>↔
677. </div>↔
678. ↔
679. <div class="user invite" data-id=74>↔
680.   <div class="user-info">↔
681.     <span class="span profilePhoto">D</span>↔
682.     <a href="/users/74/profile">Delila Duval</a>↔
683.   </div>↔
684.   <button type="button" class="btn confirm" data-id=74>Add</button>↔
685. </div>↔
686. ↔
687. <div class="user invite" data-id=75>↔
688.   <div class="user-info">↔
689.     <span class="span profilePhoto">L</span>↔
690.     <a href="/users/75/profile">Lorene Daulby</a>↔
691.   </div>↔
692.   <button type="button" class="btn confirm" data-id=75>Add</button>↔
693. </div>↔
694. ↔
695. <div class="user invite" data-id=76>↔
696.   <div class="user-info">↔
697.     <span class="span profilePhoto">R</span>↔
698.     <a href="/users/76/profile">Ruby Libbie</a>↔
699.   </div>↔
700.   <button type="button" class="btn confirm" data-id=76>Add</button>↔
701. </div>↔
702. ↔
703. <div class="user invite" data-id=77>↔
704.   <div class="user-info">↔
705.     <span class="span profilePhoto">L</span>↔
706.     <a href="/users/77/profile">Leonhard Strangeway</a>↔
707.   </div>↔
708.   <button type="button" class="btn confirm" data-id=77>Add</button>↔
709. </div>↔
710. ↔
711. <div class="user invite" data-id=78>↔
712.   <div class="user-info">↔
713.     <span class="span profilePhoto">D</span>↔
714.     <a href="/users/78/profile">Dixie Gresham</a>↔
715.   </div>↔
716.   <button type="button" class="btn confirm" data-id=78>Add</button>↔
717. </div>↔
718. ↔
```

```
719. <div class="user invite" data-id=79>↵
720.   <div class="user-info">↵
721.     <span class="span profilePhoto">C</span>↵
722.     <a href="/users/79/profile">Cecelia Meynell</a>↵
723.   </div>↵
724.   <button type="button" class="btn confirm" data-id=79>Add</button>↵
725. </div>↵
726. ↵
727. <div class="user invite" data-id=80>↵
728.   <div class="user-info">↵
729.     <span class="span profilePhoto">W</span>↵
730.     <a href="/users/80/profile">Winnah Honacker</a>↵
731.   </div>↵
732.   <button type="button" class="btn confirm" data-id=80>Add</button>↵
733. </div>↵
734. ↵
735. <div class="user invite" data-id=81>↵
736.   <div class="user-info">↵
737.     <span class="span profilePhoto">P</span>↵
738.     <a href="/users/81/profile">Penelopa Dimitrescu</a>↵
739.   </div>↵
740.   <button type="button" class="btn confirm" data-id=81>Add</button>↵
741. </div>↵
742. ↵
743. <div class="user invite" data-id=82>↵
744.   <div class="user-info">↵
745.     <span class="span profilePhoto">C</span>↵
746.     <a href="/users/82/profile">Carolan Kulas</a>↵
747.   </div>↵
748.   <button type="button" class="btn confirm" data-id=82>Add</button>↵
749. </div>↵
750. ↵
751. <div class="user invite" data-id=83>↵
752.   <div class="user-info">↵
753.     <span class="span profilePhoto">M</span>↵
754.     <a href="/users/83/profile">Marcellina Petren</a>↵
755.   </div>↵
756.   <button type="button" class="btn confirm" data-id=83>Add</button>↵
757. </div>↵
758. ↵
759. <div class="user invite" data-id=84>↵
760.   <div class="user-info">↵
761.     <span class="span profilePhoto">K</span>↵
762.     <a href="/users/84/profile">Katya Tallowin</a>↵
763.   </div>↵
764.   <button type="button" class="btn confirm" data-id=84>Add</button>↵
765. </div>↵
766. ↵
767. <div class="user invite" data-id=85>↵
768.   <div class="user-info">↵
769.     <span class="span profilePhoto">N</span>↵
770.     <a href="/users/85/profile">Nefen Flarity</a>↵
771.   </div>↵
772.   <button type="button" class="btn confirm" data-id=85>Add</button>↵
773. </div>↵
774. ↵
775. <div class="user invite" data-id=86>↵
776.   <div class="user-info">↵
777.     <span class="span profilePhoto">P</span>↵
778.     <a href="/users/86/profile">Pablo Innes</a>↵
779.   </div>↵
780.   <button type="button" class="btn confirm" data-id=86>Add</button>↵
781. </div>↵
782. ↵
783. <div class="user invite" data-id=87>↵
784.   <div class="user-info">↵
785.     <span class="span profilePhoto">L</span>↵
786.     <a href="/users/87/profile">Leticia Wimms</a>↵
787.   </div>↵
788.   <button type="button" class="btn confirm" data-id=87>Add</button>↵
789. </div>↵
```

```
790. ↵
791. <div class="user invite" data-id=88>↵
792.   <div class="user-info">↵
793.     <span class="span profilePhoto">J</span>↵
794.     <a href="/users/88/profile">Julia Mattingly</a>↵
795.   </div>↵
796.   <button type="button" class="btn confirm" data-id=88>Add</button>↵
797. </div>↵
798. ↵
799. <div class="user invite" data-id=89>↵
800.   <div class="user-info">↵
801.     <span class="span profilePhoto">E</span>↵
802.     <a href="/users/89/profile">Esmaria Berthe</a>↵
803.   </div>↵
804.   <button type="button" class="btn confirm" data-id=89>Add</button>↵
805. </div>↵
806. ↵
807. <div class="user invite" data-id=90>↵
808.   <div class="user-info">↵
809.     <span class="span profilePhoto">N</span>↵
810.     <a href="/users/90/profile">Nikita Hallas</a>↵
811.   </div>↵
812.   <button type="button" class="btn confirm" data-id=90>Add</button>↵
813. </div>↵
814. ↵
815. <div class="user invite" data-id=91>↵
816.   <div class="user-info">↵
817.     <span class="span profilePhoto">M</span>↵
818.     <a href="/users/91/profile">Maddi Bottelstone</a>↵
819.   </div>↵
820.   <button type="button" class="btn confirm" data-id=91>Add</button>↵
821. </div>↵
822. ↵
823. <div class="user invite" data-id=92>↵
824.   <div class="user-info">↵
825.     <span class="span profilePhoto">N</span>↵
826.     <a href="/users/92/profile">Nerta Napolione</a>↵
827.   </div>↵
828.   <button type="button" class="btn confirm" data-id=92>Add</button>↵
829. </div>↵
830. ↵
831. <div class="user invite" data-id=93>↵
832.   <div class="user-info">↵
833.     <span class="span profilePhoto">D</span>↵
834.     <a href="/users/93/profile">Derril Forryan</a>↵
835.   </div>↵
836.   <button type="button" class="btn confirm" data-id=93>Add</button>↵
837. </div>↵
838. ↵
839. <div class="user invite" data-id=94>↵
840.   <div class="user-info">↵
841.     <span class="span profilePhoto">L</span>↵
842.     <a href="/users/94/profile">Link Beavors</a>↵
843.   </div>↵
844.   <button type="button" class="btn confirm" data-id=94>Add</button>↵
845. </div>↵
846. ↵
847. <div class="user invite" data-id=95>↵
848.   <div class="user-info">↵
849.     <span class="span profilePhoto">G</span>↵
850.     <a href="/users/95/profile">Gaylord Clelland</a>↵
851.   </div>↵
852.   <button type="button" class="btn confirm" data-id=95>Add</button>↵
853. </div>↵
854. ↵
855. <div class="user invite" data-id=96>↵
856.   <div class="user-info">↵
857.     <span class="span profilePhoto">B</span>↵
858.     <a href="/users/96/profile">Beret Aspenlon</a>↵
859.   </div>↵
860.   <button type="button" class="btn confirm" data-id=96>Add</button>↵
```

```
861. </div>↔
862. ↔
863. <div class="user invite" data-id=97>↔
864.   <div class="user-info">↔
865.     <span class="span profilePhoto">R</span>↔
866.       <a href="/users/97/profile">Robby Ardley</a>↔
867.   </div>↔
868.   <button type="button" class="btn confirm" data-id=97>Add</button>↔
869. </div>↔
870. ↔
871. <div class="user invite" data-id=98>↔
872.   <div class="user-info">↔
873.     <span class="span profilePhoto">M</span>↔
874.       <a href="/users/98/profile">Maryellen Heggs</a>↔
875.   </div>↔
876.   <button type="button" class="btn confirm" data-id=98>Add</button>↔
877. </div>↔
878. ↔
879. <div class="user invite" data-id=99>↔
880.   <div class="user-info">↔
881.     <span class="span profilePhoto">M</span>↔
882.       <a href="/users/99/profile">Maritsa Themann</a>↔
883.   </div>↔
884.   <button type="button" class="btn confirm" data-id=99>Add</button>↔
885. </div>↔
886. ↔
887. <div class="user invite" data-id=100>↔
888.   <div class="user-info">↔
889.     <span class="span profilePhoto">A</span>↔
890.       <a href="/users/100/profile">Audie Bosward</a>↔
891.   </div>↔
892.   <button type="button" class="btn confirm" data-id=100>Add</button>↔
893. </div>↔
894. ↔
895. <div class="user invite" data-id=101>↔
896.   <div class="user-info">↔
897.     <span class="span profilePhoto">t</span>↔
898.       <a href="/users/101/profile">tester</a>↔
899.   </div>↔
900.   <button type="button" class="btn confirm" data-id=101>Add</button>↔
901. </div>↔
902. ↔
903. <div class="user invite" data-id=102>↔
904.   <div class="user-info">↔
905.     <span class="span profilePhoto">s</span>↔
906.       <a href="/users/102/profile">senhor</a>↔
907.   </div>↔
908.   <button type="button" class="btn confirm" data-id=102>Add</button>↔
909. </div>↔
910. ↔
911. <div class="user invite" data-id=11>↔
912.   <div class="user-info">↔
913.     ↔
915.       <a href="/users/11/profile">Winthrop Paulet</a>↔
916.   </div>↔
917.   <button type="button" class="btn confirm" data-id=11>Add</button>↔
918. </div>↔
919. ↔
920. <div class="user invite" data-id=103>↔
921.   <div class="user-info">↔
922.     <span class="span profilePhoto">q</span>↔
923.       <a href="/users/103/profile">quem serei eu</a>↔
924.   </div>↔
925.   <button type="button" class="btn confirm" data-id=103>Add</button>↔
926. </div>↔
927. ↔
928. <div class="user invite" data-id=106>↔
929.   <div class="user-info">↔
930.     <span class="span profilePhoto">M</span>↔
931.       <a href="/users/106/profile">Matilde Oliveira</a>↔
```

```
931.      </div>↪
932.      <button type="button" class="btn confirm" data-id=106>Add</button>↪
933.    </div>↪
934.  ↵
935.  <div class="user invite" data-id=107>↪
936.    <div class="user-info">↪
937.      <span class="span profilePhoto">R</span>↪
938.      <a href="/users/107/profile">Ricardo Ferreira</a>↪
939.    </div>↪
940.    <button type="button" class="btn confirm" data-id=107>Add</button>↪
941.  </div>↪
942.  ↵
943.  <div class="user invite" data-id=108>↪
944.    <div class="user-info">↪
945.      <span class="span profilePhoto">d</span>↪
946.      <a href="/users/108/profile">djsdksk</a>↪
947.    </div>↪
948.    <button type="button" class="btn confirm" data-id=108>Add</button>↪
949.  </div>↪
950.  ↵
951.  <div class="user invite" data-id=1>↪
952.    <div class="user-info">↪
953.      ↪
955.          <a href="/users/1/profile">Mahalia Ferries Bastos</a>↪
956.    </div>↪
957.    <button type="button" class="btn confirm" data-id=1>Add</button>↪
958.  </div>↪
959.  <div class="user invite" data-id=105>↪
960.    <div class="user-info">↪
961.      ↪
963.          <a href="/users/105/profile">Beatriz Lopes dos Santos</a>↪
964.    </div>↪
965.    <button type="button" class="btn confirm" data-id=105>Add</button>↪
966.  </div>↪
967.      </div>↪
968.    </div>↪
969.    <div class="modal-footer">↪
970.      <button type="button" class="btn close" data-
971. dismiss="modal">Close</button>↪
972.    </div>↪
973.  </div>↪
974. </div>↪
975.  <div class="modal fade" id=add-label tabindex="-1" role="dialog" aria-
976. labelledby="exampleModalLabel" aria-hidden="true">↪
977.    <div class="modal-dialog modal-dialog-centered" role="document">↪
978.      <div class="modal-content">↪
979.        <div class="modal-header">↪
980.          <h5 class="modal-title">Add label</h5>↪
981.        </div>↪
982.        <div class="modal-body">↪
983.          <label for="label"> Label name </label>↪
984.          <input class="message-input" type="text" name="label"/>↪
985.        </div>↪
986.      </div>↪
987.      <div class="modal-footer">↪
988.        <button type="button" class="btn save" data-
989. dismiss="modal">Save</button>↪
990.        <button type="button" class="btn cancel" data-
991. dismiss="modal">Cancel</button>↪
992.      </div>↪
993.    </div>↪
994.    <div class="modal fade" id=delete-project tabindex="-1" role="dialog"
995. aria-labelledby="exampleModalLabel" aria-hidden="true">↪
```

```
995.      <div class="modal-dialog modal-dialog-centered" role="document">←
996.          <div class="modal-content">←
997.              <div class="modal-header">←
998.                  <h5 class="modal-title">Are you sure you want to delete project?←
999.          </div>←
1000.         <div class="modal-footer">←
1001.             <button type="button" class="btn confirm" data-
id=59>Confirm</button>←
1002.             <button type="button" class="btn cancel" data-
dismiss="modal">Cancel</button>←
1003.         </div>←
1004.     </div>←
1005. </div>←
1006. </div>←
1007. ←
1008.     <div id=" sidenav" class=" sidenav">←
1009.         <div class=" sidenavleft selected-view">←
1010.             <a href="/projects/59/details" id="view">Project Details<←
1011.                 <img alt="Details" src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png
class="arrow"></a>←
1012.             </div>←
1013.             <div class=" sidenavleft">←
1014.                 <a href="/projects/59" id="notification">Project Page<←
1015.                     <img alt="Project" src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png
class="arrow"></a>←
1016.                 </div>←
1017.             </div>←
1018. ←
1019.     <div class="info-created">←
1020.         <div class="title-input">←
1021.             <h1 class="name-proj">League Of Legends Clash</h1>←
1022.             </div>←
1023.             <span>Win the game clash</span>←
1024.         </div>←
1025. ←
1026.     <div class="coordinators">←
1027.         <span class="section-title">Coordinators</span>←
1028.         <div class="content-inside">←
1029.             <div class="list">←
1030.                 <div class="user-info" data-id=104>←
1031.                     ←
1032.                     <a href="/users/104/profile">Andreia Pereira Bastos</a>←
1033.             </div>←
1034.             </div>←
1035.         </div>←
1036.         <button type="button" class="add" data-toggle="modal" data-
target="#add-coordinator"><img alt="Add Coordinator"
src=http://lbaw2102.lbaw.fe.up.pt/img/add.png width="30px"></button>←
1037.     </div>←
1038. </div>←
1039. ←
1040.     <div class="members">←
1041.         <span class="section-title">Members</span>←
1042.         <div class="content-inside">←
1043.             <div class="list">←
1044.                 </div>←
1045.                 <button type="button" class="add" data-
toggle="modal" data-target="#invite-member"><img alt="Invite Member"
src=http://lbaw2102.lbaw.fe.up.pt/img/add.png width="30px"></button>←
1046.             </div>←
1047.         </div>←
1048. ←
1049.     <div class="labels">←
1050.         <span class="section-title">Labels<img alt="Help"
src=http://lbaw2102.lbaw.fe.up.pt./img/help.png width="20"><span class="help-
labels">You can define labels inside your project, so that the project members
can identify tasks by a meaningful label that describes a group of tasks.
</span></span>←
1051.         <div class="content-inside">←
```

```
1052.         <div class="list">↔
1053.                     </div>↔
1054.                     <button type="button" class="add" data-
    toggle="modal" data-target="#add-label"></button>↔
1055.                 </div>↔
1056.             ↵
1057.             <
1058.             <div class="coordinator-buttons">↔
1059.                 <a href="/projects/59/edit/" class="btn edit">Edit</a>↔
1060.                 <button type="button" class="btn delete" data-toggle="modal" data-
    target="#delete-project">Delete</button>↔
1061.                 <button type="button" class="btn leave" data-toggle="modal" data-
    target="#leave-project">Leave</button>↔
1062.             </div>↔
1063.             ↵
1064.         </section>↔
1065.         ↵
1066.         </section>↔
1067.         <footer class="footer">↔
1068.             <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↔
1069.             </footer>↔
1070.         </main>↔
1071.     </body>↔
1072. </html>
```

Used the HTML parser.

Total execution time 743 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 41, column 17; to line 41, column 41

```
<section class="buttons"><
```

5. **Error** Element style not allowed as child of element section in this context. (Suppressing further errors from this subtree.)

From line 53, column 1; to line 53, column 7

```
<--<style><#proj
```

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element section:

Flow content.

6. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 63, column 5; to line 63, column 57

```
yle><--<section id="project-edit" class="id-59" data-id=59 ><
```

7. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 50, column 7; to line 50, column 28

```
er><--<section id="content"><
```

8. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 99, column 9; to line 99, column 32

```
><--<section class="footer">Copyri
```

Document checking completed.

## Source

```

1. <!DOCTYPE html><
2. <html lang="en"><
3.   <head><
4.     <meta charset="utf-8"><
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge"><
6.     <meta name="viewport" content="width=device-width, initial-scale=1"><
7.   <
8.     <!-- CSRF Token --><
9.     <meta name="csrf-token"
  content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix"><
10. <
11.   <title>toEaseManage</title><
```

```
12.      <link rel="icon"  
13.        href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔  
14.      <!-- Styles -->↔  
15.      ↔  
16.      <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"  
17.        integrity="sha384-  
18.        KJ3o2DKtIkYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KKN"  
19.        crossorigin="anonymous"></script>↔  
20.      <script  
21.        src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"  
22.        integrity="sha384-  
23.        vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh"  
24.        crossorigin="anonymous"></script>↔  
25.      <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-  
26.        beta.2/js/bootstrap.min.js" integrity="sha384-  
27.        alpBpkh1PF0epccVVYDB4do5UnbKysX5WZXm3XXPqe5iKTfUKjNkCk9SaVuEZf1J"  
28.        crossorigin="anonymous"></script>↔  
29.      ↔  
30.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↔  
31.      <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js  
32.        defer"></script>↔  
33.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↔  
34.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"  
35.        rel="stylesheet">↔  
36.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"  
37.        rel="stylesheet">↔  
38.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↔  
39.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"  
40.        rel="stylesheet">↔  
41.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↔  
42.      ↔  
43.      <script type="text/javascript">↔  
44.        // Fix for Firefox autofocus CSS bug↔  
45.        // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-  
46.        messes-up-css-loading/18945951#18945951↔  
47.      </script>↔  
48.      <script type="text/javascript"  
49.        src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↔  
50.      ↔  
51.      </head>↔  
52.      <body>↔  
53.      <main>↔  
54.        <header id="header">↔  
55.          <h1><a href="/users"></a></h1>↔  
57.          <section class="buttons">↔  
58.            <a class="notification" href="/users/104/notifications">↔  
59.              ↔  
61.              <span class="notification-  
62.                number">13</span>↔  
63.            </a>↔  
64.            <a href="/users/104/profile">↔  
65.                
67.            </a>↔  
68.          </section>↔  
69.        </header>↔  
70.        <section id="content">↔  
71.          ↔  
72.        ↔  
73.        <style>↔  
74.        #project-edit.id-59 .content-inside {↔  
75.          border-color: #5683bdcc;↔  
76.        }↔  
77.        ↔  
78.        #project-edit.id-59 .info-created {↔  
79.          background-color: #5683bdcc;↔  
80.        }↔
```

```
61. </style>↔
62. ↔
63.   <section id="project-edit" class="id-59" data-id=59 >↔
64.     <form class="edit">↔
65.   ↔
66.     <div class="info-created">↔
67.       <div class="title-input">↔
68.         <input class="name-proj" type="text" placeholder="Project
Name..." name="name" value="League Of Legends Clash">↔
69.       </div>↔
70.       <input class="description-proj" type="text" placeholder="Add a
description..." name="description" value="Win the game clash">↔
71.       <input class="color" type="color" name="color" value="#5683bd">↔
72.     </div>↔
73.   ↔
74.     <div class="coordinators">↔
75.       <span class="section-title">Coordinators</span>↔
76.       <div class="content-inside">↔
77.         <div class="list">↔
78.           <div class="info-remove user" data-id=104>↔
79.             <div class="user-info">↔
80.               ↔
81.               <a href="/users/104/profile">Andreia Pereira Bastos</a>↔
82.             </div>↔
83.             <button type="button" class="btn remove" data-id=104>Demote</button>↔
84.           </div>↔
85.           </div>↔
86.         </div>↔
87.       </div>↔
88.   ↔
89.   ↔
90.   ↔
91.     <div class="coordinator-buttons">↔
92.       <button class="btn save" type="submit">Save</button>↔
93.       <a href="/projects/59/details" class="btn cancel">Cancel</a>↔
94.     </div>↔
95.   </form>↔
96. </section>↔
97. </section>↔
98. <footer class="footer">↔
99.   <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↔
100.  </footer>↔
101. </main>↔
102. </body>↔
103. </html>
```

Used the HTML parser.

Total execution time 17 milliseconds.

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.  
 From line 41, column 17; to line 41, column 41  
 <section class="buttons"><!--
5. **Error** End tag div seen, but there were open elements.  
 From line 94, column 25; to line 94, column 30  
 </div><!--
6. **Error** Unclosed element span.  
 From line 92, column 29; to line 92, column 34  
 <span>Priori<!--
7. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.  
 From line 50, column 7; to line 50, column 28  
 er><!-- <section id="content"><!--
8. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.  
 From line 113, column 9; to line 113, column 32  
 ><!-- <section class="footer">Copyri<!--
9. **Error** The value of the for attribute of the label element must be the ID of a non-hidden form control.  
 From line 60, column 17; to line 60, column 38  
 <label for = "search"> <img alt="Search icon" /><!--
10. **Error** The aria-labelledby attribute must point to an element in the same document.  
 From line 52, column 9; to line 52, column 132  
 ><!-- <div class="modal fade" id=assign-member tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true"><!--

Document checking completed.

## Source

1. <!DOCTYPE html><!--
2. <html lang="en"><!--
3. <head><!--
4. <meta charset="utf-8"><!--

```
5.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
7.  ↵
8.      <!-- CSRF Token -->↵
9.      <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">↵
10.  ↵
11.      <title>toEaseManage</title>↵
12.      <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↵
13.  ↵
14.      <!-- Styles -->↵
15.  ↵
16.      <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkVYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>↵
17.      <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js" integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickWPJf9c9IpFgh" crossorigin="anonymous"></script>↵
18.      <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta.2/js/bootstrap.min.js" integrity="sha384-alpBpkh1PFOepccYYDB4do5UnbKysX5WZXm3XxPqe5iKTfUKjNkCk9SaVuEZflJ" crossorigin="anonymous"></script>↵
19.  ↵
20.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21.      <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js defer"></script>↵
22.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
23.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css" rel="stylesheet">↵
24.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css" rel="stylesheet">↵
25.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
26.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css" rel="stylesheet">↵
27.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
28.  ↵
29.  ↵
30.      <script type="text/javascript">↵
31.          // Fix for Firefox autofocus CSS bug<↵
32.          // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951<↵
33.      </script>↵
34.      <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↵
35.  ↵
36.      </head>↵
37.      <body>↵
38.          <main>↵
39.              <header id="header">↵
40.                  <h1><a href="/users"></a></h1>↵
41.                  <section class="buttons">↵
42.                      <a class="notification" href="/users/104/notifications">↵
43.                          ↵
44.                          <span class="notification-number">13</span>↵
45.                      </a>↵
46.                      <a href="/users/104/profile">↵
47.                          </a>↵
48.                  </section>↵
49.              </header>↵
50.              <section id="content">↵
51.                  <section id="task-create">
```

```
52.      <div class="modal fade" id=assign-member tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↪
53.          <div class="modal-dialog modal-dialog-centered" role="document">↪
54.              <div class="modal-content">↪
55.                  <div class="modal-header">↪
56.                      <h5 class="modal-title">Assign member</h5>↪
57.                  </div>↪
58.                  <div class="modal-body">↪
59.                      <div>↪
60.                          <label for = "search"> <img alt="Search" src=http://lbaw2102.lbaw.fe.up.pt/img/lupa.png width="30"> </label>↪
61.                          <input class= "search" type="text" data-id=59 name="search" placeholder="Search for User"/>↪
62.                      </div>↪
63.                      <div class="all-users">↪
64.                          <div class="user invite" data-id=104>↪
65.                              <div class="user-info">↪
66.                                  ↪
67.                                  <a href="/users/104/profile">Andreia Pereira Bastos</a>↪
68.                              </div>↪
69.                              <button type="button" class="btn confirm" data-id=104>Add</button>↪
70.                          </div>↪
71.                      </div>↪
72.                  </div>↪
73.              </div>↪
74.              <div class="modal-footer">↪
75.                  <button type="button" class="btn close" data-dismiss="modal">Close</button>↪
76.              </div>↪
77.          </div>↪
78.      </div>↪
79.  </div>↪
80.      <form class="create">↪
81.          <div class="info-created">↪
82.              <input class="project-id" name="project-id" value=59>↪
83.              <input class="name" type="text" placeholder="Task Name...*" name="name">↪
84.              <div class="box-descript">↪
85.                  <input class="description" type="text" placeholder="Add a description..." name="description">↪
86.                  <div class="config">↪
87.                      <div class="due-date">↪
88.                          <span>Due Date:</span>↪
89.                          <input class="date" type="date" name="date" value="">↪
90.                      </div>↪
91.                      <div class="priority">↪
92.                          <span>Priority:</span>↪
93.                          <input class="number" type="number" name="priority" min="1" max="5" value=3>↪
94.                      </div>↪
95.                  </div>↪
96.              </div>↪
97.          </div>↪
98.          <div class="coordinators">↪
99.              <span>Assigned To</span>↪
100.             <input type="hidden" name="user-id[]"/>↪
101.             <div class="content">↪
102.                 <button type="button" class="add" data-toggle="modal" data-target="#assign-member"><img alt="Assign Member" src=http://lbaw2102.lbaw.fe.up.pt/img/add.png></button>↪
103.             </div>↪
104.         </div>↪
105.         <div class="coordinator-buttons">↪
106.             <button class="btn save" type="submit">Save</button>↪
107.             <a href="/projects/59" class="btn cancel">Cancel</a>↪
108.         </div>↪
109.     </div>↪
110. </section>↪
111. </section>↪
```

```
112.      <footer class="footer">↵
113.          <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
114.      </footer>↵
115.  </main>↵
116. </body>↵
117. </html>
```

Used the HTML parser.

Total execution time 19 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 41, column 17; to line 41, column 41

```
<section class="buttons"><!--
```

5. **Error** Element style not allowed as child of element section in this context. (Suppressing further errors from this subtree.)

From line 53, column 1; to line 53, column 7

```
<!--<style><!--
```

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element section:

Flow content.

6. **Warning** Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 169, column 13; to line 169, column 34

```
<h1 class="name-proj">Do pre
```

7. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 50, column 7; to line 50, column 28

```
<!--<section id="content"><!--
```

8. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 220, column 9; to line 220, column 32

```
<!--<section class="footer">Copyri
```

9. **Error** The value of the for attribute of the label element must be the ID of a non-hidden form control.

From line 74, column 17; to line 74, column 38

```
<label for = "search"> <img
```

10. **Error** The aria-labelledby attribute must point to an element in the same document.

From line 66, column 5; to line 66, column 128

```
<!--=315--<div class="modal fade" id=assign-member tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true"><!--
```

11. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 118, column 5; to line 118, column 127](#)

```
/div>↵    <div class="modal fade" id=assign-label tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↵        <
```

Document checking completed.

## Source

```

1.  <!DOCTYPE html>↵
2.  <html lang="en">↵
3.      <head>↵
4.          <meta charset="utf-8">↵
5.          <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.          <meta name="viewport" content="width=device-width, initial-scale=1">↵
7.      ↵
8.          <!-- CSRF Token -->↵
9.          <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">↵
10.     ↵
11.     <title>toEaseManage</title>↵
12.     <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↵
13.     ↵
14.     <!-- Styles -->↵
15.     ↵
16.     <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkYIK3UENzm7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>↵
17.     <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js" integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwicKwpJf9c9IpFgh" crossorigin="anonymous"></script>↵
18.     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta.2/js/bootstrap.min.js" integrity="sha384-alpBpkh1PFOepccYYDB4do5UnbKysX5WZXm3XXPqe5iKTfUKjNkCk9SaVuEZflJ" crossorigin="anonymous"></script>↵
19.     ↵
20.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21.     <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></script>↵
22.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
23.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css" rel="stylesheet">↵
24.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css" rel="stylesheet">↵
25.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
26.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css" rel="stylesheet">↵
27.     <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
28.     ↵
29.     ↵
30.     <script type="text/javascript">↵
31.         // Fix for Firefox autofocus CSS bug↵
32.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951↵
33.     </script>↵
34.     <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↵

```

```
35.  ↵
36.  </head>↵
37.  <body>↵
38.    <main>↵
39.      <header id="header">↵
40.        <h1><a href="/users"><img alt="Logo" src=http://lbaw2102.lbaw.fe.up.pt/img/logo.png width="250"></a></h1>↵
41.        <section class="buttons">↵
42.          <a class= "notification" href="/users/104/notifications">↵
43.            <img alt="Logo" src=http://lbaw2102.lbaw.fe.up.pt/img/notification.png width="25">↵
44.            <span class="notification-number">13</span>↵
45.          </a>↵
46.          <a href="/users/104/profile">↵
47.            <img alt="Profile Image" src=http://lbaw2102.lbaw.fe.up.pt./img/1643328073.jpg class="profilePhoto" >↵
48.          </a>↵
49.        </header>↵
50.        <section id="content">↵
51.          ↵
52.        ↵
53.  <style>↵
54.  ↵
55.    #task-details.id-315 .content-inside {↵
56.      border-color: #96d0dfcc;↵
57.    }↵
58.  ↵
59.    #task-details.id-315 .info-created {↵
60.      background-color: #96d0dfcc;↵
61.    }↵
62.  ↵
63.  </style>↵
64.  ↵
65.  <section id="task-details" class="id-315" data-id=315>↵
66.    <div class="modal fade" id=assign-member tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↵
67.      <div class="modal-dialog modal-dialog-centered" role="document">↵
68.        <div class="modal-content">↵
69.          <div class="modal-header">↵
70.            <h5 class="modal-title">Assign member</h5>↵
71.          </div>↵
72.          <div class="modal-body">↵
73.            <div>↵
74.              <label for = "search"> <img alt="Search" src=http://lbaw2102.lbaw.fe.up.pt/img/lupa.png width="30"> </label>↵
75.              <input class= "search" type="text" data-id=58 name="search" placeholder="Search for User"/>↵
76.            </div>↵
77.            <div class="all-users">↵
78.              <div class="user invite" data-id=106>↵
79.                <div class="user-info">↵
80.                  <span class="span profilePhoto">M</span>↵
81.                  <a href="/users/106/profile">Matilde Oliveira</a>↵
82.                </div>↵
83.                <button type="button" class="btn confirm" data-id=106>Add</button>↵
84.              </div>↵
85.            </div>↵
86.            <div class="user invite" data-id=107>↵
87.              <div class="user-info">↵
88.                <span class="span profilePhoto">R</span>↵
89.                <a href="/users/107/profile">Ricardo Ferreira</a>↵
90.              </div>↵
91.              <button type="button" class="btn confirm" data-id=107>Add</button>↵
92.            </div>↵
93.            </div>↵
94.            <div class="user invite" data-id=105>↵
95.              <div class="user-info">↵
96.                ↵
```

```
97.          <a href="/users/105/profile">Beatriz Lopes dos Santos</a>↔
98.      </div>↔
99.      <button type="button" class="btn confirm" data-id=105>Add</button>↔
100.     </div>↔
101.    ↔
102.    <div class="user invite" data-id=104>↔
103.      <div class="user-info">↔
104.        ↔
106.        <a href="/users/104/profile">Andreia Pereira Bastos</a>↔
107.      </div>↔
108.      <button type="button" class="btn confirm" data-id=104>Add</button>↔
109.    </div>↔
110.    </div>↔
111.  </div>↔
112.  <div class="modal-footer">↔
113.    <button type="button" class="btn close" data-
114.      dismiss="modal">Close</button>↔
115.    </div>↔
116.  </div>↔
117. </div>↔
118.  <div class="modal fade" id=assign-label tabindex="-1" role="dialog" aria-
119.    labelledby="exampleModalLabel" aria-hidden="true">↔
120.      <div class="modal-dialog modal-dialog-centered" role="document">↔
121.        <div class="modal-content">↔
122.          <div class="modal-header">↔
123.            <h5 class="modal-title">Add label</h5>↔
124.          </div>↔
125.          <div class="modal-body">↔
126.            <div class="all-labels">↔
127.              <div class="info-remove label" data-id=102>↔
128.                <span class="label-text">Backend</span>↔
129.                <button class="btn confirm" type="button" style="color:white" data-
130.                  id=102>Add</button>↔
131.              </div>↔
132.              <div class="info-remove label" data-id=103>↔
133.                <span class="label-text">Api</span>↔
134.                <button class="btn confirm" type="button" style="color:white" data-
135.                  id=103>Add</button>↔
136.              </div>↔
137.              <div class="info-remove label" data-id=104>↔
138.                <span class="label-text">frontend</span>↔
139.                <button class="btn confirm" type="button" style="color:white" data-
140.                  id=104>Add</button>↔
141.              </div>↔
142.              <div class="info-remove label" data-id=105>↔
143.                <span class="label-text">css</span>↔
144.                <button class="btn confirm" type="button" style="color:white" data-
145.                  id=105>Add</button>↔
146.              </div>↔
147.            </div>↔
148.            <div class="modal-footer">↔
149.              <button type="button" class="btn close" data-
150.                dismiss="modal">Close</button>↔
151.              </div>↔
152.            </div>↔
153.          </div>↔
154.        ↔
155.        ↔
156.        <div id=" sidenav" class="sidenav">↔
157.          <div class="sidenavleft selected-view">↔
158.            <a href="/tasks/315" id="view">Task Details</a>↔
```

```
159.         <img alt="Task Details"
160.         src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>↪
161.     </div>↪
162.     <div class="sidenavleft">↪
163.         <a href="/projects/58" id="notification">Project Page<↪
164.             <img alt="Project" src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png
165.             class="arrow"></a>↪
166.     </div>↪
167.     <div class="info-created">↪
168.         <div class="title-input">↪
169.             <h1 class="name-proj">Do presentation</h1>↪
170.         </div>↪
171.         <div class="box-descript">↪
172.             <span class="description"></span>↪
173.             <div class="config">↪
174.                 <span class="due-date">Due Date: 2022-02-
18</span>↪
175.                 <span class="priority">Priority: 3</span>↪
176.             </div>↪
177.         </div>↪
178.     </div>↪
179.     <div class="task assigned">↪
180.         <span class="section-title">Assigned To</span>↪
181.         <div class="content-inside">↪
182.             <div class="list">↪
183.                 <div class="user-info" data-id=106>↪
184.                     <span class="span profilePhoto">M</span>↪
185.                     <a href="/users/106/profile">Matilde Oliveira</a>↪
186.             </div>↪
187.         </div>↪
188.     </div>↪
189.     <div class="task labels">↪
190.         <span class="section-title">Labels</span>↪
191.         <div class="content-inside">↪
192.             <div class="list">↪
193.                 <button type="button" class="add" data-toggle="modal"
194. data-target="#assign-member"><img alt="Assign member"
195. src=http://lbaw2102.lbaw.fe.up.pt/img/add.png width="30"></button>↪
196.             </div>↪
197.         <div class="task comments">↪
198.             <span class="section-title">Comments</span>↪
199.             <div class="content-inside">↪
200.                 <ul class="forum">↪
201.                     <li>↪
202.                         <form class="new-message" data-id=104>↪
203.                             <input class="message-input" type="text" name="content"
204.                             placeholder="New Comment">↪
205.                             <button class="submit" type="submit"><img alt="Send
206. Comment" src=http://lbaw2102.lbaw.fe.up.pt/img/send.png width="25"></button>↪
207.                         </form>↪
208.                     </li>↪
209.                 </ul>↪
210.             </div>↪
211.         </div>↪
212.         <div class="coordinator-buttons">↪
213.             <a href="/tasks/315/edit/" class="btn edit">Edit</a>↪
214.             <button type="button" class="btn complete">Complete</button>↪
215.         </div>↪
216.     </section>↪
217.     </div>↪
218.     </section>↪
219.     <footer class="footer">↪
220.         <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↪
```

```
221.      </footer>↵
222.      </main>↵
223.      </body>↵
224.  </html>
```

Used the HTML parser.

Total execution time 32 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 41, column 17; to line 41, column 41

```
<section class="buttons"><!--
```

5. **Error** Element style not allowed as child of element section in this context. (Suppressing further errors from this subtree.)

From line 54, column 1; to line 54, column 7

```
<!--<style><!--
```

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element section:

Flow content.

6. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 66, column 5; to line 66, column 56

```
yle><!--<section id="task-edit" class="id-297" data-id=297 ><!--
```

7. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 50, column 7; to line 50, column 28

```
er><!--<section id="content"><!--
```

8. **Warning** Section lacks heading. Consider using h2 - h6 elements to add identifying headings to all sections.

From line 118, column 9; to line 118, column 32

```
><!--<section class="footer">Copyri
```

Document checking completed.

## Source

```

1. <!DOCTYPE html><!--
2. <html lang="en"><!--
3.   <head><!--
4.     <meta charset="utf-8"><!--
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge"><!--
6.     <meta name="viewport" content="width=device-width, initial-scale=1"><!--
7.   <!--
8.     <!-- CSRF Token --><!--
9.     <meta name="csrf-token"
  content="fE3BhPW7GAsPVFdZt71cJPEmPbJe2juYT71Bodix"><!--
10. <!--
11.   <title>toEaseManage</title><!--

```

```
12.      <link rel="icon"  
13.        href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔  
14.      <!-- Styles -->↔  
15.      ↔  
16.      <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"  
17.        integrity="sha384-  
18.          KJ3o2DKtIkYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KKN"  
19.          crossorigin="anonymous"></script>↔  
20.      <script  
21.        src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"  
22.        integrity="sha384-  
23.          vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh"  
24.          crossorigin="anonymous"></script>↔  
25.      <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-  
26.        beta.2/js/bootstrap.min.js" integrity="sha384-  
27.          alpBpkh1PF0epccVVYDB4do5UnbKysX5WZXm3XXPqe5iKTfUKjNkCk9SaVuEZf1J"  
28.          crossorigin="anonymous"></script>↔  
29.      ↔  
30.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↔  
31.      <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js  
32.        defer"></script>↔  
33.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↔  
34.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"  
35.        rel="stylesheet">↔  
36.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"  
37.        rel="stylesheet">↔  
38.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↔  
39.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"  
40.        rel="stylesheet">↔  
41.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↔  
42.      ↔  
43.      ↔  
44.      <script type="text/javascript">↔  
45.        // Fix for Firefox autofocus CSS bug↔  
46.        // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-  
47.        messes-up-css-loading/18945951#18945951↔  
48.      </script>↔  
49.      <script type="text/javascript"  
50.        src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↔  
51.      ↔  
52.      </head>↔  
53.      <body>↔  
54.      <main>↔  
55.        <header id="header">↔  
56.          <h1><a href="/users"></a></h1>↔  
58.          <section class="buttons">↔  
59.            <a class="notification" href="/users/104/notifications">↔  
60.              ↔  
62.                <span class="notification-  
63.                  number">13</span>↔  
64.            </a>↔  
65.            <a href="/users/104/profile">↔  
66.                
68.              </a>↔  
69.            </section>↔  
70.          </header>↔  
71.        <section id="content">↔  
72.          ↔  
73.          ↔  
74.        <style>↔  
75.        ↔  
76.          #task-edit.id-297 .content-inside {↔  
77.            border-color: #96d0dfcc;↔  
78.          }↔  
79.          ↔  
80.          #task-edit.id-297 .info-created {↔
```

```
61.         background-color: #96d0dfcc;←
62.     }←
63. ←
64. </style>←
65. ←
66.     <section id="task-edit" class="id-297" data-id=297 >←
67.         <form class="edit">←
68.             <div class="info-created">←
69.                 <div class="title-input">←
70.                     <input class="name-proj" type="text" placeholder="Task ..." name="name" size="30" value="User edit">←
71.                 </div>←
72.                 <div class="box-descript">←
73.                     <input class="description-proj" type="text" placeholder="Add a description..." name="description" value="Add edit to user">←
74.                     <div class="config">←
75.                         <div class="due-date">←
76.                             <span>Due Date:</span>←
77.                             <input class="date" type="date" name="date" value="2022-01-29">←
78.                         </div>←
79.                         <div class="priority">←
80.                             <span>Priority:</span>←
81.                             <input class="number" type="number" name="priority" value="3">←
82.                         </div>←
83.                     </div>←
84.                 </div>←
85.             </div>←
86.                 <div class="task assigned">←
87.                     <span class="section-title">Assigned To</span>←
88.                     <div class="content-inside">←
89.                         <div class="info-remove user" data-id=105>←
90.                             <div class="user-info">←
91.                                 ←
92.                                 <a href="/users/105/profile">Beatrix Lopes dos Santos</a>←
93.                             </div>←
94.                             <button type="button" class="btn remove" data-id=105>Remove</button>←
95.                         </div>←
96.                         </div>←
97.                     </div>←
98.                     <div class="labels">←
99.                         <span class="section-title">Labels</span>←
100.                         <div class="content-inside">←
101.                             <div class="list">←
102.                                 <div class="info-remove label" data-id=103>←
103.                                     <span class="label-text">Api</span>←
104.                                     <button type="button" class="btn remove" data-id=103>Delete</button>←
105.                                 </div>←
106.                                 </div>←
107.                             </div>←
108.                         </div>←
109.                         ←
110.                         <div class="coordinator-buttons">←
111.                             <button class="btn save" type="submit">Save</button>←
112.                             <a href="/tasks/297" class="btn cancel">Cancel</a>←
113.                         </div>←
114.                         </form>←
115.                     </section>←
116.                     </section>←
117.                     <footer class="footer">←
118.                         <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>←
119.                         </footer>←
120.                     </main>←
121.                 </body>←
122.             </html>
```

Used the HTML parser.

---

Total execution time 23 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show  source  outline  image report

Options...

Check by  text input  css

```
</head>
<body>
  <main>
    <header id="header">
      <h1><a href="/users"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo.png width="250"></a></h1>
      <a class="logout"
href="http://lbaw2102.lbaw.fe.up.pt/logout">Logout</a>
    </header>
    <section id="content">

<section id="admin">
  <div class="sidenav">
    <div class="sidenavleft">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔<script type="text/javascript">↔
```

- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔<script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 61, column 9; to line 61, column 40](#)

```
>↔      <article class="user" data-id=2>↔
```

5. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 75, column 1; to line 75, column 32](#)

```
article>↔↔<article class="user" data-id=3>↔
```

6. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 89, column 1; to line 89, column 32](#)

```
article>↔↔<article class="user" data-id=4>↔
```

7. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 103, column 1; to line 103, column 32](#)

```
article>↔↔<article class="user" data-id=5>↔
```

8. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 117, column 1; to line 117, column 32](#)

```
article>↔↔<article class="user" data-id=6>↔
```

9. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 131, column 1; to line 131, column 32](#)

```
article>↔↔<article class="user" data-id=8>↔
```

10. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 145, column 1; to line 145, column 32](#)

```
article>↔↔<article class="user" data-id=9>↔
```

11. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 159, column 1; to line 159, column 33](#)

```
article>↔↔<article class="user" data-id=12>↔
```

12. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 173, column 1; to line 173, column 33](#)

```
article><><article class="user" data-id=14><>
```

13. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 187, column 1; to line 187, column 33](#)

```
article><><article class="user" data-id=17><>
```

14. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 201, column 1; to line 201, column 33](#)

```
article><><article class="user" data-id=18><>
```

15. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 215, column 1; to line 215, column 33](#)

```
article><><article class="user" data-id=19><>
```

16. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 229, column 1; to line 229, column 33](#)

```
article><><article class="user" data-id=20><>
```

17. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 243, column 1; to line 243, column 33](#)

```
article><><article class="user" data-id=21><>
```

18. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 257, column 1; to line 257, column 33](#)

```
article><><article class="user" data-id=22><>
```

19. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 271, column 1; to line 271, column 33](#)

```
article><><article class="user" data-id=23><>
```

20. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 285, column 1; to line 285, column 33](#)

```
article><><article class="user" data-id=24><>
```

21. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 299, column 1; to line 299, column 33](#)

```
article><><article class="user" data-id=25><>
```

22. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 313, column 1; to line 313, column 33](#)

```
article><><article class="user" data-id=26><>
```

23. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 327, column 1; to line 327, column 33](#)

```
article><><article class="user" data-id=27><>
```

24. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 341, column 1; to line 341, column 33](#)

```
article><><article class="user" data-id=29><>
```

25. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 355, column 1; to line 355, column 33](#)

```
article><><article class="user" data-id=30><>
```

26. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 369, column 1; to line 369, column 33](#)

```
article><><article class="user" data-id=31><>
```

27. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 383, column 1; to line 383, column 33](#)

```
article><><article class="user" data-id=32><>
```

28. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 397, column 1; to line 397, column 33](#)

```
article><><article class="user" data-id=33><>
```

29. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 411, column 1; to line 411, column 33](#)

```
article><><article class="user" data-id=34><>
```

30. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 425, column 1; to line 425, column 33](#)

```
article><><article class="user" data-id=35><>
```

31. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 439, column 1; to line 439, column 33](#)

```
article><><article class="user" data-id=36><>
```

32. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 453, column 1; to line 453, column 33](#)

```
article><><article class="user" data-id=37><>
```

33. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 467, column 1; to line 467, column 33](#)

```
article><><article class="user" data-id=38><>
```

34. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 481, column 1; to line 481, column 33](#)

```
article><><article class="user" data-id=39><>
```

35. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 495, column 1; to line 495, column 33](#)

```
article><><article class="user" data-id=40><>
```

36. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 509, column 1; to line 509, column 33](#)

```
article><!--<article class="user" data-id=41><!--
```

37. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 523, column 1; to line 523, column 33](#)

```
article><!--<article class="user" data-id=42><!--
```

38. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 537, column 1; to line 537, column 33](#)

```
article><!--<article class="user" data-id=43><!--
```

39. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 551, column 1; to line 551, column 33](#)

```
article><!--<article class="user" data-id=44><!--
```

40. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 565, column 1; to line 565, column 32](#)

```
article><!--<article class="user" data-id=7><!--
```

41. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 579, column 1; to line 579, column 33](#)

```
article><!--<article class="user" data-id=15><!--
```

42. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 593, column 1; to line 593, column 33](#)

```
article><!--<article class="user" data-id=10><!--
```

43. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 607, column 1; to line 607, column 33](#)

```
article><!--<article class="user" data-id=28><!--
```

44. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 621, column 1; to line 621, column 33](#)

```
article><><article class="user" data-id=16><>
```

45. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 635, column 1; to line 635, column 33](#)

```
article><><article class="user" data-id=13><>
```

46. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 649, column 1; to line 649, column 33](#)

```
article><><article class="user" data-id=45><>
```

47. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 663, column 1; to line 663, column 33](#)

```
article><><article class="user" data-id=46><>
```

48. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 677, column 1; to line 677, column 33](#)

```
article><><article class="user" data-id=47><>
```

49. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 691, column 1; to line 691, column 33](#)

```
article><><article class="user" data-id=48><>
```

50. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 705, column 1; to line 705, column 33](#)

```
article><><article class="user" data-id=49><>
```

51. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 719, column 1; to line 719, column 33](#)

```
article><><article class="user" data-id=50><>
```

52. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 733, column 1; to line 733, column 33](#)

```
article><><article class="user" data-id=51><>
```

53. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 747, column 1; to line 747, column 33](#)

```
article><><article class="user" data-id=52><>
```

54. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 761, column 1; to line 761, column 33](#)

```
article><><article class="user" data-id=53><>
```

55. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 775, column 1; to line 775, column 33](#)

```
article><><article class="user" data-id=54><>
```

56. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 789, column 1; to line 789, column 33](#)

```
article><><article class="user" data-id=55><>
```

57. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 803, column 1; to line 803, column 33](#)

```
article><><article class="user" data-id=56><>
```

58. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 817, column 1; to line 817, column 33](#)

```
article><><article class="user" data-id=57><>
```

59. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 831, column 1; to line 831, column 33](#)

```
article><><article class="user" data-id=58><>
```

60. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 845, column 1; to line 845, column 33](#)

```
article><><article class="user" data-id=59><>
```

61. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 859, column 1; to line 859, column 33](#)

```
article><><article class="user" data-id=60><>
```

62. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 873, column 1; to line 873, column 33](#)

```
article><><article class="user" data-id=61><>
```

63. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 887, column 1; to line 887, column 33](#)

```
article><><article class="user" data-id=62><>
```

64. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 901, column 1; to line 901, column 33](#)

```
article><><article class="user" data-id=63><>
```

65. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 915, column 1; to line 915, column 33](#)

```
article><><article class="user" data-id=64><>
```

66. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 929, column 1; to line 929, column 33](#)

```
article><><article class="user" data-id=65><>
```

67. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 943, column 1; to line 943, column 33](#)

```
article><><article class="user" data-id=66><>
```

68. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 957, column 1; to line 957, column 33](#)

```
article><!--<article class="user" data-id=67><!--
```

69. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 971, column 1; to line 971, column 33](#)

```
article><!--<article class="user" data-id=68><!--
```

70. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 985, column 1; to line 985, column 33](#)

```
article><!--<article class="user" data-id=69><!--
```

71. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 999, column 1; to line 999, column 33](#)

```
article><!--<article class="user" data-id=70><!--
```

72. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1013, column 1; to line 1013, column 33](#)

```
article><!--<article class="user" data-id=71><!--
```

73. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1027, column 1; to line 1027, column 33](#)

```
article><!--<article class="user" data-id=72><!--
```

74. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1041, column 1; to line 1041, column 33](#)

```
article><!--<article class="user" data-id=73><!--
```

75. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1055, column 1; to line 1055, column 33](#)

```
article><!--<article class="user" data-id=74><!--
```

76. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1069, column 1; to line 1069, column 33](#)

```
article><!--<article class="user" data-id=75><!--
```

77. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1083, column 1; to line 1083, column 33](#)

```
article><!--<article class="user" data-id=76><!--
```

78. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1097, column 1; to line 1097, column 33](#)

```
article><!--<article class="user" data-id=77><!--
```

79. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1111, column 1; to line 1111, column 33](#)

```
article><!--<article class="user" data-id=78><!--
```

80. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1125, column 1; to line 1125, column 33](#)

```
article><!--<article class="user" data-id=79><!--
```

81. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1139, column 1; to line 1139, column 33](#)

```
article><!--<article class="user" data-id=80><!--
```

82. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1153, column 1; to line 1153, column 33](#)

```
article><!--<article class="user" data-id=81><!--
```

83. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1167, column 1; to line 1167, column 33](#)

```
article><!--<article class="user" data-id=82><!--
```

84. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1181, column 1; to line 1181, column 33](#)

```
article><><article class="user" data-id=83><>
```

85. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1195, column 1; to line 1195, column 33](#)

```
article><><article class="user" data-id=84><>
```

86. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1209, column 1; to line 1209, column 33](#)

```
article><><article class="user" data-id=85><>
```

87. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1223, column 1; to line 1223, column 33](#)

```
article><><article class="user" data-id=86><>
```

88. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1237, column 1; to line 1237, column 33](#)

```
article><><article class="user" data-id=87><>
```

89. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1251, column 1; to line 1251, column 33](#)

```
article><><article class="user" data-id=88><>
```

90. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1265, column 1; to line 1265, column 33](#)

```
article><><article class="user" data-id=89><>
```

91. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1279, column 1; to line 1279, column 33](#)

```
article><><article class="user" data-id=90><>
```

92. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1293, column 1; to line 1293, column 33](#)

```
article><!--<article class="user" data-id=91><!--
```

93. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1307, column 1; to line 1307, column 33](#)

```
article><!--<article class="user" data-id=92><!--
```

94. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1321, column 1; to line 1321, column 33](#)

```
article><!--<article class="user" data-id=93><!--
```

95. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1335, column 1; to line 1335, column 33](#)

```
article><!--<article class="user" data-id=94><!--
```

96. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1349, column 1; to line 1349, column 33](#)

```
article><!--<article class="user" data-id=95><!--
```

97. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1363, column 1; to line 1363, column 33](#)

```
article><!--<article class="user" data-id=96><!--
```

98. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1377, column 1; to line 1377, column 33](#)

```
article><!--<article class="user" data-id=97><!--
```

99. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

[From line 1391, column 1; to line 1391, column 33](#)

```
article><!--<article class="user" data-id=98><!--
```

100. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1405, column 1; to line 1405, column 33](#)

```
article><><article class="user" data-id=99></>
```

101. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1419, column 1; to line 1419, column 34](#)

```
article><><article class="user" data-id=100></>
```

102. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1433, column 1; to line 1433, column 34](#)

```
article><><article class="user" data-id=101></>
```

103. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1447, column 1; to line 1447, column 34](#)

```
article><><article class="user" data-id=102></>
```

104. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1461, column 1; to line 1461, column 33](#)

```
article><><article class="user" data-id=11></>
```

105. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1475, column 1; to line 1475, column 34](#)

```
article><><article class="user" data-id=103></>
```

106. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1489, column 1; to line 1489, column 34](#)

```
article><><article class="user" data-id=106></>
```

107. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1503, column 1; to line 1503, column 34](#)

```
article><><article class="user" data-id=107></>
```

108. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1517, column 1; to line 1517, column 34](#)

```
article><!--<article class="user" data-id=108>-->
```

109. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1531, column 1; to line 1531, column 32](#)

```
article><!--<article class="user" data-id=1>-->
```

110. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1545, column 1; to line 1545, column 34](#)

```
article><!--<article class="user" data-id=105>-->
```

111. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

[From line 1559, column 1; to line 1559, column 34](#)

```
article><!--<article class="user" data-id=104>-->
```

112. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 45, column 1; to line 45, column 20](#)

```
<!--<section id="admin">-->
```

113. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 43, column 7; to line 43, column 28](#)

```
er><!--<section id="content">-->
```

114. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

[From line 1578, column 9; to line 1578, column 32](#)

```
><!--<section class="footer">Copyri
```

115. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 56, column 9; to line 56, column 30](#)

```
><!--<label for = "search"> <img
```

Document checking completed.

## Source

```

1. <!DOCTYPE html>↔
2. <html lang="en">↔
3.   <head>↔
4.     <meta charset="utf-8">↔
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
6.     <meta name="viewport" content="width=device-width, initial-scale=1">↔
7.   ↔
8.     <!-- CSRF Token -->↔
9.     <meta name="csrf-token"
  content="xAmHnh2Fg6ZwbAfeV0M0sNABTEcT1Vo5f4In8auo">↔
10.  ↔
11.    <title>toEaseManage</title>↔
12.    <link rel="icon"
  href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔
13.  ↔
14.    <!-- Styles -->↔
15.  ↔
16.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
  integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
  crossorigin="anonymous"></script>↔
17.    <script
  src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
  integrity="sha384-
vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh"
  crossorigin="anonymous"></script>↔
18.    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta.2/js/bootstrap.min.js" integrity="sha384-
alpBpkh1PFOepccYYDB4do5UnbKysX5WZXm3XXPqe5iKTfUKjNkCk9SaVuEZflJ"
  crossorigin="anonymous"></script>↔
19.  ↔
20.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↔
21.    <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js
  defer"></script>↔
22.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↔
23.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css"
  rel="stylesheet">↔
24.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css"
  rel="stylesheet">↔
25.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↔
26.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css"
  rel="stylesheet">↔
27.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↔
28.  ↔
29.  ↔
30.    <script type="text/javascript">↔
31.      // Fix for Firefox autofocus CSS bug↔
32.      // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↔
33.    </script>↔
34.    <script type="text/javascript"
  src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↔
35.  ↔
36.  </head>↔
37.  <body>↔
38.    <main>↔
39.      <header id="header">↔
40.        <h1><a href="/users"></a></h1>↔
41.          <a class="logout"
  href="http://lbaw2102.lbaw.fe.up.pt/logout">Logout</a>↔
42.          </header>↔
43.        <section id="content">↔
44.          ↔
45.        <section id="admin">↔
46.          <div class="sidenav">↔

```

```
47.      <div class="sidenavleft">←
48.          <a href="/admin/projects">Projects←
49.              <img alt="Projects" src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png
50.                  class="arrow"></a>←
51.      </div>←
52.  ←
53.      <!-- Button trigger modal -->←
54.      <div class="search-tab">←
55.          <input class= "search" type="text" name="search" placeholder="User
56.          name..."/>←
57.          <label for = "search"> <img alt="Search"
58.          src=http://lbaw2102.lbaw.fe.up.pt/img/lupa.png width="30"> </label>←
59.      </div>←
59.  ←
60.      <div class="users-display">←
61.          <article class="user" data-id=2>←
62.              <div class="block">←
63.                  <div class="user-info">←
64.                      <span class="span profilePhoto">A</span>←
65.                      ←
66.                      <a href="/users/2/profile">Abby Oakly</a>←
67.                  </div>←
68.  ←
69.          <div class="buttons">←
70.              <button type="button" class="btn">Block</button>←
71.          </div>←
72.      </div>←
73.  </article>←
74.  ←
75. <article class="user" data-id=3>←
76.     <div class="block">←
77.         <div class="user-info">←
78.             <span class="span profilePhoto">S</span>←
79.             ←
80.             <a href="/users/3/profile">Shirl Bennallck</a>←
81.         </div>←
82.  ←
83.     <div class="buttons">←
84.         <button type="button" class="btn">Block</button>←
85.     </div>←
86.     </div>←
87.  </article>←
88.  ←
89. <article class="user" data-id=4>←
90.     <div class="block">←
91.         <div class="user-info">←
92.             <span class="span profilePhoto">E</span>←
93.             ←
94.             <a href="/users/4/profile">Eamon Westrip</a>←
95.         </div>←
96.  ←
97.     <div class="buttons">←
98.         <button type="button" class="btn">Block</button>←
99.     </div>←
100.    </div>←
101.  </article>←
102.  ←
103. <article class="user" data-id=5>←
104.     <div class="block">←
105.         <div class="user-info">←
106.             <span class="span profilePhoto">E</span>←
107.             ←
108.             <a href="/users/5/profile">Eliot Sutlieff</a>←
109.         </div>←
110.  ←
111.     <div class="buttons">←
112.         <button type="button" class="btn">Block</button>←
113.         </div>←
114.     </div>←
```

```
115. </article>↵
116. ↵
117. <article class="user" data-id=6>↵
118.     <div class="block">↵
119.         <div class="user-info">↵
120.             <span class="span profilePhoto">A</span>↵
121.             ↵
122.             <a href="/users/6/profile">Albie Ormesher</a>↵
123.         </div>↵
124.     ↵
125.     <div class="buttons">↵
126.         <button type="button" class="btn">Block</button>↵
127.     </div>↵
128. </div>↵
129. </article>↵
130. ↵
131. <article class="user" data-id=8>↵
132.     <div class="block">↵
133.         <div class="user-info">↵
134.             <span class="span profilePhoto">F</span>↵
135.             ↵
136.             <a href="/users/8/profile">Fritz Baudet</a>↵
137.         </div>↵
138.     ↵
139.     <div class="buttons">↵
140.         <button type="button" class="btn">Block</button>↵
141.     </div>↵
142. </div>↵
143. </article>↵
144. ↵
145. <article class="user" data-id=9>↵
146.     <div class="block">↵
147.         <div class="user-info">↵
148.             <span class="span profilePhoto">J</span>↵
149.             ↵
150.             <a href="/users/9/profile">Jess Bosden</a>↵
151.         </div>↵
152.     ↵
153.     <div class="buttons">↵
154.         <button type="button" class="btn">Block</button>↵
155.     </div>↵
156. </div>↵
157. </article>↵
158. ↵
159. <article class="user" data-id=12>↵
160.     <div class="block">↵
161.         <div class="user-info">↵
162.             <span class="span profilePhoto">A</span>↵
163.             ↵
164.             <a href="/users/12/profile">Antonietta Bonsey</a>↵
165.         </div>↵
166.     ↵
167.     <div class="buttons">↵
168.         <button type="button" class="btn">Block</button>↵
169.     </div>↵
170. </div>↵
171. </article>↵
172. ↵
173. <article class="user" data-id=14>↵
174.     <div class="block">↵
175.         <div class="user-info">↵
176.             <span class="span profilePhoto">D</span>↵
177.             ↵
178.             <a href="/users/14/profile">Daffie Jandera</a>↵
179.         </div>↵
180.     ↵
181.     <div class="buttons">↵
182.         <button type="button" class="btn">Block</button>↵
183.     </div>↵
184. </div>↵
185. </article>↵
```

```
186.  ↵
187. <article class="user" data-id=17>↵
188.     <div class="block">↵
189.         <div class="user-info">↵
190.             <span class="span profilePhoto">M</span>↵
191.             ↵
192.             <a href="/users/17/profile">Milena Tortoiseshell</a>↵
193.         </div>↵
194.     ↵
195.     <div class="buttons">↵
196.         <button type="button" class="btn">Block</button>↵
197.     </div>↵
198. </div>↵
199. </article>↵
200. ↵
201. <article class="user" data-id=18>↵
202.     <div class="block">↵
203.         <div class="user-info">↵
204.             <span class="span profilePhoto">T</span>↵
205.             ↵
206.             <a href="/users/18/profile">Thor McAtamney</a>↵
207.         </div>↵
208.     ↵
209.     <div class="buttons">↵
210.         <button type="button" class="btn">Block</button>↵
211.     </div>↵
212. </div>↵
213. </article>↵
214. ↵
215. <article class="user" data-id=19>↵
216.     <div class="block">↵
217.         <div class="user-info">↵
218.             <span class="span profilePhoto">D</span>↵
219.             ↵
220.             <a href="/users/19/profile">Devland Idell</a>↵
221.         </div>↵
222.     ↵
223.     <div class="buttons">↵
224.         <button type="button" class="btn">Block</button>↵
225.     </div>↵
226. </div>↵
227. </article>↵
228. ↵
229. <article class="user" data-id=20>↵
230.     <div class="block">↵
231.         <div class="user-info">↵
232.             <span class="span profilePhoto">G</span>↵
233.             ↵
234.             <a href="/users/20/profile">Gwyneth Menicomb</a>↵
235.         </div>↵
236.     ↵
237.     <div class="buttons">↵
238.         <button type="button" class="btn">Block</button>↵
239.     </div>↵
240. </div>↵
241. </article>↵
242. ↵
243. <article class="user" data-id=21>↵
244.     <div class="block">↵
245.         <div class="user-info">↵
246.             <span class="span profilePhoto">E</span>↵
247.             ↵
248.             <a href="/users/21/profile">Enrico Seldon</a>↵
249.         </div>↵
250.     ↵
251.     <div class="buttons">↵
252.         <button type="button" class="btn">Block</button>↵
253.     </div>↵
254. </div>↵
255. </article>↵
256. ↵
```

```
257. <article class="user" data-id=22>↵
258.     <div class="block">↵
259.         <div class="user-info">↵
260.             <span class="span profilePhoto">B</span>↵
261.         ↵
262.         <a href="/users/22/profile">Batholomew Buret</a>↵
263.     </div>↵
264. ↵
265.     <div class="buttons">↵
266.         <button type="button" class="btn">Block</button>↵
267.     </div>↵
268.     </div>↵
269. </article>↵
270. ↵
271. <article class="user" data-id=23>↵
272.     <div class="block">↵
273.         <div class="user-info">↵
274.             <span class="span profilePhoto">D</span>↵
275.         ↵
276.         <a href="/users/23/profile">Deirdre Ilchenko</a>↵
277.     </div>↵
278. ↵
279.     <div class="buttons">↵
280.         <button type="button" class="btn">Block</button>↵
281.     </div>↵
282.     </div>↵
283. </article>↵
284. ↵
285. <article class="user" data-id=24>↵
286.     <div class="block">↵
287.         <div class="user-info">↵
288.             <span class="span profilePhoto">F</span>↵
289.         ↵
290.         <a href="/users/24/profile">Fairleigh Darwood</a>↵
291.     </div>↵
292. ↵
293.     <div class="buttons">↵
294.         <button type="button" class="btn">Block</button>↵
295.     </div>↵
296.     </div>↵
297. </article>↵
298. ↵
299. <article class="user" data-id=25>↵
300.     <div class="block">↵
301.         <div class="user-info">↵
302.             <span class="span profilePhoto">M</span>↵
303.         ↵
304.         <a href="/users/25/profile">Marijo McMonnies</a>↵
305.     </div>↵
306. ↵
307.     <div class="buttons">↵
308.         <button type="button" class="btn">Block</button>↵
309.     </div>↵
310.     </div>↵
311. </article>↵
312. ↵
313. <article class="user" data-id=26>↵
314.     <div class="block">↵
315.         <div class="user-info">↵
316.             <span class="span profilePhoto">G</span>↵
317.         ↵
318.         <a href="/users/26/profile">Georgia Dubarry</a>↵
319.     </div>↵
320. ↵
321.     <div class="buttons">↵
322.         <button type="button" class="btn">Block</button>↵
323.     </div>↵
324.     </div>↵
325. </article>↵
326. ↵
327. <article class="user" data-id=27>↵
```

```
328.     <div class="block">↵
329.         <div class="user-info">↵
330.             <span class="span profilePhoto">I</span>↵
331.         ↵
332.         <a href="/users/27/profile">Ingeborg Appleford</a>↵
333.     </div>↵
334. ↵
335.     <div class="buttons">↵
336.         <button type="button" class="btn">Block</button>↵
337.     </div>↵
338.     </div>↵
339. </article>↵
340. ↵
341. <article class="user" data-id=29>↵
342.     <div class="block">↵
343.         <div class="user-info">↵
344.             <span class="span profilePhoto">L</span>↵
345.         ↵
346.         <a href="/users/29/profile">Lorelle Mottley</a>↵
347.     </div>↵
348. ↵
349.     <div class="buttons">↵
350.         <button type="button" class="btn">Block</button>↵
351.     </div>↵
352.     </div>↵
353. </article>↵
354. ↵
355. <article class="user" data-id=30>↵
356.     <div class="block">↵
357.         <div class="user-info">↵
358.             <span class="span profilePhoto">T</span>↵
359.         ↵
360.         <a href="/users/30/profile">Teriann Goracci</a>↵
361.     </div>↵
362. ↵
363.     <div class="buttons">↵
364.         <button type="button" class="btn">Block</button>↵
365.     </div>↵
366.     </div>↵
367. </article>↵
368. ↵
369. <article class="user" data-id=31>↵
370.     <div class="block">↵
371.         <div class="user-info">↵
372.             <span class="span profilePhoto">R</span>↵
373.         ↵
374.         <a href="/users/31/profile">Robers Jakoviljevic</a>↵
375.     </div>↵
376. ↵
377.     <div class="buttons">↵
378.         <button type="button" class="btn">Block</button>↵
379.     </div>↵
380.     </div>↵
381. </article>↵
382. ↵
383. <article class="user" data-id=32>↵
384.     <div class="block">↵
385.         <div class="user-info">↵
386.             <span class="span profilePhoto">P</span>↵
387.         ↵
388.         <a href="/users/32/profile">Persis Nicely</a>↵
389.     </div>↵
390. ↵
391.     <div class="buttons">↵
392.         <button type="button" class="btn">Block</button>↵
393.     </div>↵
394.     </div>↵
395. </article>↵
396. ↵
397. <article class="user" data-id=33>↵
398.     <div class="block">↵
```

```
399.     <div class="user-info">↔
400.             <span class="span profilePhoto">T</span>↔
401.         ↵
402.             <a href="/users/33/profile">Therese Hayesman</a>↔
403.         </div>↔
404.     ↵
405.     <div class="buttons">↔
406.             <button type="button" class="btn">Block</button>↔
407.         </div>↔
408.     </div>↔
409. </article>↔
410. ↵
411. <article class="user" data-id=34>↔
412.             <div class="block">↔
413.                 <div class="user-info">↔
414.                     <span class="span profilePhoto">L</span>↔
415.                 ↵
416.                     <a href="/users/34/profile">Linoel Challener</a>↔
417.                 </div>↔
418.     ↵
419.     <div class="buttons">↔
420.             <button type="button" class="btn">Block</button>↔
421.         </div>↔
422.     </div>↔
423. </article>↔
424. ↵
425. <article class="user" data-id=35>↔
426.             <div class="block">↔
427.                 <div class="user-info">↔
428.                     <span class="span profilePhoto">X</span>↔
429.                 ↵
430.                     <a href="/users/35/profile">Xerxes Ellerbeck</a>↔
431.                 </div>↔
432.     ↵
433.     <div class="buttons">↔
434.             <button type="button" class="btn">Block</button>↔
435.         </div>↔
436.     </div>↔
437. </article>↔
438. ↵
439. <article class="user" data-id=36>↔
440.             <div class="block">↔
441.                 <div class="user-info">↔
442.                     <span class="span profilePhoto">A</span>↔
443.                     ↵
444.                     <a href="/users/36/profile">Audrye Mauchlen</a>↔
445.                 </div>↔
446.     ↵
447.     <div class="buttons">↔
448.             <button type="button" class="btn">Block</button>↔
449.         </div>↔
450.     </div>↔
451. </article>↔
452. ↵
453. <article class="user" data-id=37>↔
454.             <div class="block">↔
455.                 <div class="user-info">↔
456.                     <span class="span profilePhoto">L</span>↔
457.                     ↵
458.                     <a href="/users/37/profile">Lanita Drinkhall</a>↔
459.                 </div>↔
460.     ↵
461.     <div class="buttons">↔
462.             <button type="button" class="btn">Block</button>↔
463.         </div>↔
464.     </div>↔
465. </article>↔
466. ↵
467. <article class="user" data-id=38>↔
468.             <div class="block">↔
469.                 <div class="user-info">↔
```

```
470.           ↵
471.           ↵
472.           ↵
473.           ↵
474.           ↵
475.           ↵
476.           ↵
477.           ↵
478.           ↵
479.           ↵
480.           ↵
481. <article class="user" data-id=39>
482.     <div class="block">
483.       <div class="user-info">
484.         <span class="span profilePhoto">F</span>
485.       ↵
486.       <a href="/users/38/profile">Fawnia Franciskiewicz</a>
487.     </div>
488.   </div>
489. </article>
490.           ↵
491.           ↵
492.           ↵
493.           ↵
494.           ↵
495. <article class="user" data-id=40>
496.   <div class="block">
497.     <div class="user-info">
498.       <span class="span profilePhoto">S</span>
499.     ↵
500.     <a href="/users/39/profile">Sebastiano Antyshev</a>
501.   </div>
502. </article>
503.           ↵
504.           ↵
505.           ↵
506.           ↵
507.           ↵
508.           ↵
509. <article class="user" data-id=41>
510.   <div class="block">
511.     <div class="user-info">
512.       <span class="span profilePhoto">A</span>
513.     ↵
514.     <a href="/users/40/profile">Alikee Edmett</a>
515.   </div>
516. </article>
517.           ↵
518.           ↵
519.           ↵
520.           ↵
521.           ↵
522.           ↵
523. <article class="user" data-id=42>
524.   <div class="block">
525.     <div class="user-info">
526.       <span class="span profilePhoto">R</span>
527.     ↵
528.     <a href="/users/41/profile">Rubina Kruszelnicki</a>
529.   </div>
530. </article>
531.           ↵
532.           ↵
533.           ↵
534.           ↵
535.           ↵
536.           ↵
537. <article class="user" data-id=43>
538.   <div class="block">
539.     <div class="user-info">
540.       <span class="span profilePhoto">M</span>
```

```
541.           ↵
542.           ↵     <a href="/users/43/profile">Michaeline Tomalin</a>↵
543.           ↵   </div>↵
544.           ↵
545.           ↵   <div class="buttons">↵
546.           ↵     <button type="button" class="btn">Block</button>↵
547.           ↵   </div>↵
548.           ↵
549.       </article>↵
550.   ↵
551. <article class="user" data-id=44>↵
552.   <div class="block">↵
553.   <div class="user-info">↵
554.   <span class="span profilePhoto">B</span>↵
555.   ↵
556.   <a href="/users/44/profile">Belita Clarage</a>↵
557.   </div>↵
558.   ↵
559.   <div class="buttons">↵
560.   <button type="button" class="btn">Block</button>↵
561.   </div>↵
562.   </div>↵
563. </article>↵
564. ↵
565. <article class="user" data-id=7>↵
566.   <div class="unblock">↵
567.   <div class="user-info">↵
568.   <span class="span profilePhoto">J</span>↵
569.   ↵
570.   <a href="/users/7/profile">Jae Watts</a>↵
571.   </div>↵
572.   ↵
573.   <div class="buttons">↵
574.   <button type="button" class="btn">Unblock</button>↵
575.   </div>↵
576.   </div>↵
577. </article>↵
578. ↵
579. <article class="user" data-id=15>↵
580.   <div class="unblock">↵
581.   <div class="user-info">↵
582.   <span class="span profilePhoto">R</span>↵
583.   ↵
584.   <a href="/users/15/profile">Rahel Northidge</a>↵
585.   </div>↵
586.   ↵
587.   <div class="buttons">↵
588.   <button type="button" class="btn">Unblock</button>↵
589.   </div>↵
590.   </div>↵
591. </article>↵
592. ↵
593. <article class="user" data-id=10>↵
594.   <div class="block">↵
595.   <div class="user-info">↵
596.   <span class="span profilePhoto">G</span>↵
597.   ↵
598.   <a href="/users/10/profile">Gertrud Wigmore</a>↵
599.   </div>↵
600.   ↵
601.   <div class="buttons">↵
602.   <button type="button" class="btn">Block</button>↵
603.   </div>↵
604.   </div>↵
605. </article>↵
606. ↵
607. <article class="user" data-id=28>↵
608.   <div class="block">↵
609.   <div class="user-info">↵
```

```
610.           ↵
611.           ↵
612.           ↵
613.           ↵
614.           ↵
615.           ↵
616.           ↵
617.           ↵
618.           ↵
619.           ↵
620.           ↵
621. <article class="user" data-id=16>↵
622.     <div class="unblock">↵
623.       <div class="user-info">↵
624.         <span class="span profilePhoto">C</span>↵
625.       ↵
626.       <a href="/users/16/profile">Celinka Keunemann</a>↵
627.     </div>↵
628.   ↵
629.   <div class="buttons">↵
630.     <button type="button" class="btn">Block</button>↵
631.     <button type="button" class="btn">Unblock</button>↵
632.   </div>↵
633. </article>↵
634. ↵
635. <article class="user" data-id=13>↵
636.   <div class="block">↵
637.     <div class="user-info">↵
638.       <span class="span profilePhoto">C</span>↵
639.     ↵
640.     <a href="/users/13/profile">Carmelle Mithon</a>↵
641.   </div>↵
642. ↵
643.   <div class="buttons">↵
644.     <button type="button" class="btn">Block</button>↵
645.   </div>↵
646.   </div>↵
647. </article>↵
648. ↵
649. <article class="user" data-id=45>↵
650.   <div class="block">↵
651.     <div class="user-info">↵
652.       <span class="span profilePhoto">B</span>↵
653.     ↵
654.     <a href="/users/45/profile">Brandon Slyme</a>↵
655.   </div>↵
656. ↵
657.   <div class="buttons">↵
658.     <button type="button" class="btn">Block</button>↵
659.   </div>↵
660.   </div>↵
661. </article>↵
662. ↵
663. <article class="user" data-id=46>↵
664.   <div class="block">↵
665.     <div class="user-info">↵
666.       <span class="span profilePhoto">C</span>↵
667.     ↵
668.     <a href="/users/46/profile">Cart Elsworth</a>↵
669.   </div>↵
670. ↵
671.   <div class="buttons">↵
672.     <button type="button" class="btn">Block</button>↵
673.   </div>↵
674.   </div>↵
675. </article>↵
676. ↵
677. <article class="user" data-id=47>↵
678.   <div class="block">↵
679.     <div class="user-info">↵
```

```
680.           ↵
681.           ↵
682.           ↵
683.           ↵
684.           ↵
685.           ↵
686.           ↵
687.           ↵
688.           ↵
689.           ↵
690.           ↵
691. <article class="user" data-id=48>↵
692.     <div class="block">↵
693.       <div class="user-info">↵
694.         <span class="span profilePhoto">R</span>↵
695.       ↵
696.         <a href="/users/47/profile">Roarke de Almeida</a>↵
697.       </div>↵
698.     </div>↵
699.   </article>↵
700.   ↵
701.   ↵
702.   </div>↵
703. </article>↵
704. ↵
705. <article class="user" data-id=49>↵
706.   <div class="block">↵
707.     <div class="user-info">↵
708.       <span class="span profilePhoto">M</span>↵
709.     ↵
710.       <a href="/users/48/profile">Monica Lanchbury</a>↵
711.     </div>↵
712.   ↵
713.   <div class="buttons">↵
714.     <button type="button" class="btn">Block</button>↵
715.   </div>↵
716.   </div>↵
717. </article>↵
718. ↵
719. <article class="user" data-id=50>↵
720.   <div class="block">↵
721.     <div class="user-info">↵
722.       <span class="span profilePhoto">K</span>↵
723.     ↵
724.       <a href="/users/50/profile">Katileen Garrettson</a>↵
725.     </div>↵
726.   ↵
727.   <div class="buttons">↵
728.     <button type="button" class="btn">Block</button>↵
729.   </div>↵
730.   </div>↵
731. </article>↵
732. ↵
733. <article class="user" data-id=51>↵
734.   <div class="block">↵
735.     <div class="user-info">↵
736.       <span class="span profilePhoto">M</span>↵
737.     ↵
738.       <a href="/users/51/profile">Mendel Daulby</a>↵
739.     </div>↵
740.   ↵
741.   <div class="buttons">↵
742.     <button type="button" class="btn">Block</button>↵
743.   </div>↵
744.   </div>↵
745. </article>↵
746. ↵
747. <article class="user" data-id=52>↵
748.   <div class="block">↵
749.     <div class="user-info">↵
750.       <span class="span profilePhoto">L</span>↵
```

```
751.          ↵
752.          ↵      <a href="/users/52/profile">Lurline Paiton</a>↵
753.          ↵      </div>↵
754.          ↵
755.          ↵      <div class="buttons">↵
756.          ↵          <button type="button" class="btn">Block</button>↵
757.          ↵      </div>↵
758.          ↵  </div>↵
759.      </article>↵
760.      ↵
761.  <article class="user" data-id=53>↵
762.      <div class="block">↵
763.      <div class="user-info">↵
764.          <span class="span profilePhoto">A</span>↵
765.          ↵
766.          <a href="/users/53/profile">Armstrong Kornyshev</a>↵
767.      </div>↵
768.      ↵
769.      <div class="buttons">↵
770.          <button type="button" class="btn">Block</button>↵
771.          </div>↵
772.      </div>↵
773.  </article>↵
774.  ↵
775.  <article class="user" data-id=54>↵
776.      <div class="block">↵
777.      <div class="user-info">↵
778.          <span class="span profilePhoto">Y</span>↵
779.          ↵
780.          <a href="/users/54/profile">Ysabel Huard</a>↵
781.      </div>↵
782.      ↵
783.      <div class="buttons">↵
784.          <button type="button" class="btn">Block</button>↵
785.          </div>↵
786.      </div>↵
787.  </article>↵
788.  ↵
789.  <article class="user" data-id=55>↵
790.      <div class="block">↵
791.      <div class="user-info">↵
792.          <span class="span profilePhoto">C</span>↵
793.          ↵
794.          <a href="/users/55/profile">Claus Richardson</a>↵
795.      </div>↵
796.      ↵
797.      <div class="buttons">↵
798.          <button type="button" class="btn">Block</button>↵
799.          </div>↵
800.      </div>↵
801.  </article>↵
802.  ↵
803.  <article class="user" data-id=56>↵
804.      <div class="block">↵
805.      <div class="user-info">↵
806.          <span class="span profilePhoto">R</span>↵
807.          ↵
808.          <a href="/users/56/profile">Roley St. Hill</a>↵
809.      </div>↵
810.      ↵
811.      <div class="buttons">↵
812.          <button type="button" class="btn">Block</button>↵
813.          </div>↵
814.      </div>↵
815.  </article>↵
816.  ↵
817.  <article class="user" data-id=57>↵
818.      <div class="block">↵
819.      <div class="user-info">↵
820.          <span class="span profilePhoto">S</span>↵
821.          ↵
```

```
822.         <a href="/users/57/profile">Spenser Posthill</a>↵
823.     </div>↵
824. ↵
825.     <div class="buttons">↵
826.         <button type="button" class="btn">Block</button>↵
827.     </div>↵
828.   </div>↵
829. </article>↵
830. ↵
831. <article class="user" data-id=58>↵
832.     <div class="block">↵
833.         <div class="user-info">↵
834.             <span class="span profilePhoto">M</span>↵
835.         ↵
836.         <a href="/users/58/profile">Mandi Gunson</a>↵
837.     </div>↵
838. ↵
839.     <div class="buttons">↵
840.         <button type="button" class="btn">Block</button>↵
841.     </div>↵
842.   </div>↵
843. </article>↵
844. ↵
845. <article class="user" data-id=59>↵
846.     <div class="block">↵
847.         <div class="user-info">↵
848.             <span class="span profilePhoto">M</span>↵
849.         ↵
850.         <a href="/users/59/profile">Mickie Elstub</a>↵
851.     </div>↵
852. ↵
853.     <div class="buttons">↵
854.         <button type="button" class="btn">Block</button>↵
855.     </div>↵
856.   </div>↵
857. </article>↵
858. ↵
859. <article class="user" data-id=60>↵
860.     <div class="block">↵
861.         <div class="user-info">↵
862.             <span class="span profilePhoto">D</span>↵
863.         ↵
864.         <a href="/users/60/profile">Dorey Mycock</a>↵
865.     </div>↵
866. ↵
867.     <div class="buttons">↵
868.         <button type="button" class="btn">Block</button>↵
869.     </div>↵
870.   </div>↵
871. </article>↵
872. ↵
873. <article class="user" data-id=61>↵
874.     <div class="block">↵
875.         <div class="user-info">↵
876.             <span class="span profilePhoto">K</span>↵
877.         ↵
878.         <a href="/users/61/profile">Kiley Bothe</a>↵
879.     </div>↵
880. ↵
881.     <div class="buttons">↵
882.         <button type="button" class="btn">Block</button>↵
883.     </div>↵
884.   </div>↵
885. </article>↵
886. ↵
887. <article class="user" data-id=62>↵
888.     <div class="block">↵
889.         <div class="user-info">↵
890.             <span class="span profilePhoto">W</span>↵
891.         ↵
892.         <a href="/users/62/profile">Wendi Walter</a>↵
```

```
893.         </div>↵
894.     ↵
895.     <div class="buttons">↵
896.         <button type="button" class="btn">Block</button>↵
897.     </div>↵
898.   </div>↵
899. </article>↵
900. ↵
901. <article class="user" data-id=63>↵
902.     <div class="block">↵
903.         <div class="user-info">↵
904.             <span class="span profilePhoto">H</span>↵
905.             ↵
906.             <a href="/users/63/profile">Hakeem Keighly</a>↵
907.         </div>↵
908.     </div>↵
909.     <div class="buttons">↵
910.         <button type="button" class="btn">Block</button>↵
911.     </div>↵
912.   </div>↵
913. </article>↵
914. ↵
915. <article class="user" data-id=64>↵
916.     <div class="block">↵
917.         <div class="user-info">↵
918.             <span class="span profilePhoto">G</span>↵
919.             ↵
920.             <a href="/users/64/profile">Grethel Murfin</a>↵
921.         </div>↵
922.     </div>↵
923.     <div class="buttons">↵
924.         <button type="button" class="btn">Block</button>↵
925.     </div>↵
926.   </div>↵
927. </article>↵
928. ↵
929. <article class="user" data-id=65>↵
930.     <div class="block">↵
931.         <div class="user-info">↵
932.             <span class="span profilePhoto">R</span>↵
933.             ↵
934.             <a href="/users/65/profile">Rebecca Tear</a>↵
935.         </div>↵
936.     </div>↵
937.     <div class="buttons">↵
938.         <button type="button" class="btn">Block</button>↵
939.     </div>↵
940.   </div>↵
941. </article>↵
942. ↵
943. <article class="user" data-id=66>↵
944.     <div class="block">↵
945.         <div class="user-info">↵
946.             <span class="span profilePhoto">K</span>↵
947.             ↵
948.             <a href="/users/66/profile">Kinsley Hathaway</a>↵
949.         </div>↵
950.     </div>↵
951.     <div class="buttons">↵
952.         <button type="button" class="btn">Block</button>↵
953.     </div>↵
954.   </div>↵
955. </article>↵
956. ↵
957. <article class="user" data-id=67>↵
958.     <div class="block">↵
959.         <div class="user-info">↵
960.             <span class="span profilePhoto">M</span>↵
961.             ↵
962.             <a href="/users/67/profile">Mayor Weekes</a>↵
963.         </div>↵
```

```
964.  ↵
965.      <div class="buttons">↵
966.          <button type="button" class="btn">Block</button>↵
967.      </div>↵
968.  </div>↵
969. </article>↵
970. ↵
971. <article class="user" data-id=68>↵
972.     <div class="block">↵
973.         <div class="user-info">↵
974.             <span class="span profilePhoto">G</span>↵
975.             ↵
976.             <a href="/users/68/profile">Gilberto Burk</a>↵
977.         </div>↵
978.     </div>↵
979.     <div class="buttons">↵
980.         <button type="button" class="btn">Block</button>↵
981.     </div>↵
982.     </div>↵
983. </article>↵
984. ↵
985. <article class="user" data-id=69>↵
986.     <div class="block">↵
987.         <div class="user-info">↵
988.             <span class="span profilePhoto">F</span>↵
989.             ↵
990.             <a href="/users/69/profile">Fionna Olanda</a>↵
991.         </div>↵
992.     </div>↵
993.     <div class="buttons">↵
994.         <button type="button" class="btn">Block</button>↵
995.     </div>↵
996.     </div>↵
997. </article>↵
998. ↵
999. <article class="user" data-id=70>↵
1000.     <div class="block">↵
1001.         <div class="user-info">↵
1002.             <span class="span profilePhoto">B</span>↵
1003.             ↵
1004.             <a href="/users/70/profile">Birch Cherrie</a>↵
1005.         </div>↵
1006.     </div>↵
1007.     <div class="buttons">↵
1008.         <button type="button" class="btn">Block</button>↵
1009.     </div>↵
1010.     </div>↵
1011. </article>↵
1012. ↵
1013. <article class="user" data-id=71>↵
1014.     <div class="block">↵
1015.         <div class="user-info">↵
1016.             <span class="span profilePhoto">C</span>↵
1017.             ↵
1018.             <a href="/users/71/profile">Cristina Luto</a>↵
1019.         </div>↵
1020.     </div>↵
1021.     <div class="buttons">↵
1022.         <button type="button" class="btn">Block</button>↵
1023.     </div>↵
1024.     </div>↵
1025. </article>↵
1026. ↵
1027. <article class="user" data-id=72>↵
1028.     <div class="block">↵
1029.         <div class="user-info">↵
1030.             <span class="span profilePhoto">D</span>↵
1031.             ↵
1032.             <a href="/users/72/profile">Deva Quarton</a>↵
1033.         </div>↵
1034.     </div>↵
```

```
1035.      <div class="buttons">↔
1036.          <button type="button" class="btn">Block</button>↔
1037.      </div>↔
1038.  </div>↔
1039. </article>↔
1040. ↔
1041. <article class="user" data-id=73>↔
1042.     <div class="block">↔
1043.       <div class="user-info">↔
1044.         <span class="span profilePhoto">G</span>↔
1045.         ↵
1046.         <a href="/users/73/profile">Genevra Josiah</a>↔
1047.       </div>↔
1048.   ↔
1049.   <div class="buttons">↔
1050.     <button type="button" class="btn">Block</button>↔
1051.   </div>↔
1052.   </div>↔
1053. </article>↔
1054. ↔
1055. <article class="user" data-id=74>↔
1056.     <div class="block">↔
1057.       <div class="user-info">↔
1058.         <span class="span profilePhoto">D</span>↔
1059.         ↵
1060.         <a href="/users/74/profile">Delila Duval</a>↔
1061.       </div>↔
1062.   ↔
1063.   <div class="buttons">↔
1064.     <button type="button" class="btn">Block</button>↔
1065.   </div>↔
1066.   </div>↔
1067. </article>↔
1068. ↔
1069. <article class="user" data-id=75>↔
1070.     <div class="block">↔
1071.       <div class="user-info">↔
1072.         <span class="span profilePhoto">L</span>↔
1073.         ↵
1074.         <a href="/users/75/profile">Lorene Daulby</a>↔
1075.       </div>↔
1076.   ↔
1077.   <div class="buttons">↔
1078.     <button type="button" class="btn">Block</button>↔
1079.   </div>↔
1080.   </div>↔
1081. </article>↔
1082. ↔
1083. <article class="user" data-id=76>↔
1084.     <div class="block">↔
1085.       <div class="user-info">↔
1086.         <span class="span profilePhoto">R</span>↔
1087.         ↵
1088.         <a href="/users/76/profile">Ruby Libbie</a>↔
1089.       </div>↔
1090.   ↔
1091.   <div class="buttons">↔
1092.     <button type="button" class="btn">Block</button>↔
1093.   </div>↔
1094.   </div>↔
1095. </article>↔
1096. ↔
1097. <article class="user" data-id=77>↔
1098.     <div class="block">↔
1099.       <div class="user-info">↔
1100.         <span class="span profilePhoto">L</span>↔
1101.         ↵
1102.         <a href="/users/77/profile">Leonhard Strangeway</a>↔
1103.       </div>↔
1104.   ↔
1105.   <div class="buttons">↔
```

```
1106.                                     <button type="button" class="btn">Block</button>↵
1107.                               </div>↵
1108.                         </div>↵
1109.                   </article>↵
1110.               ↵
1111.             <article class="user" data-id=78>↵
1112.                 <div class="block">↵
1113.                   <div class="user-info">↵
1114.                     <span class="span profilePhoto">D</span>↵
1115.                     ↵
1116.                     <a href="/users/78/profile">Dixie Gresham</a>↵
1117.                   </div>↵
1118.               ↵
1119.             <div class="buttons">↵
1120.               <button type="button" class="btn">Block</button>↵
1121.             </div>↵
1122.           </div>↵
1123.         </article>↵
1124.     ↵
1125.   <article class="user" data-id=79>↵
1126.     <div class="block">↵
1127.       <div class="user-info">↵
1128.         <span class="span profilePhoto">C</span>↵
1129.         ↵
1130.         <a href="/users/79/profile">Cecelia Meynell</a>↵
1131.       </div>↵
1132.   ↵
1133.   <div class="buttons">↵
1134.     <button type="button" class="btn">Block</button>↵
1135.   </div>↵
1136.   </div>↵
1137. </article>↵
1138. ↵
1139. <article class="user" data-id=80>↵
1140.   <div class="block">↵
1141.     <div class="user-info">↵
1142.       <span class="span profilePhoto">W</span>↵
1143.       ↵
1144.       <a href="/users/80/profile">Winnah Honacker</a>↵
1145.     </div>↵
1146.   ↵
1147.   <div class="buttons">↵
1148.     <button type="button" class="btn">Block</button>↵
1149.   </div>↵
1150.   </div>↵
1151. </article>↵
1152. ↵
1153. <article class="user" data-id=81>↵
1154.   <div class="block">↵
1155.     <div class="user-info">↵
1156.       <span class="span profilePhoto">P</span>↵
1157.       ↵
1158.       <a href="/users/81/profile">Penelopa Dimitrescu</a>↵
1159.     </div>↵
1160.   ↵
1161.   <div class="buttons">↵
1162.     <button type="button" class="btn">Block</button>↵
1163.   </div>↵
1164.   </div>↵
1165. </article>↵
1166. ↵
1167. <article class="user" data-id=82>↵
1168.   <div class="block">↵
1169.     <div class="user-info">↵
1170.       <span class="span profilePhoto">C</span>↵
1171.       ↵
1172.       <a href="/users/82/profile">Carolan Kulas</a>↵
1173.     </div>↵
1174.   ↵
1175.   <div class="buttons">↵
1176.     <button type="button" class="btn">Block</button>↵
```

```
1177.      </div>↵
1178.  </div>↵
1179. </article>↵
1180. ↵
1181. <article class="user" data-id=83>↵
1182.     <div class="block">↵
1183.       <div class="user-info">↵
1184.         <span class="span profilePhoto">M</span>↵
1185.         ↵
1186.         <a href="/users/83/profile">Marcellina Petren</a>↵
1187.       </div>↵
1188.   ↵
1189.   <div class="buttons">↵
1190.     <button type="button" class="btn">Block</button>↵
1191.   </div>↵
1192.   </div>↵
1193. </article>↵
1194. ↵
1195. <article class="user" data-id=84>↵
1196.     <div class="block">↵
1197.       <div class="user-info">↵
1198.         <span class="span profilePhoto">K</span>↵
1199.         ↵
1200.         <a href="/users/84/profile">Katya Tallowin</a>↵
1201.       </div>↵
1202.   ↵
1203.   <div class="buttons">↵
1204.     <button type="button" class="btn">Block</button>↵
1205.   </div>↵
1206.   </div>↵
1207. </article>↵
1208. ↵
1209. <article class="user" data-id=85>↵
1210.     <div class="block">↵
1211.       <div class="user-info">↵
1212.         <span class="span profilePhoto">N</span>↵
1213.         ↵
1214.         <a href="/users/85/profile">Nefen Flarity</a>↵
1215.       </div>↵
1216.   ↵
1217.   <div class="buttons">↵
1218.     <button type="button" class="btn">Block</button>↵
1219.   </div>↵
1220.   </div>↵
1221. </article>↵
1222. ↵
1223. <article class="user" data-id=86>↵
1224.     <div class="block">↵
1225.       <div class="user-info">↵
1226.         <span class="span profilePhoto">P</span>↵
1227.         ↵
1228.         <a href="/users/86/profile">Pablo Innes</a>↵
1229.       </div>↵
1230.   ↵
1231.   <div class="buttons">↵
1232.     <button type="button" class="btn">Block</button>↵
1233.   </div>↵
1234.   </div>↵
1235. </article>↵
1236. ↵
1237. <article class="user" data-id=87>↵
1238.     <div class="block">↵
1239.       <div class="user-info">↵
1240.         <span class="span profilePhoto">L</span>↵
1241.         ↵
1242.         <a href="/users/87/profile">Leticia Wimms</a>↵
1243.       </div>↵
1244.   ↵
1245.   <div class="buttons">↵
1246.     <button type="button" class="btn">Block</button>↵
1247.   </div>↵
```

```
1248.      </div>↵
1249.  </article>↵
1250. ↵
1251. <article class="user" data-id=88>↵
1252.     <div class="block">↵
1253.       <div class="user-info">↵
1254.         <span class="span profilePhoto">J</span>↵
1255.         ↵
1256.         <a href="/users/88/profile">Julia Mattingly</a>↵
1257.       </div>↵
1258.   ↵
1259.   <div class="buttons">↵
1260.     <button type="button" class="btn">Block</button>↵
1261.   </div>↵
1262.   </div>↵
1263. </article>↵
1264. ↵
1265. <article class="user" data-id=89>↵
1266.     <div class="block">↵
1267.       <div class="user-info">↵
1268.         <span class="span profilePhoto">E</span>↵
1269.         ↵
1270.         <a href="/users/89/profile">Esmaria Berthe</a>↵
1271.       </div>↵
1272.   ↵
1273.   <div class="buttons">↵
1274.     <button type="button" class="btn">Block</button>↵
1275.   </div>↵
1276.   </div>↵
1277. </article>↵
1278. ↵
1279. <article class="user" data-id=90>↵
1280.     <div class="block">↵
1281.       <div class="user-info">↵
1282.         <span class="span profilePhoto">N</span>↵
1283.         ↵
1284.         <a href="/users/90/profile">Nikita Hallas</a>↵
1285.       </div>↵
1286.   ↵
1287.   <div class="buttons">↵
1288.     <button type="button" class="btn">Block</button>↵
1289.   </div>↵
1290.   </div>↵
1291. </article>↵
1292. ↵
1293. <article class="user" data-id=91>↵
1294.     <div class="block">↵
1295.       <div class="user-info">↵
1296.         <span class="span profilePhoto">M</span>↵
1297.         ↵
1298.         <a href="/users/91/profile">Maddi Bottelstone</a>↵
1299.       </div>↵
1300.   ↵
1301.   <div class="buttons">↵
1302.     <button type="button" class="btn">Block</button>↵
1303.   </div>↵
1304.   </div>↵
1305. </article>↵
1306. ↵
1307. <article class="user" data-id=92>↵
1308.     <div class="block">↵
1309.       <div class="user-info">↵
1310.         <span class="span profilePhoto">N</span>↵
1311.         ↵
1312.         <a href="/users/92/profile">Nerta Napolione</a>↵
1313.       </div>↵
1314.   ↵
1315.   <div class="buttons">↵
1316.     <button type="button" class="btn">Block</button>↵
1317.   </div>↵
1318. </div>↵
```

```
1319. </article>↵
1320. ↵
1321. <article class="user" data-id=93>↵
1322.     <div class="block">↵
1323.         <div class="user-info">↵
1324.             <span class="span profilePhoto">D</span>↵
1325.             ↵
1326.             <a href="/users/93/profile">Derril Forryan</a>↵
1327.         </div>↵
1328.     </div>↵
1329.     <div class="buttons">↵
1330.         <button type="button" class="btn">Block</button>↵
1331.     </div>↵
1332.     </div>↵
1333. </article>↵
1334. ↵
1335. <article class="user" data-id=94>↵
1336.     <div class="block">↵
1337.         <div class="user-info">↵
1338.             <span class="span profilePhoto">L</span>↵
1339.             ↵
1340.             <a href="/users/94/profile">Link Beavors</a>↵
1341.         </div>↵
1342.     </div>↵
1343.     <div class="buttons">↵
1344.         <button type="button" class="btn">Block</button>↵
1345.     </div>↵
1346.     </div>↵
1347. </article>↵
1348. ↵
1349. <article class="user" data-id=95>↵
1350.     <div class="block">↵
1351.         <div class="user-info">↵
1352.             <span class="span profilePhoto">G</span>↵
1353.             ↵
1354.             <a href="/users/95/profile">Gaylord Clelland</a>↵
1355.         </div>↵
1356.     </div>↵
1357.     <div class="buttons">↵
1358.         <button type="button" class="btn">Block</button>↵
1359.     </div>↵
1360.     </div>↵
1361. </article>↵
1362. ↵
1363. <article class="user" data-id=96>↵
1364.     <div class="block">↵
1365.         <div class="user-info">↵
1366.             <span class="span profilePhoto">B</span>↵
1367.             ↵
1368.             <a href="/users/96/profile">Beret Aspenlon</a>↵
1369.         </div>↵
1370.     </div>↵
1371.     <div class="buttons">↵
1372.         <button type="button" class="btn">Block</button>↵
1373.     </div>↵
1374.     </div>↵
1375. </article>↵
1376. ↵
1377. <article class="user" data-id=97>↵
1378.     <div class="block">↵
1379.         <div class="user-info">↵
1380.             <span class="span profilePhoto">R</span>↵
1381.             ↵
1382.             <a href="/users/97/profile">Robby Ardley</a>↵
1383.         </div>↵
1384.     </div>↵
1385.     <div class="buttons">↵
1386.         <button type="button" class="btn">Block</button>↵
1387.     </div>↵
1388.     </div>↵
1389. </article>↵
```

```
1390.  ↵
1391. <article class="user" data-id=98>↵
1392.     <div class="block">↵
1393.         <div class="user-info">↵
1394.             <span class="span profilePhoto">M</span>↵
1395.             ↵
1396.             <a href="/users/98/profile">Maryellen Heggs</a>↵
1397.         </div>↵
1398.     ↵
1399.     <div class="buttons">↵
1400.         <button type="button" class="btn">Block</button>↵
1401.     </div>↵
1402. </div>↵
1403. </article>↵
1404. ↵
1405. <article class="user" data-id=99>↵
1406.     <div class="block">↵
1407.         <div class="user-info">↵
1408.             <span class="span profilePhoto">M</span>↵
1409.             ↵
1410.             <a href="/users/99/profile">Maritsa Themann</a>↵
1411.         </div>↵
1412.     ↵
1413.     <div class="buttons">↵
1414.         <button type="button" class="btn">Block</button>↵
1415.     </div>↵
1416. </div>↵
1417. </article>↵
1418. ↵
1419. <article class="user" data-id=100>↵
1420.     <div class="block">↵
1421.         <div class="user-info">↵
1422.             <span class="span profilePhoto">A</span>↵
1423.             ↵
1424.             <a href="/users/100/profile">Audie Bosward</a>↵
1425.         </div>↵
1426.     ↵
1427.     <div class="buttons">↵
1428.         <button type="button" class="btn">Block</button>↵
1429.     </div>↵
1430. </div>↵
1431. </article>↵
1432. ↵
1433. <article class="user" data-id=101>↵
1434.     <div class="block">↵
1435.         <div class="user-info">↵
1436.             <span class="span profilePhoto">t</span>↵
1437.             ↵
1438.             <a href="/users/101/profile">tester</a>↵
1439.         </div>↵
1440.     ↵
1441.     <div class="buttons">↵
1442.         <button type="button" class="btn">Block</button>↵
1443.     </div>↵
1444. </div>↵
1445. </article>↵
1446. ↵
1447. <article class="user" data-id=102>↵
1448.     <div class="block">↵
1449.         <div class="user-info">↵
1450.             <span class="span profilePhoto">s</span>↵
1451.             ↵
1452.             <a href="/users/102/profile">senhor</a>↵
1453.         </div>↵
1454.     ↵
1455.     <div class="buttons">↵
1456.         <button type="button" class="btn">Block</button>↵
1457.     </div>↵
1458. </div>↵
1459. </article>↵
1460. ↵
```

```
1461. <article class="user" data-id=11>↵
1462.     <div class="block">↵
1463.         <div class="user-info">↵
1464.             ↵
1467.             ↵
1468.         </div>↵
1469.         <div class="buttons">↵
1470.             <button type="button" class="btn">Block</button>↵
1471.         </div>↵
1472.     </div>↵
1473. </article>↵
1474. ↵
1475. <article class="user" data-id=103>↵
1476.     <div class="block">↵
1477.         <div class="user-info">↵
1478.             <span class="span profilePhoto">q</span>↵
1479.             ↵
1480.             <a href="/users/103/profile">quem serei eu</a>↵
1481.         </div>↵
1482.     </div>↵
1483.     <div class="buttons">↵
1484.         <button type="button" class="btn">Block</button>↵
1485.     </div>↵
1486. </div>↵
1487. </article>↵
1488. ↵
1489. <article class="user" data-id=106>↵
1490.     <div class="block">↵
1491.         <div class="user-info">↵
1492.             <span class="span profilePhoto">M</span>↵
1493.             ↵
1494.             <a href="/users/106/profile">Matilde Oliveira</a>↵
1495.         </div>↵
1496.     </div>↵
1497.     <div class="buttons">↵
1498.         <button type="button" class="btn">Block</button>↵
1499.     </div>↵
1500. </div>↵
1501. </article>↵
1502. ↵
1503. <article class="user" data-id=107>↵
1504.     <div class="block">↵
1505.         <div class="user-info">↵
1506.             <span class="span profilePhoto">R</span>↵
1507.             ↵
1508.             <a href="/users/107/profile">Ricardo Ferreira</a>↵
1509.         </div>↵
1510.     </div>↵
1511.     <div class="buttons">↵
1512.         <button type="button" class="btn">Block</button>↵
1513.     </div>↵
1514. </div>↵
1515. </article>↵
1516. ↵
1517. <article class="user" data-id=108>↵
1518.     <div class="block">↵
1519.         <div class="user-info">↵
1520.             <span class="span profilePhoto">d</span>↵
1521.             ↵
1522.             <a href="/users/108/profile">djsdksk</a>↵
1523.         </div>↵
1524.     </div>↵
1525.     <div class="buttons">↵
1526.         <button type="button" class="btn">Block</button>↵
1527.     </div>↵
1528. </div>↵
1529. </article>↵
```

```
1530.  ↵
1531. <article class="user" data-id=1>↵
1532.     <div class="block">↵
1533.         <div class="user-info">↵
1534.             ↵
1537.             ↵
1538.         </div>↵
1539.         <div class="buttons">↵
1540.             <button type="button" class="btn">Block</button>↵
1541.         </div>↵
1542.     </div>↵
1543. </article>↵
1544. ↵
1545. <article class="user" data-id=105>↵
1546.     <div class="block">↵
1547.         <div class="user-info">↵
1548.             ↵
1551.             ↵
1552.         </div>↵
1553.         <div class="buttons">↵
1554.             <button type="button" class="btn">Block</button>↵
1555.         </div>↵
1556.     </div>↵
1557. </article>↵
1558. ↵
1559. <article class="user" data-id=104>↵
1560.     <div class="block">↵
1561.         <div class="user-info">↵
1562.             ↵
1565.             ↵
1566.         </div>↵
1567.         <div class="buttons">↵
1568.             <button type="button" class="btn">Block</button>↵
1569.         </div>↵
1570.     </div>↵
1571. </article>↵
1572. ↵
1573.     </div>↵
1574. </section>↵
1575. ↵
1576.     </section>↵
1577.     <footer class="footer">↵
1578.         <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>↵
1579.     </footer>↵
1580. </main>↵
1581. </body>↵
1582. </html>
```

Used the HTML parser.

Total execution time 80 milliseconds.



# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="xAmHnh2Fg6ZWbAfeV0M0sNABTEcT1Vo5f4In8auo">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 68, column 13; to line 68, column 19

```
<style><!--#pro-->
```

Contexts in which element `style` may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element `div`:

If the element is a child of a dl element: one or more dt elements followed by one or more dd elements, optionally intermixed with script-supporting elements.

If the element is not a child of a dl element: flow content.

5. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 84, column 1; to line 84, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element `div`:

If the element is a child of a dl element: one or more dt elements followed by one or more dd elements, optionally intermixed with script-supporting elements.

If the element is not a child of a dl element: flow content.

6. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 100, column 1; to line 100, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element `div`:

If the element is a child of a dl element: one or more dt elements followed by one or more dd elements, optionally intermixed with script-supporting elements.

If the element is not a child of a dl element: flow content.

7. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 116, column 1; to line 116, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where metadata content is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

8. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 132, column 1; to line 132, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

9. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 148, column 1; to line 148, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

10. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 164, column 1; to line 164, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

11. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 180, column 1; to line 180, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

12. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 196, column 1; to line 196, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

13. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 212, column 1; to line 212, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

14. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 228, column 1; to line 228, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

15. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 244, column 1; to line 244, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

16. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 260, column 1; to line 260, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

17. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 276, column 1; to line 276, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

18. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 292, column 1; to line 292, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

19. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 308, column 1; to line 308, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

20. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 324, column 1; to line 324, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

21. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 340, column 1; to line 340, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

22. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 356, column 1; to line 356, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

23. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 372, column 1; to line 372, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

24. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 388, column 1; to line 388, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

25. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 404, column 1; to line 404, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

26. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 420, column 1; to line 420, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

27. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 436, column 1; to line 436, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

28. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 452, column 1; to line 452, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

29. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 468, column 1; to line 468, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

30. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 484, column 1; to line 484, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

31. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 500, column 1; to line 500, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

32. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 516, column 1; to line 516, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

33. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 532, column 1; to line 532, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

34. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 548, column 1; to line 548, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

35. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 564, column 1; to line 564, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

36. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 580, column 1; to line 580, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

37. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 596, column 1; to line 596, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

38. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 612, column 1; to line 612, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

39. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 628, column 1; to line 628, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

40. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 644, column 1; to line 644, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

41. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 660, column 1; to line 660, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

42. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 676, column 1; to line 676, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

43. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 692, column 1; to line 692, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

44. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 708, column 1; to line 708, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

45. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 724, column 1; to line 724, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

46. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 740, column 1; to line 740, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

47. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 756, column 1; to line 756, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

48. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 772, column 1; to line 772, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

49. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 788, column 1; to line 788, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

50. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 804, column 1; to line 804, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

51. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 820, column 1; to line 820, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

52. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 836, column 1; to line 836, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

53. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 852, column 1; to line 852, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

54. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 868, column 1; to line 868, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

55. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 884, column 1; to line 884, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

56. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 900, column 1; to line 900, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

57. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 916, column 1; to line 916, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

58. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 932, column 1; to line 932, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

59. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 948, column 1; to line 948, column 7](#)

/article>↔<style>↔↔#pro

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

60. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 964, column 1; to line 964, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

61. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 980, column 1; to line 980, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

62. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 996, column 1; to line 996, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `noscript` element that is a child of a `head` element.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with `script-supporting elements`.

If the element is not a child of a `dl` element: `flow content`.

63. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 1012, column 1; to line 1012, column 7

```
/article><style><!--#pro-->
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

64. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 1028, column 1; to line 1028, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

65. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 1044, column 1; to line 1044, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

66. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 1060, column 1; to line 1060, column 7](#)

```
/article><style><!--#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

67. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

[From line 1076, column 1; to line 1076, column 7](#)

/article><style><!--#pro

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

68. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

[From line 1092, column 1; to line 1092, column 7](#)

/article><style><!--#pro

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

69. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

[From line 1108, column 1; to line 1108, column 7](#)

/article><style><!--#pro

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

70. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

[From line 1124, column 1; to line 1124, column 7](#)

/article><style><!--#pro

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

71. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

[From line 1140, column 1; to line 1140, column 7](#)

```
/article>↔<style>↔↔#pro
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

72. **Warning** Section lacks heading. Consider using [h2 - h6](#) elements to [add](#)

[identifying headings to all sections](#).

[From line 45, column 1; to line 45, column 23](#)

```
↔      ↔<section id="projects">↔      <
```

73. **Warning** Section lacks heading. Consider using [h2 - h6](#) elements to [add](#)

[identifying headings to all sections](#).

[From line 43, column 7; to line 43, column 28](#)

```
er>↔      <section id="content">↔
```

74. **Warning** Section lacks heading. Consider using [h2 - h6](#) elements to [add](#)

[identifying headings to all sections](#).

[From line 1162, column 9; to line 1162, column 32](#)

```
>↔      <section class="footer">Copyri
```

Document checking completed.

## Source

1. <!DOCTYPE html>↔
2. <html lang="en">↔
3. <head>↔
4. <meta charset="utf-8">↔
5. <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
6. <meta name="viewport" content="width=device-width, initial-scale=1">↔
7. ↔

```
8.      <!-- CSRF Token -->↔
9.      <meta name="csrf-token"
10.         content="xAmHnh2Fg6ZWbAfeV0M0sNABTEcT1Vo5f4In8auo">↔
11.   ↵     <title>toEaseManage</title>↔
12.   ↵     <link rel="icon"
13.       href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↔
14.   ↵     <!-- Styles -->↔
15.   ↵
16.   ↵     <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
17.       integrity="sha384-
18. KJ3o2DKtIkYIK3UENzm7KCKR/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
19.       crossorigin="anonymous"></script>↔
20.   ↵     <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js"
21.       integrity="sha384-
22. vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickKwpJf9c9IpFgh"
23.       crossorigin="anonymous"></script>↔
24.   ↵     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
25. beta.2/js/bootstrap.min.js" integrity="sha384-
26. alpBpkh1PFOepccYYDB4do5UnbKysX5WZXm3XXPqe5iKTfUKjNkCk9SaVuEZf1J"
27.       crossorigin="anonymous"></script>↔
28.   ↵
29.   ↵
30.   ↵     <script type="text/javascript">↔
31.           // Fix for Firefox autofocus CSS bug↔
32.           // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
33.           messes-up-css-loading/18945951#18945951↔
34.           </script>↔
35.   ↵     <script type="text/javascript"
36.       src="http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer"></script>↔
37.   ↵
38.   ↵     </head>↔
39.   ↵     <body>↔
40.   ↵     <main>↔
41.   ↵     <header id="header">↔
42.   ↵     <h1><a href="/users"></a></h1>↔
44.   ↵     <a class="logout"
45.       href="http://lbaw2102.lbaw.fe.up.pt/logout">Logout</a>↔
46.   ↵     </header>↔
47.   ↵     <section id="content">↔
48.   ↵     <!-- Button trigger modal -->↔
49.   ↵     <form class="search-tab">↔
50.   ↵     <fieldset class="order">↔
51.   ↵     <div>↔
52.   ↵     <label for = "search">  </label>↔
54.   ↵     <input type="text" id = "search" name="search" class="search"
55.       placeholder="project name"/>↔
56.   ↵     </div>↔
57.   ↵     <div>↔
```

```
56.          <input type="radio" id = "alphabetic" name="order" value="name">
57.          ↵          <label for= "alphabetic" class="button_projects" > <img
58.          alt="Alphabetic sort" src=http://lbaw2102.lbaw.fe.up.pt/img/sort-az.png
59.          width="30" height="30"> </label>↵
60.          ↵          <div>↵
61.          <input type="radio" id = "creation" name="order"
62.          value="created_at" />↵          <label for= "creation" class="button_projects"> <img alt="Date
63.          sort" src=http://lbaw2102.lbaw.fe.up.pt/img/recent.png width="30" height="30">
64.          </label>↵          </div>↵
65.          ↵          <button type="submit" >Search</button>↵
66.          </fieldset>↵
67.          <div class="projets-display">↵
68.          <style>↵
69.          ↵
70. #projects article.project.id-1{↵
71.     background-color: #595656cc;↵
72. }↵
73. ↵
74. </style>↵
75. ↵
76. <article class="project id-1" data-id="1">↵
77.     <header>↵
78.         <h3><a href="/projects/1">disintermediate dynamic schemas</a></h3>↵
79.     </header>↵
80.     <div class="content">↵
81.         ↵
82.     </div>↵
83. </article>↵
84. <style>↵
85. ↵
86. #projects article.project.id-2{↵
87.     background-color: #bcdbe5cc;↵
88. }↵
89. ↵
90. </style>↵
91. ↵
92. <article class="project id-2" data-id="2">↵
93.     <header>↵
94.         <h3><a href="/projects/2">incentivize magnetic experiences</a></h3>↵
95.     </header>↵
96.     <div class="content">↵
97.         ↵
98.     </div>↵
99. </article>↵
100. <style>↵
101. ↵
102. #projects article.project.id-3{↵
103.     background-color: #595656cc;↵
104. }↵
105. ↵
106. </style>↵
107. ↵
108. <article class="project id-3" data-id="3">↵
109.     <header>↵
110.         <h3><a href="/projects/3">transform end-to-end infrastructures</a></h3>↵
111.     </header>↵
112.     <div class="content">↵
113.         ↵
114.     </div>↵
115. </article>↵
116. <style>↵
117. ↵
118. #projects article.project.id-4{↵
119.     background-color: #b1d8d3cc;↵
120. }↵
```

```
121. ↵
122. </style>↵
123. ↵
124. <article class="project id-4" data-id="4">↵
125.   <header>↵
126.     <h3><a href="/projects/4">syndicate innovative infomediaries</a></h3>↵
127.   </header>↵
128.   <div class="content">↵
129.     ↵
130.       </div>↵
131. </article>↵
132. <style>↵
133. ↵
134. #projects article.project.id-5{↵
135.   background-color: #3fbcdcc;↵
136. }↵
137. ↵
138. </style>↵
139. ↵
140. <article class="project id-5" data-id="5">↵
141.   <header>↵
142.     <h3><a href="/projects/5">e-enable scalable technologies</a></h3>↵
143.   </header>↵
144.   <div class="content">↵
145.     ↵
146.       </div>↵
147. </article>↵
148. <style>↵
149. ↵
150. #projects article.project.id-6{↵
151.   background-color: #f5b3c8cc;↵
152. }↵
153. ↵
154. </style>↵
155. ↵
156. <article class="project id-6" data-id="6">↵
157.   <header>↵
158.     <h3><a href="/projects/6">cultivate robust applications</a></h3>↵
159.   </header>↵
160.   <div class="content">↵
161.     ↵
162.       </div>↵
163. </article>↵
164. <style>↵
165. ↵
166. #projects article.project.id-7{↵
167.   background-color: #3c0dd4cc;↵
168. }↵
169. ↵
170. </style>↵
171. ↵
172. <article class="project id-7" data-id="7">↵
173.   <header>↵
174.     <h3><a href="/projects/7">empower killer web services</a></h3>↵
175.   </header>↵
176.   <div class="content">↵
177.     ↵
178.       </div>↵
179. </article>↵
180. <style>↵
181. ↵
182. #projects article.project.id-10{↵
183.   background-color: #636f99cc;↵
184. }↵
185. ↵
186. </style>↵
187. ↵
188. <article class="project id-10" data-id="10">↵
189.   <header>↵
190.     <h3><a href="/projects/10">seize customized metrics</a></h3>↵
191.   </header>↵
```

```
192.     <div class="content">↵
193.         ↵
194.             </div>↵
195.     </article>↵
196.     <style>↵
197.     ↵
198. #projects article.project.id-11{↵
199.     background-color: #595656cc;↵
200. }↵
201. ↵
202. </style>↵
203. ↵
204. <article class="project id-11" data-id="11">↵
205.     <header>↵
206.         <h3><a href="/projects/11">mesh one-to-one markets</a></h3>↵
207.     </header>↵
208.     <div class="content">↵
209.         ↵
210.             </div>↵
211.     </article>↵
212.     <style>↵
213.     ↵
214. #projects article.project.id-12{↵
215.     background-color: #f0f8dccc;↵
216. }↵
217. ↵
218. </style>↵
219. ↵
220. <article class="project id-12" data-id="12">↵
221.     <header>↵
222.         <h3><a href="/projects/12">expedite intuitive e-commerce</a></h3>↵
223.     </header>↵
224.     <div class="content">↵
225.         ↵
226.             </div>↵
227.     </article>↵
228.     <style>↵
229.     ↵
230. #projects article.project.id-13{↵
231.     background-color: #595656cc;↵
232. }↵
233. ↵
234. </style>↵
235. ↵
236. <article class="project id-13" data-id="13">↵
237.     <header>↵
238.         <h3><a href="/projects/13">leverage killer synergies</a></h3>↵
239.     </header>↵
240.     <div class="content">↵
241.         ↵
242.             </div>↵
243.     </article>↵
244.     <style>↵
245.     ↵
246. #projects article.project.id-14{↵
247.     background-color: #5ef159cc;↵
248. }↵
249. ↵
250. </style>↵
251. ↵
252. <article class="project id-14" data-id="14">↵
253.     <header>↵
254.         <h3><a href="/projects/14">monetize 24/7 technologies</a></h3>↵
255.     </header>↵
256.     <div class="content">↵
257.         ↵
258.             </div>↵
259.     </article>↵
260.     <style>↵
261.     ↵
262. #projects article.project.id-15{↵
```

```
263.     background-color: #023712cc;↵
264. }↵
265. ↵
266. </style>↵
267. ↵
268. <article class="project id-15" data-id="15">↵
269.     <header>↵
270.         <h3><a href="/projects/15">deploy granular platforms</a></h3>↵
271.     </header>↵
272.     <div class="content">↵
273.         ↵
274.             </div>↵
275.     </article>↵
276. <style>↵
277. ↵
278. #projects article.project.id-16{↵
279.     background-color: #ae8e31cc;↵
280. }↵
281. ↵
282. </style>↵
283. ↵
284. <article class="project id-16" data-id="16">↵
285.     <header>↵
286.         <h3><a href="/projects/16">cultivate value-added users</a></h3>↵
287.     </header>↵
288.     <div class="content">↵
289.         ↵
290.             </div>↵
291.     </article>↵
292. <style>↵
293. ↵
294. #projects article.project.id-17{↵
295.     background-color: #595656cc;↵
296. }↵
297. ↵
298. </style>↵
299. ↵
300. <article class="project id-17" data-id="17">↵
301.     <header>↵
302.         <h3><a href="/projects/17">repurpose innovative content</a></h3>↵
303.     </header>↵
304.     <div class="content">↵
305.         ↵
306.             </div>↵
307.     </article>↵
308. <style>↵
309. ↵
310. #projects article.project.id-18{↵
311.     background-color: #2a4b49cc;↵
312. }↵
313. ↵
314. </style>↵
315. ↵
316. <article class="project id-18" data-id="18">↵
317.     <header>↵
318.         <h3><a href="/projects/18">utilize open-source users</a></h3>↵
319.     </header>↵
320.     <div class="content">↵
321.         ↵
322.             </div>↵
323.     </article>↵
324. <style>↵
325. ↵
326. #projects article.project.id-19{↵
327.     background-color: #a347a0cc;↵
328. }↵
329. ↵
330. </style>↵
331. ↵
332. <article class="project id-19" data-id="19">↵
333.     <header>↵
```

```
334.      <h3><a href="/projects/19">leverage bricks-and-clicks models</a></h3>↵
335.      </header>↵
336.      <div class="content">↵
337.          ↵
338.      </div>↵
339.  </article>↵
340.  <style>↵
341.  ↵
342. #projects article.project.id-21{↵
343.     background-color: #595656cc;↵
344. }↵
345. ↵
346. </style>↵
347. ↵
348. <article class="project id-21" data-id="21">↵
349.     <header>↵
350.         <h3><a href="/projects/21">revolutionize turn-key users</a></h3>↵
351.     </header>↵
352.     <div class="content">↵
353.         ↵
354.     </div>↵
355. </article>↵
356. <style>↵
357. ↵
358. #projects article.project.id-22{↵
359.     background-color: #ae1576cc;↵
360. }↵
361. ↵
362. </style>↵
363. ↵
364. <article class="project id-22" data-id="22">↵
365.     <header>↵
366.         <h3><a href="/projects/22">whiteboard mission-critical markets</a></h3>↵
367.     </header>↵
368.     <div class="content">↵
369.         ↵
370.     </div>↵
371. </article>↵
372. <style>↵
373. ↵
374. #projects article.project.id-23{↵
375.     background-color: #e0eef3cc;↵
376. }↵
377. ↵
378. </style>↵
379. ↵
380. <article class="project id-23" data-id="23">↵
381.     <header>↵
382.         <h3><a href="/projects/23">exploit viral e-business</a></h3>↵
383.     </header>↵
384.     <div class="content">↵
385.         ↵
386.     </div>↵
387. </article>↵
388. <style>↵
389. ↵
390. #projects article.project.id-24{↵
391.     background-color: #2143a6cc;↵
392. }↵
393. ↵
394. </style>↵
395. ↵
396. <article class="project id-24" data-id="24">↵
397.     <header>↵
398.         <h3><a href="/projects/24">empower e-business users</a></h3>↵
399.     </header>↵
400.     <div class="content">↵
401.         ↵
402.     </div>↵
403. </article>↵
404. <style>↵
```

```
405. ←
406. #projects article.project.id-25{←
407.     background-color: #84a31acc;←
408. }←
409. ←
410. </style>←
411. ←
412. <article class="project id-25" data-id="25">←
413.     <header>←
414.         <h3><a href="/projects/25">iterate innovative bandwidth</a></h3>←
415.     </header>←
416.     <div class="content">←
417.         ←
418.             </div>←
419.     </article>←
420. <style>←
421. ←
422. #projects article.project.id-26{←
423.     background-color: #4e6373cc;←
424. }←
425. ←
426. </style>←
427. ←
428. <article class="project id-26" data-id="26">←
429.     <header>←
430.         <h3><a href="/projects/26">grow seamless deliverables</a></h3>←
431.     </header>←
432.     <div class="content">←
433.         ←
434.             </div>←
435.     </article>←
436. <style>←
437. ←
438. #projects article.project.id-27{←
439.     background-color: #595656cc;←
440. }←
441. ←
442. </style>←
443. ←
444. <article class="project id-27" data-id="27">←
445.     <header>←
446.         <h3><a href="/projects/27">matrix rich e-services</a></h3>←
447.     </header>←
448.     <div class="content">←
449.         ←
450.             </div>←
451.     </article>←
452. <style>←
453. ←
454. #projects article.project.id-28{←
455.     background-color: #89219bcc;←
456. }←
457. ←
458. </style>←
459. ←
460. <article class="project id-28" data-id="28">←
461.     <header>←
462.         <h3><a href="/projects/28">benchmark magnetic schemas</a></h3>←
463.     </header>←
464.     <div class="content">←
465.         ←
466.             </div>←
467.     </article>←
468. <style>←
469. ←
470. #projects article.project.id-29{←
471.     background-color: #595656cc;←
472. }←
473. ←
474. </style>←
475. ←
```

```
476. <article class="project id-29" data-id="29">↵
477.   <header>↵
478.     <h3><a href="/projects/29">envisioneer e-business e-tailers</a></h3>↵
479.   </header>↵
480.   <div class="content">↵
481.     ↵
482.       </div>↵
483. </article>↵
484. <style>↵
485. ↵
486. #projects article.project.id-30{↵
487.   background-color: #595656cc;↵
488. }↵
489. ↵
490. </style>↵
491. ↵
492. <article class="project id-30" data-id="30">↵
493.   <header>↵
494.     <h3><a href="/projects/30">grow granular ROI</a></h3>↵
495.   </header>↵
496.   <div class="content">↵
497.     ↵
498.       </div>↵
499. </article>↵
500. <style>↵
501. ↵
502. #projects article.project.id-31{↵
503.   background-color: #7258a2cc;↵
504. }↵
505. ↵
506. </style>↵
507. ↵
508. <article class="project id-31" data-id="31">↵
509.   <header>↵
510.     <h3><a href="/projects/31">visualize impactful networks</a></h3>↵
511.   </header>↵
512.   <div class="content">↵
513.     ↵
514.       </div>↵
515. </article>↵
516. <style>↵
517. ↵
518. #projects article.project.id-32{↵
519.   background-color: #4e0718cc;↵
520. }↵
521. ↵
522. </style>↵
523. ↵
524. <article class="project id-32" data-id="32">↵
525.   <header>↵
526.     <h3><a href="/projects/32">disintermediate global e-markets</a></h3>↵
527.   </header>↵
528.   <div class="content">↵
529.     ↵
530.       </div>↵
531. </article>↵
532. <style>↵
533. ↵
534. #projects article.project.id-33{↵
535.   background-color: #595656cc;↵
536. }↵
537. ↵
538. </style>↵
539. ↵
540. <article class="project id-33" data-id="33">↵
541.   <header>↵
542.     <h3><a href="/projects/33">evolve intuitive functionalities</a></h3>↵
543.   </header>↵
544.   <div class="content">↵
545.     ↵
546.       </div>↵
```

```
547. </article>↵
548. <style>↵
549. ↵
550. #projects article.project.id-34{↵
551.     background-color: #df867acc;↵
552. }↵
553. ↵
554. </style>↵
555. ↵
556. <article class="project id-34" data-id="34">↵
557.     <header>↵
558.         <h3><a href="/projects/34">grow extensible experiences</a></h3>↵
559.     </header>↵
560.     <div class="content">↵
561.         ↵
562.             </div>↵
563.     </article>↵
564. <style>↵
565. ↵
566. #projects article.project.id-35{↵
567.     background-color: #c87745cc;↵
568. }↵
569. ↵
570. </style>↵
571. ↵
572. <article class="project id-35" data-id="35">↵
573.     <header>↵
574.         <h3><a href="/projects/35">integrate extensible niches</a></h3>↵
575.     </header>↵
576.     <div class="content">↵
577.         ↵
578.             </div>↵
579.     </article>↵
580. <style>↵
581. ↵
582. #projects article.project.id-36{↵
583.     background-color: #685d34cc;↵
584. }↵
585. ↵
586. </style>↵
587. ↵
588. <article class="project id-36" data-id="36">↵
589.     <header>↵
590.         <h3><a href="/projects/36">transition end-to-end relationships</a></h3>↵
591.     </header>↵
592.     <div class="content">↵
593.         ↵
594.             </div>↵
595.     </article>↵
596. <style>↵
597. ↵
598. #projects article.project.id-37{↵
599.     background-color: #f91a55cc;↵
600. }↵
601. ↵
602. </style>↵
603. ↵
604. <article class="project id-37" data-id="37">↵
605.     <header>↵
606.         <h3><a href="/projects/37">target cross-platform web services</a></h3>↵
607.     </header>↵
608.     <div class="content">↵
609.         ↵
610.             </div>↵
611.     </article>↵
612. <style>↵
613. ↵
614. #projects article.project.id-38{↵
615.     background-color: #4ef32acc;↵
616. }↵
617. ↵
```

```
618. </style>↔
619. ↔
620. <article class="project id-38" data-id="38">↔
621.   <header>↔
622.     <h3><a href="/projects/38">engage user-centric applications</a></h3>↔
623.   </header>↔
624.   <div class="content">↔
625.     ↔
626.       </div>↔
627. </article>↔
628. <style>↔
629. ↔
630. #projects article.project.id-39{↔
631.   background-color: #595656cc;↔
632. }↔
633. ↔
634. </style>↔
635. ↔
636. <article class="project id-39" data-id="39">↔
637.   <header>↔
638.     <h3><a href="/projects/39">reintermediate revolutionary web-readiness</a>
639.     </header>↔
640.     <div class="content">↔
641.       ↔
642.         </div>↔
643. </article>↔
644. <style>↔
645. ↔
646. #projects article.project.id-40{↔
647.   background-color: #2f919fcc;↔
648. }↔
649. ↔
650. </style>↔
651. ↔
652. <article class="project id-40" data-id="40">↔
653.   <header>↔
654.     <h3><a href="/projects/40">facilitate end-to-end infrastructures</a>
655.     </header>↔
656.     <div class="content">↔
657.       ↔
658.         </div>↔
659. </article>↔
660. <style>↔
661. ↔
662. #projects article.project.id-41{↔
663.   background-color: #595656cc;↔
664. }↔
665. ↔
666. </style>↔
667. ↔
668. <article class="project id-41" data-id="41">↔
669.   <header>↔
670.     <h3><a href="/projects/41">seize B2B e-tailers</a></h3>↔
671.   </header>↔
672.   <div class="content">↔
673.     ↔
674.       </div>↔
675. </article>↔
676. <style>↔
677. ↔
678. #projects article.project.id-42{↔
679.   background-color: #1805c5cc;↔
680. }↔
681. ↔
682. </style>↔
683. ↔
684. <article class="project id-42" data-id="42">↔
685.   <header>↔
686.     <h3><a href="/projects/42">syndicate one-to-one architectures</a></h3>↔
```

```
687.     </header>↵
688.     <div class="content">↵
689.         ↵
690.             </div>↵
691.     </article>↵
692.     <style>↵
693.     ↵
694. #projects article.project.id-43{↵
695.     background-color: #10a967cc;↵
696. }↵
697. ↵
698. </style>↵
699. ↵
700. <article class="project id-43" data-id="43">↵
701.     <header>↵
702.         <h3><a href="/projects/43">disintermediate turn-key technologies</a>
703.             </h3>↵
704.             <div class="content">↵
705.                 ↵
706.                     </div>↵
707.             </header>↵
708.             <style>↵
709.             ↵
710. #projects article.project.id-44{↵
711.     background-color: #7ae10dcc;↵
712. }↵
713. ↵
714. </style>↵
715. ↵
716. <article class="project id-44" data-id="44">↵
717.     <header>↵
718.         <h3><a href="/projects/44">innovate next-generation functionalities</a>
719.             </h3>↵
720.             <div class="content">↵
721.                 ↵
722.                     </div>↵
723.             </header>↵
724.             <style>↵
725.             ↵
726. #projects article.project.id-45{↵
727.     background-color: #595656cc;↵
728. }↵
729. ↵
730. </style>↵
731. ↵
732. <article class="project id-45" data-id="45">↵
733.     <header>↵
734.         <h3><a href="/projects/45">brand end-to-end infrastructures</a></h3>↵
735.     </header>↵
736.     <div class="content">↵
737.         ↵
738.             </div>↵
739.     </article>↵
740.     <style>↵
741.     ↵
742. #projects article.project.id-46{↵
743.     background-color: #595656cc;↵
744. }↵
745. ↵
746. </style>↵
747. ↵
748. <article class="project id-46" data-id="46">↵
749.     <header>↵
750.         <h3><a href="/projects/46">benchmark seamless synergies</a></h3>↵
751.     </header>↵
752.     <div class="content">↵
753.         ↵
754.             </div>↵
755.     </article>↵
```

```
756. <style>↵
757. ↵
758. #projects article.project.id-47{↵
759.     background-color: #8d3141cc;↵
760. }↵
761. ↵
762. </style>↵
763. ↵
764. <article class="project id-47" data-id="47">↵
765.     <header>↵
766.         <h3><a href="/projects/47">empower cross-platform bandwidth</a></h3>↵
767.     </header>↵
768.     <div class="content">↵
769.         ↵
770.             </div>↵
771.     </article>↵
772. <style>↵
773. ↵
774. #projects article.project.id-48{↵
775.     background-color: #94b02acc;↵
776. }↵
777. ↵
778. </style>↵
779. ↵
780. <article class="project id-48" data-id="48">↵
781.     <header>↵
782.         <h3><a href="/projects/48">e-enable intuitive metrics</a></h3>↵
783.     </header>↵
784.     <div class="content">↵
785.         ↵
786.             </div>↵
787.     </article>↵
788. <style>↵
789. ↵
790. #projects article.project.id-49{↵
791.     background-color: #196d5ecc;↵
792. }↵
793. ↵
794. </style>↵
795. ↵
796. <article class="project id-49" data-id="49">↵
797.     <header>↵
798.         <h3><a href="/projects/49">deliver best-of-breed convergence</a></h3>↵
799.     </header>↵
800.     <div class="content">↵
801.         ↵
802.             </div>↵
803.     </article>↵
804. <style>↵
805. ↵
806. #projects article.project.id-50{↵
807.     background-color: #e9cdf8cc;↵
808. }↵
809. ↵
810. </style>↵
811. ↵
812. <article class="project id-50" data-id="50">↵
813.     <header>↵
814.         <h3><a href="/projects/50">expedite holistic deliverables</a></h3>↵
815.     </header>↵
816.     <div class="content">↵
817.         ↵
818.             </div>↵
819.     </article>↵
820. <style>↵
821. ↵
822. #projects article.project.id-51{↵
823.     background-color: #595656cc;↵
824. }↵
825. ↵
826. </style>↵
```

```
827. ←
828. <article class="project id-51" data-id="51">←
829.   <header>←
830.     <h3><a href="/projects/51">test</a></h3>←
831.   </header>←
832.   <div class="content">←
833.     ←
834.       </div>←
835. </article>←
836. <style>←
837. ←
838. #projects article.project.id-52{←
839.   background-color: #595656cc;←
840. }←
841. ←
842. </style>←
843. ←
844. <article class="project id-52" data-id="52">←
845.   <header>←
846.     <h3><a href="/projects/52">asdfasdf</a></h3>←
847.   </header>←
848.   <div class="content">←
849.     ←
850.       </div>←
851. </article>←
852. <style>←
853. ←
854. #projects article.project.id-53{←
855.   background-color: #99c1f1cc;←
856. }←
857. ←
858. </style>←
859. ←
860. <article class="project id-53" data-id="53">←
861.   <header>←
862.     <h3><a href="/projects/53">Um projeto</a></h3>←
863.   </header>←
864.   <div class="content">←
865.     ←
866.       </div>←
867. </article>←
868. <style>←
869. ←
870. #projects article.project.id-54{←
871.   background-color: #595656cc;←
872. }←
873. ←
874. </style>←
875. ←
876. <article class="project id-54" data-id="54">←
877.   <header>←
878.     <h3><a href="/projects/54">testing help</a></h3>←
879.   </header>←
880.   <div class="content">←
881.     ←
882.       </div>←
883. </article>←
884. <style>←
885. ←
886. #projects article.project.id-59{←
887.   background-color: #5683bdcc;←
888. }←
889. ←
890. </style>←
891. ←
892. <article class="project id-59" data-id="59">←
893.   <header>←
894.     <h3><a href="/projects/59">League Of Legends Clash</a></h3>←
895.   </header>←
896.   <div class="content">←
897.     ←
```

```
898.             </div>↵
899.         </article>↵
900.     <style>↵
901.     ↵
902.     #projects article.project.id-60{↵
903.         background-color: #86a8b6cc;↵
904.     }↵
905.     ↵
906.     </style>↵
907.     ↵
908.     <article class="project id-60" data-id="60">↵
909.         <header>↵
910.             <h3><a href="/projects/60">Math Tutor</a></h3>↵
911.         </header>↵
912.         <div class="content">↵
913.             ↵
914.             </div>↵
915.         </article>↵
916.     <style>↵
917.     ↵
918.     #projects article.project.id-61{↵
919.         background-color: #26d6d9cc;↵
920.     }↵
921.     ↵
922.     </style>↵
923.     ↵
924.     <article class="project id-61" data-id="61">↵
925.         <header>↵
926.             <h3><a href="/projects/61">Curricular Internship</a></h3>↵
927.         </header>↵
928.         <div class="content">↵
929.             ↵
930.             </div>↵
931.         </article>↵
932.     <style>↵
933.     ↵
934.     #projects article.project.id-62{↵
935.         background-color: #f2c2ffcc;↵
936.     }↵
937.     ↵
938.     </style>↵
939.     ↵
940.     <article class="project id-62" data-id="62">↵
941.         <header>↵
942.             <h3><a href="/projects/62">SINF</a></h3>↵
943.         </header>↵
944.         <div class="content">↵
945.             ↵
946.             </div>↵
947.         </article>↵
948.     <style>↵
949.     ↵
950.     #projects article.project.id-63{↵
951.         background-color: #d7a7a7cc;↵
952.     }↵
953.     ↵
954.     </style>↵
955.     ↵
956.     <article class="project id-63" data-id="63">↵
957.         <header>↵
958.             <h3><a href="/projects/63">Database for Partnerships</a></h3>↵
959.         </header>↵
960.         <div class="content">↵
961.             ↵
962.             </div>↵
963.         </article>↵
964.     <style>↵
965.     ↵
966.     #projects article.project.id-57{↵
967.         background-color: #f58447cc;↵
968.     }↵
```

```
969.  ↵
970. </style>↵
971. ↵
972. <article class="project id-57" data-id="57">↵
973.   <header>↵
974.     <h3><a href="/projects/57">Web Game</a></h3>↵
975.   </header>↵
976.   <div class="content">↵
977.     ↵
978.       </div>↵
979. </article>↵
980. <style>↵
981. ↵
982. #projects article.project.id-64{↵
983.   background-color: #d6ffffcc;↵
984. }↵
985. ↵
986. </style>↵
987. ↵
988. <article class="project id-64" data-id="64">↵
989.   <header>↵
990.     <h3><a href="/projects/64">Coffe workshop</a></h3>↵
991.   </header>↵
992.   <div class="content">↵
993.     ↵
994.       </div>↵
995. </article>↵
996. <style>↵
997. ↵
998. #projects article.project.id-65{↵
999.   background-color: #80f587cc;↵
1000. }↵
1001. ↵
1002. </style>↵
1003. ↵
1004. <article class="project id-65" data-id="65">↵
1005.   <header>↵
1006.     <h3><a href="/projects/65">Family ToDo</a></h3>↵
1007.   </header>↵
1008.   <div class="content">↵
1009.     ↵
1010.       </div>↵
1011. </article>↵
1012. <style>↵
1013. ↵
1014. #projects article.project.id-56{↵
1015.   background-color: #d7c75bcc;↵
1016. }↵
1017. ↵
1018. </style>↵
1019. ↵
1020. <article class="project id-56" data-id="56">↵
1021.   <header>↵
1022.     <h3><a href="/projects/56">Holiday</a></h3>↵
1023.   </header>↵
1024.   <div class="content">↵
1025.     ↵
1026.       </div>↵
1027. </article>↵
1028. <style>↵
1029. ↵
1030. #projects article.project.id-68{↵
1031.   background-color: #d1d6ffcc;↵
1032. }↵
1033. ↵
1034. </style>↵
1035. ↵
1036. <article class="project id-68" data-id="68">↵
1037.   <header>↵
1038.     <h3><a href="/projects/68">Build a starship</a></h3>↵
1039.   </header>↵
```

```
1040.     <div class="content">↵
1041.         ↵
1042.             </div>↵
1043.     </article>↵
1044.     <style>↵
1045.     ↵
1046. #projects article.project.id-69{↵
1047.     background-color: #9471e5cc;↵
1048. }↵
1049. ↵
1050. </style>↵
1051. ↵
1052. <article class="project id-69" data-id="69">↵
1053.     <header>↵
1054.         <h3><a href="/projects/69">Vacations Planning</a></h3>↵
1055.     </header>↵
1056.     <div class="content">↵
1057.         ↵
1058.             </div>↵
1059.     </article>↵
1060.     <style>↵
1061.     ↵
1062. #projects article.project.id-67{↵
1063.     background-color: #8c2d19cc;↵
1064. }↵
1065. ↵
1066. </style>↵
1067. ↵
1068. <article class="project id-67" data-id="67">↵
1069.     <header>↵
1070.         <h3><a href="/projects/67">Git Workshop</a></h3>↵
1071.     </header>↵
1072.     <div class="content">↵
1073.         ↵
1074.             </div>↵
1075.     </article>↵
1076.     <style>↵
1077.     ↵
1078. #projects article.project.id-58{↵
1079.     background-color: #96d0dfcc;↵
1080. }↵
1081. ↵
1082. </style>↵
1083. ↵
1084. <article class="project id-58" data-id="58">↵
1085.     <header>↵
1086.         <h3><a href="/projects/58">LBAW Information Web Application</a></h3>↵
1087.     </header>↵
1088.     <div class="content">↵
1089.         ↵
1090.             </div>↵
1091.     </article>↵
1092.     <style>↵
1093.     ↵
1094. #projects article.project.id-71{↵
1095.     background-color: #98622fcc;↵
1096. }↵
1097. ↵
1098. </style>↵
1099. ↵
1100. <article class="project id-71" data-id="71">↵
1101.     <header>↵
1102.         <h3><a href="/projects/71">New Project</a></h3>↵
1103.     </header>↵
1104.     <div class="content">↵
1105.         ↵
1106.             </div>↵
1107.     </article>↵
1108.     <style>↵
1109.     ↵
1110. #projects article.project.id-72{↵
```

```
1111.     background-color: #d84b4bcc;←
1112. }←
1113. ←
1114. </style>←
1115. ←
1116. <article class="project id-72" data-id="72">←
1117.     <header>←
1118.         <h3><a href="/projects/72">Padel Tournament</a></h3>←
1119.     </header>←
1120.     <div class="content">←
1121.         ←
1122.             </div>←
1123.     </article>←
1124. <style>←
1125. ←
1126. #projects article.project.id-70{←
1127.     background-color: #f16ad8cc;←
1128. }←
1129. ←
1130. </style>←
1131. ←
1132. <article class="project id-70" data-id="70">←
1133.     <header>←
1134.         <h3><a href="/projects/70">Crossfit workshop</a></h3>←
1135.     </header>←
1136.     <div class="content">←
1137.         ←
1138.             </div>←
1139.     </article>←
1140. <style>←
1141. ←
1142. #projects article.project.id-75{←
1143.     background-color: #595656cc;←
1144. }←
1145. ←
1146. </style>←
1147. ←
1148. <article class="project id-75" data-id="75">←
1149.     <header>←
1150.         <h3><a href="/projects/75">AppDev</a></h3>←
1151.     </header>←
1152.     <div class="content">←
1153.         ←
1154.             </div>←
1155.     </article>←
1156.         </div>←
1157.     </form>←
1158. </section>←
1159. ←
1160.     </section>←
1161.     <footer class="footer">←
1162.         <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>←
1163.     </footer>←
1164.     </main>←
1165. </body>←
1166. </html>
```

Used the HTML parser.

Total execution time 67 milliseconds.

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show  source  outline  image report

Options...

Check by   css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="FH1tGLuNfZ4sPfiCEMcqewbPDGJ362Tf3jbut2fY">

    <title>toEaseManage</title>
    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">

    <!-- Styles -->
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 85](#)

```
eet">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/app.js defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 35](#)

```
t">↔↔↔      <script type="text/javascript">↔.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 34, column 5; to line 34, column 89](#)

```
ript">↔      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></scri
```

4. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 41, column 17; to line 41, column 41

```
<section class="buttons"><!--
```

5. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 71, column 11; to line 71, column 37

```
<h1 class="modal-subtitle">Once y
```

6. **Error** Duplicate ID `view`.

From line 99, column 17; to line 99, column 48

```
<div class="userInfo" id="view"><!--
```

7. **Warning** The first occurrence of ID `view` was here.

From line 83, column 21; to line 83, column 60

```
<a href="/users/104/profile" id="view">View P
```

8. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 103, column 21; to line 103, column 29

```
<section><!--
```

9. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles.](#)

From line 80, column 5; to line 80, column 26

```
/div><!--<article class="user"><!--
```

10. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 50, column 7; to line 50, column 28

```
er><!--<section id="content"><!--
```

11. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections.](#)

From line 129, column 9; to line 129, column 32

```
><!--<section class="footer">Copyri
```

12. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 53, column 5; to line 53, column 121](#)

```
ser">↵      <div class="modal fade" id=logout tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↵          <
```

13. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 66, column 5; to line 66, column 126](#)

```
/div">↵      <div class="modal fade" id=delete-user tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">↵          <
```

Document checking completed.

## Source

```

1. 1. <!DOCTYPE html>↵
2. 2. <html lang="en">↵
3. 3.   <head>↵
4. 4.     <meta charset="utf-8">↵
5. 5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6. 6.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
7. 7.   ↵
8. 8.     <!-- CSRF Token -->↵
9. 9.     <meta name="csrf-token" content="FH1tGLuNfZ4sPfiCEMcqewbPDGJ362Tf3jbut2fY">↵
10. 10.  ↵
11. 11.    <title>toEaseManage</title>↵
12. 12.    <link rel="icon" href="http://lbaw2102.lbaw.fe.up.pt/img/logo_sem_letras.png">↵
13. 13.  ↵
14. 14.    <!-- Styles -->↵
15. 15.  ↵
16. 16.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkVYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5Kkn" crossorigin="anonymous"></script>↵
17. 17.    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.3/umd/popper.min.js" integrity="sha384-vFJXuSJphROIrBnz7yo7oB41mKfc8JzQZiCq4NCceLEa04IHwickwpJf9c9IpFgh" crossorigin="anonymous"></script>↵
18. 18.    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta.2/js/bootstrap.min.js" integrity="sha384-aPFUKIRWzJduoIs91t8pI1EeZT8vAaLpqpkOIlFqOpKIN4oZyF4KvHnHQS/8c" crossorigin="anonymous"></script>↵
19. 19.  ↵
20. 20.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
21. 21.    <script type="text/javascript" src="http://lbaw2102.lbaw.fe.up.pt/js/app.js defer"></script>↵
22. 22.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/home.css" rel="stylesheet">↵
23. 23.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/popups.css" rel="stylesheet">↵
24. 24.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/project.css" rel="stylesheet">↵
25. 25.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/task.css" rel="stylesheet">↵
26. 26.    <link href="http://lbaw2102.lbaw.fe.up.pt/css/style.css" rel="stylesheet">↵

```

```
27.      <link href="http://lbaw2102.lbaw.fe.up.pt/css/user.css" rel="stylesheet">↵
28. ↵
29. ↵
30.      <script type="text/javascript">↵
31.          // Fix for Firefox autofocus CSS bug↵
32.          // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↵
33.      </script>↵
34.      <script type="text/javascript"
src=http://lbaw2102.lbaw.fe.up.pt/js/scripts.js defer></script>↵
35. ↵
36.      </head>↵
37.      <body>↵
38.          <main>↵
39.              <header id="header">↵
40.                  <h1><a href="/users"><img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/logo.png width="250"></a></h1>↵
41.                  <section class="buttons">↵
42.                      <a class= "notification" href="/users/104/notifications">↵
43.                          <img alt="Logo"
src=http://lbaw2102.lbaw.fe.up.pt/img/notification.png width="25">↵
44.                                      <span class="notification-
number">14</span>↵
45.                      </a>↵
46.                      <a href="/users/104/profile">↵
47.                          <img alt="Profile Image"
src=http://lbaw2102.lbaw.fe.up.pt/.img/1643328073.jpg class="profilePhoto" >
</a>↵
48.                  </section>↵
49.              </header>↵
50.              <section id="content">↵
51.                  ↵
52. <section id="user">↵
53.     <div class="modal fade" id=logout tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">↵
54.         <div class="modal-dialog modal-dialog-centered" role="document">↵
55.             <div class="modal-content">↵
56.                 <div class="modal-header">↵
57.                     <h4 class="modal-title">Are you sure you want to logout?</h4>↵
58.                 </div>↵
59.                 <div class="modal-footer">↵
60.                     <a class="btn confirm"
href="http://lbaw2102.lbaw.fe.up.pt/logout">Logout</a>↵
61.                     <button type="button" class="btn cancel" data-
dismiss="modal">Cancel</button>↵
62.                 </div>↵
63.             </div>↵
64.         </div>↵
65.     </div>↵
66.     <div class="modal fade" id=delete-user tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">↵
67.         <div class="modal-dialog modal-dialog-centered" role="document">↵
68.             <div class="modal-content">↵
69.                 <div class="modal-header">↵
70.                     <h4 class="modal-title">Are you sure you want to delete the profile?
</h4>↵
71.                     <h1 class="modal-subtitle">Once you delete it, you can't go
back</h1>↵
72.                 </div>↵
73.                 <div class="modal-footer">↵
74.                     <button type="button" class="btn delete" data-
id=104>Delete</button>↵
75.                     <button type="button" class="btn cancel" data-
dismiss="modal">Cancel</button>↵
76.                 </div>↵
77.             </div>↵
78.         </div>↵
79.     </div>↵
80.     <article class="user">↵
81.         <div id=" sidenav" class="sidenav">↵
82.             <div class="sidenavleft selected-view">↵
```

```

83.          <a href="/users/104/profile" id="view">View Profile<-
84.          <img alt="Profile"
85.             src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>-
86.          </div>-
87.          <div class="sidenavleft">-
88.              <a href="/users/104/notifications"
89.                 id="notification">Notifications<-
90.                 <img alt="Notifications"
91.                   src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>-
92.                 </div>-
93.                 <div class="sidenavleft">-
94.                     <a data-toggle="modal" data-target="#delete-user">Delete
95.                         Profile<-
96.                         <img alt="Delete Account"
97.                           src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>-
98.                           </div>-
99.                           <div class="sidenavleft">-
100.                               <a data-toggle="modal" data-target="#logout">Logout<-
101.                                   <img alt="Logout"
102.                                     src=http://lbaw2102.lbaw.fe.up.pt/img/arrow.png class="arrow"></a>-
103.                                     </div>-
104.                                     <div class="userInfo" id="view">-
105.   <form class="info">-
106.   -
109.   <div class="writtenInfo">-
110.   <section>-
111.   <div class="full">-
112.   <label for="fname">First Name</label>-
113.   <input id="fname" type="text" name="fname"
114.   value="Andreia" disabled>-
115.   </div>-
116.   <div class="full" id="lname">-
117.   <label for="lName">Last Name</label>-
118.   <input id="lName" type="text" name="lName" value="-
119.   Bastos" disabled>-
120.   </div>-
121.   </div>-
122.   </form>-
123.   </div>-
124.   </article>-
125.                                     </section>-
126.                                     </div>-
127.                                     </section>-
128.                                     <footer class="footer">-
129.   <section class="footer">Copyright © 2022 toEaseManage, Inc.</section>-
130.   </footer>-
131.                                     </main>-
132.                                     </body>-
133.                                 </html>

```

Used the HTML parser.

Total execution time 25 milliseconds.

---

