

MULTIVARIATE TIME SERIES ANALYSIS OF SOLAR IRRADIANCE FOR  
PHOTOVOLTAIC SYSTEMS: THE HYBRIDIZATION OF NARX AND LSTM  
MODELS

OSAMA GAMAL MAHMOUD IBRAHIM MOTIR

A thesis submitted in fulfilment of the  
requirements for the award of the degree of  
Master of Data Science

Faculty of computing  
Universiti Teknologi Malaysia

NOVEMBER 2024

## TABLE OF CONTENTS

	TITLE	PAGE
	TABLE OF CONTENTS	ii
	LIST OF FIGURES	iv
<b>CHAPTER 1</b>	<b>INTRODUCTION</b>	<b>1</b>
1.1	Research Background	1
1.2	Problem Statement	4
1.3	Research Goal	5
1.4	Research Objectives	5
1.5	Scope of The Project	5
<b>CHAPTER 2</b>	<b>LITERATURE REVIEW</b>	<b>7</b>
2.1	Introduction	7
2.2	Microgrid and Renewable Energy Integration	7
2.2.1	Basic Principle of Microgrids	7
2.2.1.1	Microgrid Architecture	9
2.2.2	Integrating Renewable Energy into Micro-grids	11
2.3	Challenges in Microgrid Operation	12
2.3.1	Stability in Microgrids	12
2.3.2	Power quality Issues	14
2.3.2.1	Voltage fluctuations	14
2.3.2.2	Voltage sag and swell	15
2.4	Weather (Solar) Forecasting in Microgrid	17
2.4.1	Importance of Accurate Forecasting	17
2.4.2	Solar Forecasting Approaches	21
2.4.2.1	Physical Approaches	21
2.4.2.2	Statistical and Hybrid Approaches	23
2.5	Machine Learning in Weather Forecasting	28

2.5.1	Types of Machine Learning Algorithms	29
2.5.1.1	Deep Learning for Time-Series Forecasting	30
2.5.1.2	Neural Network Models	31
2.5.2	Challenges and Limitations	39
2.6	Chapter Summary	41
<b>REFERENCES</b>		<b>43</b>

## LIST OF FIGURES

<b>FIGURE NO.</b>	<b>TITLE</b>	<b>PAGE</b>
Figure 1.1	Architecture of an MG [Bank, 2020].	2
Figure 2.1	Architecture of Microgrid [Mariam et al., 2016].	9
Figure 2.2	Structure of Microgrid [Mariam et al., 2016].	11
Figure 2.3	A typical voltage fluctuation waveform. [Bajaj and Singh, 2020]	15
Figure 2.4	voltage sag and voltage swell representation. [Mattar et al., 2024]	15
Figure 2.5	Typical physical model.	22
Figure 2.6	PHANN, a physical hybrid artificial neural network, was developed to anticipate output power [Nespoli et al., 2019]	26
Figure 2.7	An overview of forecasting methods[Ma and Ma, 2018]	27
Figure 2.8	Deep learning general structure. [Chen et al., 2019]	30
Figure 2.9	RBFNN's architecture. [He et al., 2019]	31
Figure 2.10	Architecture of a multilayer perceptron with three outputs and two hidden layers [Wani and Thagunna, 2024]	32
Figure 2.11	Architecture of the neural network ensemble [Lee et al., 2009]	33
Figure 2.12	Architecture of the neural network ensemble[Lee et al., 2009]	35
Figure 2.13	structure of NARX-RNN	36

# CHAPTER 1

## INTRODUCTION

### 1.1 Research Background

Degradation of the environment is the most difficult challenge in nations that have been detribalized, and the argument that it is not a concern in countries that have not been industrialized is no longer relevant [Yoldaş et al., 2017]. The high emissions of greenhouse gases (GHGs) are having an effect on both industrialized and non-industrialized nations all over the world. The rise in energy consumption that is a direct result of the expansion of the human population is the root cause of environmental deterioration. In 2023, the CO<sub>2</sub> emissions record had shown that the reading of CO<sub>2</sub> had reached 37.4 Gt [Raimi et al., 2024] where is considered the highest record. Which led many countries to focusing on replacing the traditional power grid like Coal-fired power station where they use the concept of coal-combustion to generate electricity, to the renewable energy sources which is more sustain and safe on the environment.

For this reason, the development of clean and renewable energy sources has emerged as a crucial approach for the economic and social sustainability of development for every nation on the planet [Suman et al., 2021]. The idea of a microgrid was proposed by the researchers in order to resolve the conflict that exists between grid generation and distributed generation, as well as to make the most of the benefits that distributed generation offers in terms of the economics, energy, and the environment.

Microgrids, localized power systems that can operate independently or in conjunction with the traditional power grid structure as shown in Figure 1.1, represent a compact yet fully operational grid system, functioning within a confined geographical region [Raimi et al., 2024]. Typically, a Microgrid (MG) is characterized as a combined energy provision system composed of various Distributed Generations

(DGs), energy storage components, loads, and devices for monitoring and protection. It functions as an independent, self-sustaining system that interfaces with the broader grid as a unified, regulated entity [Sepasi et al., 2023]. This system is endowed with the ability for self-regulation, protective measures, and overall management, all while satisfying the customer's expectations for reliable power supply and high-quality electricity.




Figure 1.1 Architecture of an MG [Bank, 2020].

The shift to renewable energy is a worldwide movement in the twenty-first century. Solar energy is driving this change because of its huge resource potential. Photovoltaic (PV) energy offers significant availability and extended longevity to stakeholders. As well as there are many technologies that had been developed in field of solar energy in terms of improving the power efficiency (PV cell) also the development reach to the storge system where it can help in improving the isolated system and the hybrid system [Dutta et al., 2017]. However, photovoltaic energy exhibits several constraints about inadequate power stability and subpar power quality. Photovoltaic plants are consistently affected by meteorological factors like cloud cover, wind velocity, and temperature fluctuations. Moreover, the primary impetus for energy production, namely irradiation, is only accessible during daylight hours [Shakya et al., 2016].

Consequently, forecasting models have been extensively used for photovoltaic systems to predict produced photovoltaic power on one hand and load demand on the other, so facilitating intelligent demand response and efficient energy management.

For the purpose of forecasting the solar irradiance, researchers are employing a wide range of methodologies. These methods may be generally classified into four categories: data-driven approaches, image-based approaches, numerical weather prediction (NWP) models, and hybrid approaches [Guermoui et al., 2020]. For the purpose of forecasting the solar time series, data-driven or statistical and machine learning methodologies make use of the historical data that has been observed or felt in the past. Images obtained from sky/shadow cameras or satellites are utilised by image-based techniques, which then integrate this information with past data in order to eventually anticipate the irradiance. For the purpose of predicting the irradiance, NWP models make use of computer-based programs. There are a variety of hybrid or combination models, which are diverse combinations of two or more of the types that were originally listed. However many methods facing difficulty to accurately forecast the solar irradiance due to many factors.

Machine learning (ML) approaches have been suggested up until this point in order to comprehend the behavior of selected feature patterns that are constantly changing over time in order to reconstruct a clear vision about future values [Massaoudi et al., 2020]. In layman's terms, these methods examine the past (the data that was input) in order to make predictions about the future (the behavior of the system). Direct and indirect PVPF are the components that make up Photovoltaic power forecasting (PVPF). On the one hand, direct PVPF evaluates the meteorological data from the past in order to forecast the amount of electricity that may be generated by PV. The indirect PVPF, on the other hand, employs an approach that consists of two stages. When it comes to the initial stage, the solar irradiance is anticipated to be the PV power aspect that is most dependent on it. Within the second step, the determination of the power generated by photovoltaic cells is based on mathematical relationships [Massaoudi et al., 2019]. According to the findings presented in [Lei and Yang, 2019], it has been demonstrated that the second technique is superior in terms of accuracy, versatility, costability, and the amount of computing effort that it requires. According to the authors of [Akhter et al., 2019], hybrid models

can obtain competitive outcomes in comparison to the approaches that are considered to be state-of-the-art by merging two or more single machine learning models from different sources.

According to the approaches of forecasting that are now in use, there are a few handles that continue to require additional mastery. To begin, the range of prediction for weather forecast data is restricted, and the historical time series of solar power is non-stationary, dynamic, and nonperiodic. These characteristics make it impossible for typical artificial intelligence systems to comprehend the data. In the second place, the input-output prediction patterns of the current modes are investigated from the point of view of statistical analysis. This approach either disregards the effect of other connected elements or necessitates the collection of high-quality data from many associated factors, which restricts the practical applicability. In conclusion, the complex non-linearity of the photovoltaic time series over different forecasting horizons exists between univariate time steps and among the variables that are significant.

To address the current challenges and achieve precise photovoltaic power forecasting, the hypothesis of the proposed method in this paper is primarily based on the following considerations where the current research indicates that NARX effectively manages nonlinear relationships, while LSTM excels in extracting temporal features, and the attention mechanism mitigates the issues of distraction. hence, the hybridization of NARX and LSTM is proposed in this study.

## **1.2 Problem Statement**

The total capacity of renewable energy sources around the globe reached 3,381 gigawatts in the year 2023. With a capacity of 1053 gigawatts (GW), solar energy has emerged as the second most widely adopted of these renewable sources for energy production. Malaysia is positioned as top four nations in Southeast Asia in terms of its significant solar energy capacity. In the present moment, renewable energy sources provide 13.3% of Malaysia's overall energy capacity, it is anticipated that Malaysia would attain 18.2% of its capacity to generate electricity from renewable



sources by 2025, and 70% by 2050. Consequently, the amount of integration of the renewable energy with the main grid will increase exponentially which will increase the complexity in terms of grid management, and stability within the grid due to the difficulty in renewable energy forecasting. Therefore, to achieve the integration with RE, an accurate and strong forecasting model is required for predicting the solar energy.

### **1.3 Research Goal**

The aim of the project is to present a hybrid nonlinear autoregressive network with long-term memory inputs and exogenous inputs (NARXLSTM) model to meet the growing need for accurate daily solar irradiance predictions, especially under volatile weather conditions in Malaysia.

### **1.4 Research Objectives**

- (a) To develop a hybrid machine learning model combining LSTM and NARX neural networks, focusing on improving the precision of daily solar irradiance predictions.
- (b) To analyze the influence of various weather parameters, determining their individual and collective impact on the forecasting model's performance and.
- (c) To develop a dashboard to display forecasts and analyze trends.

### **1.5 Scope of The Project**

- Python will be used as the main tool to develop and analyze the model evaluation.
- The model performance will be evaluated by using historical weather data that had collected from Johor, Malaysia environments.

- The project will focus on constructing a hybrid model that combines the strengths of Nonlinear Autoregressive with Exogenous Inputs (NARX) and Long Short-Term Memory (LSTM) networks to forecast solar irradiance.
- The model will integrate various weather parameters which are Air Temperature, Cloud Attenuation, Precipitation Rate, Dewpoint Temperature, Surface Pressure, Precipitable Water, Relative Humidity, Wind Speed, Wind Direction

## REFERENCES

- Adcock and Dexter, 2021. Adcock, B. and Dexter, N. (2021). The gap between theory and practice in function approximation with deep neural networks. *SIAM Journal on Mathematics of Data Science*, 3(2):624–655.
- Adefarati and Bansal, 2019. Adefarati, T. and Bansal, R. C. (2019). Reliability, economic and environmental analysis of a microgrid system in the presence of renewable energy resources. *Applied energy*, 236:1089–1114.
- Ahmad et al., 2023. Ahmad, S., Shafiullah, M., Ahmed, C. B., and Alowaifeer, M. (2023). A review of microgrid energy management and control strategies. *IEEE Access*, 11:21729–21757.
- Akhter et al., 2019. Akhter, M. N., Mekhilef, S., Mokhlis, H., and Mohamed Shah, N. (2019). Review on forecasting of photovoltaic power generation based on machine learning and metaheuristic techniques. *IET Renewable Power Generation*, 13(7):1009–1023.
- Alamo et al., 2019. Alamo, D. H., Medina, R. N., Ruano, S. D., García, S. S., Moustiris, K. P., Kavadias, K. K., Zafirakis, D., Tzanes, G., Zafeiraki, E., Spyropoulos, G., et al. (2019). An advanced forecasting system for the optimum energy management of island microgrids. *Energy procedia*, 159:111–116.
- Albarakati et al., 2022. Albarakati, A. J., Boujoudar, Y., Azeroual, M., Eliysaouy, L., Kotb, H., Aljarbouh, A., Khalid Alkahtani, H., Mostafa, S. M., Tassaddiq, A., and Pupkov, A. (2022). Microgrid energy management and monitoring systems: A comprehensive review. *Frontiers in Energy Research*, 10:1097858.
- Alizamir et al., 2020. Alizamir, M., Kim, S., Kisi, O., and Zounemat-Kermani, M. (2020). A comparative study of several machine learning based non-linear regression methods in estimating solar radiation: Case studies of the usa and turkey regions. *Energy*, 197:117239.
- AlKandari and Ahmad, 2024. AlKandari, M. and Ahmad, I. (2024). Solar power generation forecasting using ensemble approach based on deep learning and statistical methods. *Applied Computing and Informatics*, 20(3/4):231–250.

- Alsaidan et al., 2017.      Alsaidan, I., Alanazi, A., Gao, W., Wu, H., and Khodaei, A. (2017). State-of-the-art in microgrid-integrated distributed energy storage sizing. *Energies*, 10(9):1421.
- Bajaj and Singh, 2020.      Bajaj, M. and Singh, A. K. (2020). Grid integrated renewable dg systems: A review of power quality challenges and state-of-the-art mitigation techniques. *International Journal of Energy Research*, 44(1):26–69.
- Bandeiras et al., 2020.      Bandeiras, F., Pinheiro, E., Gomes, M., Coelho, P., and Fernandes, J. (2020). Review of the cooperation and operation of microgrid clusters. *Renewable and Sustainable Energy Reviews*, 133:110311.
- Bank, 2020.      Bank, A. D. (2020). *Handbook on Microgrids for Power Quality and Connectivity*. Asian Development Bank Institute.
- Behera and Nayak, 2020.      Behera, M. K. and Nayak, N. (2020). A comparative study on short-term pv power forecasting using decomposition based optimized extreme learning machine algorithm. *Engineering Science and Technology, an International Journal*, 23(1):156–167.
- Cagnano et al., 2020.      Cagnano, A., De Tuglie, E., and Mancarella, P. (2020). Microgrids: Overview and guidelines for practical implementations and operation. *Applied Energy*, 258:114039.
- Chen et al., 2019.      Chen, Y., Chang, H., Meng, J., and Zhang, D. (2019). Ensemble neural networks (enn): A gradient-free stochastic method. *Neural Networks*, 110:170–185.
- Choi and Hur, 2020.      Choi, S. and Hur, J. (2020). An ensemble learner-based bagging model using past output data for photovoltaic forecasting. *Energies*, 13(6):1438.
- Choudhury, 2020.      Choudhury, S. (2020). A comprehensive review on issues, investigations, control and protection trends, technical challenges and future directions for microgrid technology. *International Transactions on Electrical Energy Systems*, 30(9):e12446.
- Chung, 2020.      Chung, M. H. (2020). Estimating solar insolation and power generation of photovoltaic systems using previous day weather data. *Advances in Civil Engineering*, 2020(1):8701368.

- Desai and Shah, 2021. Desai, M. and Shah, M. (2021). An anatomization on breast cancer detection and diagnosis employing multi-layer perceptron neural network (mlp) and convolutional neural network (cnn). *Clinical eHealth*, 4:1–11.
- Dhoke et al., 2018. Dhoke, S., Chamat, S., Lanjewar, V., Tembhurne, P., Parkhedkar, P., and Pathan, N. (2018). Compensation of voltage sag and voltage swell by using the power electronic device dynamic voltage restorer (dvr). *International Research Journal of Engineering and Technology*, 5(03).
- Diagne et al., 2013. Diagne, M., David, M., Lauret, P., Boland, J., and Schmutz, N. (2013). Review of solar irradiance forecasting methods and a proposition for small-scale insular grids. *Renewable and Sustainable Energy Reviews*, 27:65–76.
- Dudek et al., 2023. Dudek, G., Piotrowski, P., and Baczyński, D. (2023). Intelligent forecasting and optimization in electrical power systems: Advances in models and applications.
- Dutta et al., 2017. Dutta, S., Li, Y., Venkataraman, A., Costa, L. M., Jiang, T., Plana, R., Tordjman, P., Choo, F. H., Foo, C. F., and Puttgen, H. B. (2017). Load and renewable energy forecasting for a microgrid using persistence technique. *Energy Procedia*, 143:617–622.
- El Hendouzi and Bourouhou, 2016. El Hendouzi, A. and Bourouhou, A. (2016). Forecasting of pv power application to pv power penetration in a microgrid. In *2016 International Conference on Electrical and Information Technologies (ICEIT)*, pages 468–473. IEEE.
- Energy, 2016. Energy, W. (2016). Journal of clean energy technologies. *Solar Energy*, 4(1).
- Feng et al., 2020. Feng, Y., Hao, W., Li, H., Cui, N., Gong, D., and Gao, L. (2020). Machine learning models to quantify and map daily global solar radiation and photovoltaic power. *Renewable and Sustainable Energy Reviews*, 118:109393.
- Gheouany et al., 2023. Gheouany, S., Ouadi, H., Giri, F., and El Bakali, S. (2023). Experimental validation of multi-stage optimal energy management for a smart microgrid system under forecasting uncertainties. *Energy Conversion and Management*, 291:117309.

- Gopakumar et al., 2014. Gopakumar, P., Reddy, M. J. B., and Mohanta, D. K. (2014). Stability concerns in smart grid with emerging renewable energy technologies. *Electric power components and Systems*, 42(3-4):418–425.
- Guermoui et al., 2020. Guermoui, M., Melgani, F., Gairaa, K., and Mekhalfi, M. L. (2020). A comprehensive review of hybrid models for solar radiation forecasting. *Journal of Cleaner Production*, 258:120357.
- Gungor et al., 2011. Gungor, V. C., Sahin, D., Kocak, T., Ergut, S., Buccella, C., Cecati, C., and Hancke, G. P. (2011). Smart grid technologies: Communication technologies and standards. *IEEE transactions on Industrial informatics*, 7(4):529–539.
- Guo and Mu, 2016. Guo, W. and Mu, L. (2016). Control principles of micro-source inverters used in microgrid. *Protection and Control of Modern Power Systems*, 1:1–7.
- He et al., 2019. He, H., Yan, Y., Chen, T., and Cheng, P. (2019). Tree height estimation of forest plantation in mountainous terrain from bare-earth points using a dog-coupled radial basis function neural network. *Remote sensing*, 11(11):1271.
- Hewamalage et al., 2021. Hewamalage, H., Bergmeir, C., and Bandara, K. (2021). Recurrent neural networks for time series forecasting: Current status and future directions. *International Journal of Forecasting*, 37(1):388–427.
- Hornik et al., 1989. Hornik, K., Stinchcombe, M., and White, H. (1989). Multilayer feedforward networks are universal approximators. *Neural networks*, 2(5):359–366.
- Hussain et al., 2019. Hussain, A., Bui, V.-H., and Kim, H.-M. (2019). Microgrids as a resilience resource and strategies used by microgrids for enhancing resilience. *Applied energy*, 240:56–72.
- James, 2013. James, G. (2013). An introduction to statistical learning.
- Kalakotla and Korra, 2023. Kalakotla, S. and Korra, C. (2023). Emerging power quality challenges due to integration of renewable energy sources in ac/dc microgrids. In *International Conference on Intelligent Manufacturing and Energy Sustainability*, pages 293–304. Springer.

- Kaushal and Basak, 2020. Kaushal, J. and Basak, P. (2020). Power quality control based on voltage sag/swell, unbalancing, frequency, thd and power factor using artificial neural network in pv integrated ac microgrid. *Sustainable Energy, Grids and Networks*, 23:100365.
- Khan et al., 2020. Khan, P. W., Byun, Y.-C., Lee, S.-J., Kang, D.-H., Kang, J.-Y., and Park, H.-S. (2020). Machine learning-based approach to predict energy consumption of renewable and nonrenewable power sources. *Energies*, 13(18):4870.
- Kiehadrouinezhad et al., 2023. Kiehadrouinezhad, M., Merabet, A., Ghenai, C., Abo-Khalil, A. G., and Salameh, T. (2023). The role of biofuels for sustainable microgrids: A path towards carbon neutrality and the green economy. *Heliyon*, 9(2).
- Lara-Fanego et al., 2012. Lara-Fanego, V., Ruiz-Arias, J., Pozo-Vázquez, D., Santos-Alamillos, F., and Tovar-Pescador, J. (2012). Evaluation of the wrf model solar irradiance forecasts in andalusia (southern spain). *Solar Energy*, 86(8):2200–2217.
- Lasseter and Paigi, 2004. Lasseter, R. H. and Paigi, P. (2004). Microgrid: A conceptual solution. In *2004 IEEE 35th annual power electronics specialists conference (IEEE Cat. No. 04CH37551)*, volume 6, pages 4285–4290. IEEE.
- Lee et al., 2009. Lee, H., Hong, S., and Kim, E. (2009). Neural network ensemble with probabilistic fusion and its application to gait recognition. *Neurocomputing*, 72(7-9):1557–1564.
- Lei et al., 2023. Lei, B., Ren, Y., Luan, H., Dong, R., Wang, X., Liao, J., Fang, S., and Gao, K. (2023). A review of optimization for system reliability of microgrid. *Mathematics*, 11(4):822.
- Lei and Yang, 2019. Lei, Z. and Yang, Y.-b. (2019). Research on data mining algorithm for regional photovoltaic generation. In *Advanced Hybrid Information Processing: Third EAI International Conference, ADHIP 2019, Nanjing, China, September 21–22, 2019, Proceedings, Part I*, pages 429–438. Springer.
- Logenthiran et al., 2015. Logenthiran, T., Naayagi, R. T., Woo, W. L., Phan, V.-T., and Abidi, K. (2015). Intelligent control system for microgrids using multiagent

- system. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 3(4):1036–1045.
- Lu et al., 2016. Lu, X., Wang, J., and Guo, L. (2016). Using microgrids to enhance energy security and resilience. *The Electricity Journal*, 29(10):8–15.
- Ma and Ma, 2018. Ma, J. and Ma, X. (2018). A review of forecasting algorithms and energy management strategies for microgrids. *Systems Science & Control Engineering*, 6(1):237–248.
- Mariam, 2018. Mariam, L. (2018). Modelling of an intelligent microgrid system in a smart grid network.
- Mariam et al., 2013. Mariam, L., Basu, M., and Conlon, M. F. (2013). A review of existing microgrid architectures. *Journal of engineering*, 2013(1):937614.
- Mariam et al., 2016. Mariam, L., Basu, M., and Conlon, M. F. (2016). Microgrid: Architecture, policy and future trends. *Renewable and Sustainable Energy Reviews*, 64:477–489.
- Marinelli et al., 2014. Marinelli, M., Sossan, F., Costanzo, G. T., and Bindner, H. W. (2014). Testing of a predictive control strategy for balancing renewable sources in a microgrid. *IEEE Transactions on Sustainable Energy*, 5(4):1426–1433.
- Massaoudi et al., 2019. Massaoudi, M., Chihi, I., Sidhom, L., Trabelsi, M., and Oueslati, F. S. (2019). Medium and long-term parametric temperature forecasting using real meteorological data. In *IECON 2019-45th Annual Conference of the IEEE Industrial Electronics Society*, volume 1, pages 2402–2407. IEEE.
- Massaoudi et al., 2020. Massaoudi, M., Refaat, S. S., Chihi, I., Trabelsi, M., Abu-Rub, H., and Oueslati, F. S. (2020). Short-term electric load forecasting based on data-driven deep learning techniques. In *IECON 2020 The 46th Annual Conference of the IEEE Industrial Electronics Society*, pages 2565–2570. IEEE.
- Mattar et al., 2024. Mattar, E.-Z. M., Mahmoud, E. S., and El-Sayed, M. I. (2024). Mitigation of voltage sag and voltage swell by using dynamic voltage restorer. *International Journal of Power Electronics and Drive Systems (IJPEDS)*, 15(2):1290–1299.



- Mienye et al., 2024. Mienye, I. D., Swart, T. G., and Obaido, G. (2024). Recurrent neural networks: A comprehensive review of architectures, variants, and applications. *Information*, 15(9):517.
- Mishra and Ramesh, 2009. Mishra, A. K. and Ramesh, L. (2009). Application of neural networks in wind power (generation) prediction. In *2009 International Conference on Sustainable Power Generation and Supply*, pages 1–5. IEEE.
- Mohamed et al., 2015. Mohamed, M. A., Eltamaly, A. M., Farh, H. M., and Alolah, A. I. (2015). Energy management and renewable energy integration in smart grid system. In *2015 IEEE international conference on smart energy grid engineering (SEGE)*, pages 1–6. IEEE.
- Moretti et al., 2019. Moretti, L., Polimeni, S., Meraldi, L., Raboni, P., Leva, S., and Manzolini, G. (2019). Assessing the impact of a two-layer predictive dispatch algorithm on design and operation of off-grid hybrid microgrids. *Renewable Energy*, 143:1439–1453.
- Murphy, 2012. Murphy, K. P. (2012). *Machine learning: a probabilistic perspective*. MIT press.
- Nespoli et al., 2019. Nespoli, A., Mussetta, M., Ogliari, E., Leva, S., Fernández-Ramírez, L., and García-Triviño, P. (2019). Robust 24 hours ahead forecast in a microgrid: A real case study. *Electronics*, 8(12):1434.
- Patterson and Gibson, 2017. Patterson, J. and Gibson, A. (2017). *Deep learning: A practitioner's approach*. ” O'Reilly Media, Inc.”.
- Pelland et al., 2013. Pelland, S., Remund, J., Kleissl, J., Oozeki, T., and De Brabandere, K. (2013). Photovoltaic and solar forecasting: state of the art. *IEA PVPS Task*, 14(355):1–36.
- Pu and Kalnay, 2019. Pu, Z. and Kalnay, E. (2019). Numerical weather prediction basics: Models, numerical methods, and data assimilation. *Handbook of hydrometeorological ensemble forecasting*, pages 67–97.
- Qu et al., 2021. Qu, J., Qian, Z., and Pei, Y. (2021). Day-ahead hourly photovoltaic power forecasting using attention-based cnn-lstm neural network embedded with multiple relevant and target variables prediction pattern. *Energy*, 232:120996.

- Raimi et al., 2024. Raimi, D., Zhu, Y., Newell, R. G., and Prest, B. C. (2024). Global energy outlook 2024: Peaks or plateaus.
- Ren et al., 2015. Ren, Y., Suganthan, P., and Srikanth, N. (2015). Ensemble methods for wind and solar power forecasting—a state-of-the-art review. *Renewable and Sustainable Energy Reviews*, 50:82–91.
- Reza et al., 2022. Reza, S., Ferreira, M. C., Machado, J. J., and Tavares, J. M. R. (2022). A multi-head attention-based transformer model for traffic flow forecasting with a comparative analysis to recurrent neural networks. *Expert Systems with Applications*, 202:117275.
- Rodríguez et al., 2018. Rodríguez, F., Fleetwood, A., Galarza, A., and Fontán, L. (2018). Predicting solar energy generation through artificial neural networks using weather forecasts for microgrid control. *Renewable energy*, 126:855–864.
- Saeed et al., 2021. Saeed, M. H., Fangzong, W., Kalwar, B. A., and Iqbal, S. (2021). A review on microgrids’ challenges & perspectives. *IEEE Access*, 9:166502–166517.
- Sangrody et al., 2020. Sangrody, H., Zhou, N., and Zhang, Z. (2020). Similarity-based models for day-ahead solar pv generation forecasting. *IEEE Access*, 8:104469–104478.
- Sepasi et al., 2023. Sepasi, S., Talichet, C., and Pramanik, A. S. (2023). Power quality in microgrids: A critical review of fundamentals, standards, and case studies. *IEEE Access*, 11:108493–108531.
- Shafiullah et al., 2010. Shafiullah, G., Oo, A. M., Jarvis, D., Ali, A. S., and Wolfs, P. (2010). Potential challenges: Integrating renewable energy with the smart grid. In *2010 20th australasian universities power engineering conference*, pages 1–6. IEEE.
- Shahgholian, 2021. Shahgholian, G. (2021). A brief review on microgrids: Operation, applications, modeling, and control. *International Transactions on Electrical Energy Systems*, 31(6):e12885.
- Shahzad et al., 2023. Shahzad, S., Abbasi, M. A., Ali, H., Iqbal, M., Munir, R., and Kilic, H. (2023). Possibilities, challenges, and future opportunities of microgrids: A review. *Sustainability*, 15(8):6366.

- Shakya et al., 2016. Shakya, A., Michael, S., Saunders, C., Armstrong, D., Pandey, P., Chalise, S., and Tonkoski, R. (2016). Solar irradiance forecasting in remote microgrids using markov switching model. *IEEE Transactions on sustainable Energy*, 8(3):895–905.
- Sharifzadeh et al., 2019. Sharifzadeh, M., Sikinioti-Lock, A., and Shah, N. (2019). Machine-learning methods for integrated renewable power generation: A comparative study of artificial neural networks, support vector regression, and gaussian process regression. *Renewable and Sustainable Energy Reviews*, 108:513–538.
- Singla et al., 2021. Singla, P., Duhan, M., and Saroha, S. (2021). A comprehensive review and analysis of solar forecasting techniques. *Frontiers in Energy*, pages 1–37.
- Sobri et al., 2018. Sobri, S., Koohi-Kamali, S., and Rahim, N. A. (2018). Solar photovoltaic generation forecasting methods: A review. *Energy conversion and management*, 156:459–497.
- Soman et al., 2010. Soman, S. S., Zareipour, H., Malik, O., and Mandal, P. (2010). A review of wind power and wind speed forecasting methods with different time horizons. In *North American power symposium 2010*, pages 1–8. IEEE.
- Sone et al., 2013. Sone, A., Kato, T., Shimakage, T., and Suzuoki, Y. (2013). Influence of forecast accuracy of photovoltaic power output on capacity optimization of microgrid composition under 30-minute power balancing control. *Electrical Engineering in Japan*, 182(2):20–29.
- Suman et al., 2021. Suman, G. K., Guerrero, J. M., and Roy, O. P. (2021). Optimisation of solar/wind/bio-generator/diesel/battery based microgrids for rural areas: A pso-gwo approach. *Sustainable cities and society*, 67:102723.
- Sutarna et al., 2023. Sutarna, N., Tjahyadi, C., Oktivasari, P., Dwiyaniti, M., et al. (2023). Machine learning algorithm and modeling in solar irradiance forecasting. In *2023 6th International Conference of Computer and Informatics Engineering (IC2IE)*, pages 221–225. IEEE.
- Takilalte et al., 2022. Takilalte, A., Harrouni, S., and Mora, J. (2022). Forecasting global solar irradiance for various resolutions using time series models-case

study: Algeria. *Energy sources, part A: Recovery, utilization, and environmental effects*, 44(1):1–20.

- Tomin et al., 2019. Tomin, N., Zhukov, A., and Domyshev, A. (2019). Deep reinforcement learning for energy microgrids management considering flexible energy sources. In *EPJ Web of Conferences*, volume 217, page 01016. EDP Sciences.
- Vincent et al., 2020. Vincent, R., Ait-Ahmed, M., Houari, A., and Benkhoris, M. F. (2020). Residential microgrid energy management considering flexibility services opportunities and forecast uncertainties. *International Journal of Electrical Power & Energy Systems*, 120:105981.
- Wang et al., 2020. Wang, F., Xuan, Z., Zhen, Z., Li, K., Wang, T., and Shi, M. (2020). A day-ahead pv power forecasting method based on lstm-rnn model and time correlation modification under partial daily pattern prediction framework. *Energy Conversion and Management*, 212:112766.
- Wani and Thagunna, 2024. Wani, N. M. and Thagunna, P. (2024). Predictive modeling of shear strength in fly ash-stabilized clayey soils using artificial neural networks and support vector regression. *Asian Journal of Civil Engineering*, 25(8):6131–6146.
- Wen et al., 2020. Wen, H., Du, Y., Chen, X., Lim, E., Wen, H., Jiang, L., and Xiang, W. (2020). Deep learning based multistep solar forecasting for pv ramp-rate control using sky images. *IEEE Transactions on Industrial Informatics*, 17(2):1397–1406.
- Yang et al., 2014. Yang, C., Thatte, A. A., and Xie, L. (2014). Multitime-scale data-driven spatio-temporal forecast of photovoltaic generation. *IEEE Transactions on Sustainable Energy*, 6(1):104–112.
- Yoldaş et al., 2017. Yoldaş, Y., Önen, A., Muyeen, S., Vasilakos, A. V., and Alan, I. (2017). Enhancing smart grid with microgrids: Challenges and opportunities. *Renewable and Sustainable Energy Reviews*, 72:205–214.
- Zafar et al., 2021. Zafar, R., Vu, B. H., Husein, M., and Chung, I.-Y. (2021). Day-ahead solar irradiance forecasting using hybrid recurrent neural network with weather classification for power system scheduling. *Applied Sciences*, 11(15):6738.

Zayed et al., 2022. Zayed, M. E., Zhao, J., Li, W., Sadek, S., and Elsheikh, A. H. (2022). Applications of artificial neural networks in concentrating solar power systems. In *Artificial neural networks for renewable energy systems and real-world applications*, pages 45–67. Elsevier.