



Project name	Github Project
R Software Version	R version 4.2.2 (2022-10-31)
Version	V1
Change description	Initial redaction

	<i>First Name</i>	<i>Last Name</i>	<i>Date</i>
Written by	Andrés	Acuña Marroquín	Monday 12 th June, 2023



Contents

1	Definitions	2
2	Data presentation	3
2.1	ToothGrowth	3
2.2	Paired data comparison	4
3	Session Info	5

1 Definitions

- **The standard deviation:** The standard deviation quantifies the variation within a set of measurements. Must not be confused with the standard error. The standard deviation is the most used.

$$s = \sqrt{\frac{\sum_{i=1}^n (x - \bar{x})^2}{n - 1}}$$

- **The standard error:** The standard error quantifies the variation (standard deviation) of an estimated parameter (or statistic) from a sampling distribution. This is the distribution of the means. Can be estimated with a single set of measurements.

$$\text{Standard Error} = SE = \frac{s}{\sqrt{n}}$$

- **The coefficient of variation:** The coefficient of variation, also known as relative standard deviation, is a standardized measure of dispersion of a probability distribution. The coefficient of variation in absolute value :

$$CV = \frac{\sigma}{\bar{x}}$$

- **The coefficient of variation in percentage :**

$$CV_{\%} = \frac{\sigma}{\bar{x}} * 100$$



2 Data presentation

2.1 ToothGrowth

Descriptive statistics for the ToothGrowth data set included in R.

The Effect of Vitamin C on Tooth Growth in Guinea Pigs

Supplement type (VC or OJ)




Table 1: Data Overview for the ToothGrowth data set


dose	supp	n	mean	sd	median	min	max
0.5	OJ	10	13.23	4.46	12.25	8.2	21.5
0.5	VC	10	7.98	2.75	7.15	4.2	11.5
1.0	OJ	10	22.70	3.91	23.45	14.5	27.3
1.0	VC	10	16.77	2.52	16.50	13.6	22.5
2.0	OJ	10	26.06	2.66	25.95	22.4	30.9
2.0	VC	10	26.14	4.80	25.95	18.5	33.9



2.2 Paired data comparison

By comparing two measurement methods and calculating the measurement bias, we use a difference plot to visually represent the disparity between the two groups.

```
## Creating a data set with two groups and comparing the difference between two groups
data <- tibble::tibble(group1 = seq(1:100) + rnorm(n = 100, mean = 10, sd = 2),
                      group2 = group1 + rnorm(n = 100, mean = 1, sd = 2))
```



Legend — +/- 1,96 SD from the bias — 95% confidence intervals of the bias

Table 2: Data overview

bias	min.CI	max.CI	SD	mean - 1.96 SD	mean + 1.96 SD
1.29	0.862	1.718	2.158	-2.939	5.519

The table above is utilized to showcase the essential values derived from the plots.



3 Session Info

```
sessionInfo()
```

```
## R version 4.2.2 (2022-10-31)
## Platform: aarch64-apple-darwin20 (64-bit)
## Running under: macOS Ventura 13.4
##
## Matrix products: default
## BLAS:   /Library/Frameworks/R.framework/Versions/4.2-arm64/Resources/lib/libRblas.0.dylib
## LAPACK: /Library/Frameworks/R.framework/Versions/4.2-arm64/Resources/lib/libRlapack.dylib
##
## locale:
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
##
## attached base packages:
## [1] splines      stats      graphics  grDevices  utils      datasets  methods
## [8] base
##
## other attached packages:
## [1] reactable_0.4.4      flexdashboard_0.6.1 paletteer_1.5.0
## [4] ggrepel_0.9.2        knitr_1.40          plotly_4.10.1
## [7] modelr_0.1.10        lubridate_1.9.0     timechange_0.1.1
## [10] forcats_0.5.2        stringr_1.4.1       dplyr_1.0.10
## [13] purrr_0.3.5          readr_2.1.3         tidyr_1.2.1
## [16] tibble_3.1.8         ggplot2_3.4.0       tidyverse_1.3.2
##
## loaded via a namespace (and not attached):
## [1] httr_1.4.4           sass_0.4.2           jsonlite_1.8.3
## [4] viridisLite_0.4.1   carData_3.0-5        bslib_0.4.1
## [7] assertthat_0.2.1    highr_0.9            googlesheets4_1.0.1
## [10] cellranger_1.1.0    yaml_2.3.6           pillar_1.8.1
## [13] backports_1.4.1     glue_1.6.2           digest_0.6.30
## [16] ggsignif_0.6.4      rvest_1.0.3          colorspace_2.0-3
## [19] cowplot_1.1.1       htmltools_0.5.3      pkgconfig_2.0.3
## [22] broom_1.0.1         haven_2.5.1          scales_1.2.1
## [25] tzdb_0.3.0          googledrive_2.0.0    car_3.1-1
## [28] generics_0.1.3      farver_2.1.1         ggpubr_0.4.0
## [31] ellipsis_0.3.2      cachem_1.0.6         withr_2.5.0
## [34] lazyeval_0.2.2      cli_3.4.1            magrittr_2.0.3
## [37] crayon_1.5.2        readxl_1.4.1         evaluate_0.18
## [40] fs_1.5.2            fansi_1.0.3          rstatix_0.7.1
## [43] xml2_1.3.3          tools_4.2.2          data.table_1.14.4
## [46] hms_1.1.2           gargle_1.2.1         lifecycle_1.0.3
## [49] munsell_0.5.0       reprex_2.0.2         compiler_4.2.2
## [52] jquerylib_0.1.4     rlang_1.0.6          grid_4.2.2
## [55] rstudioapi_0.14     htmlwidgets_1.5.4    labeling_0.4.2
## [58] rmarkdown_2.18      gtable_0.3.1         abind_1.4-5
## [61] DBI_1.1.3           rematch2_2.1.2       R6_2.5.1
## [64] gridExtra_2.3       fastmap_1.1.0        utf8_1.2.2
## [67] stringi_1.7.8       Rcpp_1.0.9           vctrs_0.5.0
## [70] dbplyr_2.2.1        tidyselect_1.2.0     xfun_0.34
```