

■ Automated Onboarding Roadmap (Turborepo + Vercel + Content API)

This roadmap defines the full process for onboarding a new client in our ecommerce platform using Vercel, Turborepo, and our custom content API.

■ Overview

Final Goal

When onboarding a new client, the system will automatically:

1. Create a new `siteId` via our backend API.
2. Duplicate a template app from `apps/template-client` → `apps/client-name`.
3. Populate content (e.g., banners) linked to that `siteId`.
4. Generate a TypeScript enum (`bannerIds.ts`) with the content IDs.
5. Commit and push the project to GitHub.
6. Create a new Vercel project pointing to `apps/client-name`.

■ Tasks Breakdown

1. Project Structure

Ensure the monorepo has the following default structure:

apps/

template-client/

```
client-name/ <-- will be generated

packages/

ui/

utils/

scripts/

onboard.js <-- main automation logic

generate-banners.js

---
```

2. Environment Variables

Set these in your `.env` file and GitHub repo secrets:

```
BANNERS_API_URL=https://miapi.com/banners

SITE_API_URL=https://miapi.com/sites

API_AUTH_TOKEN=your-secret-token

VERCEL_TOKEN=your-vercel-token

---
```

3. Automation Script Flow (`scripts/onboard.js`)

■ 1. Get client name from input

```
const clientName = process.argv[2];
```

■ 2. Create `siteId`

```
const siteRes = await fetch(`${SITE_API_URL}`, {
  method: 'POST',
  headers: {
```

```
'Content-Type': 'application/json',

Authorization: `Bearer ${API_AUTH_TOKEN}`,

},

body: JSON.stringify({ name: clientName, slug: clientName }),

});

const siteData = await siteRes.json();

const siteId = siteData.id;
```

■ 3. Duplicate Template

```
fs.cpSync('apps/template-client', `apps/${clientName}`, { recursive: true });
```

■ 4. Generate Banners + Enums

```
// POST banners with siteId, write bannerIds.ts in client app
```

■ 5. Git Commit and Push

```
execSync('git add . && git commit -m "Add client" && git push');
```

■ 6. Create Vercel Project

```
await axios.post('https://api.vercel.com/v9/projects', {

name: clientName,

rootDirectory: `apps/${clientName}`,

gitRepository: {

type: "github",

repo: "your-org/your-repo",

},

});
```

4. GitHub Action Workflow (`.github/workflows/onboard.yml`)

name: Onboard New Client

on:

workflow_dispatch:

inputs:

client_name:

description: "Client Name (e.g. client-xyz)"

required: true

jobs:

onboard:

runs-on: ubuntu-latest

steps:

- uses: actions/checkout@v3

- name: Set up Node

uses: actions/setup-node@v3

with:

node-version: 18

- name: Install dependencies

run: npm install

- name: Run onboarding

env:

API_AUTH_TOKEN: \${ secrets.API_AUTH_TOKEN }

SITE_API_URL: \${ secrets.SITE_API_URL }

BANNERS_API_URL: \${ secrets.BANNERS_API_URL }

VERCEL_TOKEN: \${{ secrets.VERCEL_TOKEN }}

run: node scripts/onboard.js \${{ github.event.inputs.client_name }}

■ Summary

| Step | Status | Tool |

|-----|-----|-----|

| Create site ID | ■ | Custom API |

| Copy Turborepo folder | ■ | fs.cpSync |

| Generate banner IDs | ■ | API + fs.write |

| Git push project | ■ | execSync |

| Create Vercel project | ■ | Vercel API |

| Trigger from GitHub UI | ■ | GitHub Actions |

■ Final Folder Layout

monorepo/

■ ■ ■ apps/

■ ■ ■ ■ template-client/

■ ■ ■ ■ client-name/

■ ■ ■ scripts/

■ ■ ■ ■ onboard.js

■ ■ ■ .github/

■ ■ ■ ■ workflows/

■ ■ ■ ■ onboard.yml

■■■.env

Keep this roadmap updated as the automation evolves.