











```
<html lang="en" class="gr__localhost">
  ▶#shadow-root (open)
... V <head> == 58
     <meta charset="utf-8">
     <meta name="viewport" content="width=device
     width, initial-scale=1, shrink-to-fit=no">
     link rel="shortcut icon" href="/
     favicon.ico">
     <title>Home || MysiteName</title>
     <style type="text/css">body {
       margin: 0;
       padding: 0;
       font-family: sans-serif:
     </style>
   ▶<style type="text/css">..</style>
     <meta name="description" content="Home page
     using react helmet very easy to implement '
     data-react-helmet="true">
     <meta name="keywords" content=
     "HTML, CSS, JavaScript, React, Reactjs" data-
     react-helmet="true">
```

Console

Elements

</head>

## SEO Friendly

```
<html lang="en" class="gr__localhost">
  ▶#shadow-root (open)
... V <head> == 58
     <meta charset="utf-8">
     <meta name="viewport" content="width=device
     width, initial-scale=1, shrink-to-fit=no">
     link rel="shortcut icon" href="/
     favicon.ico">
     <title>Home || MysiteName</title>
     <style type="text/css">body {
       margin: 0;
       padding: 0;
       font-family: sans-serif:
     </style>
   ▶<style type="text/css">..</style>
     <meta name="description" content="Home page
     using react helmet very easy to implement '
     data-react-helmet="true">
     <meta name="keywords" content=
     "HTML, CSS, JavaScript, React, Reactjs" data-
     react-helmet="true">
```

Console

Elements

</head>

Home Posts Ideas

Dummy text: Its function as a filler or as a tool for comparing the visual impression of different typefaces Dummy text is text

that is used in the publishing industry or by web designers to occupy the space which will later be filled with 'real' content. This is required when, for example, the final text is not yet with the melody. Dummy texts have been in use by

available. Dummy text is also known as 'fill text'. It is said that song composers of the past used dummy texts as lyrics when writing melodies in order to have a 'ready-made' text to sing typesetters since the 16th century. The usefulness of nonsensical content Dummy text is also used to demonstrate the appearance of different typefaces and layouts, and in general the content of dummy text is nonsensical. Due to its widespread use as filler text for layouts, non-readability is of great importance: human perception is tuned to recognize certain patterns and repetitions in texts. If the distribution of letters and 'words' is random, the reader will not be distracted

from making a neutral judgement on the visual impact and

readability of the typefaces (typography), or the distribution of text on the page (layout or type area). For this reason,

dummy text usually consists of a more or less random series

of words or syllables.

Elements Console <html lang="en" class="gr\_\_localhost"> ▶#shadow-root (open) ...▼<head> == \$0 <meta charset="utf-8"> <meta name="viewport" content="width=device width, initial-scale=1, shrink-to-fit=no"> <link rel="shortcut icon" href="/</pre> favicon.ico"> <title>Home || MysiteName</title>

<style type="text/css">body {

font-family: sans-serif;

▶<stvle type="text/css">...</stvle>

data-react-helmet="true"> <meta name="keywords" content=

react-helmet="true">

<meta name="description" content="Home page

using react helmet very easy to implement '

"HTML,CSS,JayaScript,React,Reactjs" data-

margin: 0;

</style>

</head>


padding: 0;



## More effective for SEO and accessibility purposes,



SEO Friendly



https://openclassrooms.com/fr/courses/1086916-la-semantique https://developer.mozilla.org/fr/docs/Web/HTML/Element https://codepen.io/Forestein/pen/QPgZQK?editors=1000