Cucumber Report

| Start : Sep 16, 11:01:42.879 AM	End : Sep 16, 11:02:03.689 AM	Duration : 20.810 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 2 SKIPPED - 0	PASSED - 13 FAILED - 2 SKIPPED - 0

1	6	15

0 %	66 %	86 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Tests of the whole RestfulBooker database	*20.810 s*	6	4	2	0	15	13	2	0

#	Feature Name	Scenario Name
1	*Tests of the whole RestfulBooker database*	*checking if the post booking sends code 400 of bad request when I don't send a firstname*
2		*checking if the put booking sends code 200 of ok when i update with the correct data*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@run	6	4	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Tests of the whole RestfulBooker database	6	4	2	0	20.810 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Tests of the whole RestfulBooker database	checking if the get booking gets me all the list of bookings	3	3	0	0	5.179 s
2		checking if the get booking by id gets me the booking i'm looking for if the id exists	3	3	0	0	0.939 s
3		checking if the get booking by id send a not found code if the id doesn't exist	2	2	0	0	8.855 s
4		checking if the post booking is working properly when i send the expected data	3	3	0	0	1.246 s
5		checking if the post booking sends code 400 of bad request when I don't send a firstname	2	1	1	0	1.208 s
6		checking if the put booking sends code 200 of ok when i update with the correct data	2	1	1	0	3.311 s

Tests of the whole RestfulBooker database

FAILED	DURATION - 20.810 s	Scenarios		Steps	
		Total - 6		Total - 15	
/ 11:01:42.879 AM // 11:02:03.689 AM /		Pass - 4	6	Pass - 13	15
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

checking if the get booking gets me all the list of bookings

PASSED	DURATION - 5.179 s		Steps	
			Total - 3	
/ 11:01:42.882 AM // 11:01:48.061 AM /			Pass - 3	3
			Fail - 0	
Tests of the whole RestfulBooker database			Skip - 0	
@run				

#	Step / Hook Details	Status	Duration
1	Given : I perform a GET call to the booking endpoint	PASSED	3.595 s
2	And : I verify that the body does not have size 0	PASSED	1.488 s
3	And : I verify that the status code is 200	PASSED	0.055 s

checking if the get booking by id gets me the booking i'm looking for if the id exists

PASSED	DURATION - 0.939 s		Steps	
			Total - 3	
/ 11:01:48.080 AM // 11:01:49.019 AM /			Pass - 3	3
			Fail - 0	
Tests of the whole RestfulBooker database			Skip - 0	
@run				

#	Step / Hook Details	Status	Duration
1	Given : I perform a GET by id call to the booking endpoint with "4006"	PASSED	0.868 s
2	And : I verify that the body does not have size 0	PASSED	0.060 s
3	And : I verify that the status code is 200	PASSED	0.003 s

checking if the get booking by id send a not found code if the id doesn't exist

PASSED	DURATION - 8.855 s		Steps
/ 11:01:49.031 AM // 11:01:57.886 AM /			Total - 2
			Pass - 2
Tests of the whole RestfulBooker database			Fail - 0
			Skip - 0
@run			

#	Step / Hook Details	Status	Duration
1	Given : I perform a GET by id call to the booking endpoint with "aaa"	PASSED	8.851 s
2	And : I verify that the status code is 404	PASSED	0.001 s

checking if the post booking is working properly when i send the expected data

PASSED	DURATION - 1.246 s		Steps
/ 11:01:57.901 AM // 11:01:59.147 AM /			Total - 3
			Pass - 3
Tests of the whole RestfulBooker database			Fail - 0
			Skip - 0
@run			

#	Step / Hook Details	Status	Duration
1	Given : I perform a POST request with data andres gottlieb 1111 true nothing 2024-01-01 2024-01-10	PASSED	1.209 s
2	And : I verify that the body does not have size 0	PASSED	0.033 s
3	And : I verify that the status code is 200	PASSED	0.002 s

checking if the post booking sends code 400 of bad request when I don't send a firstname

FAILED	DURATION - 1.208 s
/ 11:01:59.157 AM // 11:02:00.365 AM /	
Tests of the whole RestfulBooker database	
@run	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given : I perform a POST request with data	PASSED	1.177 s
	gottlieb | 1111 | true | nothing | 2024-01-01 | 2024-01-10		
2	And : I verify that the status code is 400	FAILED	0.029 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>.		

    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)

#	Step / Hook Details	Status	Duration
	at io.restassured.specification.ResponseSpecification$statusCode$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.BookingSteps.iVerifyStatusCodeIs(BookingSteps.java:39) at ?.: I verify that the status code is 400(file:///C:/Users/andre/Certi2/RestAssured%20(2)%20(1)/RestAssured/src/test/resources/Booking.feature:31) * Not displayable characters are replaced by '?'.		

checking if the put booking sends code 200 of ok when i update with the correct data

FAILED	DURATION - 3.311 s
/ 11:02:00.376 AM // 11:02:03.687 AM /	
Tests of the whole RestfulBooker database	
@run	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given : I perform PUT request with data	PASSED	3.306 s
	442 Andres gottlieb 1111 true nothing 2024-01-01 2024-01-10		
2	And : I verify that the status code is 200	FAILED	0.003 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <403>.
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification$statusCode$1.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at stepDefinitions.BookingSteps.iVerifyStatusCodeIs(BookingSteps.java:39)		
	at ?.: I verify that the status code is 200(file:///C:/Users/andre/Certi2/RestAssured%20(2)%20(1)/RestAssured/src/test/resources/Booking.feature:40)		
	* Not displayable characters are replaced by '?'.		