

<b>REQUEST FOR QUOTATIONS</b>		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 7 PAGES
1. REQUEST NO. SPE7M9-15-U-0024	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0056057920	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-C9
5. ISSUED BY DLA LAND AND MARITIME ELECTRONIS DIV PO BOX 3990 COLUMBUS OH 43218-3990 USA Name: William West Buyer Code:PMCMVF1 Tel: 614-692-3943 Fax: 614-693-1631 Email: DLA.Land.and.Maritime.FMVF.Inquiry@dla.mil			6. DELIVER BY (Date) 157 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 12		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

## POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to [DibbsBSM@dla.mil](mailto:DibbsBSM@dla.mil)

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

## MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: [http://www.dla.mil/Acquisition/Documents/EProcurement\\_DLA\\_Automated\\_Master\\_Solicitation\\_REV25OCT2014.docx](http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx)

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE7M9-15-U-0024	Page 2 of 7
--------------------	--	-------------

## SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 335921 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DFARS 252.225-7001, BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM, APPLIES TO ALL QUOTES ABOVE THE MICRO-PURCHASE THRESHOLD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-1 APPLIES.

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and

**CONTINUED ON NEXT PAGE**

Continuation Sheet	Reference No. of Document Being Continued: SPE7M9-15-U-0024	Page 3 of 7
--------------------	--	-------------

## SECTION A

cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

No History Available

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (<http://www.dla.mil/FDTPI/>).

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE7M9-15-U-0024	Page 4 of 7
--------------------	--	-------------

## SECTION B

PR: 0056057920  
NSN/MATERIAL:6020016031743

ITEM DESCRIPTION  
CABLE ASSEMBLY,FIBE

CABLE ASSEMBLY,FIBE

SPECIAL PACKAGING INSTRUCTION (SPI) J010114933  
FOR FIBER OPTIC CABLE.

THIS ITEM SHALL BE PACKAGED AND PACKED TO THE  
PACKAGING AND PACKING LEVEL STATED BELOW THAT  
CORRESPONDS TO THE LEVEL SPECIFIED IN THE  
PROCUREMENT DOCUMENT.

(I) PACKAGING

(A) MILITARY - THIS ITEM SHALL BE INDIVIDUALLY  
PACKAGED METHOD 10 IN ACCORDANCE WITH  
MIL-STD-2073-1 AND THE FOLLOWING:

(1) STEP A - CLEAN AND DRY BY ANY APPLICABLE  
PROCESS WHICH WILL ACCOMPLISH THOROUGH CLEANING  
WITHOUT DAMAGE TO THE ITEM.

(2) STEP B - IN ORDER TO PREVENT ENTRANCE OF  
MOISTURE, DIRT, AND FOREIGN MATTER, COVER CABLE  
ENDS WITH MIL-P-130 OR MIL-P-17667 NEUTRAL PAPER  
EXTENDING A MINIMUM OF 4 INCHES ALONG THE  
OUTSIDE OF THE ITEM. FIT THE PAPER SNUGLY AND  
SECURE WITH ASTM D5486 TAPE.

(3) STEP C - CABLE SHALL BE FURNISHED ON SPOOLS  
OR REELS IN LENGTHS SPECIFIED IN THE COMMODITY  
SPECIFICATION OR AS INDICATED IN THE CONTRACT OR  
ORDER. DIAMETER OF THE SPOOL OR REEL SHALL BE  
SUFFICIENT TO ACCOMMODATE THE MINIMUM BENDING  
RADIUS OF THE CABLE AS STATED IN THE APPLICABLE  
COMMODITY SPECIFICATION OR IN THE CONTACT OR  
ORDER. WHEN NO MINIMUM BENDING RADIUS IS  
PROVIDED, THE ITEM SHALL BE FURNISHED ON A  
MINIMUM 6 INCH DIAMETER SPOOL OR REEL. LENGTHS  
OF CABLE CONSIDERABLY SHORTER THAN REEL CAPACITY  
OF THE SMALLEST SPECIFIED STANDARD REEL MAY BE  
SUPPLIED IN COILS OF NOT LESS THAN 6 INCH  
DIAMETER AT THE CENTER OF THE COIL. COILS SHALL  
BE SECURED AT A MINIMUM OF THREE PLACES,  
EQUIDISTANTLY SPACED AROUND THE CIRCUMFERENCE OF  
THE COIL. PLACE COILED CABLE INTO A CLOSE  
FITTING BOX CONFORMING TO PPP-B-566, PPP-B-665,  
PPP-B-676, ASTM D5118, FOLDING, METAL-STAYED,  
SETUP OR FIBERBOARD BOX. CUSHION TO PREVENT FREE  
MOVEMENT OF THE ITEM WITHIN THE BOX. BOX CLOSURE  
SHALL BE IN ACCORDANCE WITH THE BOX  
SPECIFICATION.

(B) COMMERCIAL - SAME AS MILITARY.

(II) INTERMEDIATE CONTAINER PACKAGING - NOT

CONTINUED ON NEXT PAGE

SECTION B

APPLICABLE.

.

(III) PACKING

.

(A) LEVEL A OR B - PACKAGED ITEMS SHALL BE  
PACKED FOR SHIPMENT IN ACCORDANCE WITH  
MIL-STD-2073-1 FOR LEVEL A OR B PACKING.

.

.

(B) MINIMAL - PACKAGED ITEMS SHALL BE PACKED FOR  
SHIPMENT IN ACCORDANCE WITH MIL-STD-2073-1 FOR  
MINIMAL PACKING.

.

(IV) MARKING

REGARDLESS OF LEVELS SPECIFIED, ALL SHIPMENTS  
SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.  
IN ADDITION, THE SUPPLY CODE FOR MANUFACTURERS  
(CAGE) AND THE SAME COMMERCIAL OR OFF-THE-SHELF,  
DESIGN CONTROL, MATCHED PAIR, OR SET NUMBER AS  
IT APPEARS ON THE CONTRACT OR ORDER, SHALL BE  
MARKED ON ALL INTERIOR AND SHIPPING CONTAINERS.

.

(B) BAR CODE MARKING IS REQUIRED FOR ALL SHIP-  
MENTS AND SHALL BE APPLIED IN ACCORDANCE WITH  
MIL-STD-129 AND ISO/IEC 16388.

.

EXCLUDED FROM BAR CODE MARKING:

.

EXTERIOR CONTAINERS OF UNRELATED ITEMS WHEN  
CONOLIDATED INTO A SINGLE "MULTIPACK" SHIPPING  
CONTAINER.

IAW BASIC DRAWING NR 12255 802025360303  
REVISION NR DTD 02/04/2009  
PART PIECE NUMBER:

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056057920	0001	EA	8.000		

NSN/MATERIAL:6020016031743

DELIVERY (IN DAYS):0157

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
 QUP:001 PRES MTHD:ZZ CLNG/DRY:Z PRESV MAT:ZZ  
 WRAP MAT:ZZ CUSH/DUNN MAT:ZZ CUSH/DUNN THKNESS:Z  
 UNIT CONT:ZZ OPI:A  
 INTRMDTE CONT:ZZ INTRMDTE CONT QTY:ZZZ

Continuation Sheet	Reference No. of Document Being Continued: SPE7M9-15-U-0024	Page 6 of 7
--------------------	--	-------------

## SECTION B

PR: 0056057920 PRLI: 0001 CONT'D

PACK CODE:U  
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.  
SPECIAL MARKING CODE:ZZ -

SPECIAL PACKAGING INSTRUCTION (SPI) J010114933  
FOR FIBER OPTIC CABLE.

THIS ITEM SHALL BE PACKAGED AND PACKED TO THE  
PACKAGING AND PACKING LEVEL STATED BELOW THAT  
CORRESPONDS TO THE LEVEL SPECIFIED IN THE  
PROCUREMENT DOCUMENT.

### (I) PACKAGING

(A) MILITARY - THIS ITEM SHALL BE INDIVIDUALLY  
PACKAGED METHOD 10 IN ACCORDANCE WITH  
MIL-STD-2073-1 AND THE FOLLOWING:

(1) STEP A - CLEAN AND DRY BY ANY APPLICABLE  
PROCESS WHICH WILL ACCOMPLISH THOROUGH CLEANING  
WITHOUT DAMAGE TO THE ITEM.

(2) STEP B - IN ORDER TO PREVENT ENTRANCE OF  
MOISTURE, DIRT, AND FOREIGN MATTER, COVER CABLE  
ENDS WITH MIL-P-130 OR MIL-P-17667 NEUTRAL PAPER  
EXTENDING A MINIMUM OF 4 INCHES ALONG THE  
OUTSIDE OF THE ITEM. FIT THE PAPER SNUGLY AND  
SECURE WITH ASTM D5486 TAPE.

(3) STEP C - CABLE SHALL BE FURNISHED ON SPOOLS  
OR REELS IN LENGTHS SPECIFIED IN THE COMMODITY  
SPECIFICATION OR AS INDICATED IN THE CONTRACT OR  
ORDER. DIAMETER OF THE SPOOL OR REEL SHALL BE  
SUFFICIENT TO ACCOMMODATE THE MINIMUM BENDING  
RADIUS OF THE CABLE AS STATED IN THE APPLICABLE  
COMMODITY SPECIFICATION OR IN THE CONTACT OR  
ORDER. WHEN NO MINIMUM BENDING RADIUS IS  
PROVIDED, THE ITEM SHALL BE FURNISHED ON A  
MINIMUM 6 INCH DIAMETER SPOOL OR REEL. LENGTHS  
OF CABLE CONSIDERABLY SHORTER THAN REEL CAPACITY  
OF THE SMALLEST SPECIFIED STANDARD REEL MAY BE  
SUPPLIED IN COILS OF NOT LESS THAN 6 INCH  
DIAMETER AT THE CENTER OF THE COIL. COILS SHALL  
BE SECURED AT A MINIMUM OF THREE PLACES,  
EQUIDISTANTLY SPACED AROUND THE CIRCUMFERENCE OF  
THE COIL. PLACE COILED CABLE INTO A CLOSE  
FITTING BOX CONFORMING TO PPP-B-566, PPP-B-665,  
PPP-B-676, ASTM D5118, FOLDING, METAL-STAYED,  
SETUP OR FIBERBOARD BOX. CUSHION TO PREVENT FREE  
MOVEMENT OF THE ITEM WITHIN THE BOX. BOX CLOSURE  
SHALL BE IN ACCORDANCE WITH THE BOX  
SPECIFICATION.

(B) COMMERCIAL - SAME AS MILITARY.

(II) INTERMEDIATE CONTAINER PACKAGING - NOT  
APPLICABLE.

(III) PACKING

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056057920 PRLI: 0001 CONT'D

- (A) LEVEL A OR B - PACKAGED ITEMS SHALL BE PACKED FOR SHIPMENT IN ACCORDANCE WITH MIL-STD-2073-1 FOR LEVEL A OR B PACKING.
- (B) MINIMAL - PACKAGED ITEMS SHALL BE PACKED FOR SHIPMENT IN ACCORDANCE WITH MIL-STD-2073-1 FOR MINIMAL PACKING.
- (IV) MARKING  
REGARDLESS OF LEVELS SPECIFIED, ALL SHIPMENTS SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129. IN ADDITION, THE SUPPLY CODE FOR MANUFACTURERS (CAGE) AND THE SAME COMMERCIAL OR OFF-THE-SHELF, DESIGN CONTROL, MATCHED PAIR, OR SET NUMBER AS IT APPEARS ON THE CONTRACT OR ORDER, SHALL BE MARKED ON ALL INTERIOR AND SHIPPING CONTAINERS.
- (B) BAR CODE MARKING IS REQUIRED FOR ALL SHIPMENTS AND SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129 AND ISO/IEC 16388.
- EXCLUDED FROM BAR CODE MARKING:
- EXTERIOR CONTAINERS OF UNRELATED ITEMS WHEN CONOLIDATED INTO A SINGLE "MULTIPACK" SHIPPING CONTAINER.

PARCEL POST ADDRESS:

W25G1U  
W1BG DLA DISTRIBUTION  
DDSP NEW CUMBERLAND FACILITY  
2001 NORMANDY DRIVE DOOR 113 TO 134  
NEW CUMBERLAND PA 17070-5002  
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

W25G1U  
W1BG DLA DISTRIBUTION  
DDSP NEW CUMBERLAND FACILITY  
2001 NORMANDY DRIVE DOOR 113 TO 134  
NEW CUMBERLAND PA 17070-5002  
US

Need Ship Date:05/19/2015  
Original Required Delivery Date:06/20/2015

\*\*\*\*\*