

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 8 PAGES
1. REQUEST NO. SPE8E5-15-T-2153	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0056154972	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING
5. ISSUED BY DLA TROOP SUPPORT CONSTRUCTION & EQUIPMENT (MAT & ME) 700 ROBBINS AVENUE PHILADELPHIA PA 19111-5096 USA Name: Pamela Tull Buyer Code:PEPCFCZ Tel: 215-737-2695 Fax: 215-737-2151 Email: DLA-TS-FCFC@dla.mil			6. DELIVER BY (Date) 5 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 12		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	NUMBER

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2153	Page 2 of 8
--------------------	--	-------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 325520 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-1 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2153	Page 3 of 8
--------------------	--	-------------

SECTION A

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

No History Available

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2153	Page 4 of 8
<p style="text-align: center;">SECTION B</p> <p>PR: 0056154972 NSN/MATERIAL:8040000627873</p> <p>ITEM DESCRIPTION ADHESIVE</p> <p>ADHESIVE</p> <p>UI: KT Size: a kit consisting of 1 gallon can of powder and 1 quart can of liquid.</p> <p>DESCRIPTION</p> <p>A zirconium silicate-based adhesive for use in bonding or embedding heating elements; insulating thermocouples; coating resistors and coils; sealing and assembling parts requiring high resistance to electricity, chemicals, and thermal shock and aerospace applications.</p> <p>Sauereisen Cements Co. part number Low Expansion Cement 29 L/P.</p> <p>ITEM MARKING</p> <p>Each item shall be marked with the following:</p> <ul style="list-style-type: none"> (1) lot or batch number (2) shelf life monitoring data including dates of manufacture and reinspection or expiration (3) instructions for use, thinning, mixing, shaking, etc. (4) instructions for storage, i.e. do not freeze, requires refrigeration, etc. (5) each kit component shall be marked with the kit name and component part. (6) manufacturer's name and part number (7) if applicable, the maximum volatile organic compound content (VOC), less water and exempt solvents, in lbs/gl or grams/liter. (8) if the item is on an existing contract, the supplier shall follow the pre-arranged California South Coast Air Quality Management District labeling requirements. <p>TYPE II 12 MONTHS (1 YEAR) SHELF LIFE ITEM: MATERIAL FURNISHED UNDER THIS CONTRACT/ORDER SHALL HAVE AT LEAST 85% OF THE SHELF LIFE REMAINING AT TIME OF DELIVERY. SHELF LIFE MARKINGS (CURE AND EXPIRATION DATES) SHALL BE IN ACCORDANCE WITH MIL-STD-129, LATEST REVISION, AND SHALL BE SHOWN IN CALENDAR QUARTER AND YEAR. EXPIRATION DATE SHALL BE 1 YEAR FROM CURE DATE.</p> <p>WHEN THE PURCHASE ORDER TEXT (POT) DESCRIBES THE REQUIRED PRODUCT(S) BY NAME AND PART NUMBER OF A SPECIFIC ENTITY, BY THE NAMES</p> <p style="text-align: right;">CONTINUED ON NEXT PAGE</p>		

SPE8E5-15-T-2153

SECTION B

AND PART NUMBERS OF A NUMBER OF SPECIFIC ENTITIES, OR BY THE NAME(S) AND PART NUMBER(S) OF SPECIFIC ENTITY/ENTITIES AS MODIFIED BY ADDITIONAL REQUIREMENTS SET FORTH IN THE POT, ONLY THAT/THOSE PRODUCT(S) HAVE BEEN DETERMINED TO MEET THE NEEDS OF THE GOVERNMENT AND ARE ACCEPTABLE. SUCH PRODUCT(S) ARE "EXACT PRODUCT(S)" AS DEFINED IN "DLAD 52.217-9002, CONDITIONS FOR EVALUATION AND ACCEPTANCE OF OFFERS FOR PART NUMBERED ITEMS."

A VENDOR OFFER/QUOTATION, "BID WITHOUT EXCEPTION," IS A CERTIFICATION THAT THE "EXACT PRODUCT," MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT WILL BE FURNISHED UNDER THE CONTRACT OR ORDER. ANY PRODUCT NOT MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT IS AN "ALTERNATE PRODUCT," EVEN THOUGH IT MIGHT BE MANUFACTURED IN ACCORDANCE WITH THE DRAWING(S) AND/OR SPECIFICATIONS OF ONE OF THE ENTITIES CITED IN THE POT.

IF AN ALTERNATE PRODUCT IS FURNISHED UNDER A CONTRACT OR ORDER FOR AN EXACT PRODUCT, THE ALTERNATE PRODUCT WILL BE AN UNAUTHORIZED SUBSTITUTION, AND MAY YIELD CRIMINAL PENALTIES IN ADDITION TO ANY CIVIL REMEDIES AVAILABLE TO THE GOVERNMENT.

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S) (HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS 252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

COMPONENTS OF A KIT, AS IDENTIFIED BY A SINGLE NSN, SHALL BE PACKAGED IN ACCORDANCE WITH NSN PACKAGING REQUIREMENTS, AND THEN MARKED I/A/W MIL-STD-129.

PLACE CONTENTS OF THE KIT IN ONE (1) BOX, ENSURING THE BOX IS SUFFICIENT TO PREVENT DAMAGE TO CONTENTS OF KIT. IF ONE BOX IS INSUFFICIENT, ENSURE THAT EACH BOX IS MARKED APPROPRIATELY AS TO IDENTIFY IT AS PART OF A KIT (THAT IS, 1 OF 2, 2 OF 2, ETC.)

CONTENTS MUST BE CUSHIONED AS NECESSARY TO PREVENT MOVEMENT AND DAMAGE

CONTINUED ON NEXT PAGE

SECTION B

OF CONTENTS. EACH BOXED KIT MUST CONTAIN A LIST OF CONTENTS FOR ITEMS WITHIN THE KIT.

PACKAGING

KIT PACKAGING: The product shall be furnished in the specified kit size quantities packaged in the manufacturer's original, separate containers and in accordance with normal commercial practice. There shall be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality, or purity of the contents. Such packaged ingredients shall be further packaged or assembled together as a complete unit in kit form. The filled containers and kit assembly shall be closed in a manner that will insure the contents will not spill or leak from the containers and that separation of the components will be prevented during shipment, handling, storage, and redistribution.

PACKING

PACKING: Material packaged as specified above shall be packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification (200 minimum burst). Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification. Gross weight of the box and contents shall not exceed 65 pounds.

SAUEREISEN, INC. DBA 80703 P/N 29

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056154972	0001	KT	1.000		

NSN/MATERIAL:8040000627873

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2153	Page 7 of 8
--------------------	--	-------------

SECTION B

PR: 0056154972 PRLI: 0001 CONT'D

DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

PACKAGING

KIT PACKAGING: The product shall be furnished in the specified kit size quantities packaged in the manufacturer's original, separate containers and in accordance with normal commercial practice. There shall be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality, or purity of the contents. Such packaged ingredients shall be further packaged or assembled together as a complete unit in kit form. The filled containers and kit assembly shall be closed in a manner that will insure

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056154972 PRLI: 0001 CONT'D

the contents will not spill or leak from the containers and that separation of the components will be prevented during shipment, handling, storage, and redistribution.

PACKING

PACKING: Material packaged as specified above shall be packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification (200 minimum burst). Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification. Gross weight of the box and contents shall not exceed 65 pounds.

PARCEL POST ADDRESS:

FB6044
FB6044 144 FW LGS MATL DIST
BLDG 225 CML PHN 559 454 5101
5323 E MCKINLEY AVE
FRESNO CA 93727-2197
US

RDD 777 SHIPMENT. SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

FB6044
FB6044 144 FW LGS MATL DIST
BLDG 225 CML PHN 559 454 5101
5323 E MCKINLEY AVE
FRESNO CA 93727-2197
US

M/F:(TCN) FB604443287148
RDD: 777
PROJ TP 1
SUP ADD YAZ105 SIG A

FOR GOVERNMENT USE ONLY:IPD 03

DIC A0A DIST 01 ADV 2D FC 6C

Need Ship Date:00/00/0000
Original Required Delivery Date:11/28/2014
