


| | | | | |
|--|-------------------------------|--|--|--------------------|
| REQUEST FOR QUOTATIONS | | THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE | | PAGE 1 OF 13 PAGES |
| 1. REQUEST NO. SPE7L7-15-T-1178 | 2. DATE ISSUED 2014 DEC 02 | 3. REQUISITION/PURCHASE REQUEST NO. See Schedule | 4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1  | RATING DO-C9 |
| 5. ISSUED BY DLA LAND AND MARITIME LAND SUPPLIER OPNS BATTERIES/TIRES P O BOX 3990 COLUMBUS OH 43218-3990 USA Name: Elaine McFarland Buyer Code:PLCLCAD Tel: 614-692-9464 Fax: 614-693-1603 Email: Elaine.McFarland@dla.mil | | | 6. DELIVER BY (Date) 5 DAYS ADO | |
| 8. TO: | | | 7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule) | |
| | | | 9. DESTINATION | |
| | | | a. NAME OF CONSIGNEE See Schedule | |
| | | | b. STREET ADDRESS | |
| | | | c. CITY | |
| | | | d. STATE | |
| | | | e. ZIP CODE | |
| 10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 12 | | IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter. | | |
| 11. SCHEDULE (See Continuation Sheets) | | | | |

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

| | | | | | |
|---|-------------------------|-------------------------|--|------------------|-----------------------|
| 12. DISCOUNT FOR PROMPT PAYMENT  | a. 10 CALENDAR DAYS (%) | b. 20 CALENDAR DAYS (%) | c. 30 CALENDAR DAYS (%) | d. CALENDAR DAYS | |
| | | | | NUMBER | PERCENTAGE |
| NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached. | | | | | |
| 13. NAME AND ADDRESS OF QUOTER | | | 14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION | | 15. Date of Quotation |
| a. NAME OF QUOTER CAGE | | | 16. SIGNER | | b. TELEPHONE |
| b. STREET ADDRESS | | | | | |
| c. COUNTY | | | | | |
| d. CITY | e. STATE | f. ZIP CODE | c. TITLE (Type or Print) | | AREA CODE |
| | | | | | NUMBER |

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 335911 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-2 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

CONTINUED ON NEXT PAGE

SPE7L7-15-T-1178

SECTION A

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:014829031/6140

| CAGE | Contract Number | Quantity | Unit Cost | AWD Date |
|-------|-----------------|----------|-----------|----------|
| 0FGN2 | SPE7L715M0919 | 5.000 | 140.75000 | 20141118 |
| 0FGN2 | SPE7L715M0861 | 15.000 | 152.00000 | 20141117 |
| 5N063 | SPE7L015V1545 | 9.000 | 142.60000 | 20141112 |
| 5N063 | SPE7L015V1443 | 2.000 | 141.25000 | 20141106 |
| 5N063 | SPE7L015V1349 | 7.000 | 141.25000 | 20141103 |
| 5N063 | SPE7L015V1259 | 3.000 | 141.25000 | 20141030 |
| 1PVM2 | SPE7L015V0944 | 6.000 | 154.54333 | 20141022 |
| 5N063 | SPE7L015V0682 | 2.000 | 142.40000 | 20141015 |
| 0FGN2 | SPE7L015V0625 | 7.000 | 141.50000 | 20141014 |
| 0FGN2 | SPE7L015V0517 | 4.000 | 141.25000 | 20141009 |
| 5N063 | SPE7L715M0118 | 1.000 | 164.00000 | 20141002 |
| 0FGN2 | SPE7L015V0238 | 17.000 | 141.20000 | 20141001 |
| 0FGN2 | SPE7L014V7258 | 6.000 | 141.50000 | 20140924 |
| 0FGN2 | SPE7L714M5521 | 8.000 | 149.40000 | 20140919 |
| 079M9 | SPE7L014V7159 | 2.000 | 159.69000 | 20140919 |
| 5N063 | SPE7L714M5326 | 7.000 | 142.40000 | 20140911 |
| 5N063 | SPE7L014V6810 | 4.000 | 142.40000 | 20140905 |
| 1PVM2 | SPE7L014V6727 | 18.000 | 150.17222 | 20140903 |
| 079M9 | SPE7L714M5041 | 2.000 | 164.46000 | 20140828 |
| 5N063 | SPE7L714M4942 | 2.000 | 152.50000 | 20140825 |

CONTINUED ON NEXT PAGE

| | | |
|--------------------|--|--------------|
| Continuation Sheet | Reference No. of Document Being Continued: SPE7L7-15-T-1178 | Page 4 of 13 |
|--------------------|--|--------------|

SECTION B

PR: 0056155561
NSN/MATERIAL:6140014829031

ITEM DESCRIPTION
BATTERY,STORAGE

BATTERY, STORAGE

LEAD ACID

MSDS/PSDS REQUIRED PER FED-STD-313
MIL-STD-129P(4) IS REQUIRED
MIL-STD-130N(1) IS REQUIRED

SHELF LIFE TYPE I, 12 MONTHS

THIS SHELF LIFE ITEM IS NON-EXTENDABLE, CODE H,
WITH A TOTAL SHELF LIFE OF TWELVE MONTHS.
MATERIAL FURNISHED UNDER THIS CONTRACT/ORDER
SHALL HAVE AT LEAST 85% (10 MONTHS) OF THE SHELF
LIFE REMAINING AT TIME OF DELIVERY.

MIL-STD-130N(1) DATED 16 NOV 2012.
IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ
Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE
APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO
DEFECTS IS REQUIRED

2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE
FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

COMMERCIAL OFF THE SHELF ITEM. ADEQUATE CATALOG
DATA IS AVAILABLE AT THE PROCUREMENT AGENCY TO
EVALUATE ALTERNATE OFFERS.

MERCURY OR MERCURY CONTAINING COMPOUNDS SHALL
NOT BE INTENTIONALLY ADDED TO,OR COME IN DIRECT
CONTACT WITH,ANY HARDWARE OR SUPPLIES FURNISHED
UNDER THIS CONTRACT. EXCEPTION: FUNCTIONAL MERCURY
USED IN BATTERIES, FLUORESCENT LIGHTS, REQUIRED
INSTRUMENTS; SENSORS OR CONTROLS; WEAPON SYSTEMS;
AND CHEMICAL ANALYSIS REAGENTS SPECIFIED BY NAVSEA.
PORTABLE FLUORESCENT LAMPS AND PORTABLE INSTRUMENTS
CONTAINING MERCURY SHALL BE SHOCK PROOF AND CONTAIN
A SECOND BOUNDARY OF CONTAINMENT OF THE MERCURY OR
MERCURY COMPOUND. (IAW NAVSEA 5100-003D).

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS
DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL
SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S)
(HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS
252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW

CONTINUED ON NEXT PAGE

| | | |
|--------------------|--|--------------|
| Continuation Sheet | Reference No. of Document Being Continued: SPE7L7-15-T-1178 | Page 5 of 13 |
|--------------------|--|--------------|

SECTION B

FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

Start_of_Hazardous_Packaging_Data
HAZARDOUS PACKAGING STATEMENT

PACKAGING DATA: SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION C OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U.S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH ASTM D3951.
End_of_Hazardous_Packaging_Data

POWER-SONIC CORPORATION 56309 P/N PS-12750
RYSZ STORAGE BATTERY COMPANY DBA 4DZX8 P/N PS-12750

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056155561 PRLI: 0001 CONT'D

| CLIN | PR | PRLI | UI | QUANTITY | UNIT PRICE | TOTAL PRICE |
|------|------------|------|----|----------|------------|-------------|
| 0001 | 0056155561 | 0001 | EA | 2.000 | | |

NSN/MATERIAL:6140014829031

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT

| | | |
|--|--|--------------|
| Continuation Sheet | Reference No. of Document Being Continued: SPE7L7-15-T-1178 | Page 7 of 13 |
| <p style="text-align: center;">SECTION B</p> <p>PR: 0056155561 PRLI: 0001 CONT'D</p> <p>REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.</p> <p>IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."</p> <p>Markings Paragraph When ASTM D3951, Commercial Packaging is specified, the following apply:</p> <ul style="list-style-type: none"> •,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951. •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack. •,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951. <p>Start_of_Hazardous_Packaging_Data HAZARDOUS PACKAGING STATEMENT</p> <p>PACKAGING DATA: SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.</p> <p>PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.</p> <p>LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION C OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.</p> <p>CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM DATE OF SHIPMENT.</p> <p>IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH ASTM D3951.</p> <p>End_of_Hazardous_Packaging_Data</p> <p style="text-align: right;">CONTINUED ON NEXT PAGE</p> | | |

SECTION B

PR: 0056155561 PRLI: 0001 CONT'D

BULK BREAK POINT:

W91EYF
SR W444 USARSO TSA
USARSO AWCN SSF
2191 11TH ST BLDG 4191 BAY C
FORT SAM HOUSTON TX 78234-5000
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

W90S7X
0000 HQ HHB CO A HHC BFSB
2191 SUBSISTENCE ST BLDG 4191 BAY C
FORT SAM HOUSTON TX 78234-5000
US

M/F:(TCN) W90S7X43220001
RDD: 323
PROJ TP 2
SUP ADD W91EYF SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV FC 51

Need Ship Date:00/00/0000
Original Required Delivery Date:11/26/2014

| CLIN | PR | PRLI | UI | QUANTITY | UNIT PRICE | TOTAL PRICE |
|------|------------|------|----|----------|------------|-------------|
| 0002 | 0056155625 | 0001 | EA | 1.000 | | |

NSN/MATERIAL:6140014829031

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS,

| | | |
|--------------------|--|--------------|
| Continuation Sheet | Reference No. of Document Being Continued: SPE7L7-15-T-1178 | Page 9 of 13 |
|--------------------|--|--------------|

SECTION B

PR: 0056155625 PRLI: 0001 CONT'D

INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

Start_of_Hazardous_Packaging_Data
HAZARDOUS PACKAGING STATEMENT

PACKAGING DATA: SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH

CONTINUED ON NEXT PAGE

| | | |
|--------------------|--|---------------|
| Continuation Sheet | Reference No. of Document Being Continued: SPE7L7-15-T-1178 | Page 10 of 13 |
|--------------------|--|---------------|

SECTION B

PR: 0056155625 PRLI: 0001 CONT'D

APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION C OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH ASTM D3951.

End_of_Hazardous_Packaging_Data

BULK BREAK POINT:

WK4BNX
0601 CS BN CO A DIST ASB L
AWCF SSF BLDG 840 MARSHALL ROAD
MARSHALL ARMY AIRFIELD
FORT RILEY KS 66442-5936
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

WK4BNX
0601 CS BN CO A DIST ASB L
AWCF SSF BLDG 840 MARSHALL ROAD
MARSHALL ARMY AIRFIELD
FORT RILEY KS 66442-5936
US

M/F:(TCN) WK4BNX43280300
RDD: 341
PROJ TP 1
SUP ADD W9046W SIG C

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056155625 PRLI: 0001 CONT'D
FOR GOVERNMENT USE ONLY:IPD 02
DIC A0A DIST V ADV FC Z9

Need Ship Date:00/00/0000
Original Required Delivery Date:11/28/2014

| CLIN | PR | PRLI | UI | QUANTITY | UNIT PRICE | TOTAL PRICE |
|------|------------|------|----|----------|------------|-------------|
| 0003 | 0056159953 | 0001 | EA | 2.000 | | |

NSN/MATERIAL:6140014829031
DELIVERY (IN DAYS):0005
DELIVER FOB: DESTINATION
QTY VARIANCE: PLUS 0% MINUS 0%
INSPECTION POINT: DESTINATION
ACCEPTANCE POINT: DESTINATION
PREP FOR DELIVERY:
PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES

| | | |
|--------------------|--|---------------|
| Continuation Sheet | Reference No. of Document Being Continued: SPE7L7-15-T-1178 | Page 12 of 13 |
|--------------------|--|---------------|

SECTION B

PR: 0056159953 PRLI: 0001 CONT'D

AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

Start_of_Hazardous_Packaging_Data
HAZARDOUS PACKAGING STATEMENT

PACKAGING DATA: SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION C OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056159953 PRLI: 0001 CONT'D

CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH ASTM D3951.
End_of_Hazardous_Packaging_Data

BULK BREAK POINT:

W81JT1
W8S2 IL ARNG FMS 9
8660 W CERMAK RD
NORTH RIVERSIDE IL 60546-1128
US

RDD(3-POS RDD)/NMCS SHIPMENT. SHIP BY FASTAST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

W81EGD
W8UG IL ARNG CSMS 2
FMS 9
8660 W CERMAK RD
N RIVERSIDE IL 60546-1128
US

M/F:(TCN) W81EGD43230069
RDD: N
PROJ TP 1
SUP ADD W81JTY SIG A

FOR GOVERNMENT USE ONLY:IPD 03

DIC A3A DIST ADV FC 52

Need Ship Date:00/00/0000
Original Required Delivery Date:12/02/2014
