


REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 10 PAGES
1. REQUEST NO. SPE8E5-15-T-2162	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. See Schedule	4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1 	RATING
5. ISSUED BY DLA TROOP SUPPORT CONSTRUCTION & EQUIPMENT (MAT & ME) 700 ROBBINS AVENUE PHILADELPHIA PA 19111-5096 USA Name: Pamela Tull Buyer Code:PEPCFCZ Tel: 215-737-2695 Fax: 215-737-2151 Email: DLA-TS-FCFC@dla.mil			6. DELIVER BY (Date) 5 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 12		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT 	a. 10 CALENDAR DAYS (%)	b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
				NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.					
13. NAME AND ADDRESS OF QUOTER			14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE			16. SIGNER		b. TELEPHONE
b. STREET ADDRESS					
c. COUNTY					
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE
					NUMBER

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2162	Page 2 of 10
--------------------	--	--------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 325520 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-1 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

CONTINUED ON NEXT PAGE

SECTION A

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:014993589/8030

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
5A410	SPE8E614M0395	3.000	7.03000	20140908
5U072	SPE8E514V2425	90.000	10.25000	20140905
4X136	SPE8E514V2098	95.000	10.95000	20140805

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2162	Page 4 of 10
--------------------	--	--------------

SECTION B

PR: 0056155077
NSN/MATERIAL:8030014993589

ITEM DESCRIPTION
SEALING COMPOUND

SEALING COMPOUND
UI = BT
Size: a 10 ml bottle

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S) (HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS 252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

Henkel-Loctite Corp. product 246, part number 29513 or Palm Labs Adhesives, Inc. part number 11-010-HT

WHEN THE PURCHASE ORDER TEXT (POT) DESCRIBES THE REQUIRED PRODUCT(S) BY NAME AND PART NUMBER OF A SPECIFIC ENTITY, BY THE NAMES AND PART NUMBERS OF A NUMBER OF SPECIFIC ENTITIES, OR BY THE NAME(S) AND PART NUMBER(S) OF SPECIFIC ENTITY/ENTITIES AS MODIFIED BY ADDITIONAL REQUIREMENTS SET FORTH IN THE POT, ONLY THAT/THOSE PRODUCT(S) HAVE BEEN DETERMINED TO MEET THE NEEDS OF THE GOVERNMENT AND ARE ACCEPTABLE. SUCH PRODUCT(S) ARE "EXACT PRODUCT(S)" AS DEFINED IN "DLAD 52.217-9002, CONDITIONS FOR EVALUATION AND ACCEPTANCE OF OFFERS FOR PART NUMBERED ITEMS."

A VENDOR OFFER/QUOTATION, "BID WITHOUT EXCEPTION," IS A CERTIFICATION THAT THE "EXACT PRODUCT," MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT WILL BE FURNISHED UNDER THE CONTRACT OR ORDER. ANY PRODUCT NOT MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT IS AN "ALTERNATE PRODUCT," EVEN THOUGH IT MIGHT BE MANUFACTURED IN ACCORDANCE WITH THE DRAWING(S) AND/OR SPECIFICATIONS OF ONE OF THE ENTITIES CITED IN THE POT.

IF AN ALTERNATE PRODUCT IS FURNISHED UNDER A

CONTINUED ON NEXT PAGE

SPE8E5-15-T-2162

SECTION B

CONTRACT OR ORDER FOR AN EXACT PRODUCT, THE ALTERNATE PRODUCT WILL BE AN UNAUTHORIZED SUBSTITUTION, AND MAY YIELD CRIMINAL PENALTIES IN ADDITION TO ANY CIVIL REMEDIES AVAILABLE TO THE GOVERNMENT.

TYPE II 12 MONTHS (1 YEAR) SHELF LIFE ITEM: MATERIAL FURNISHED UNDER THIS CONTRACT/ORDER SHALL HAVE AT LEAST 85% OF THE SHELF LIFE REMAINING AT TIME OF DELIVERY. SHELF LIFE MARKINGS (CURE AND EXPIRATION DATES) SHALL BE IN ACCORDANCE WITH MIL-STD-129, LATEST REVISION, AND SHALL BE SHOWN IN CALENDAR QUARTER AND YEAR. EXPIRATION DATE SHALL BE 1 YEAR FROM CURE DATE.

ITEM MARKING

Each item shall be marked with the following:

- (1) lot or batch number
- (2) shelf life monitoring data including dates of manufacture and reinspection or expiration.
- (3) manufacturer's name and part number
- (4) instructions for use, thinning, mixing, shaking, etc.
- (5) instructions for storage, i.e. do not freeze, requires refrigeration, etc.

PACKAGING: The product shall be furnished in the specified quantities packaged in the manufacturer's original containers and in accordance with normal commercial practice. There shall be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality, or purity of the contents. The filled containers shall be closed in a manner that will insure the contents will not spill or leak from the containers during shipment, handling, storage, and redistribution.

INTERMEDIATE PACKAGING: Not more than 25 units packaged as specified above shall be further packaged in a close fitting corrugated fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification. The units shall be protected within the box by individually packaging in paperboard boxes or with full height partitions or other suitable means to ensure that the containers are not damaged during shipment, handling, storage, and redistribution.

PACKING: Intermediate packaged boxes may be further packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification (UFC) and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the UFC. Gross weight of box and contents shall not exceed 65 pounds.

MARKING

All unit, intermediate, transport packages and unit loads shall be marked and bar coded in accordance with the latest version of

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2162	Page 6 of 10
--------------------	--	--------------

SECTION B

MIL-STD-129, "Military Marking For Shipment and Storage". "Latest version" is defined as the version in effect on the date of bid submittal. Federal Standards and Military Standards can be accessed on-line via the Defense Logistics Agency's "Assist" Quicksearch web site:
<http://assist.daps.dla.mil/quicksearch/>.

South Coast Air Quality Management District Provision: If the item is on an existing contract, the supplier shall follow the pre-arranged California South Coast Air Quality Management District labeling requirements.

PALLETIZATION

Pallet Configuration: The pallets shall be 48-inch length x 40-inch width, general purpose, four-way entry, flush stringer, double-face non-reversible pallets. Pallet lumber used shall be bark free.

Pallet Load Size: The load plus the pallet shall have a maximum height of 53 inches and shall not exceed 2500 pounds in weight for shipments to Eastern Distribution Center (Burlington). The palletized load shall not exceed 2000 pounds in weight for shipments to the Western Distribution Center (Sharpe).

Stacking Strength: The pallet plus the load shall be capable of supporting two additional like loads without any product damage and without the load or the pallet collapsing. Vertical, horizontal, or filler reinforcement may be added as necessary to provide strength.

Partial Palletized Loads: Less than one-half pallet loads shall not be used for stacking, unless load is balanced on pallet. The partial palletized load shall be used for top loading only.

Notice of special requirements for shipment to all countries that have endorsed the IPPC Guidelines for treatment of non-manufactured wood packaging: The International Plant Protection Convention (IPPC) has approved and published Guidelines for Regulating Wood Packaging Material in International Trade. Countries endorsing the IPPC Guidelines are found at the website given below. General Services Administration Acquisition Manual (GSAM) Clause 552.211-89 requires non-manufactured wood pallets and other non-manufactured wood packaging material used to pack items for delivery to or through IPPC countries be marked and properly treated in accordance with IPPC guidelines. Pallets and packing material shipped to FAS distribution facilities designated for possible delivery to the countries endorsing the IPPC Guidelines will comply with DLAD 47.305-1, and MIL-STD-2073-1.
http://www.aphis.usda.gov/import_export/plants/plant_exports/wpm/country/index.shtml

LOCTITE CORP 05972 P/N 29513
PALM LABORATORIES, INC. DBA 4VN70 P/N 11-010-HT

CONTINUED ON NEXT PAGE

SPE8E5-15-T-2162

SECTION B

PR: 0056155077 PRLI: 0001 CONT'D

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056155077	0001	BT	4.000		

NSN/MATERIAL:8030014993589

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056155077 PRLI: 0001 CONT'D
YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS,
IN ACCORDANCE WITH FED-STD-313, THE MATERIAL
SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE
WITH "ASTM D3951."

PARCEL POST ADDRESS:

N00204
NAVAL AIR STATION
TRANSPORTATION OFFICER SUPPLY DEPT
690 SAN CARLOS ROAD BLDG 3581
PENSACOLA FL 32508-5014
US

SHIP BY TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

N00204
NAVAL AIR STATION
TRANSPORTATION OFFICER SUPPLY DEPT
690 SAN CARLOS ROAD BLDG 3581
PENSACOLA FL 32508-5014
US

M/F:(TCN) N4242043240216
RDD: 325
PROJ EK5 TP 3
SUP ADD N00204 SIG J

FOR GOVERNMENT USE ONLY:IPD 12

DIC A4A DIST 9B ADV FC LN

Need Ship Date:00/00/0000
Original Required Delivery Date:11/26/2014

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0002	0056155548	0001	BT	240.000		

NSN/MATERIAL:8030014993589

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2162	Page 9 of 10
--------------------	--	--------------

SECTION B

PR: 0056155548 PRLI: 0001 CONT'D

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056155548 PRLI: 0001 CONT'D

•,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

BULK BREAK POINT:

W80S4X
W6F7 MMC GFE
REC WHS BLDG 934 G AVE
FORT IRWIN CA 92310-9986
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

W80WKN
W6F7 NTC CRP RIC-AMR
AWCF SSF
G AVE REC WHSE BLDG 934
FORT IRWIN CA 92310-9986
US

M/F:(TCN) W90KJE43230019
RDD: 337
PROJ TP 1
SUP ADD W80WKN SIG J

FOR GOVERNMENT USE ONLY:IPD 03

DIC A3A DIST ADV 2L FC 51

Need Ship Date:00/00/0000
Original Required Delivery Date:00/00/0000
