

<b>REQUEST FOR QUOTATIONS</b>		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 9 PAGES
1. REQUEST NO. SPE4A7-15-T-2992	2. DATE ISSUED 2014 NOV 19	3. REQUISITION/PURCHASE REQUEST NO. 0055985557	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-A1
5. ISSUED BY DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY RICHMOND VA 23297 USA Name: GARLAND PEAY Buyer Code:PARDA3 Tel: 804-279-2508 Fax: 804-279-6157 Email: ROY.PEAY@DLA.MIL			6. DELIVER BY (Date) 164 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date)  2014 DEC 01		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

## POC INFORMATION:

DRAWINGS MAY BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>  
DISCREPANCIES FOUND IN BIDSETS SHOULD BE E-MAILED TO Dscr.PdmdDistribution@dlamail

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dlamail

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT:  
<https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

## MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT:  
[http://www.dla.mil/Acquisition/Documents/EProcurement\\_DLA\\_Automated\\_Master\\_Solicitation\\_REV25OCT2014.docx](http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx)

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-2992	Page 2 of 9
--------------------	--	-------------

## SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

FAR 52.219-6 NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 336413 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DFARS 252.225-7001, BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM, APPLIES TO ALL QUOTES ABOVE THE MICRO-PURCHASE THRESHOLD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

**CONTINUED ON NEXT PAGE**

**SECTION A**

THIS BUY IS NOT FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:008635112/1560

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
32664	SPE4A414VD909P00002	57.000	597.00000	20140513
32664	SPE4A413VH908	7.000	2357.00000	20130821
98748	SPE4A913Z0058	79.000	1105.00000	20130213
32664	SPM4A712M5609	3.000	2885.00000	20120306
91750	SPM4A712M4720P00001	1.000	2000.00000	20120215
32664	SP047598MNB94	10.000	646.00000	19980616
32916	F3460186M3350	45.000	169.65000	19860417

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (<http://www.dla.mil/FDTP/>).

**CONTINUED ON NEXT PAGE**

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-2992	Page 4 of 9
--------------------	--	-------------

## SECTION B

PR: 0055985557  
NSN/MATERIAL:1560008635112

ITEM DESCRIPTION  
COVER ASSEMBLY,BLOC

COVER ASSEMBLY,BLOCK

THE FOLLOWING EXCEPTIONS AND ENG NOTES ARE ADDED TO BIDSET AS DWG:  
008635112-14262 .

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.  
DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)]  
4.2.1 General, [excluding subparagraph a)]  
4.2.2 Quality manual, [excluding subparagraph a)]  
4.2.3 Control of documents  
4.2.4 Control of records  
5.1 Management commitment  
5.3 Quality policy  
6.2.2 Competence, training and awareness  
6.4 Work environment  
7.1 Planning of product realization, [excluding NOTE 2]  
7.2.1 Determination of requirements related to the product  
7.2.2 Review of requirements related to the product  
7.2.3 Customer communication  
7.3.7 Control of design and development changes  
7.4.1 Purchasing process  
7.4.3 Verification of purchased product  
7.5.1 Control of production and service provision  
7.5.3 Identification and traceability  
7.5.4 Customer property  
7.5.5 Preservation of product  
7.6 Control of monitoring and measuring equipment  
8.1 General, [excluding subparagraph b) and subparagraph c)]  
8.2.2 Internal audit  
8.2.4 Monitoring and measurement of product  
8.3 Control of nonconforming product  
8.5.2 Corrective action  
8.5.3 Preventive action

.  
GOV'T FURNISHED MYLAR APPLIES(DIGITAL):

DIGITAL MYLAR DATA EXISTS FOR THIS NSN, AND WILL BE INCLUDED IN THE TECHNICAL DATA PACKAGE PROVIDED BY DLA. IF UNABLE TO USE THE DATA IN

CONTINUED ON NEXT PAGE

**SECTION B**

THE DIGITAL FORMAT PROVIDED, THE CONTRACTOR WILL BE RESPONSIBLE FOR HAVING THE DATA CONVERTED TO THE NECESSARY FORMAT (I.E. MYLAR FILM), THROUGH A THIRD PARTY AND BEAR THE ASSOCIATED COSTS WHEN CONVERTING FROM DIGITAL TO STABLE BASED FORMAT, THE DIGITAL MYLAR SHALL BE PLOTTED ON STABLE BASE MATERIAL, WHILE MAINTAINING THE DIMENSIONAL ACCURACY DEMANDS OF THE UNDIMENSIONED DRAWING.

THIS INCLUDES BUT IS NOT LIMITED TO: VERIFY THE PLOT OF THE MYLAR(S) FOR DIMENSIONAL ACCURACY AS OUTLINED IN ASME Y14.31. ACCURACY SHALL BE DETERMINED VERTICALLY, HORIZONTALLY AND DIAGONALLY. ENSURE THAT THE INDIVIDUAL GRID UNITS ARE WITHIN THE TOLERANCE OF (+,-) 0.005 INCHES AND (+,-) 0.007 INCHES DIAGONALLY. TOTAL GRID TOLERANCE SHALL BE (+,-) 0.010 INCHES AND (+,-) 0.014 INCHES DIAGONALLY. DRAWINGS WITH DIMENSIONAL ACCURACY POINTS SUCH AS TRAMMEL POINTS SHALL BE MEASURED TO WITHIN CENTERLINE (+,-) 0.010 INCHES AND (+,-) 0.014 INCHES DIAGONALLY. REGISTRATION MARKS SUCH AS THOSE USED ON CIRCUIT CARDS SHALL BE MEASURED TO WITHIN (+,-) 0.005 INCHES AND (+,-) 0.007 INCHES DIAGONALLY.

MARK IAW MIL-STD-130N(1), DATED 16 NOV 2012.  
CONFIGURATION CONTROL APPLIES

A COMPLETE TECH DATA PKG/BIDSET EXISTS,BUT  
IS EXPORT CONTROLLED

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS [HTTP://WWW.DLIS.DLA.MIL/JCP](http://WWW.DLIS.DLA.MIL/JCP) OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE  
FEDERAL CENTER  
74 WASHINGTON AVE., NORTH  
BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25."

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-2992	Page 6 of 9
--------------------	--	-------------

## SECTION B

### SAMPLING:

1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED

2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

IAW BASIC DRAWING NR 81205 39-17768  
REVISION NR DTD 07/12/1961  
PART PIECE NUMBER: 39-17768-2

IAW REFERENCE DRAWING NR 81205 BAC5305  
REVISION NR K DTD 09/26/2005  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5305  
REVISION NR K DTD 09/25/2012  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5458  
REVISION NR L DTD 07/05/1996  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5458  
REVISION NR L DTD 01/12/1995  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BMS5-126H  
REVISION NR H DTD 06/01/1998  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BMS9-3T  
REVISION NR T DTD 08/25/2006  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5010  
REVISION NR W DTD 06/30/2004  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5010  
REVISION NR W DTD 10/30/1998  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5331  
REVISION NR D DTD 09/15/2005  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5331  
REVISION NR D DTD 03/28/2000  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 D6-49225  
REVISION NR P DTD 11/20/1997  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 D6-49225  
REVISION NR P DTD 06/24/1993

CONTINUED ON NEXT PAGE

## SECTION B

PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BACM10W  
 REVISION NR J DTD 09/06/1960  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BMS8-79AE  
 REVISION NR AE DTD 04/08/2005  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BMS9-3T  
 REVISION NR B DTD 11/19/2010  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 D-13046  
 REVISION NR DTD 07/12/1966  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BMS5-126H  
 REVISION NR D DTD 07/28/2004  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 39-17768/1  
 REVISION NR DTD 07/12/1961  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5307  
 REVISION NR U DTD 11/27/2013  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BACG20Z  
 REVISION NR Y DTD 01/08/2008  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 77272 BMS8-79AE  
 REVISION NR AE DTD 06/15/2011  
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 13873 008635112-14262  
 REVISION NR DTD 09/19/2014  
 PART PIECE NUMBER:

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0055985557	0001	EA	13.000		

NSN/MATERIAL:1560008635112

DELIVERY (IN DAYS):0164

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:

**CONTINUED ON NEXT PAGE**

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-2992	Page 8 of 9
--------------------	--	-------------

## SECTION B

PR: 0055985557 PRLI: 0001 CONT'D

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified

CONTINUED ON NEXT PAGE



SECTION B

PR: 0055985557 PRLI: 0001 CONT'D  
in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

W62G2T  
W1BG DLA DISTRIBUTION  
25600 S CHRISMAN ROAD  
REC WHSE 57  
TRACY CA 95304-5000  
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT)  
AWARDS SEE DLAD 52.247-9059 AND  
CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

W62G2T  
W1BG DLA DISTRIBUTION  
25600 S CHRISMAN ROAD  
REC WHSE 57  
TRACY CA 95304-5000  
US

Need Ship Date:05/15/2015  
Original Required Delivery Date:10/25/2015  
\*\*\*\*\*