REQUEST FOR QUOTATIONS		THIS RFQ IS IS NOT A SMALL BUSINESS SET-ASIDE		PAGE OF	PAGES 10			
1. REQUEST NO. SPE8E5-15-T-1763	2. DATE ISSUED 2014 NOV 19	REQUISITION/PURCHASE REQUEST NO See Schedule	). 4. CERT.FOR N. UNDER BDSA AND/OR DMS	REG. 2	RATING			
5. ISSUED BY DLA TROOP SUPPORT	6. DELIVER BY	6. DELIVER BY (Date) 20 DAYS ADO						
CONSTRUCTION & EQUIPMENT (I 700 ROBBINS AVENUE PHILADELPHIA PA 19111-5096 USA	7. DELIVERY FOB D	7. DELIVERY  FOB DESTINATION  OTHER (See Schedule)						
Name: Pamela Tull Buyer Code:PEF Email: DLA-TS-FCFC@dla.mil	a. NAME OF CO	9. DESTINATION a. NAME OF CONSIGNEE						
8. TO:	See Sched	See Schedule						
				b. STREET ADDRESS				
	c. CITY	c. CITY						
			d. STATE e.	ZIP CODE				
10. PLEASE FURNISH QUOTATIONS TO ISSUING OFFICE IN BLOCK 5 ON OI BEFORE CLOSE OF BUSINESS (Date 2014 DEC 01	R indicate on the incurred in torigin unless	T: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so his form and return it to the address in Block 5. This request does not commit the Government to pay any costs the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must d by the quoter.						
11. SCHEDULE (See Continuation Sheets)								

### POC INFORMATION:

DRAWINGS MAY BE OBTAINED AT https://pcf1.bsm.dla.mil/cfolders DISCREPANCIES FOUND IN BIDSETS SHOULD BE E-MAILED TO Dscr.PdmdDistribution@dla.mil

 $\textbf{ALL OTHER QUESTIONS} \ (\textbf{SOLICITATION REQUIREMENTS}, \textbf{ITEM DESCRIPTION}, \textbf{AWARD CHOICE}, \textbf{ETC.}), \textbf{PLEASE CONTACT THE BUYER SHOWN ABOVE}.$ 

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm OR PHONE 1-855-DLA-0001 (1-855-352-0001).

### MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement\_DLA\_Automated\_Master\_Solicitation\_REV25OCT2014.docx

			a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS				
12. DISCOUNT FOR PROMPT PAYMENT							NUMBER	PERCENTAGE			
NOTE: Additional provisions and representations are are not attached.											
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN		15. Date of Quotation					
a. NAME OF QUOTER CA	GE				— QUOTATION						
					1						
b. STREET ADDRESS				16. SIGNER							
				a. NAME (Type or Print)		b. TELEPHONE					
c. COUNTY						AREA CODE					
							AREA COD	, <u> </u>			
d. CITY	e. STATE	f. ZIP COD	E		c. TITLE (Type or Print)		NUMBER				

## SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT https://www.dibbs.bsm.dla.mil.MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

FAR 52.219-6, Alt I NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE

SMALL BUSINESS MUST MEET APPLICABLE SIZE STANDARD AND MAY SUPPLY THE PRODUCT OF A SMALL, LARGE OR FOREIGN BUSINESS MANUFACTURER, EXCEPT THAT A CAGE REPRESENTING ITSELF TO BE A HUBZONE SMALL BUSINESS ON A HUBZONE SET-ASIDE MUST SUPPLY THE PRODUCT OF A HUBZONE SMALL BUSINESS CONCERN.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 325520 SEE http://www.sba.gov/content/table-small-business-size-standards FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DFARS 252.225-7001, BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM, APPLIES TO ALL QUOTES ABOVE THE MICRO-PURCHASE THRESHOLD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-1 APPLIES.

THIS BUY IS FAST PAY

# Reference No. of Document Being Continued: SPE8E5-15-T-1763

Page 3 of 10

## SECTION A

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

No History Available

# Reference No. of Document Being Continued: SPE8E5-15-T-1763

Page 4 of 10

### SECTION B

PR: 0055992056

NSN/MATERIAL:8040012805524

ITEM DESCRIPTION ADHESIVE

ADHESIVE

ONE PINT

Size: a pint kit consisting of separate base and curing agent packaged in separate containers.

TYPE II 6 MONTHS SHELF LIFE ITEM. SHELF LIFE MARKINGS This material has shelf life. Products delivered under this contract shall be manufactured/cured/assembled to ensure that a minimum of 85% shelf-life is remaining at time of receipt by the first government activity. Shelf life markings shall be in accordance with the latest revision of MIL-STD-129.

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S) (HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS 252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

COMPONENTS OF A KIT, AS IDENTIFIED BY A SINGLE NSN, SHALL BE PACKAGED IN ACCORDANCE WITH NSN PACKAGING REQUIREMENTS, AND THEN MARKED I/A/W MIL-STD-129.

PLACE CONTENTS OF THE KIT IN ONE (1) BOX, ENSURING THE BOX IS SUFFICIENT TO PREVENT DAMAGE TO CONTENTS OF KIT. IF ONE BOX IS INSUFFICENT, ENSURE THAT EACH BOX IS MARKED APPROPRIATELY AS TO IDENTIFY IT AS PART OF A KIT (THAT IS, 1 OF 2, 2 OF 2, ETC.)

CONTENTS MUST BE CUSHIONED AS NECESSARY TO PREVENT MOVEMENT AND DAMAGE OF CONTENTS. EACH BOXED KIT MUST CONTAIN A LIST OF CONTENTS FOR ITEMS WITHIN THE KIT.

WHEN THE PURCHASE ORDER TEXT (POT)
DESCRIBES THE REQUIRED PRODUCT(S) BY NAME AND
PART NUMBER OF A SPECIFIC ENTITY, BY THE NAMES
AND PART NUMBERS OF A NUMBER OF SPECIFIC
ENTITIES, OR BY THE NAME(S) AND PART NUMBER(S)
OF SPECIFIC ENTITY/ENTITIES AS MODIFIED BY
ADDITIONAL REQUIREMENTS SET FORTH IN THE POT,

# Reference No. of Document Being Continued: SPE8E5-15-T-1763

Page 5 of 10

#### SECTION B

ONLY THAT/THOSE PRODUCT(S) HAVE BEEN DETERMINED TO MEET THE NEEDS OF THE GOVERNMENT AND ARE ACCEPTABLE. SUCH PRODUCT(S) ARE "EXACT PRODUCT(S)" AS DEFINED IN "DLAD 52.217-9002, CONDITIONS FOR EVALUATION AND ACCEPTANCE OF OFFERS FOR PART NUMBERED ITEMS."

A VENDOR OFFER/QUOTATION, "BID WITHOUT EXCEPTION," IS A CERTIFICATION THAT THE "EXACT PRODUCT," MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT WILL BE FURNISHED UNDER THE CONTRACT OR ORDER. ANY PRODUCT NOT MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT IS AN "ALTERNATE PRODUCT," EVEN THOUGH IT MIGHT BE MANUFACTURED IN ACCORDANCE WITH THE DRAWING(S) AND/OR SPECIFICATIONS OF ONE OF THE ENTITIES CITED IN THE POT.

IF AN ALTERNATE PRODUCT IS FURNISHED UNDER A CONTRACT OR ORDER FOR AN EXACT PRODUCT, THE ALTERNATE PRODUCT WILL BE AN UNAUTHORIZED SUBSTITUTION, AND MAY YIELD CRIMINAL PENALTIES IN ADDITION TO ANY CIVIL REMEDIES AVAILABLE TO THE GOVERNMENT.

### PACKAGING

KIT PACKAGING: The product shall be furnished in the specified kit size quantities packaged in the manufacturer's original, separate containers and in accordance with normal commercial practice. There shall be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality, or purity of the contents. Such packaged ingredients shall be further packaged or assembled together as a complete unit in kit form. The filled containers and kit assembly shall be closed in a manner that will insure the contents will not spill or leak from the containers and that separation of the components will be prevented during shipment, handling, storage, and redistribution.

#### PACKING

INTERMEDIATE PACKAGING: Not more than 25 units packaged as specified above shall be further packaged in a close fitting corrugated fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification.

PACKING: Intermediate packaged boxes may be further packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification (UFC) and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the UFC. Gross weight of box and contents shall not exceed 65 pounds.

MEGGITT (ROCKMART), INC. DBA 56221 P/N 1895C AERO HARDWARE & PARTS CO., INC. 4A766 P/N 1895C

# Reference No. of Document Being Continued: SPE8E5-15-T-1763

Page 6 of 10

## SECTION B

<u>CLIN PR PRLI UI QUANTITY UNIT PRICE TOTAL PRICE</u> 0001 0055992056 0001 KT 16.000

NSN/MATERIAL:8040012805524

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0% INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL

# Reference No. of Document Being Continued: SPE8E5-15-T-1763

Page 7 of 10

#### SECTION B

PR: 0055992056 PRLI: 0001 CONT'D

CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALLY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

#### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply: •,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.

- •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- $\bullet$  ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

#### PACKAGING

KIT PACKAGING: The product shall be furnished in the specified kit size quantities packaged in the manufacturer's original, separate containers and in accordance with normal commercial practice. There shall be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality, or purity of the contents. Such packaged ingredients shall be further packaged or assembled together as a complete unit in kit form. The filled containers and kit assembly shall be closed in a manner that will insure the contents will not spill or leak from the containers and that separation of the components will be prevented during shipment, handling, storage, and redistribution.

#### PACKING

INTERMEDIATE PACKAGING: Not more than 25 units packaged as specified above shall be further packaged in a close fitting corrugated fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification.

PACKING: Intermediate packaged boxes may be further packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification (UFC) and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the UFC. Gross weight of box and contents shall not exceed 65 pounds.

#### PARCEL POST ADDRESS:

FB2037
FB2037 AF DLA DIST OKC OK
BLDG 469 DR 10W CP 405 739 5334
7330 CENTURY BLVD

# Reference No. of Document Being Continued: SPE8E5-15-T-1763

Page 8 of 10

#### SECTION B

PR: 0055992056 PRLI: 0001 CONT'D

TINKER AFB OK 73145

RDD 777 SHIPMENT. SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

FB2037 FB2037 AF DLA DIST BLDG 469 DR 10W CP 405 739 5334 7330 CENTURY BLVD TINKER AFB OK 73145 US

M/F:(TCN) FB203741550029 RDD: 777

PROJ TP 2 SUP ADD SIG A

FOR GOVERNMENT USE ONLY: IPD 06

DIC AOA DIST 01 ADV FC 6C

Need Ship Date:00/00/0000

PRLI UI QUANTITY UNIT PRICE TOTAL PRICE 0002 0055992055 0001 KΤ 1.000

NSN/MATERIAL:8040012805524

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

OTY VARIANCE: PLUS 0% MINUS 0% INSPECTION POINT: DESTINATION ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS

# Reference No. of Document Being Continued: SPE8E5-15-T-1763

Page 9 of 10

#### SECTION B

PR: 0055992055 PRLI: 0001 CONT'D

ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALLY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

## Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply: •,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.

- •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- $\bullet$ ,, The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

#### PACKAGING

KIT PACKAGING: The product shall be furnished in the specified kit size quantities packaged in the manufacturer's original, separate containers and in accordance with normal commercial practice. There shall be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality, or purity of the contents. Such packaged ingredients shall be further packaged or assembled together as a complete unit in kit form. The filled containers and kit assembly shall be closed in a manner that will insure the contents will not spill or leak from the containers and that separation of the components will be prevented during shipment,

# Reference No. of Document Being Continued: SPE8E5-15-T-1763

Page 10 of 10

#### SECTION B

PR: 0055992055 PRLI: 0001 CONT'D

handling, storage, and redistribution.

PACKING

INTERMEDIATE PACKAGING: Not more than 25 units packaged as specified above shall be further packaged in a close fitting corrugated fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification.

PACKING: Intermediate packaged boxes may be further packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification (UFC) and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the UFC. Gross weight of box and contents shall not exceed 65 pounds.

PARCEL POST ADDRESS:

FB6381 FB6381 171 ARW LGS BLDG 110 CML PHN 412 474 7369 110 MUSTANG DR CORAOPOLIS PA 15108 US

RDD 777 SHIPMENT. SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

FB6381 FB6381 171 ARW LGS BLDG 110 CML PHN 412 474 7369 110 MUSTANG DR CORAOPOLIS PA 15108 US

M/F:(TCN) FB638132950680 RDD: 777 PROJ TP 2 SUP ADD SIG A

FOR GOVERNMENT USE ONLY: IPD 06

DIC A3A DIST 01 ADV 2D FC 6C