

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 8 PAGES
1. REQUEST NO. SPE8E5-15-T-2154	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0056155081	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING
5. ISSUED BY DLA TROOP SUPPORT CONSTRUCTION & EQUIPMENT (MAT & ME) 700 ROBBINS AVENUE PHILADELPHIA PA 19111-5096 USA Name: Pamela Tull Buyer Code:PEPCFCZ Tel: 215-737-2695 Fax: 215-737-2151 Email: DLA-TS-FCFC@dla.mil			6. DELIVER BY (Date) 20 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 12		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2154	Page 2 of 8
--------------------	--	-------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 325520 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-1 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2154	Page 3 of 8
--------------------	--	-------------

SECTION A

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

No History Available

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2154	Page 4 of 8
--------------------	--	-------------

SECTION B

PR: 0056155081
NSN/MATERIAL:8040013434809

ITEM DESCRIPTION
PRIMER,ADHESIVE

PRIMER,ADHESIVE
UI = BX
Size: four oz in a can packed 6 per box as a unit of issue.
Color: orange

TYPE II 12 MONTHS (1 YEAR) SHELF LIFE ITEM:
MATERIAL FURNISHED UNDER THIS CONTRACT/ORDER SHALL
HAVE AT LEAST 85% OF THE SHELF LIFE
REMAINING AT TIME OF DELIVERY. SHELF LIFE
MARKINGS (CURE AND EXPIRATION DATES) SHALL
BE IN ACCORDANCE WITH MIL-STD-129, LATEST
REVISION, AND SHALL BE SHOWN IN
CALENDAR QUARTER AND YEAR. EXPIRATION DATE SHALL
BE 1 YEAR FROM CURE DATE.

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS
DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL
SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S)
(HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS
252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW
FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD
COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND
SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO
CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA
SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313
REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO
THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL
REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A
DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO
FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42,
CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

WHEN THE PURCHASE ORDER TEXT (POT)
DESCRIBES THE REQUIRED PRODUCT(S) BY NAME AND
PART NUMBER OF A SPECIFIC ENTITY, BY THE NAMES
AND PART NUMBERS OF A NUMBER OF SPECIFIC
ENTITIES, OR BY THE NAME(S) AND PART NUMBER(S)
OF SPECIFIC ENTITY/ENTITIES AS MODIFIED BY
ADDITIONAL REQUIREMENTS SET FORTH IN THE POT,
ONLY THAT/THOSE PRODUCT(S) HAVE BEEN DETERMINED
TO MEET THE NEEDS OF THE GOVERNMENT AND ARE
ACCEPTABLE. SUCH PRODUCT(S) ARE "EXACT
PRODUCT(S)" AS DEFINED IN "DLAD 52.217-9002,
CONDITIONS FOR EVALUATION AND ACCEPTANCE OF
OFFERS FOR PART NUMBERED ITEMS."

A VENDOR OFFER/QUOTATION, "BID WITHOUT
EXCEPTION," IS A CERTIFICATION THAT THE "EXACT
PRODUCT," MANUFACTURED AND/OR SUPPLIED BY ONE

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2154	Page 5 of 8
--------------------	--	-------------

SECTION B

OF THE ENTITIES CITED IN THE POT WILL BE FURNISHED UNDER THE CONTRACT OR ORDER. ANY PRODUCT NOT MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT IS AN "ALTERNATE PRODUCT," EVEN THOUGH IT MIGHT BE MANUFACTURED IN ACCORDANCE WITH THE DRAWING(S) AND/OR SPECIFICATIONS OF ONE OF THE ENTITIES CITED IN THE POT.

IF AN ALTERNATE PRODUCT IS FURNISHED UNDER A CONTRACT OR ORDER FOR AN EXACT PRODUCT, THE ALTERNATE PRODUCT WILL BE AN UNAUTHORIZED SUBSTITUTION, AND MAY YIELD CRIMINAL PENALTIES IN ADDITION TO ANY CIVIL REMEDIES AVAILABLE TO THE GOVERNMENT.

ITEM MARKING

Each item shall be marked with the following:

- (1) lot or batch number
- (2) shelf life monitoring data including starting dates of manufacture and stop/check dates of reinspection or expiration
- (3) manufacturer's name and part number
- (4) instructions for use on unit containers only
- (5) instructions for storage, i.e. do not freeze, refrigeration required, etc.
- (6) maximum volatile organic content (VOC) less water and exempt solvents in grams per liter or pounds per gallon.
- (7) if the item is on an existing contract, the supplier shall follow the pre-arranged California South Coast Air Quality Management District labeling requirements.

PACKAGING: The product shall be furnished in the specified quantities packaged in the manufacturer's original containers and in accordance with normal commercial practice. There shall be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality, or purity of the contents. The filled containers shall be closed in a manner that will insure the contents will not spill or leak from the containers during shipment, handling, storage, and redistribution.

INTERMEDIATE PACKAGING: Not more than 25 units packaged as specified above shall be further packaged in a close fitting corrugated fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification.

PACKING: Intermediate packaged boxes may be further packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification (UFC) and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the UFC. Gross weight of box and contents shall not exceed 65 pounds.

MARKING

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2154	Page 6 of 8
--------------------	--	-------------

SECTION B

All unit, intermediate, transport packages and unit loads shall be marked and bar coded in accordance with the latest version of MIL-STD-129, "Military Marking For Shipment and Storage". "Latest version" is defined as the version in effect on the date of bid submittal. Federal Standards and Military Standards can be accessed on-line via the Defense Logistics Agency's "Assist" Quicksearch web site:
<http://assist.daps.dla.mil/quicksearch/>.

South Coast Air Quality Management District Provision: If the item is on an existing contract, the supplier shall follow the pre-arranged California South Coast Air Quality Management District labeling requirements.

PALLETIZATION

Pallet Configuration: The pallets shall be 48-inch length x 40-inch width, general purpose, four-way entry, flush stringer, double-face non-reversible pallets. Pallet lumber used shall be bark free.

Pallet Load Size: The load plus the pallet shall have a maximum height of 53 inches and shall not exceed 2500 pounds in weight for shipments to Eastern Distribution Center (Burlington). The palletized load shall not exceed 2000 pounds in weight for shipments to the Western Distribution Center (Sharpe).

Stacking Strength: The pallet plus the load shall be capable of supporting two additional like loads without any product damage and without the load or the pallet collapsing. Vertical, horizontal, or filler reinforcement may be added as necessary to provide strength.

Partial Palletized Loads: Less than one-half pallet loads shall not be used for stacking, unless load is balanced on pallet. The partial palletized load shall be used for top loading only.

Notice of special requirements for shipment to all countries that have endorsed the IPPC Guidelines for treatment of non-manufactured wood packaging: The International Plant Protection Convention (IPPC) has approved and published Guidelines for Regulating Wood Packaging Material in International Trade . Countries endorsing the IPPC Guidelines are found at the website given below. General Services Administration Acquisition Manual (GSAM) Clause 552.211-89 requires non-manufactured wood pallets and other non-manufactured wood packaging material used to pack items for delivery to or through IPPC countries be marked and properly treated in accordance with IPPC guidelines. Pallets and packing material shipped to FAS distribution facilities designated for possible delivery to the countries endorsing the IPPC Guidelines will comply with DLAD 47.305-1, and MIL-STD-2073-1.
http://www.aphis.usda.gov/import_export/plants/plant_exports/wpm/country/index.shtml

ITW DEVCON A DIVISION OF ITW LTD K9038 P/N 15985

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2154	Page 7 of 8
--------------------	--	-------------

SECTION B

PR: 0056155081 PRLI: 0001 CONT'D

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056155081	0001	BX	1.000		

NSN/MATERIAL:8040013434809

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056155081 PRLI: 0001 CONT'D
YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS,
IN ACCORDANCE WITH FED-STD-313, THE MATERIAL
SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE
WITH "ASTM D3951."

PARCEL POST ADDRESS:

N00204
NAVAL AIR STATION
TRANSPORTATION OFFICER SUPPLY DEPT
690 SAN CARLOS ROAD BLDG 3581
PENSACOLA FL 32508-5014
US

SHIP BY TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

N00204
NAVAL AIR STATION
TRANSPORTATION OFFICER SUPPLY DEPT
690 SAN CARLOS ROAD BLDG 3581
PENSACOLA FL 32508-5014
US

M/F:(TCN) N4242043250271
RDD: 326
PROJ EK5 TP 3
SUP ADD N00204 SIG J

FOR GOVERNMENT USE ONLY:IPD 12

DIC A4A DIST 9B ADV FC LN

Need Ship Date:00/00/0000
Original Required Delivery Date:11/28/2014
