REQUEST FOR QUOTATIONS		THIS RFQ IS IS NOT A SMALL BUSINESS SET-ASIDE		PAGE OF	PAGES 9		
1. REQUEST NO. SPE4A6-15-T-A744	2. DATE ISSUED 2014 NOV 24	3. REQUISITION/PURCHAS 0056077325	SE REQUEST NO.	4. CERT.FOR UNDER BD AND/OR DI	SA REG. 2	RATING DO	P-A3
5. ISSUED BY DLA AVIATION				6. DELIVER	BY <i>(Date)</i> 132 DAYS	ADO	
ASC COMMODITIES DIVISION 8000 JEFFERSON DAVIS HIGHWAY RICHMOND VA 23297				7. DELIVERY FOB DESTINATION OTHER (See Schedule)			
USA Name: ROBYN MOODY Buyer Code:PARAVBH Tel: 804-279-2964 Fax: 804-279-4848 Email: ROBYN.MOODY@DLA.MIL			9. DESTINATION a. NAME OF CONSIGNEE				
8. TO:				See Sch			
				b. STREET A	ADDRESS		
				c. CITY			
				d. STATE	e. ZIP CODE		
10. PLEASE FURNISH QUOTATIONS T ISSUING OFFICE IN BLOCK 5 ON C BEFORE CLOSE OF BUSINESS (Da	indicate on the incurred in origin unless	MPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic rigin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must					
2014 DEC 01 be completed by the quoter.							
11. SCHEDULE (See Continuation Sheets)							

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AThttps://pcf1.bsm.dla.mil/cfolders. DISCREPANCIES FOUND IN TECHNICAL DATAPROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE:https://www.pdmd.dla.mil/cs/

 $\textbf{ALL OTHER QUESTIONS} \ (\textbf{SOLICITATION REQUIREMENTS}, \textbf{ITEM DESCRIPTION}, \textbf{AWARD CHOICE}, \textbf{ETC.}), \textbf{PLEASE CONTACT THE BUYER SHOWN ABOVE}.$

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

		a. 10 C	ALENDAR	DAYS (%)	b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CAI	LENDAR DAYS
12. DISCOUNT FOR PROMPT PAYMENT							NUMBER	PERCENTAGE
NOTE: Additional provisions and re	presentations		are	are not	t attached.			
13. NAME AND ADDRESS OF QUOTER			14. SIGNATURE OF PERSON AUTHORIZED TO SIGN		15. Date of Quotation			
a. NAME OF QUOTER CA	GE				- QUOTATION			
b. STREET ADDRESS			16. SIGNER					
					a. NAME (Type or Print)		b. 7	TELEPHONE
c. COUNTY					1		AREA COD	DE
d. CITY	e. STATE	f. ZIP COI	DE		C. TITLE (Type or Print)		NUMBER	

Reference No. of Document Being Continued: SPE4A6-15-T-A744

Page 2 of 9

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT https://www.dibbs.bsm.dla.mil.MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

DLAD 52.219-9015 COMBINED SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS/SMALL BUSINESS SET ASIDE INSTRUCTIONS - TYPE 1 APPLY

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 332991 SEE http://www.sba.gov/content/table-small-business-size-standards FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DFARS 252.225-7001, BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM, APPLIES TO ALL QUOTES ABOVE THE MICRO-PURCHASE THRESHOLD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

SECTION A

THIS BUY IS NOT FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:005543359/3110

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
04836 04836 04836 6XK05 04836 04836 1SAU2 1SAU2 52676 52676 52676	SPE4A615V3828P00001 SPE4A615V0948P00002 SPE4A614VH572 SPE4A614WB327 SPE4A614V4444P00002 SPE4A614V2329P00001 SPM4M108MD029 SPM4M108M5879 SP044105MSQ97 SP044104MG265 SP056098MN377 DLA50091MNY69	2202.000 1787.000 714.000 1013.000 1001.000 761.000 256.000 579.000 117.000 99.000 316.000 500.000	37.69000 36.12000 35.00000 52.00000 33.75000 45.28000 34.33000 32.45000 26.54000 17.83000 15.81978 11.54000	20141117 20141014 20140714 20140321 20131126 20131101 20080829 20080307 20050928 20031126 19980211 19910704
01212 01212	DLA50087W8047 DLA50086W0827	775.000 225.000	8.80000 8.93000	19870519 19851106

Reference No. of Document Being Continued: SPE4A6-15-T-A744

Page 4 of 9

SECTION A

Procurement History for NSN/FSC:005543359/3110

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
43991	DLA50084MKB51	1200.000	8.60000	19840823
53035	DLA50084MU353	420.000	10.75000	19840320
01212	DLA50080M8019	234.000	10.06000	19800509
01212	DLA50079MET39	450.000	9.89000	19790426
NOT FO	DSA50071D07090014	480.000	3.88000	19711207

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (http://www.dla.mil/FDTPI/).

Reference No. of Document Being Continued: SPE4A6-15-T-A744

Page 5 of 9

SECTION B

PR: 0056077325

NSN/MATERIAL:3110005543359

ITEM DESCRIPTION BEARING, BALL, ANNULA

BEARING, BALL, ANNULAR

IDENTIFY TO:

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

TECH DATA PACKAGE AVAILABILITY:
THIS NSN IS PROCURED AS FULLY COMPETITIVE IN
ACCORDANCE WITH A MILITARY/FEDERAL
SPECIFICATIONS/STANDARDS AND/OR VOLUNTARY
INDUSTRY) STANDARDS. REFER TO SECTION L, CLAUSE
52.211-9G13 FOR OBTAINING SUCH DATA.

BEARING RESTRICTION:

AN AWARD FROM THIS SOLICITATION CAN ONLY BE MADE FOR A BEARING MANUFACTURED IN THE UNITED STATES, ITS OUTLYING AREAS, OR CANADA AND FOR EACH BALL OR ROLLER BEARING, THE COST OF THE BEARING COMPONENTS (BEARING ELEMENT, RETAINER, INNER RACE, OR OUTER RACE) MINED, PRODUCED OR MANUFACTURED IN THE UNITED STATES, ITS OUTLYING AREAS, OR CANADA MUST EXCEED 50% OF THE TOTAL COST OF THE BEARING COMPONENTS OF THAT BALL OR ROLLER BEARING. SEE DFARS CLAUSE 252.225-7016, RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (DEC 2010). A CONTRACTOR'S DECLARATION ON THE DOMESTIC/FOREIGN NATURE OF MATERIAL BEING OFFERED IS REQUIRED. PLEASE VISIT THE FOREIGN BEARING WEBSITE AT http://www.aviation.dla.mil/UserWeb/ForeignBearingWaiver/index.htm TO OBTAIN A COPY OF THE CONTRACTOR'S DECLARATION FORM. PLEASE PRINT, COMPLETE, SIGN AND HAVE READY FOR SUBMISSION UPON REQUEST FROM THE BUYER. FAILURE TO PROVIDE THIS INFORMATION MAY RESULT IN YOUR QUOTE NOT BEING CONSIDERD FOR AWARD. IN THE EVENT NO OFFERED BEARINGS MEET THIS SOURCING REQUIREMENT, THIS SOLICITATION MAY BE CANCELLED AND A WAIVER MAY BE REQUESTED BY THE PROCUREMENT ACTIVITY. UPON RECEIPT OF AN APPROVED WAIVER FROM THE DOMESTIC SOURCING RESTRICTION, THE REQUIREMENT MAY BE RE-SOLICITED. DFARS 225.7009-4, WAIVER, RESTRICTION ON BALL AND ROLLER BEARINGS (DEC

MERCURY FREE ENVIRONMENT:

2010).

MERCURY OR MERCURY CONTAINING COMPOUNDS SHALL NOT BE INTENTIONALLY ADDED TO, OR COME IN DIRECT CONTACT WITH, ANY HARDWARE OR SUPPLIES FURNISHED UNDER THIS CONTRACT. EXCEPTION: FUNCTIONAL MERCURY USED IN BATTERIES, FLUORESCENT LIGHTS, REQUIRED INSTRUMENTS; SENSORS OR CONTROLS; WEAPON SYSTEMS; AND CHEMICAL ANALYSIS REAGENTS SPECIFIED BY NAVSEA. PORTABLE FLUORESCENT LAMPS AND PORTABLE INSTRUMENTS CONTAINING MERCURY SHALL BE SHOCK PROOF AND CONTAIN A SECOND BOUNDARY OF CONTAINMENT OF THE MERCURY OR MERCURY COMPOUND. (IAW NAVSEA 5100-003D).

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE

Reference No. of Document Being Continued: SPE4A6-15-T-A744

Page 6 of 9

SECTION B

```
REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008
(EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008;
OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008
(EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE
OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS
REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES
WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS
EXCLUSIONS TO THIS DOCUMENT.
DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008
4.1 General requirements, [excluding reference to 1.2 and excluding NOTE
3 c)]
4.2.1 General, [excluding subparagraph a)]
4.2.2 Quality manual, [excluding subparagraph a)]
4.2.3 Control of documents
4.2.4 Control of records
5.1 Management commitment
5.3 Quality policy
6.2.2 Competence, training and awareness
6.4 Work environment
7.1 Planning of product realization, [excluding NOTE 2]
7.2.1 Determination of requirements related to the product
7.2.2 Review of requirements related to the product
7.2.3 Customer communication
7.3.7 Control of design and development changes
7.4.1 Purchasing process
7.4.3 Verification of purchased product
7.5.1 Control of production and service provision
7.5.3 Identification and traceability
7.5.4 Customer property
7.5.5 Preservation of product
7.6 Control of monitoring and measuring equipment
8.1 General, [excluding subparagraph b) and subparagraph c)]
8.2.2 Internal audit
8.2.4 Monitoring and measurement of product
8.3 Control of nonconforming product
8.5.2 Corrective action
8.5.3 Preventive action
PRESERVATION, PACKAGING, PACKING, AND MARKING
REQUIREMENTS SHALL BE IN ACCORDANCE WITH
MIL-DTL-197L.
1. METHOD OF PRESERVATION SHALL BE DETERMINED BY
BEARING TYPE AND SIZE (REFER TO TABLE I).
2. PARAGRAPH 3.10.2, SELECTION OF UNIT
PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR
PRESERVATIVE COMPOUND SHALL BE DETERMINED
DEPENDANT UPON BEARING TYPE AND CLOSURE IN
ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II.
FOR PRESERVATION PROCESS CONTROLS, DEPENDANT
UPON BEARING TYPE, CLOSURE, AND LUBRICANT,
PARAGRAPHS 3.4 THROUGH 3.9 APPLY.
3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS
OF PARAGRAPH 3.12.4 APPLY.
4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE
TO THE QUALITY ASSURANCE VERIFICATION
REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF
MIL-DTL-197L.
...END OF SPECIAL PACKAGING INSTRUCTIONS..
```

PRESERVATION, PACKAGING, PACKING, AND MARKING

Reference No. of Document Being Continued: SPE4A6-15-T-A744

Page 7 of 9

SECTION B

REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTI-1971.

1. METHOD OF PRESERVATION SHALL BE DETERMINED BY BEARING TYPE AND SIZE (REFER TO TABLE I).
2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT HEADY PROPERTY OF THE PROPERT

FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.

- 3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.
 4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE
- TO THE QUALITY ASSURANCE VERIFICATION REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.

...END OF SPECIAL PACKAGING INSTRUCTIONS...

IAW BASIC CID A-A-59585C NOT 1 REVISION NR C DTD 10/03/2006 PART PIECE NUMBER: AA59585-210JBBT

IAW REFERENCE QAP 13873 QAP-B02 REVISION NR B DTD 12/11/2013 PART PIECE NUMBER:

<u>CLIN PR PRLI UI QUANTITY UNIT PRICE TOTAL PRICE</u> 0001 0056077325 0001 EA 2,155.000

NSN/MATERIAL:3110005543359

DELIVERY (IN DAYS):0132

DELIVER FOB: ORIGIN

OTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999
QUP:001 PRES MTHD:ZZ CLNG/DRY:X PRESV MAT:XX
WRAP MAT:XX CUSH/DUNN MAT:XX CUSH/DUNN THKNESS:X
UNIT CONT:XX OPI:M
INTRMDTE CONT:XX INTRMDTE CONT QTY:XXX
PACK CODE:U
WARPKING SWALL PE IN ACCORDANCE WITH MIL-STD-129

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129. SPECIAL MARKING CODE:51 -

PALLETIZATION SHALL BE IN ACCORDANCE WITH MD00100452 REV B DATED JULY 01, 2008

PRESERVATION, PACKAGING, PACKING, AND MARKING

Reference No. of Document Being Continued: SPE4A6-15-T-A744

Page 8 of 9

SECTION B

PR: 0056077325 PRLI: 0001 CONT'D

REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.

- 1. METHOD OF PRESERVATION SHALL BE DETERMINED BY BEARING TYPE AND SIZE (REFER TO TABLE I).
 2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.
- 3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.
- 4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.
- ...END OF SPECIAL PACKAGING INSTRUCTIONS... PRESERVATION, PACKAGING, PACKING, AND MARKING REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.
- 1. METHOD OF PRESERVATION SHALL BE DETERMINED BY BEARING TYPE AND SIZE (REFER TO TABLE I).
 2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.
- 3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.
- 4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.
- ...END OF SPECIAL PACKAGING INSTRUCTIONS...

PARCEL POST ADDRESS:

W25G1U
W1BG DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

W25G1U W1BG DLA DISTRIBUTION DDSP NEW CUMBERLAND FACILITY

Continuation Sheet	ontinuation Sheet Reference No. of Document Being Continued:	
	SPE4A6-15-T-A744	

SECTION B

PR: 0056077325 PRLI: 0001 CONT'D

2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US