

<b>REQUEST FOR QUOTATIONS</b>		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 9 PAGES
1. REQUEST NO. SPE4A6-15-T-B693	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0056182755	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-A1
5. ISSUED BY DLA AVIATION ASC COMMODITIES DIVISION 8000 JEFFERSON DAVIS HIGHWAY RICHMOND VA 23297 USA Name: Pamela Williams Buyer Code:PARAV08 Tel: 804-279-3430 Email: Pamela.Williams@dla.mil			6. DELIVER BY (Date) 78 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 09		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

## POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

## MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: [http://www.dla.mil/Acquisition/Documents/EProcurement\\_DLA\\_Automated\\_Master\\_Solicitation\\_REV25OCT2014.docx](http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx)

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE4A6-15-T-B693	Page 2 of 9
--------------------	--	-------------

## SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 332991 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-2 APPLIES.

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an

**CONTINUED ON NEXT PAGE**

SPE4A6-15-T-B693

**SECTION A**

anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

## Procurement History for NSN/FSC:011274144/3110

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
3L665	SP044105M6260	1.000	220.00000	20041020
3L665	SP044103MSK86	1.000	220.00000	20030620
3L665	SP044102MR815	3.000	88.00000	20011219
55214	SP050094ME248	14.000	44.00000	19931209
54878	DLA50091MCL32	70.000	41.95000	19901224
NOT FO	DLA50087MGL43	50.000	60.00000	19870824
78286	F0960380G0747YQ17	4.000	341.00000	19820909

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (<http://www.dla.mil/FDTPI/>).

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A6-15-T-B693	Page 4 of 9
--------------------	--	-------------

## SECTION B

PR: 0056182755  
NSN/MATERIAL:3110011274144

ITEM DESCRIPTION  
PLATE, RETAINING, BEARING

PLATE, RETAINING, BEARING  
"EXPORT CONTROL ITEM"  
I/L/O SS8797

IDENTIFY TO:  
MIL-STD-130N(1) DATED 16 NOV 2012.  
IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

FOREIGN BEARINGS:  
AN AWARD FROM THIS SOLICITATION CAN ONLY BE MADE FOR A BEARING MANUFACTURED IN THE UNITED STATES, ITS OUTLYING AREAS, OR CANADA AND FOR EACH BALL OR ROLLER BEARING, THE COST OF THE BEARING COMPONENTS (BEARING ELEMENT, RETAINER, INNER RACE, OR OUTER RACE) MINED, PRODUCED OR MANUFACTURED IN THE UNITED STATES, ITS OUTLYING AREAS, OR CANADA MUST EXCEED 50% OF THE TOTAL COST OF THE BEARING COMPONENTS OF THAT BALL OR ROLLER BEARING. SEE DFARS CLAUSE 252.225-7016, RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (DEC 2010).  
A CONTRACTOR'S DECLARATION ON THE DOMESTIC/FOREIGN NATURE OF MATERIAL BEING OFFERED IS REQUIRED. PLEASE VISIT THE FOREIGN BEARING WEBSITE AT <http://www.aviation.dla.mil/UserWeb/ForeignBearingWaiver/index.htm> TO OBTAIN A COPY OF THE CONTRACTOR'S DECLARATION FORM. PLEASE PRINT, COMPLETE, SIGN AND HAVE READY FOR SUBMISSION UPON REQUEST FROM THE BUYER. FAILURE TO PROVIDE THIS INFORMATION MAY RESULT IN YOUR QUOTE NOT BEING CONSIDERD FOR AWARD.  
IN THE EVENT NO OFFERED BEARINGS MEET THIS SOURCING REQUIREMENT, THIS SOLICITATION MAY BE CANCELLED AND A WAIVER MAY BE REQUESTED BY THE PROCUREMENT ACTIVITY. UPON RECEIPT OF AN APPROVED WAIVER FROM THE DOMESTIC SOURCING RESTRICTION, THE REQUIREMENT MAY BE RE-SOLICITED. SEE DFARS 225.7009-4, WAIVER, RESTRICTION ON BALL AND ROLLER BEARINGS (DEC 2010).

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS [HTTP://WWW.DLIS.DLA.MIL/JCP](http://WWW.DLIS.DLA.MIL/JCP) OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE  
FEDERAL CENTER  
74 WASHINGTON AVE., NORTH  
BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A6-15-T-B693	Page 5 of 9
--------------------	--	-------------

## SECTION B

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25."

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.  
DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

- 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)]
- 4.2.1 General, [excluding subparagraph a)]
- 4.2.2 Quality manual, [excluding subparagraph a)]
- 4.2.3 Control of documents
- 4.2.4 Control of records
- 5.1 Management commitment
- 5.3 Quality policy
- 6.2.2 Competence, training and awareness
- 6.4 Work environment
- 7.1 Planning of product realization, [excluding NOTE 2]
- 7.2.1 Determination of requirements related to the product
- 7.2.2 Review of requirements related to the product
- 7.2.3 Customer communication
- 7.3.7 Control of design and development changes
- 7.4.1 Purchasing process
- 7.4.3 Verification of purchased product
- 7.5.1 Control of production and service provision
- 7.5.3 Identification and traceability
- 7.5.4 Customer property
- 7.5.5 Preservation of product
- 7.6 Control of monitoring and measuring equipment
- 8.1 General, [excluding subparagraph b) and subparagraph c)]
- 8.2.2 Internal audit
- 8.2.4 Monitoring and measurement of product
- 8.3 Control of nonconforming product
- 8.5.2 Corrective action
- 8.5.3 Preventive action

DUE TO ISSUES STILL BEING DISCUSSED, CHANGED ETC, ON MIL-DTL-197J THIS OFFICE RECOMMENDS THAT MIL-P-197H BE USED UNTIL FURTHER NOTICE PRECAUTIONARY MARKINGS PARA 3.6.4 THRU 3.6.8 APPLY PRESERVATION, PACKAGING, PACKING, AND MARKING REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.

1. METHOD OF PRESERVATION SHALL BE DETERMINED BY

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A6-15-T-B693	Page 6 of 9
--------------------	--	-------------

## SECTION B

BEARING TYPE AND SIZE (REFER TO TABLE I).

2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.

3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.

4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.

...END OF SPECIAL PACKAGING INSTRUCTIONS...  
PRESERVATION, PACKAGING, PACKING, AND MARKING REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.

1. METHOD OF PRESERVATION SHALL BE DETERMINED BY BEARING TYPE AND SIZE (REFER TO TABLE I).

2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.

3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.

4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.

...END OF SPECIAL PACKAGING INSTRUCTIONS...

IAW BASIC DRAWING NR 78286 64351-11207  
REVISION NR A DTD 06/12/1997  
PART PIECE NUMBER: 64351-11207-101

IAW REFERENCE DRAWING NR 78286 SS8797  
REVISION NR 14 DTD 01/24/1979  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 78286 SS8797  
REVISION NR 14 DTD 03/13/1986  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 78286 SS8540  
REVISION NR 1 DTD 07/10/1996  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 78286 64351-11207  
REVISION NR G DTD 04/04/1995  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 78286 64351-11207  
REVISION NR A DTD 12/29/1994  
PART PIECE NUMBER:

CONTINUED ON NEXT PAGE

SPE4A6-15-T-B693

**SECTION B**

IAW REFERENCE DRAWING NR 78286 SS8630  
REVISION NR 24 DTD 11/30/2012  
PART PIECE NUMBER:

IAW REFERENCE QAP 13873 QAP-B02  
REVISION NR B DTD 12/11/2013  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 78286 SS5100  
REVISION NR 39 DTD 10/27/2011  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 78286 SS9300  
REVISION NR 27 DTD 11/29/2010  
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 78286 SS8540  
REVISION NR 1- DTD 01/02/2005  
PART PIECE NUMBER:

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056182755	0001	EA	2.000		

NSN/MATERIAL:3110011274144

DELIVERY (IN DAYS):0078

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
QUP:001 PRES MTHD:ZZ CLNG/DRY:X PRESV MAT:XX  
WRAP MAT:XX CUSH/DUNN MAT:XX CUSH/DUNN THKNESS:X  
UNIT CONT:XX OPI:M  
INTRMDTE CONT:XX INTRMDTE CONT QTY:XXX  
PACK CODE:U  
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.  
SPECIAL MARKING CODE:51 -

PALLETIZATION SHALL BE IN ACCORDANCE WITH MD00100452 REV B DATED JULY 01, 2008

DUE TO ISSUES STILL BEING DISCUSSED,  
CHANGED ETC, ON MIL-DTL-197J THIS  
OFFICE RECOMMENDS THAT MIL-P-197H BE  
USED UNTIL FURTHER NOTICE PRECAUTIONARY  
MARKINGS PARA 3.6.4 THRU 3.6.8 APPLY  
PRESERVATION, PACKAGING, PACKING, AND MARKING  
REQUIREMENTS SHALL BE IN ACCORDANCE WITH  
MIL-DTL-197L.

1. METHOD OF PRESERVATION SHALL BE DETERMINED BY  
BEARING TYPE AND SIZE (REFER TO TABLE I).

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056182755 PRLI: 0001 CONT'D

2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.

3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.

4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.

...END OF SPECIAL PACKAGING INSTRUCTIONS...

PRESERVATION, PACKAGING, PACKING, AND MARKING REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.

1. METHOD OF PRESERVATION SHALL BE DETERMINED BY BEARING TYPE AND SIZE (REFER TO TABLE I).

2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.

3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.

4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.

...END OF SPECIAL PACKAGING INSTRUCTIONS...

PARCEL POST ADDRESS:

N01DLA  
FLEET READINESS CENTER DLA  
PSC 8021  
MCAS CHERRY POINT NC 28533-0021  
US

FREIGHT SHIPPING ADDRESS:

N01DLA  
FLEET READINESS CENTER DLA  
CUNNINGHAM STREET  
BLDG 159  
MCAS CHERRY POINT NC 28533-5040  
US

Need Ship Date:00/00/0000  
Original Required Delivery Date:12/01/2014  
\*\*\*\*\*



**SECTION B**

PR: 0056182755 PRLI: 0001 CONT'D